

Section **A** for the entry of D.
AIR MINISTRY.

FORM 1090.

REGISTRY

Kept at Upton
in the County of Berksh

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 3
,, Ground ,, Sea Level

MANOR HOUSE

1931 - 40

780203

Old No. 811

FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

L IN 1931. Standard Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. <i>Prime</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	—	.04	.02	.01	.01	—	.14	<i>Th</i>	—	<i>Th</i>	1
2	.10	.06	—	.57	<i>Th</i>	<i>Th</i>	—	<i>Th</i>	<i>Th</i> .84	<i>Th</i>	.02	.08	2
3	.02	<i>Th</i>	.06	.18	.05	—	<i>Th</i>	.15	.50	—	.37	.16	3
4	<i>Th</i>	.02	<i>Th</i>	<i>Th</i>	.01	—	.27	1.50	.30	<i>Th</i>	.22	<i>Th</i>	4
5	—	<i>Th</i>	—	.18	<i>Th</i>	.74	.02	<i>Th</i>	<i>Th</i>	—	.03	.25	5
6	—	.11	—	.16	—	.05	—	—	<i>Th</i>	.21	.15	—	6
7	—	<i>Th</i>	—	<i>Th</i>	.26	.01	.10	.33	—	.05	.09	.04	7
8	<i>Snow</i> .01	.05	<i>Snow</i> <i>Th</i>	.05	.01	.10	—	.14	—	<i>Th</i>	.21	<i>Th</i>	8
9	<i>Th</i>	.10	<i>Snow</i> <i>Th</i>	.03	—	—	—	—	—	—	.27	<i>Th</i>	9
10	<i>Th</i>	.02	<i>Snow</i> <i>Th</i>	—	<i>Th</i>	.04	.05	.17	.01	<i>Fog</i> <i>Th</i>	.29	<i>Th</i>	10
11	.08	.14	—	—	—	<i>Th</i>	.05	—	.03	—	.04	<i>Th</i>	11
12	.01	<i>Th</i>	—	<i>Th</i>	<i>Th</i>	—	.15	.09	.19	.03	<i>Th</i>	<i>Th</i>	12
13	—	—	—	—	.01	<i>Th</i>	.09	.03	<i>Th</i>	.02	—	—	13
14	—	.06	—	—	.08	.18	1.13	.36	—	—	—	—	14
15	<i>Th</i>	.01	—	.08	.13	<i>Th</i>	.05	.09	—	—	<i>Th</i>	.06	15
16	—	.03	—	.08	.11	.25	<i>Th</i>	.21	.11	—	—	<i>Th</i>	16
17	<i>Th</i>	.12	—	.09	.06	—	.20	—	.03	—	—	—	17
18	.02	.02	.04	.15	<i>Th</i>	.09	.02	.73	<i>Th</i>	—	.28	—	18
19	.01	<i>Th</i>	<i>Th</i>	.25	—	.28	.22	.01	—	—	.01	—	19
20	—	.02	<i>Th</i>	.03	—	<i>Th</i>	—	.20	—	—	.01	—	20
21	.01	—	.01	<i>Th</i>	.37	—	—	—	—	—	—	<i>Th</i>	21
22	.22	—	<i>Fog</i> <i>Th</i>	.01	<i>Th</i>	.01	—	.01	—	—	<i>Th</i>	—	22
23	.15	<i>Th</i>	<i>Th</i>	.07	.43	.16	—	<i>Th</i>	.01	—	.18	.08	23
24	<i>Th</i>	<i>Th</i>	<i>Th</i>	.25	.19	.03	.01	<i>Th</i>	—	—	<i>Th</i>	<i>Th</i>	24
25	.04	<i>Th</i>	—	.14	.03	—	.36	—	<i>Th</i>	—	.08	<i>Th</i>	25
26	—	.01	—	.11	—	—	.62	—	—	—	.26	—	26
27	.10	.30	—	.05	.78	—	.02	—	—	<i>Th</i>	.14	—	27
28	.03	.04	—	.05	.01	—	—	—	<i>Fog</i> <i>Th</i>	.02	<i>Fog</i> .01	<i>Snow</i> .06	28
29	.05	<i>X</i>	—	<i>Th</i>	.26	—	.05	—	—	.10	.03	—	29
30	.07	<i>X</i>	—	—	—	—	<i>Th</i>	.10	<i>Th</i>	<i>Th</i>	<i>Fog</i> <i>Th</i>	<i>Snow</i> <i>Th</i>	30
31	.15	<i>X</i>	—	<i>X</i>	.08	<i>X</i>	—	.10	<i>X</i>	—	<i>X</i>	.03	31
TOTAL	1.08	1.12	.11	2.57	2.89	1.93	3.42	4.22	2.02	.43	2.69	.76	23.24
*Days with or in. or more.	17	17	3	20	18	13	18	16	10	6	19	8	16.5
*Days with or more.	9	9	2	17	12	9	13	13	6	3	13	7	11.3

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. S. Fry

[P.T.O.]

Section

A

for the entry of D

AIR MINISTRY.—METEOROLOGICAL

BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 . Standard Gauge

Kept at Upton
in the County of Berkshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 240 ft.

From July 20th to April 10th the readings were taken from the old gauge by the same observer.
100400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. Prime	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	—	.04	.02	.01	.01	—	.14	Tr	—	Tr	1
2	.10	.06	—	.57	Tr	Tr	—	Tr	70.84	Tr	.02	.08	2
3	.02	Tr	.06	.18	.05	—	Tr	.15	.50	—	.37	.16	3
4	Tr	.02	Tr	Tr	.01	—	.27	1.50	.30	Tr	.22	Tr	4
5	—	Tr	—	.18	Tr	.74	.02	Tr	Tr	—	.03	.25	5
6	—	.11	—	.16	—	.05	—	—	Tr	.21	.15	—	6
7	—	Tr	—	Tr	.26	.01	.10	.33	—	.05	.09	.04	7
8	Snow .01	.05	Snow Tr	.05	.01	.10	—	.14	—	Tr	.21	Tr	8
9	Tr	.10	Snow Tr	.03	—	—	—	—	—	—	.27	Tr	9
10	Tr	.02	Snow Tr	—	Tr	.04	.05	.17	.01	Fog Tr	.29	Tr	10
11	.08	.14	—	—	—	Tr	.05	—	.03	—	.04	Tr	11
12	.01	Tr	—	Tr	Tr	—	.15	.09	.19	.03	Tr	Tr	12
13	—	—	—	—	.01	Tr	.09	.03	Tr	.02	—	—	13
14	—	.06	—	—	.08	.18	1.13	.36	—	—	—	—	14
15	Tr	.01	—	.08	.13	Tr	.05	.09	—	—	Tr	.06	15
16	—	.03	—	.08	.11	.23	Tr	.21	.11	—	—	Tr	16
17	Tr	.12	—	.09	.06	—	.20	—	.03	—	—	—	17
18	.02	.02	.04	.15	Tr	.09	.02	.73	Tr	—	.28	—	18
19	.01	Tr	Tr	.25	—	.28	.22	.01	—	—	.01	—	19
20	—	.02	Tr	.03	—	Tr	—	.20	—	—	.01	—	20
21	.01	—	.01	Tr	.37	—	—	—	—	—	—	Tr	21
22	.22	—	Fog Tr	.01	Tr	.01	—	.01	—	—	Tr	—	22
23	.15	Tr	Tr	.07	.43	.16	—	Tr	.01	—	.18	.08	23
24	Tr	Tr	Tr	.25	.19	.03	.01	Tr	—	—	Tr	Tr	24
25	.04	Tr	—	.14	.03	—	.36	—	Tr	—	.08	Tr	25
26	—	.01	—	.11	—	—	.62	—	—	—	.26	—	26
27	.10	.30	—	.05	.78	—	.02	—	—	Tr	.14	—	27
28	.03	.04	—	.05	.01	—	—	—	Fog Tr	.02	Fog .01	Snow .06	28
29	.05	X	—	Tr	.26	—	.05	—	—	.10	.03	—	29
30	.07	X	—	—	—	—	Tr	.10	Tr	Tr	Fog Tr	Snow Tr	30
31	.15	X	—	X	.08	X	—	.10	X	—	X	.03	31
TOTAL	1.08	1.12	.11	2.57	2.89	1.93	3.42	4.22	2.02	.43	2.69	.76	23.24
*Days with ".01 in. or more.	17	17	3	20	28	13	18	16	20	6	19	8	165
*Days with ".04 in. or more.	9	9	2	17	12	9	13	13	6	3	13	7	113

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C. S. Fry

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at Upton Manor House
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

new gauge

100
400

Old No 811

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.04	1.08	.01	.05	.10	.03	.04	.01		1
2				.11	.10			.04	.36	.03		.17	2
3				.26	.11		.01		.17			.01	3
4	.01			.01		.01	.01				.19		4
5	.26		.03				.06		.10				5
6	.35		.01	.10					.20				6
7			.07	.05	.05				.11	.03			7
8			.11	.04	.08				.59	.04			8
9	.15	.01		.04	.10				.25				9
10	.29	.02		.14	.07	.04			.02	.11	.01		10
11	.01				.02		1.02			.02	.05	.02	11
12	.13				.18				.03	.22	.02	.01	12
13	.03			.21			.28			.22	.08	.03	13
14	.25	.01		.03	.01			.01			.08	.01	14
15				.03	.30					.07	.02	.01	15
16	.16			.18	.20		.09						16
17				.01			.04			.03	.01		17
18					.02				.30		.16		18
19									.03	.15	.01		19
20				.01	.37			.88	.02	.65	.04		20
21			.01	.16	1.23			.46		.40		.01	21
22	.01		.16	.02	.04		.21		.37	.14	.20		22
23		.01			.32		.03		.05	.58		.08	23
24		.01			.01		1.45		.04	.10	.01		24
25		.01		.02	.02	.08	.22		.05	.12	.03		25
26			.09	.09	.07		.01			.09	.02		26
27		.01	.30	.12	.22		.13			.04	.01		27
28			.07	.03	.28		.02			.06			28
29			.25	.09	.41	.09	.01	.02	.09	.33	.03	.02	29
30		X	.25	.38	.39	.60		.01	.31	.04	.36	.30	30
31		X		X	.01	X	.03		X		X	.07	31
TOTAL	1.68	.08	1.35	2.17	5.60	.83	3.67	1.52	3.12	3.51	1.34	.74	25.70
*Days with ".01 in. or more.	12	7	11	23	25	6	17	7	19	22	19	12	180
*Days with ".04 in. or more.	7	0	8	15	19	4	10	4	14	18	8	4	111

Examined by Coast for TV.

COPY FOR OFFICIAL USE.

8 11

Section

A

for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Upton

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 240 ft.

100

400

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.09	.03	Tr	.01	—	—	—	—	.01	Tr	—	1
2	.27	Tr	.24	—	.32	—	—	—	—	—	Tr	—	2
3	.01	.11	.15	—	.03	—	—	—	—	—	—	—	3
4	.18	.01	.03	—	.31	—	—	Tr	—	—	—	—	4
5	.01	.01	.19	—	.01	—	—	—	—	—	.01	—	5
6	—	.13	.07	—	.06	—	—	—	—	.33	.03	—	6
7	.03	.04	.03	—	.03	—	Tr	—	—	.10	Tr	.01	7
8	.02	Tr	.04	—	.06	—	.27	—	—	.02	Tr	—	8
9	—	—	Tr	Tr	Tr	—	.13	—	—	.08	.06	—	9
10	.01	—	—	—	.01	.01	.19	Tr	—	.23	.12	—	10
11	.19	—	—	Tr	.06	.01	.05	.11	.02	—	Tr	—	11
12	.01	—	—	.09	.02	.07	.12	—	.59	—	—	.01	12
13	.04	—	—	—	.09	.01	.11	—	—	Tr	.01	—	13
14	.01	—	—	—	Tr	—	.01	.01	—	.01	.37	—	14
15	.35	—	.07	—	—	—	.05	.11	—	—	.01	—	15
16	Snow .01	Tr	.62	—	—	.08	.07	Tr	.02	.01	Tr	—	16
17	Snow .04	Snow .07	.44	—	—	.14	Tr	Tr	.02	—	.01	—	17
18	.05	Snow .03	.20	—	—	.16	—	—	—	—	.01	—	18
19	Tr	Snow Tr	.21	Snow Tr	—	.09	—	—	.18	—	Tr	.01	19
20	—	.02	.07	.04	—	.06	—	Tr	.04	—	.01	—	20
21	—	Snow .01	—	—	Tr .33	Tr	—	.04	.12	.02	.01	—	21
22	—	—	—	—	Tr	.01	—	.04	.01	.18	—	—	22
23	—	Snow Tr	—	.16	—	Tr	—	—	.53	.16	Tr	—	23
24	—	.19	—	.08	Tr	.08	Tr	—	.25	.02	.01	—	24
25	—	.37	—	.24	.03	.02	—	—	.17	—	.01	.07	25
26	—	.56	—	.09	—	.07	—	—	.41	.04	—	.01	26
27	—	.01	—	—	.04	—	.03	Tr	.04	.10	—	.04	27
28	—	Tr	—	.13	.01	—	Tr	—	Fog Tr	.09	—	.12	28
29	.26	X	—	.22	—	—	Tr	—	—	.02	—	.01	29
30	.08	X	.03	.01	Tr	—	.05	—	.09	Tr	—	.11	30
31	.18	X	Tr	X	—	X	—	.06	X	Tr	X	—	31
TOTAL	1.86	3.65	2.42	1.05	1.42	.81	1.08	.37	2.49	1.42	.67	.39	17.63
*Days with .01 in. or more.	19	14	15	9	16	13	11	6	14	16	13	9	155
*Days with .04 in. or more.	11	8	11	8	8	8	9	5	10	9	13	4	94

40-9999

*See Instruction 2 (f) on other side,

(Signed)

C. S. Fry

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Upton Manor House
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

new gauge

Old No 811

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.09	.03	-	.01					.01			1
2	.27		.24		.32								2
3	.01	.11	.15		.03								3
4	.18	.01	.03		.31								4
5	.01	.01	.19		.01						.01		5
6		.13	.07		.06					.33	.03		6
7	.03	.04	.03		.03					.10		.01	7
8	.02		.04		.06		.27			.02			8
9							.13			.08	.06		9
10	.01				.01	.01	.19			.23	.12		10
11	.19				.06	.01	.05	.11	.02				11
12	.01			.09	.02	.07	.12		.59			.01	12
13	.04				.09	.01	.11				.01		13
14	.01						.01	.01		.01	.37		14
15	.35		.07				.05	.11			.01		15
16	.01		.62			.08	.07		.02	.01			16
17	.04	.07	.44			.14			.02		.01		17
18	.05	.03	.20			.16					.01		18
19			.21			.09			.18			.01	19
20		.02	.07	.04		.06			.04		.01		20
21		.01			.33			.04	.12	.02	.01		21
22						.01		.04	.01	.18			22
23				.16					.53	.16			23
24		.19		.08	.08				.25	.02	.01		24
25		.37		.24	.03	.02			.17		.01	.07	25
26		.56		.09		.07			.41	.04		.01	26
27		.01			.04		.03		.04	.10		.04	27
28				.12	.01					.09		.12	28
29	.26	X		.22						.02		.01	29
30	.08	X	.03	.01			.05		.09			.11	30
31	.18	X		X		X		.06	X		X		31
TOTAL	1.86	3.65	2.42	1.05	1.42	.81	1.08	.37	2.49	1.42	.67	.39	YEAR'S TOTAL 17.63
*Days with ".01 in. or more.	19	14	15	9	16	13	11	6	14	16	13	9	155
*Days with ".04 in. or more.	11	8	11	8	8	8	9	5	10	9	3	4	94

40-9999

*See Instruction 2 (f) on other side.

(Signed) E. S. Fry

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Upton*

in the County of *Berkshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *-* in.

Ground Sea Level *240* ft.

100
400
T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	-	-	-	.18	<i>Ta</i>	<i>Ta</i>	.02	.28		1
2	.07	-	.02	-	<i>Ta</i>	-	-	-	.72	.02	.01	.13		2
3	.01	.09	-	.02	-	-	-	<i>Ta</i>	-	.25	-	.08		3
4	.03	<i>Ta</i>	.04	.32	.08	-	-	-	.02	.45	.03	.27		4
5	<i>Ta</i>	-	.02	<i>Ta</i>	.02	-	-	.11	-	.03	.05	.35		5
6	<i>Ta</i>	-	.17	.01	.29	.06	-	.05	-	.14	.01	.50		6
7	.03	<i>Ta</i>	<i>Ta</i>	-	-	<i>Ta</i>	-	.27	-	.05	.01	.32		7
8	-	-	-	-	.09	-	-	.01	.01	-	.13	.06		8
9	<i>Ta</i>	-	.04	-	-	-	-	-	-	-	.76	.44		9
10	.05	<i>Ta</i>	.10	.10	-	-	.04	.05	-	-	.04	.03		10
11	.47	<i>Ta</i>	.25	.46	-	-	-	.06	-	-	<i>Ta</i>	.15		11
12	.01	<i>Ta</i>	<i>Ta</i>	.03	-	-	.02	.10	-	-	-	.16		12
13	.35	-	.17	.02	-	-	.27	.03	-	-	.06	.42		13
14	.02	-	.34	<i>Ta</i>	<i>Ta</i>	<i>Ta</i>	-	-	-	.02	.16	.24		14
15	.01	-	.05	-	.03	-	<i>Ta</i>	-	.15	.09	.08	.05		15
16	.14	-	.20	-	<i>Ta</i>	-	-	-	-	.01	.01	.02		16
17	.03	-	-	.02	.02	-	<i>Ta</i>	<i>Ta</i>	.11	.01	.04	.14		17
18	.22	-	<i>Ta</i>	.13	-	-	<i>Ta</i>	-	.01	-	<i>Ta</i>	.03		18
19	-	-	.28	<i>Ta</i>	<i>Ta</i>	.02	-	<i>Ta</i>	.05	.02	<i>Ta</i>	.07		19
20	-	-	.07	<i>Ta</i>	<i>Ta</i>	<i>Ta</i>	.20	<i>Ta</i>	.02	<i>Ta</i>	.01	<i>Ta</i>		20
21	-	-	<i>Ta</i>	.03	<i>Ta</i>	.07	.20	.06	-	.14	-	-		21
22	-	<i>Ta</i>	<i>Ta</i>	<i>Ta</i>	-	-	-	.13	.16	<i>Ta</i>	<i>Ta</i>	.03		22
23	-	-	-	.17	-	.43	<i>Ta</i>	.05	.04	-	.01	.02		23
24	<i>Ta</i>	.03	.09	.02	-	.01	.88	-	.09	-	-	<i>Ta</i>		24
25	.27	.01	<i>Ta</i>	.16	-	.99	<i>Ta</i>	-	<i>Ta</i>	.07	<i>Ta</i>	.29		25
26	.02	-	-	.16	-	.03	-	-	.02	<i>Ta</i>	-	.10		26
27	.01	<i>Ta</i>	-	.01	-	.05	-	-	<i>Ta</i>	.04	-	.55		27
28	-	<i>Ta</i>	-	.05	-	.04	.01	.43	-	-	<i>Ta</i>	.30		28
29	-	X	-	-	-	<i>Ta</i>	<i>Ta</i>	.05	.27	-	.01	<i>Ta</i>		29
30	.05	X	-	-	-	-	.01	<i>Ta</i>	.04	.01	-	.07		30
31	.01	X	-	X	<i>Ta</i>	X	.01	<i>Ta</i>	X	.02	X	.02		31
TOTAL	1.83	.06	1.84	1.71	.53	1.70	1.64	1.58	1.71	1.38	1.44	5.12	20.53	Year's Total
* Days with .01 in. or more.	19	3	14	16	6	9	9	14	14	16	17	27	164	
* Days with .04 in. or more.	8	-	12	8	3	6	5	12	9	8	8	21	100	

Section

A

for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Upton Manor House
in the County of BerkshireDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03							18			02	28		1
2	07		02						72	03	01	13		2
3	01	02		02						25		08		3
4	03		04	32	08				02	45	03	27		4
5			02		02			11		03	05	35		5
6			17	01	29	06		05		14	01	50		6
7	03							27		05	01	32		7
8					09			01	01		13	06		8
9			04								76	44		9
10	05		10	10			(04)	05			04	03		10
11	47		25	46				06				15		11
12	01			03			02	10				16		12
13	35		17	02			27	03			06	42		13
14	02		34							02	16	24		14
15	01		05		03				15	09	08	05		15
16	14		20							01	01	02		16
17	03			02	02				11	01	04	14		17
18	22			13					01			03		18
19			28			02			05	02		07		19
20			07				20		02		01			20
21				03		07	20	06		14				21
22								13	16			03		22
23				17		43		05	04		01	02		23
24		03	09	02		01	88		09					24
25	27	01		16		99				07		29		25
26	02			16		03			02			10		26
27	01			01		05				04		55		27
28				05		04	01	43				30		28
29								05	27		01			29
30	05	X					01		04	01		07		30
31	01	X		X		X	01		X	02	X	02		31
TOTAL	1.83	06	1.84	1.71	.53	1.70	1.64	1.58	1.71	1.38	1.44	5.12	20.54	
*Days with "or in. or more.	19	3	14	16	6	9	9	14	14	16	17	27	164	
*Days with ".04 in. or more.	8	0	12	8	3	6	5	12	9	8	8	21	100	

Section

A

for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Upton

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	Tr	Tr	.01	.01	.02	.05	—	.01	.03	.10	—		1
2	—	—	—	—	—	.01	—	—	.04	.06	.02	.01		2
3	Tr	.02	.01	Tr	—	.38	—	—	1.00	.42	.15	.03		3
4	—	—	—	.10	—	.03	—	—	.09	.40	Tr	—		4
5	—	.26	.10	.01	—	.70	—	—	.38	.01	.01	.01		5
6	Tr	.01	.01	.22	—	.55	—	—	—	.05	.01	.03		6
7	Tr	^{Snow} .01	—	.53	—	.03	—	—	—	.13	.28	.10		7
8	—	—	—	.22	Tr	—	—	—	—	.18	.15	.03		8
9	Tr	—	—	.29	—	.56	—	—	—	.91	.75	—		9
10	Tr	—	—	.15	—	.02	—	—	—	Tr	.24	.01		10
11	.30	—	—	.01	—	.15	.39	—	—	Tr	.15	.01		11
12	Tr	.01	—	—	—	.20	—	.01	Tr	—	.03	—		12
13	.06	.07	—	.09	.12	.05	—	—	—	—	Tr	—		13
14	Tr	—	—	.07	.05	.04	—	—	.12	—	.36	^{Snow} .12		14
15	Tr	.04	—	.28	.02	.40	—	—	.23	—	.32	.05		15
16	—	.12	.03	.05	—	.06	Tr	—	.31	^{Dew} Tr	.49	.05		16
17	.01	Tr	.02	.06	—	.16	Tr	Tr	.07	^{Dew} Tr	.15	—		17
18	—	—	—	.33	.02	.18	.04	Tr	.14	—	.01	—		18
19	Tr	Tr	—	.19	.08	.02	.12	—	.08	.03	.17	^{Snow} .23		19
20	Tr	.17	—	.03	.46	.05	.04	—	.01	—	.40	—		20
21	Tr	.26	.02	.01	—	—	—	—	.03	.04	.02	—		21
22	Tr	.02	.13	.01	—	^{Dew} Tr	—	.29	.19	—	—	—		22
23	—	.20	.04	Tr	—	—	—	.50	.21	.35	—	.09		23
24	.02	.37	.01	—	Tr	—	—	.15	.33	.02	Tr	.10		24
25	.09	.31	—	.16	Tr	1.35	—	Tr	—	—	Tr	.14		25
26	Tr	.24	—	—	—	—	—	.20	.06	.01	—	.30		26
27	—	.13	—	—	.02	—	—	.01	.10	Tr	.07	.63		27
28	—	.01	—	—	.07	—	—	Tr	.40	.01	Tr	.02		28
29	—	X	.02	—	—	—	—	Tr	.10	.01	.04	.30		29
30	.02	X	—	.14	.02	—	—	.55	.08	.04	.47	.35		30
31	—	X	—	X	.02	X	—	—	X	1.16	X	.15		31
TOTAL	.52	2.25	.39	3.06	.89	4.96	.64	1.71	3.98	3.86	4.39	2.76	29.41	
* Days with .01 in. or more.	7	17	10	26	16	20	5	7	21	18	22	21	18	
* Days with .04 in. or more.	3	11	3	15	5	14	5	5	18	11	16	13	11	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Miss C. S. Fry [P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Upton Manor Housein the County of Berkshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02			.01	.01	.02	.05		.01	.03	.10			1
2						.01			.04	.06	.02	.01		2
3		.02	.01			.38			1.00	.42	.15	.03		3
4				.10		.03			.09	.40				4
5		.26	.10	.01		.70			.38	.01	.01	.01		5
6		.01	.01	.22		.55				.05	.01	.03		6
7		.01		.53		.03				.13	.28	.10		7
8				.22						.18	.15	.03		8
9				.29		.56				.91	.75			9
10				.15		.02					.24	.01		10
11	.30			.01		.15	.39				.15	.01		11
12		.01				.20		.01			.03			12
13	.06	.07		.09	.12	.05								13
14				.07	.05	.04			.12		.36	.12		14
15		.04		.28	.02	.40			.23		.32	.05		15
16		.12	.03	.15		.06			.31		.49	.05		16
17	.01		.02	.06		.16			.07		.15			17
18				.33	.02	.18	.04		.14		.01			18
19				.19	.08	.02	.12		.08	.03	.17	.23		19
20		.17		.03	.46	.05	.04		.01		.40			20
21		.26	.02	.01					.03	.04	.02			21
22		.02	.13	.01				.29	.19					22
23		.20	.04					.50	.21	.35		.09		23
24	.02	.37	.01					.15	.33	.02		.10		24
25	.09	.31		.16		1.35						.14		25
26		.24						.20	.06	.01		.30		26
27		.13			.02			.01	.10		.07	.63		27
28		.01			.07				.40	.01		.02		28
29			.02						.10	.01	.04	.30		29
30	.02	X		.14	.02			.55	.08	.04	.47	.35		30
31		X		X	.02	X			X	1.16	X	.15		31
TOTAL	.52	2.25	.39	3.06	.89	4.96	.64	1.71	3.98	3.86	4.39	2.76	29.41	Year's Total
*Days with ".01 in. or more.	7	17	10	21	11	20	5	7	21	18	22	21	180	
*Days with ".04 in. or more.	3	11	3	15	5	14	5	5	18	11	16	13	119	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. S. S. S.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Upton Manor House
in the County of Berkshire

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
,, Ground ,, Sea Level ft.

TV
Copy by B.R.O. 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.19	.02	.17		.07	.41	.01		TR	.07	.03		1
2	.04	.01		.02		.13	.27	.04		.14	.05	—		2
3				.18		.07	.61		.43	—	.22	—		3
4	.02		.18			.02			.10	—	.08	.06		4
5	.34		.05		.02		.01	.01	.19	—	.02			5
6	.19					.09		.09	.09	—	.11	—		6
7	.21		.03				.04		.04	—	.20	.01		7
8	.20		.18				.03			—	.52	.06		8
9	.30		.04				.26		.08	.01	.02	—		9
10	.02						.13	.71		—	—	.02		10
11				.05			.05		.34	—	.42	.04		11
12				.01		.36	.18		.04	—	.37	.09		12
13				.07		.15				.06	.03	.52		13
14		.01				.04	.63		.08	.02	.02	.41		14
15				.02					.02	—	—	.10		15
16	.10	.14		.01			.01		.03	—	.32	.05		16
17	.27	.53				.03	.12			TR	.04	.09		17
18		.06				.18	.08	.02		.04	.07	.16		18
19	.17	.08	.03	.09		.23		.07	.01	—	—	.01		19
20	.08	.08	.07	.21		.46			.80	—	—	—		20
21				.26		.08	.02			—	—	—		21
22	.13	.44	.05	.01	.25		.07			TR	—	.08		22
23	.09	.01	.37	.06	.03		.20			.03	—	—		23
24	.05	.05	.01				.02		.10	.22	—	.01		24
25	.03		.15	.07			.13		.16	.11	.10	—		25
26	.04	.07	.07			.03				.04	.02	—		26
27	.10		.04						.04	.12	—	—		27
28	.55		.12				.38		.01	—	—	.15		28
29	.03	.04	.03		.05	.19	.24			—	.22	.03		29
30	.08	X			.22	.09	.08			.35	.02	.02		30
31	.30	X	.17	X	.11	X	.10		X	.30	X	.35		31
TOTAL	3.37	1.71	1.61	1.23	.68	2.22	3.47	.95	2.56	1.30	2.76	2.27	24.13	✓
* Days with .01 in. or more.	23	13	17	14	6	16	23	7	17	11	15	19	181	✓
* Days with .04 in. or more.	18	10	12	9	4	13	17	4	13	8	13	13	134	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) H. S. 4.4.37

[P.T.O.]



for the entry of Daily Observations.

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Upton Manor House

in the County of Berkshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	TR	-	.02		-	-	-	.02	.02	.14	.55		1
2	TR	.28	.03	.21		-	-	-	.06	-	.01	.23		2
3	-	.25	.01	TR		-	-	-	-	-	-	.01		3
4	.02	.29	TR	.01		-	-	-	-	-	-	.29		4
5	.14	.01	.13	.02		-	.08	-	-	-	-			5
6	.05	.02	.22	.04	.19	-	.25	-	-	-	.05			6
7	-	.52	TR	.28		-	-	-	.01	-	-			7
8	-	.01	-	TR	.12	-	-	-	-	-	.10	.05		8
9	-	TR	TR	.18	.12	-	.02	-	.27	-	-	.04		9
10	-	-	.45	.19	.01	.20	-	.32	-	-	-	.18		10
11	-	-	.04	-	.36	.01	.04	-	-	-	-	.01		11
12	.22	.25	.10	-	.28	.38	-	.02	.07	-	-	.14		12
13	.14	.04	.38	.04		.24	-	.02	.10	-	-	.05		13
14	.01	.01	.35	.08		.01	-	.11	.19	-	-	.01		14
15	.15	.10	-	.15		-	.38	-	.19	-	-	.02		15
16	.01	.11	.74	.60		.03	-	.15	.40	-	-			16
17	.34	.01	.43	.02		.01	.01	-	.28	-	-			17
18	.31	.06	.06	.02		.21	-	-	.13	-	.14	.13		18
19	.05	.06	.04	.04		.21	-	-	.03	-	-	.01		19
20	.40	.02	.03	.28	.26	.02	-	-	-	-	-	.01		20
21	.30	.59	.07	.05	.03	-	.02	-	-	-	-	.02		21
22	.24	.03	.08	-	.10	.06	.03	-	-	.45	.14	.02		22
23	.32	.03	.01	-	.20	-	.01	-	-	.16	.10			23
24	.29	.25	-	-	.04	-	-	-	.14	.23	-	.01		24
25	.35	.29	.14		.92	-	-	-	.01	.17	.01	.01		25
26	.01	.45	.03		.06	-	-	-	-	.09	-			26
27	TR	.06	-	.09		-	-	-	-	1.01	-			27
28	.01	.02	-	TR		-	-	-	-	.06	-	.02		28
29	.01	X	-	-		.01	-	-	-	.06	.04	.02		29
30	.22	X	-	-		-	-	-	-	.02	.18			30
31	.24	X	-	X		X	-	-	X	.05	X	.01		31
TOTAL	3.92	3.76	3.34	2.32	2.69	1.39	.84	.62	1.71	2.32	.91	1.84	25.56	✓
* Days with .01 in. or more.	23	24	19	18	13	12	9	5	14	11	10	22	180	✓
* Days with .04 in. or more.	17	15	14	13	14	6	4	3	10	9	8	9	119	✓
Year's total														25.56

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 811

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 10

REGISTER OF RAINFALL IN 1938

Kept at *Upton Manor House*

in the County of *Berkshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level *240* ft.

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.01			.06	.01	tr	.01	.05	TR	.04		1
2	.01		-	.02	.05		-	-	-	.40	-	.05		2
3	.01		-		.33		-	-	-	.65	TR	TR		3
4	.04		-				.01	.04	-	.13	-	.07		4
5	-		-				.04	-	.02	.16	-	TR		5
6	.04		-				.02	-	.04	.12	TR	.01		6
7	.01		-				.20	1.50	.19	.11	TR	.09		7
8	.08		-			.05	.13	.68	.02	.11	.01	TR		8
9	.16		-				.01	.12	-	tr	-	.81		9
10	.05	.01	-				.03	.43	-	-	-	.06		10
11	.19		-				tr	-	-	-	.10	.03		11
12	.27		-		.03		tr	.02	-	.13	.03	TR		12
13	.04	.04	-				tr	tr	-	.01	.11	.27		13
14	.33	.01	-		.04		.05	-	.07	tr	TR	TR		14
15	.12		-				.42	tr	-	.10	TR	.19		15
16	.31	.02	-		.02		tr	.04	-	.04	.01	.04		16
17	-	.05	-				tr	-	.05	.04	TR	+		17
18	-		-		.04		-	.03	.12	tr	.22	TR		18
19	.05		-				-	.06	.10	-	.23	-		19
20	-		-				-	-	.02	-	.90	.04		20
21	.01		-				-	tr	.01	-	.04	.19		21
22	-		-			.01	-	.05	-	-	.21	.17		22
23	-		-				-	-	tr	-	.04	.01		23
24	-		.05				-	-	.11	-	.04	TR		24
25	.08	.14	.02	.04	.04		tr	tr	tr	.01	.76	.14		25
26	.15	.29	.07		.03		.02	-	.19	.09	-	.07		26
27	.04	.01	-	.03	.56	.23	.17	.01	.13	.02	.33	TR		27
28	.01	.01	-		.28	.02	-	.65	.01	-	-	.05		28
29	.09		-		.31		tr	tr	tr	.01	.12	.11		29
30	.02	X	-		.18	.18	tr	-	.13	.01	.17	.01		30
31	.18	X	-	X	.09	X	-	-	X	.06	X	.18		31
TOTAL	2.30	.58	.15	.09	2.00	.55	1.11	3.63	1.22	2.25	B.32	2.63	Year's Total	
* Days with .01 in. or more.	24	9	4	3	13	6	12	12	16	19	16	21	155	✓
* Days with .04 in. or more.	17	4	2	1	10	4	6	9	10	14	13	17	107	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *C. S. Fry* [P.T.O.]

.82

REGISTER OF RAINFALL IN 1939

Kept at Upton, Manor House
in the County of Berkshire
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
„ Ground „ Sea Level.....270.....ft.

TV
Copy by B.R.O.
400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	.02	.40	.46	—	—	.02	.03	—	—	tr		1
2	.06	—	—	.01	TR	—	—	.32	.43	—	tr	.03		2
3	.30	—	—	.13	—	—	—	.13	tr	—	.20	.21		3
4	.07	—	.23	.13	.05	—	.26	.08	—	.47	.03	.03		4
5	TR	—	TR	.40	.29	—	.04	.44	—	.13	.27	.11		5
6	.31	—	TR	.01	.01	—	.19	tr	—	tr	.15	—		6
7	.01	.06	—	—	—	—	tr	—	—	—	.26	.13		7
8	—	.06	.23	—	—	—	.05	.03	—	.38	.15	.26		8
9	.02	.03	TR	—	—	—	—	.02	—	.09	tr	.10		9
10	.22	tr	.01	—	—	.23	—	.10	tr	.01	.03	tr		10
11	—	tr	.19	—	—	.01	—	—	—	.01	.01	.01		11
12	.13	—	.01	—	.01	.03	—	—	—	—	.07	—		12
13	—	—	TR	—	—	—	.11	—	.18	.79	tr	—		13
14	.38	—	—	tr	.14	.08	.19	—	tr	.09	.15	—		14
15	.18	—	.01	.03	.20	.36	.17	—	.05	.79	.19	tr		15
16	.24	—	.12	tr	.06	.14	.01	—	—	tr	.32	—		16
17	.24	tr	TR	.01	—	tr	.01	—	—	.92	.04	tr		17
18	.17	.01	.03	—	.05	.14	.43	—	—	.01	.20	—		18
19	.15	—	—	—	—	—	.45	—	—	tr	.01	—		19
20	.32	—	TR	—	—	tr	.33	.14	—	—	—	.02		20
21	.04	.14	.19	—	—	.02	.09	tr	.02	tr	—	—		21
22	.16	.21	.02	.06	—	.01	.08	—	—	—	.03	.01		22
23	.04	tr	—	.12	—	.01	.09	—	.01	.01	.61	tr		23
24	.30	—	TR	.05	—	.12	.40	—	tr	.06	tr	tr		24
25	.97	.06	.08	tr	—	—	.70	—	—	.04	.11	—		25
26	.19	.01	.01	tr	—	—	tr	.16	—	.02	.17	.01		26
27	—	.10	.11	.03	—	—	.01	.04	—	.05	.01	—		27
28	.02	.14	.11	.03	—	tr	.05	—	—	tr	.22	.11		28
29	—	X	TR	.24	—	—	.26	—	—	.12	.05	—		29
30	—	X	—	1.50	—	.02	tr	—	—	tr	.03	.04		30
31	—	X	—	X	—	X	tr	.01	X	.01	X	.01		31
TOTAL	4.25	.82	1.37	3.15	1.24	1.17	3.92	1.49	.72	4.00	3.31	1.08	Year's Total 26.55	
* Days with .01 in. or more.	23	10	15	15	9	12	20	12	6	18	23	14	107	
* Days with .04 in. or more.	19	7	8	9	4	6	17	48	3	12	16	7	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No.

811 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Upton Manor House
in the County of Berkshire

April 25th & 26th altered by ref. to nearby stations

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....0.....in.
,, Ground ,, Sea Level 240.....ft.

BRITISH RAINFALL ORGANIZATION.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	.04	.01	-	-	-	-	-	.09	-		1
2	-	.08	-	.11	-	-	.10	-	-	.03	.54	-		2
3	-	.15	-	.04	-	-	tr	-	-	.17	1.08	Tr		3
4	-	.11	-	.03	-	-	-	-	-	.18	.06	.06		4
5	tr	.01	-	-	TR	-	tr	-	-	.03	.44	.06		5
6	.08	.13	-	-	TR	-	.18	-	-	.04	-	tr		6
7	.11	.19	-	tr	.01	-	.28	-	tr	-	-	.15		7
8	tr	-	-	-	-	tr	-	-	tr	.15	.03	-		8
9	-	tr	-	-	-	.11	tr	.03	.03	.03	.16	.01		9
10	-	-	.01	-	-	tr	1.23	tr	tr	.16	.11	.03		10
11	-	tr	tr	.03	-	.05	.07	-	tr	-	.45	.02		11
12	-	tr	.02	-	-	.01	.04	-	.04	tr	.01	-		12
13	-	.04	.42	-	-	tr	.01	-	.05	-	1.27	-		13
14	-	-	.06	.06	.01	-	-	tr	.05	.13	-	.22		14
15	-	tr	.02	.01	.06	-	.18	-	.10	.18	.44	tr		15
16	.01	.39	.44	.07	-	tr	.48	-	.07	.45	.78	tr		16
17	-	-	.15	-	-	-	.03	-	-	tr	.06	-		17
18	-	.21	.25	.26	-	-	.13	tr	-	.19	.07	.07		18
19	-	.10	.01	.22	-	-	.02	-	.12	tr	.11	.01		19
20	-	.01	.02	.01	-	tr	.02	tr	.01	.17	.01	tr		20
21	.03	tr	-	-	.29	-	.05	-	-	tr	.48	tr		21
22	-	tr	.12	tr	.27	.29	-	tr	.10	tr	tr	-		22
23	-	.02	.02	.02	TR	.32	tr	tr	tr	.01	.01	.02		23
24	-	-	tr	-	-	-	.19	-	-	-	-	tr		24
25	.01	-	.21	.01	-	.01	.01	tr	-	-	-	tr		25
26	.86	.05	.03	.30	.05	tr	.07	-	-	-	tr	-		26
27	.58	.09	-	tr	TR	-	.05	-	-	tr	-	-		27
28	.60	.01	tr	.05	.38	-	.02	-	-	-	-	-		28
29	.08	.07	.06	.04	.02	tr	tr	-	-	-	-	.18		29
30	.03	~~X~~	tr	.12	.01	-	tr	-	-	.10	-	.03		30
31	.02	~~X~~	tr	~~X~~	~~X~~	~~X~~	-	-	~~X~~	.51	~~X~~	.01		31
TOTAL	2.41	1.67	1.84	1.41	1.11	.79	3.16	.03	.57	2.53	6.20	.87	Year's Total	22.59
* Days with .01 in. or more.	11	17	15	17	10	6	~~19~~	1	9	16	19	13		153
* Days with .04 in. or more.	6	12	8	11	5	4	~~13~~	0	7	12	15	6		99

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Miss C. S. Fry

[P.T.O.]

UPTON (STOCKS)

RM A.I. METEOROLOGICAL OF
REGISTER

811/2
UPTON (STOCKS)

811/2
IZATION.

Kept at Stocks. 21 P Ton.

in the County of Bucks.

by J. H. Slade

1938 - 1939

PT 077.

ge. 5 in.

ound 1 ft. u in.

Level ft.

to the previous day.

IMPORTANT NOTE.—Rain should be

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~	~	.01	~	~	.10	~	~	~	.07	~	.05	1
2	~	~	~	~	.05	~	~	~	~	.45	~	.55	2
3	~	~	~	~	.36	~	~	~	~	.91	~	~	3
4	~	~	~	~	~	~	.02	~	~	.17	~	.13	4
5	~	~	~	~	~	~	.06	~	~	.18	~	~	5
6	.05	~	~	~	~	~	.03	~	.05	~	~	~	6
7	.01	~	~	~	~	.03	~	1.64	.10	.39	.02	~	7
8	.09	.02	~	~	~	.03	.10	.71	.25	.28	~	~	8
9	.14	.03	~	~	~	~	~	.17	~	~	~	.88	9
10	.09	~	~	~	~	Traces	.09	.43	~	~	~	.09	10
11	.23	~	~	~	~	~	~	~	~	~	.73	.05	11
12	.35	~	~	~	.05	~	~	.04	~	.21	.03	~	12
13	.04	.07	~	~	~	~	.04	~	~	.03	.16	.28	13
14	.39	~	~	~	.05	~	~	~	.13	~	~	~	14
15	.22	~	~	~	~	~	.49	~	~	.13	~	.20	15
16	.36	~	~	~	.02	~	~	~	~	.05	~	.66	16
17	~	.05	~	~	~	~	~	.05	.08	.06	.27	~	17
18	.07	~	~	~	.05	~	~	~	.12	~	.29	~	18
19	~	~	~	~	~	~	~	.17	.12	~	.28	~	19
20	~	~	~	~	~	~	~	~	.10	~	.92	~	20
21	.01	~	~	~	~	~	~	~	~	~	.03	.63	21
22	.02	~	~	~	~	.01	~	.04	~	~	.22	~	22
23	~	~	~	~	~	~	~	~	~	~	.04	~	23
24	.#	~	.07	~	~	~	~	.01	~	~	.06	~	24
25	.#	.21	.07	.05	.05	~	.01	~	~	.04	.95	~	25
26	.18	.32	.06	~	.06	~	.01	~	.20	.11	~	.28	26
27	.05	~	~	.02	.50	.31	.21	.02	.15	.04	.43	~	27
28	.01	.03	~	~	.60	.07	~	.75	.01	~	~	.08	28
29	.09	.01	~	~	.34	~	~	~	~	.02	.08	.18	29
30	.17	<del> </del>	~	~	.20	~	~	~	.15	~	.29	~	30
31	.18	<del> </del>	~	<del> </del>	.15	<del> </del>	~	~	<del> </del>	.12	<del> </del>	.23	31
TOTAL	2.86	.74	.21	.07	2.48	.55	1.06	4.03	1.46	3.26	3.92	3.19	YEAR'S TOTAL
Days with ".01 in. or more	21	8	4	2	13	6	10	11	12	17	15	14	23.83

REGISTER OF RAINFALL IN 1908.

Kept at Stocks 21 Upton
 in the County of Bucks
 by J. H. Slade

Lat. _____ Long. _____
 Time of Observation 8.30
 Nearest Railway Station 21 Upton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	.01	"	"	.10	"	"	"	.07	"	.05	1
2	"	"	"	"	.05	"	"	"	"	.45	"	.55	2
3	"	"	"	"	.36	"	"	"	"	.91	"	"	3
4	"	"	"	"	"	"	.02	"	"	.17	"	.13	4
5	"	"	"	"	"	"	.06	"	"	.18	"	"	5
6	.05	"	"	"	"	"	.03	"	.05	"	"	"	6
7	.01	"	"	"	"	.03	"	1.64	.10	.39	.02	"	7
8	.09	.02	"	"	"	.03	.10	.71	.25	.28	"	"	8
9	.14	.03	"	"	"	"	"	.17	"	"	"	.88	9
10	.09	"	"	"	"	Traces	.09	.43	"	"	"	.09	10
11	.23	"	"	"	"	"	"	"	"	"	.13	.05	11
12	.35	"	"	"	.05	"	"	.04	"	.21	.03	"	12
13	.04	.07	"	"	"	"	.04	"	"	.03	.16	.28	13
14	.39	"	"	"	.05	"	"	"	.13	"	"	"	14
15	.22	"	"	"	"	"	.49	"	"	.13	"	.20	15
16	.36	"	"	"	.02	"	"	"	"	.05	"	.06	16
17	"	.05	"	"	"	"	"	.05	.08	.06	~~.27~~	"	17
18	.07	"	"	"	.05	"	"	"	.12	"	.29	"	18
19	"	"	"	"	"	"	"	.17	.12	"	.28	"	19
20	"	"	"	"	"	"	"	"	.10	"	.92	"	20
21	.01	"	"	"	"	"	"	"	"	"	.03	.63	21
22	.02	"	"	"	"	.01	"	.04	"	"	.22	"	22
23	"	"	"	"	"	"	"	"	"	"	.04	"	23
24	.#	"	.07	"	"	"	"	.01	"	"	.06	"	24
25	.#	.21	.07	.05	.05	"	.01	"	"	.04	.95	"	25
26	.18	.32	.06	"	.06	"	.01	"	.20	.11	"	.28	26
27	.05	"	"	.02	.50	.31	.21	.02	.15	.04	.43	"	27
28	.01	.03	"	"	.60	.07	"	.75	.01	"	"	.08	28
29	.09	.01	"	"	.34	"	"	"	"	.02	.08	.18	29
30	.17	~~X~~	"	"	.20	"	"	"	.15	"	.29	"	30
31	.18	~~X~~	"	~~X~~	.15	~~X~~	"	"	~~X~~	.12	~~X~~	.23	31
TOTAL	2.86	.74	.21	.07	2.48	.55	1.06	4.03	1.46	3.26	3.92	3.19	YEAR'S TOTAL
Days with of in. or more	21	8	4	2	13	6	10	11	12	17	15	14	133

Section

A

for the entry of Daily Observations

Station No.

811/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stocks Upton N. Didcot
in the County of Berks.

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
„ Ground „ Sea Level.....250.....ft.

288 → h
f 868968/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	~	.03	.41	.47	~	~	.03	.03	~	~	~		1
2	.11	~	~	~	~	~	~	.35	.49	~	~	.03		2
3	.31	~	~	.16	~	~	~	.13	~	~	.22	.28		3
4	~	~	.28	.18	~	~	.30	.07	~	.53	.05	~		4
5	~	~	~	.39	.38	~	.05	.50	~	.17	.34	.17		5
6	.35	~	~	.08	~	~	.40	.01	~	~	.18	~		6
7	.02	.13	~	~	~	~	.03	~	~	~	.28	.13		7
8	~	.12	.27	~	~	~	.05	.03	~	.40	.29	.40		8
9	.02	.04	~	~	~	~	~	.05	~	~	.07	.13		9
10	.25	~	~	~	~	.26	~	.12	~	.01	~	~		10
11	~	~	.24	~	~	~	~	~	~	.01	~	.02		11
12	~	~	.02	~	~	.03	~	~	~	~	.12	~		12
13	~	~	~	~	~	~	.11	~	.19	.83	~	~		13
14	.55	~	~	.04	.15	.10	.19	~	~	.10	.20	~		14
15	.22	~	.01	~	.24	.35	.17	~	.06	.82	~	~		15
16	.34	~	.13	~	~	.32	.01	~	~	~	.56	~		16
17	.26	~	~	~	.16	~	.01	~	~	.98	.06	~		17
18	.20	.02	~	~	~	.21	.43	~	~	~	.27	~		18
19	.16	~	~	~	~	~	.45	~	~	~	~	~		19
20	.24	~	~	~	~	~	.36	.16	~	~	.07	~		20
21	.15	.16	.24	~	~	.02	.12	~	.03	~	~	~		21
22	.21	.24	.04	.07	~	~	.10	~	~	~	.05	.02		22
23	.07	~	~	.09	~	.07	.12	~	~	~	.80	.02		23
24	.27	~	~	.11	~	.15	.35	~	~	.09	~	~		24
25	.68	.08	.04	~	~	~	.75	~	~	~	.26	~		25
26	.21	~	~	~	~	~	~	.19	~	~	.15	~		26
27	.01	.11	.14	~	~	~	.01	.03	~	.13	.12	~		27
28	.01	.20	.12	~	~	~	.06	~	~	~	.26	.14		28
29	~	~	~	.23	~	~	.30	~	~	.14	.09	~		29
30	~	~	~	.1.60	~	~	~	~	~	~	.04	.05		30
31	~	~	~	~	~	~	~	~	~	.02	~	~		31
TOTAL	4.66	1.09	1.61	3.36	1.40	1.45	4.37	1.67	.80	4.23	4.37	1.39	Year's Total	
* Days with .01 in. or more.	22	9	12	11	5	9	21	12	5	13	22	11	30.40	
* Days with .04 in. or more.	17	8	9	11	5	6	17	8	3	10	20	7	121	

* See Instruction 3 (f) on other side.

I H. SLADE

† Spare column for entries required.

(Signed)

I. H. Slade

[P.F.O.]

812

Kept at Locking
in the County of
Diameter of Funnel of
Height of top of Gauge a
Ground

WANTAGE - LOCKING RECTORY
- " ESTATE OFFICE
1931 - 1940

old No 812

THE MORNING ME

78 02 03

S DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07				.20			.08	.01			1
2		.06		.62			.01		1.03			.12	2
3	.15		.11	.22				.15	.35		.69	.23	3
4		.01					.22	1.52	.66		.35	.01	4
5				.21	.06	.62			.01		.11	.21	5
6				.19			.02		.04	.26	.16		6
7					.24	.10	.21	.12		.04	.25	.05	7
8		.14		.04	.02	.08		.19		.02	.19		8
9		.11		.03				.01			.32	.01	9
10		.06				.08	.05	.27			.30		10
11	.13	.21				.01			.03		.10	.01	11
12							.28	.05	.23	.01			12
13		.08					.16			.06			13
14		.07			.14	.28	.20	.31					14
15	.04			.11	.17		.09	.16	.10			.08	15
16				.09	.12	.28		.34	.09				16
17	.03	.30		.16	.09		.23						17
18	.04	.06	.07	.15		.25	.01	.57			.35		18
19				.24		.06	.42	.09				.02	19
20		.04	.01	.03	.36		.01	.22			.02		20
21	.02												21
22	.24			.03									22
23	.26	.06		.07	.44	.01			.04		.26	.05	23
24				.18	.31	.28	.03		.01				24
25	.05			.28	.09		.29				.08	.02	25
26		.06		.11			.57				.26		26
27		.32		.05	.43		.02				.27		27
28	.16	.04		.07	.26					.06			28
29	.06	~~X~~			.26		.06			.13	.04		29
30	.07	~~X~~						.12					30
31	.22	~~X~~		~~X~~	.07	~~X~~		.07	~~X~~		~~X~~	.13	31
TOTAL	1.47	1.69	0.19	2.88	3.06	2.25	3.88	4.19	2.67	0.59	3.75	0.94	27.56
*Days with .01 in. or more.	13	16	3	19	15	12	18	15	12	8	16	12	159
*Days with .04 in. or more.	11	15	2	16	14	10	12	14	9	5	15	7	130

(Signed) George C. Klee

Kept at Locking Rectory, Wantage
in the County of Berk

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 360 ft.

old No 812

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07				.20			.08	.01			1
2		.06		.62			.01		1.03			.12	2
3	.15		.11	.22				.15	.35		.69	.23	3
4		.01					.22	1.52	.66		.35	.01	4
5				.21	.06	.62			.01		.11	.21	5
6				.19			.02		.04	.26	.16		6
7					.24	.10	.21	.12		.04	.25	.05	7
8		.14		.04	.02	.08		.19		.02	.19		8
9		.11		.03				.01			.32	.01	9
10		.06				.08	.05	.27			.30		10
11	.13	.21				.01			.03		.10	.01	11
12							.28	.05	.23	.01			12
13		.08					.16			.06			13
14		.07			.14	.28	.20	.31					14
15	.04			.11	.17		.09	.16	.10			.08	15
16				.09	.12	.28		.34	.09				16
17	.03	.30		.16	.09		.23						17
18	.04	.06	.07	.15		.25	.01	.57			.35		18
19				.24		.06	.42	.09				.02	19
20		.04	.01	.03	.36		.01	.22			.02		20
21	.02												21
22	.24			.03									22
23	.26	.06		.07	.44	.01			.04		.26	.05	23
24				.18	.31	.28	.03		.01				24
25	.05			.28	.09		.29				.08	.02	25
26		.06		.11			.57				.26		26
27		.32		.05	.43		.02				.27		27
28	.16	.04		.07	.26					.06			28
29	.06	~~X~~			.26		.06			.13	.04		29
30	.07	~~X~~						.12					30
31	.22	~~X~~		~~X~~	.07	~~X~~		.07	~~X~~		~~X~~	.13	31
TOTAL	1.47	1.69	0.19	2.88	3.06	2.25	3.88	4.19	2.67	0.59	3.75	0.94	27.56
*Days with or in. or more.	13	16	3	19	15	12	18	15	12	8	16	12	159
*Days with or in. or more.	11	15	2	16	14	10	12	14	9	5	15	7	186

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lockinge Rectory

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.02		.05	1.26		.14	.42	.03	.07	.01		1
2				.12	.13			.03	.21	.06		.28	2
3				.25	.12		.02		.33				3
4	.05					.03					.21		4
5	.36		.04			.02	.02		.07				5
6	.58		.01	.14					.27				6
7			.08	.08					.09	.08			7
8		.01	.18	.05	.05				.23	.18			8
9	.26			.06	.14				.07				9
10	.30			.20	.09				.02	.18			10
11	.03			.01	.03					.11	.07		11
12	.21				.26				.05	.19			12
13	.07			.27	.01		.76		.03	.22	.12	.07	13
14	.26			.10				.05		.01	.08		14
15				.02	.91		.04			.08	.06		15
16	.26			.26	.48								16
17							.11			.05	.03		17
18					.03		.01		.31		.24		18
19									.02	.19	.02		19
20				.08	.42			1.12	.02	.78	.05	.03	20
21	.01		.01	.20	1.34			.29		.59		.05	21
22			.17		.03				.46	.26	.26		22
23		.02		.02	.36				.06	.66	.01	.08	23
24		.02			.02		1.90		.05	.07			24
25		.01		.04		.06	.19			.16	.05		25
26			.10	.18	.03		.03		.09	.04	.02		26
27			.44	.26	.32		.18		.02	.11			27
28			.05	.05	.22		.05		.02	.04			28
29			.38	.11	.40	.08	.03	.03	.09	.38	.06	.03	29
30		X	.38	.23	.06	.80		.01	.23	.06	.31	.33	30
31		X		X		X	.02		X		X		31
TOTAL	2.46	0.08	1.84	2.78	6.71	0.99	3.50	1.95	2.77	4.54	1.60	0.87	30.19
*Days with .01 in. or more.	12	5	11	22	22	5	13	7	22	23	16	8	166
*Days with .04 in. or more.	10	0	9	19	16	3	7	4	15	22	11	6	122

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lockinge Railway - Woking
in the County of Berks

Old No 812

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.15	.05		.04								1
2	.36		.37		.13						.03		2
3	.02	.12	24.34								.02		3
4	.26	.02	.03		.24								4
5	.02	.02	.17		.04								5
6		.13	.29		.08					.40	.06		6
7	.04	.09	.04		.06					.10	.01		7
8	.03				.06		.20						8
9					.02		.17			.16	.08		9
10		.04				.05	.64			.42	.04		10
11	.24				.03	.06	.13	.12					11
12	.09					.05	.01		.65				12
13	.07				.14	.05	.24				.03		13
14	.01				.02					.03	.41		14
15	.40		.10					.12					15
16	.03	.02	.80			.12	.14		.06	.04			16
17	.05		.52			.22		.02	.05				17
18	.07		.23			.14							18
19			.24						.09		.07	.07	19
20			.05		.07	.28			.04		.02		20
21						.27		.05	.10	.03			21
22						.18		.04	.02	.18			22
23				.16					.62	.31			23
24		1.88		.07		.07			.18				24
25		1.64		.27		.01			.46			.10	25
26		.98		.09	.09	.38			1.18	.06		.01	26
27				.09			.03		.01	.16		.12	27
28		.02		.15						.10		.09	28
29	.14	X		.32						.03			29
30	.15	X	.10				.08		.11			.12	30
31	.22	X	.02	X		X		.04	X	.02	X		31
TOTAL	2.26	5.11	3.25	1.06	1.02	1.88	1.64	.39	3.57	2.04	.77	.51	23.50
*Days with or in. or more.	17	12	15	6	13	13	9	6	12	14	10	6	134
*Days with .04 in. or more.	12	8	13	6	10	12	7	5	11	10	5	3	104

40-9999

*See Instruction 2 (f) on other side.

(Signed)

George H. Noble

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wantage, Sackville Rectory
in the County of Berkshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft _____ in.
,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03							28		12	03	28		1
2	07		04						81	01		21		2
3	01	05		11				11		32		01		3
4	06	01	06	45	07				15	44	04	46		4
5			03		08			23		03	03	37		5
6	03		16	03	38	01		01		16	03	49		6
7	04							33		12		41		7
8					10			03	03		22	05		8
9			07								98	53		9
10	03		18	14				05			11	07		10
11	61		25	34			06	10				18		11
12			03	04				09				03		12
13	40		19	04			42	04			05	65		13
14	03		46							04	19	38		14
15	04		07		04				06	10	14	08		15
16	15		31							02		04		16
17	09				02	06			15	03	07	21		17
18	31			36					07			12		18
19			32			03			06			10		19
20			07	03			02		01	02				20
21				04		11	14	06		18				21
22								15	21		01	06		22
23				21		41			01		02	03		23
24		10	08	11		01	37		06	01				24
25	32			13		37				14		47		25
26	01			18		03			07	02		24		26
27						12				08		41		27
28						10	02	34				40		28
29		X							42					29
30	10	X							05			12		30
31	01	X		X		X	06		X	09	X	02		31
TOTAL	234	16	232	221	69	125	109	182	216	193	192	642	2431	
*Days with "or in. or more.	18	3	15	14	6	10	7	13	14	18	13	27	158	
*Days with ".04 in. or more.	11	2	13	12	5	6	5	11	11	11	8	23	112	

† Spare column, no entries required.

(Signed)

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

812

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1963

Kept at WANTASE LOCKINGE
in the County of BERKS.

COPY

Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02				25	10	32			09	24			1
2	09					18			02	03				2
3						13			53	19	05	02		3
4				15		10			62	33	20	04		4
5		27	04	02		37			41					5
6		14	05	35		51				30	05	02		6
7				50		08				60	25	13		7
8				29						34	05			8
9	02			38		47				86	82			9
10				30							09	04		10
11	29			03		12	09				15			11
12		03				34					09			12
13	10	08		18	15	06								13
14				15	06	04					41	21		14
15		07		46	02	35			23		35	04		15
16		12	03	23		12			20		68	09		16
17				04		19			05		47			17
18		01		44	02	08			21	02				18
19		01		12	10	05	05		02	10	19	22		19
20		38		04	35	08	08		10		52			20
21		34	02	05					12					21
22			16	15				05	22					22
23			06					25	05	38		15		23
24	04	36						30	50	08		15		24
25	09	47		26		48						20		25
26		16						10	05			45		26
27		29			02				06		11	70		27
28		04			09				40			09		28
29		X	03					03	25	03		36		29
30	02	X		25	04			45	10	05	64	30		30
31		X		X	04	X		05	X	80	X	45		31
TOTAL	58	2.77	.49	4.39	1.14	3.85	.54	1.23	4.14	4.20	5.36	3.66	Year's Total	32.35
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lockinge, Near Wantage
in the County of BerksDiameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft. Six in.
Ground Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02					.10				~~.20~~	.24			1
2							.32		.02	.09				2
3					.25	.18			.53	.03	.05			3
4				.15		.13			.62	.09	.20	.06		4
5		.27	.14	.02		.10			.41	.33				5
6		.14	.05	.35		.37				.33	.05			6
7				.50		.51				.90	.25	.02		7
8				.29		.08					.05	.13		8
9	.02			.38						.34	.82			9
10				.30		.47				.86	.09			10
11	.29			.03			.09				.15	.04		11
12		.03				.12	.05				.09			12
13	.10	.08		.18		.34								13
14				.15		.06					.41			14
15		.07		.46		.04					.35	.21		15
16		.12	.03	.23		.35			.23		.68	.04		16
17				.04		.12			.20		.47	.09		17
18		.01		.44	.25	.19			.05					18
19		.01		.12		.08			.21		.19	.22		19
20		.38		.04		.05	.08		.02	.12	.52			20
21		.34	.02	.05		.08			.10					21
22			.16	.15					.12					22
23			.06					.05	.22					23
24	.04	.36			.45			.25	.05	.38		.30		24
25	.09	.47		.26				.30	.50	.08		.20		25
26		.16				.48						.45		26
27		.29						.10	.05		.11			27
28		.04							.06			.39		28
29		~~.04~~	.03					.03	.40	.03		.36		29
30	.02	X		.25				.45	.25	.05	.64	.30		30
31		X		X	.19	X		.05	X	.80	X	.45		31
TOTAL	0.58	2.77	0.49	4.39	1.14	3.85	0.54	1.23	4.84	4.30	5.36	3.66	32.35	Year's Total.
* Days with .01 in. or more.	7	15	7	20	4	19	4	7	18	14	18	15		
* Days with .04 in. or more.	4	12	4	18	4	19	4	6	16	12	18	14		

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Edward Dowling

P.T.O.



COPY FOR OFFICIAL USE

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at Wantage Lockinge Rectory
in the County of Berkshire

not at Rectory after end of April - see file.

may adjourned for daily reading by turn. Sec. for T.V.
June W.D. from 2nd 15
Sept. W.D. - 16-25

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02				.25	.10	.32			.18	.24			1
2							.32		.02	.09				2
3					.25	.18			.53	.03	.05	.02		3
4				.15		.13			.62	.19	.20	.04 .06		4
5		.27	.14	.02		.10			.41	.33				5
6		.14	.05	.35		.37				.30	.05			6
7				.50		.51				.60 .90	.25	.02		7
8				.29		.08					.05	.13		8
9	.02			.38						.34	.82			9
10				.30		.47				.86	.09			10
11	.29			.03			.09				.15	.04		11
12		.03				.12	.05				.09			12
13	.10	.08		.18	.15	.34								13
14				.15	.06	.06					.41			14
15		.07		.46	.02	.04					.35	.21		15
16		.12	.03	.23		.35			.23		.68	.04		16
17				.04		.12			.20		.47	.09		17
18		.01		.44	.02 .25	.19			.05	.02				18
19		.01		.12	.10	.08	.05		.21	.10	.19	.22		19
20		.38		.04	.35	.05	.08		.02	.12	.52			20
21		.34	.02	.05		.08			.10					21
22			.16	.15				.05 .25	.12					22
23			.06					.05 .30 .25	.22	.38 .08 .38		.15 .15 .30		23
24	.04	.36			.45			.30 .25	.05	.08		.20		24
25	.09	.47		.26				.30	.50	.08		.20		25
26		.16				.48		.10				.45		26
27		.29			.02			.10	.05		.11	.70 .09		27
28		.04			.09				.06			.79		28
29			.03					.03	.40	.03		.36		29
30	.02	X		.25	.04			.45	.25	.05	.64	.30		30
31		X		X	.04 .19	X		.05	X	.80	X	.45		31
TOTAL	58	2.77	.49	4.39	1.14	3.85	.54	1.23	.10 4.24	.2 4.20	5.36	3.66	32.35	
*Days with ".01 in. or more.	7	15	7	20	11	19	4	7	18.9	14	18	15	157	
*Days with ".04 in. or more.	4	12	4	18	8	19	4	6	16.7	12	18	14	136	

† Spare column, no entries required.

(Signed)

[P.T.O.]

adjusted by am. g.c. for T.V.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wantage, Lockinge
in the County of Berkshire

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
,, Ground ,, Sea Level ft.

Jan. 2 1st 2.15 big. 31st last out
See letter in file for figures adapted.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.04	.08	.20		.05	.20		—		.08	—		1
2	.09	.08	.04	.05		.16	.40	.06	—		.03	—		2
3				.17		.09			.16		.28	—		3
4			.20	.06		.12			.20		.10	.07		4
5	.31		.06						.16		.02	.04		5
6	.12				.06	.07		.04	.10		.14	—		6
7	.25		.05			.04	.15		.04		.25	—		7
8	.21		.24						—		.52	.08		8
9	.48		.06	.06			.21		.06		—	.02		9
10	.06						.20	.10	.08		—	—		10
11				.06			.06		—		.42	—		11
12				.07		.29	.18		.47		.24	.10		12
13				.10		.25			—		.02	.40		13
14						.04	.55		.02	.05	.03	.47		14
15			.06				.21		.10	.05	.02	.10		15
16	.15	.26							.02	—	.36	.08		16
17	.21	.62					.05		—		.09	.14		17
18		.06				.12	.12	.03	—		.03	.14		18
19	.40	.06		.03		.24		.09	.02		—	—		19
20		.10	.09	.33		.21			.47		—	—		20
21				.41		.04	.09		—		—	—		21
22	.11	.55	.06		.12		.15		—		—	.15		22
23	.08		.99	.06	.16		.06		—	.06	—	—		23
24	.08	.06							.10	.24	—	—		24
25			.17	.10			.28		.25	.05	.12	—		25
26	.05	.07	.15			.02			.05	.05	—	—		26
27	.15		.06						.10	.09	—	—		27
28	.56		.19				.27		.03	—	—	.20		28
29	.02	.12	.04			.48	.03		—	.02	.24	.04		29
30	.09	X			.20	.07			—	.26	—	—		30
31	.38	X	.11	X	.09	X	.13		X	.60	X	.21		31
TOTAL	3.87	2.02	2.59	1.70	.63	2.29	3.34	.32	2.43	1.47	2.99	2.24	25.89	
* Days with .01 in. or more.	26	10	16	13	5	16	18	5	18	10	18	15	165	
* Days with .04 in. or more.	19	10	16	12	5	15	17	11	14	9	12	14	148	

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No. **812**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **Wantage, Lockinge**

in the County of **Berkshire**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

Copy by B.R.O.

Nov part W.D. 30th est by sunshs. Dec. W.D. on 1st take fig. est. on Nov. card as corr. cond. for T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	-	-	.05	-	-	-	-	.02	.04	.25	.40		1
2	-	.24	-	.20	-	-	-	-	.05			.31		2
3	-	.26	-	-	.15	-	-	-	-					3
4	.08	.55	-	.07	-	-	-	-	-			.42		4
5	.09	.03	.05	-	-	-	.10	-	-			.42		5
6	.07	.06	.40	.04	.16	-	.20	-	-	.04	.08	-		6
7	-	.75	-	.24	-	-	-	-	.02			-		7
8	-	.03	-	-	.10	-	-	-	-		.05	.07		8
9	-	-	.04	.05	.15	-	.04	-	.33			.09		9
10	-	-	.66	1.03	-	.21	-	-	-			.24		10
11	-	-	.12	-	.62	-	.04	-	-			.03		11
12	.20	.37	.10	-	.15	.22	.03	.01	.07			.18		12
13	.10	.03	.48	.05	-	.45	-	-	.13			.20		13
14	.04	-	.52	.15	-	-	-	.30	.02			.02		14
15	.14	.10	-	.20	-	-	.93	-	.20			.04		15
16	.07	.10	.48	.48	-	.09	-	.12	.23			-		16
17	.28	.05	.65	.05	-	.10	-	-	.66			-		17
18	.42	.10	.05	.02	-	.40	-	-	.02		.37	.47		18
19	.08	-	.12	.08	-	.28	-	-	.10			.10		19
20	.34	-	.10	.47	.22	.14	-	-	-			.10		20
21	.32	.51	.04	.07	.12	-	.04	-	-			.03		21
22	.13	.12	.06	-	.12	.05	.02	-	-	.75	.27	.05		22
23	.46	.06	.04	-	.21	-	-	-	-	.65	.15	.05		23
24	.36	.43	-	-	-	-	-	-	.10	.44	-	.01		24
25	.21	.18	.20	-	.85	-	-	-	.06	.53		.01		25
26	-	.46	-	-	.12	-	-	-	-	.02		-		26
27	.03	.06	-	.20	-	-	-	-	-	1.37		-		27
28	-	.06	-	-	-	-	-	-	-	.10		-		28
29	-	~~X~~	-	-	-	-	-	-	-	.15	.04	.04		29
30	.36	~~X~~	-	-	-	-	-	-	-	.05	.20	-		30
31	.21	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.08	~~X~~	-		31
TOTAL	4.17	4.55	4.11	3.55	2.97	1.94	1.40	.43	2.01	4.22	1.81	2.70	33.46	
* Days with .01 in. or more.	21	21	17	17	12	9	8	3	14	12	8	8	159	
* Days with .04 in. or more.	20	18	17	16	12	9	6	2	10	11	8	8	142	

40-9999.

* See Instruction 2 (f) on other side

† Spare column, no entries required/

(Signed) [P.T.O.]

very wet for Jan. cond. by G.O. adjusted by 5.6 in. no rain

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 100

REGISTER OF RAINFALL IN 1938

Kept at Wantage Lockinge

in the County of Berkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 400 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05		—			14	10	—	—	26	—	06		1
2	—		—	05	07		—	—	—	30	—	05		2
3	—		—		42			—	—	82	03	—		3
4	02		—				05	10	—	19	—	18		4
5	02		—				11	03	—	21	—	—		5
6	06		—				06	—	—	03	—	02		6
7	03		—				19	—	15	40	—	—		7
8	11		—			06	12	72	—	26	—	09		8
9	07		—				✓	08	—	—	—	85		9
10	08		—			07	04	24	—	—	—	10		10
11	25		—				—	—	—	—	15	10		11
12	37		—		04		—	02	—	21	—	—		12
13	02	06	—				—	—	—	04	18	40		13
14	32	06	—		06		—	—	10	—	—	—		14
15	10		—				—	—	—	—	—	24		15
16	45		—		10		—	—	—	13	07	04		16
17		10	—				—	—	—	11	—	—		17
18	08		—		04		—	—	18	—	25	—		18
19			—				—	20	12	—	—	—		19
20	—		—				—	—	06	—	122	—		20
21	—		—				—	—	—	—	05	44		21
22	—		—				—	07	—	—	25	30		22
23	—		—				—	—	—	—	10	—		23
24	—		06				—	—	16	—	04	—		24
25	13	16	05		05		—	15	—	04	78	—		25
26	17	44	06		06		—	17	17	10	—	24	✓	26
27	05		—	05	36	27	22	—	12	—	36	—		27
28	—	05	—		68	08	—	68	03	—	—	07		28
29	32	×	—		32		—	68	07	—	—	10		29
30	03	×	—		30	12	—	—	15	05	35	—		30
31	22	×	—	×	15	×	—	—	×	10	×	—		31
TOTAL	2.93	81	17	10	2.65	74	89	2.29	1.31	3.25	3.83	3.28	2225	
* Days with .01 in. or more.	20	15	25	2	13	16	10	10	11	16	13	16	125	✓
* Days with .04 in. or more.	14	5	23	2	13	16	10	8	10	15	12	15	111	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Edward Longley [P.T.O.]

CM

Section

for the entry of Daily Observations

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wantage, Lockinge

Feb. adj. by surr. stas.

in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....1.....in.

,, Ground ,, Sea Level 7.00.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	—	—	.29	.70	—	—	.24	—	—	—	—		1
2	.10	—	—	—	—	—	—	.25	.80	—	—	—		2
3	.30	—	—	.19	—	—	—	.25	—	—	.30	.26		3
4	.11	—	.29	.22	—	—	—	.38	—	—	.14	—		4
5	—	—	—	.56	.36	—	.72	.20	—	.58	.26	.17		5
6	.26	—	—	—	—	—	.38	—	—	.21	.12	—		6
7	—	.10	—	—	—	—	.02	—	—	—	.38	.08		7
8	—	.09	.20	—	—	—	.08	.10	—	.34	.24	.36		8
9	.03	.06	—	—	—	—	—	.05	—	.31	—	.16		9
10	.30	—	—	—	—	—	—	.09	—	—	.05	—		10
11	—	—	.23	—	—	.20	—	—	—	.05	—	—		11
12	—	—	.02	—	—	.12	—	—	—	—	—	—		12
13	—	—	—	—	—	—	—	—	.12	.91	—	—		13
14	.57	—	—	—	—	.07	.33	—	—	—	.25	—		14
15	.15	—	—	—	.25	.33	.34	—	.07	.85	—	—		15
16	.23	—	.09	—	.08	.38	—	—	—	—	.60	—		16
17	.22	—	—	—	.07	—	—	—	—	.65	.07	—		17
18	.18	—	—	—	—	.15	.30	—	—	—	.30	—		18
19	.15	—	—	—	—	—	.30	—	—	—	—	—		19
20	.30	—	—	—	—	—	.25	.19	—	—	—	.05		20
21	.15	.21	.30	—	—	—	.30	—	—	—	—	—		21
22	.25	.25	.03	—	—	—	—	—	—	—	.07	—		22
23	.03	—	—	.18	—	—	.12	—	—	—	.73	—		23
24	.35	—	—	.09	—	.22	.59	—	—	—	—	—		24
25	.87	.11	.15	—	—	—	—	—	—	—	.22	—		25
26	.20	—	—	—	—	—	.78	.04	—	.14	.16	—		26
27	—	.14	.10	—	—	—	—	—	—	—	.13	—		27
28	—	.24	.15	.07	—	.02	.04	—	—	—	—	.15		28
29	—	X	—	.64	—	—	—	—	—	—	.13	—		29
30	—	X	—	.16	—	—	.30	—	—	—	.03	—		30
31	—	X	—	X	—	X	—	—	X	.10	X	—		31
TOTAL	4.99	1.20	1.56	3.40	1.46	1.49	4.85	1.79	.99	4.14	4.18	1.23	31.28	
* Days with .01 in. or more.	20	88	10	9	5	8	15	10	3	—	18	—		
* Days with .04 in. or more.	18	88	8	9	5	7	14	10	3	10	17	7	11 6	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 812

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Wantage (Docking Estate Office)*
 in the County of *Berkshire*
 Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground...1.....ft.....in.
 „ Ground „ Sea Level 400.....ft.

Settles sent for July readings today Feb. 14/11/40
Reminder for September values sent today Feb. 20/12
 BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	.09	-		1
2	-	-	-	15	-	-	-	-	-	-	.54	.02		2
3	-	.30	-	.06	-	-	.12	-	-	.30	1.08	.05		3
4	-	.16	-	.02	-	-	-	-	-	.23	.06	.01		4
5	-	.05	-	-	-	-	-	-	-	-	.44	.12		5
6	-	.15	-	-	-	-	.08	-	-	.19	-	-		6
7	.13	.26	-	-	-	-	.15	-	-	-	-	-		7
8	-	-	-	-	-	-	-	-	-	.20	.03	.18		8
9	-	-	-	-	-	.06	-	-	.03	.02	.16	.06		9
10	-	-	-	-	-	-	1.00	-	-	-	.11	.08		10
11	-	-	-	-	-	-	.07	-	-	-	.45	-		11
12	-	-	.07	-	-	-	.13	-	.04	-	.01	.02		12
13	-	.04	.43	-	-	-	-	-	.09	-	1.27	.27		13
14	-	-	.20	.11	-	-	-	-	.03	-	-	-		14
15	-	-	.02	-	.18	-	.16	-	-	-	.44	-		15
16	-	.30	.35	.07	-	-	.28	-	.30	-	.78	-		16
17	-	-	.22	-	-	-	.03	-	-	-	.06	.12		17
18	-	.25	.30	.28	-	-	.18	-	-	1.10	.07	.01		18
19	-	.10	.07	.30	-	-	-	-	.10	-	.11	-		19
20	-	-	-	-	-	-	-	-	.09	-	.01	-		20
21	-	-	-	-	-	-	-	-	-	-	.48	-		21
22	-	-	.18	-	.54	.22	-	-	.14	-	~~ta~~	-		22
23	-	.07	.05	-	.08	.32	-	-	-	-	.01	.05		23
24	-	-	.15	-	-	-	.24	-	-	-	-	-		24
25	-	-	-	-	-	-	-	-	-	.21	-	-		25
26	.80	-	.04	-	.02	-	-	-	-	-	~~ta~~	-		26
27	.90	.16	-	.55	-	-	-	-	-	-	-	-		27
222 28	.45	.03	-	-	.22	-	-	-	-	-	-	.34		28
22 29	.07	.12	.11	-	.07	-	-	-	-	-	-	.03		29
30	-	~~X~~	-	.21	-	-	-	-	-	.30	-	.02		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.70	~~X~~	-		31
TOTAL	2.35	1.99	2.24	1.75	1.11	.60	2.44	-	.82	3.25	6.20	1.38	24.13	
* Days with .01 in. or more.	5	13	13	9	6	3	11	-	8	9	19	15	11	"d"
* Days with .04 in. or more.	5	12	12	8	5	3	10	-	6	8	15	9	9	93

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Edward Lousley*

REGISTER

Kept at Han Crag
in the County of Borwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft
Ground Sea Level 310

813.

WANTAGE.

1931.

780203

813
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.08	.03	.01	.	.11	.02	.	.10				1
2	.10	.06	.	.64	.06	-	.	.	.90				2
3	.02	.	.08	.24	.	-	.01	.18	.17				3
4	.	.02	.	.02	.	-	.25	1.24	.29				4
5	.	.01	.	.18	.05	1.03	.	.01	.				5
6	.	.08	.	.17	.01	.62	.02	.	.06				6
7	.	.	.	.01	.29	.17	.06	.13	.				7
8	.01	.06	.	.05	.03	.08	.	.23	.				8
9	.01	.18	.	.01	.	.06	.01	.	.				9
10	.10	.01	.	.	.	.08	.23	.18	.				10
11	.03	.21	.	.	.	.02	.	.	.				11
12	.	.03	.	.	.	.	.32	.08	.				12
13	.	.01	.	.	.	.	.14	.05	.				13
14	.	.07	.	.	.09	.18	1.24	.43	.				14
15	.01	.01	.	.10	.20	.	.08	.19	.				15
16	.	.05	.	.17	.13	.28	.	.37	.				16
17	.02	.35	.	.16	.09	.	.22	.01	.				17
18	.03	.04	.09	.18	.	.46	.01	.48	.				18
19	.	.01	.	.26	.08	.08	.46	.04	.				19
20	.	.04	.01	.02	.	.	.03	.24	.				20
21	.02	.	.	.	.37	.	.	.	.				21
22	.26	.	.	.03	.	.	.	.01	.				22
23	.21	.02	.	.08	.41	.22	.	.02	.				23
24	.01	.	.01	.19	.28	.21	.03	.	.				24
25	.04	.02	.	.22	.09	.	.22	.	.				25
26	.	.04	.	.11	.	.	.62	.	.				26
27	.12	.33	.	.08	.56	.	.02	.	.				27
28	.05	.06	.	.08	.13	.	.	.	.				28
29	.06	X	.	.	.21	.	.07	.	.				29
30	.08	X	.	.	.	.	.	.05	.				30
31	.20	X	.	X	.07	X	.	.05	X		X		31
TOTAL	1.40	1.79	.22	3.11	3.07	3.00	4.06	4.02					YEAR'S TOTAL
*Days with .01 in. or more.	20	23	5	23	17	14	20	19					
*Days with .04 in. or more.	10	14	2	16	15	12	12	15					

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 193/ .

Kept at Hanover
in the County of Bucks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 1/2 ft.
Ground Sea Level 310 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.08	.03	.01	.	.11	.02	.	.10				1
2	.10	.06	.	.64	.06	-	.	.	.90				2
3	.02	.	.08	.24	.	-	.01	.18	.17				3
4	.	.02	.	.02	.	-	.25	1.24	.29				4
5	.	.01	.	.18	.05	1.03	.	.01	.				5
6	.	.08	.	.17	.01	.02	.02	.	.06				6
7	.	.	.	.01	.29	.17	.06	.13	.				7
8	.01	.06	.	.05	.03	.08	.	.23	.				8
9	.01	.18	.	.01	.	.06	.01	.	.				9
10	.10	.01	.	.	.	.08	.23	.18	.				10
11	.03	.21	.	.	.	.02	.	.	.				11
12	.	.03	.	.	.	.	.32	.08	.				12
13	.	.01	.	.	.	.	.14	.05	.				13
14	.	.07	.	.	.09	.18	1.24	.43	.				14
15	.01	.01	.	.10	.20	.	.08	.19	.				15
16	.	.05	.	.17	.13	.28	.	.37	.				16
17	.02	.35	.	.16	.09	.	.22	.01	.				17
18	.03	.04	.09	.18	.	.46	.01	.45	.				18
19	.	.01	.	.26	.24	.08	.45	.04	.				19
20	.	.04	.01	.02	.	.	.03	.24	.				20
21	.02	.	.	.	.37	.	.	.	.				21
22	.26	.	.	.03	.	.	.	.01	.				22
23	.21	.02	.	.08	.41	.22	.	.02	.				23
24	.01	.	.01	.19	.28	.21	.03	.	.				24
25	.04	.02	.	.22	.09	.	.22	.	.				25
26	.	.04	.	.11	.	.	.62	.	.				26
27	.12	.33	.	.08	.56	.	.02	.	.				27
28	.05	.06	.	.08	.13	.	.	.	.				28
29	.06	x	.	.	.21	.	.07	.	.				29
30	.08	x	.	.	.	.	.	.05	.				30
31	.20	x	.	x	.07	x	.	.05	x		x		31
TOTAL	1.40	1.79	.22	3.11	3.07	3.00	4.06	4.02					YEAR'S TOTAL
*Days with "or in. or more.	20	23	5	23	17	14	20	19					
*Days with ".04 in. or more.	10	14	2	16	15	12	12	15					

Gone to
North Curry
Somerset 1/3

REGISTER

Kept at *Kingstone Lisle Park*
in the County of *Berkshire*
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft
Ground Sea Level

814
WANTAGE
KINGSTONE LISLE PARK
1931-1934

814
COPY FOR OFFICIAL USE.
ORGANIZATION.

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
42.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.28											1
2					✓	.49						✓.16	2
3		.05	.09	.71	.04				.94		✓	✓	3
4				.18				.28	.25		.94	✓	4
5				.08				.32	1.41	.52		✓	5
6				.13	.05	.71	✓				✓		6
7		.09		.15		✓			.05	.40	.44	✓	7
8	✓					.18		.20			✓	.55	8
9								.25			✓		9
10		.19									.76		10
11		.07				.34	.49	.05	✓		✓.20		11
12	.25	.22						✓					12
13	.04						.45		.32				13
14							.36	.39					14
15	✓	.10			.15	.28	1.10					✓	15
16				.19	.10		.09	.16					16
17		.30		.12	.15	.32	✓	.42					17
18	.07	.16		.16	.06	.20	.25	✓			✓		18
19		.04	.15	.25		✓	✓	.62			.41		19
20		.02		.25				✓		.33	✓		20
21		.04	.04			✓							21
22					.45	✓					✓		22
23	.30			.05		✓					✓		23
24	.18				.50	✓	✓				.27	✓	24
25				.45	.35	.30							25
26	.05	.04		.26	.06		.35						26
27		.38					.64						27
28	.13	✓.14			.48								28
29	.07			.16			✓			✓			29
30	✓	×				.15		✓					30
31		×		×	✓	×		✓	×		×		31
TOTAL	.28	2.12	.28	3.14	2.38	2.97	3.78	3.78	2.08	.73	3.02	.42	26.50
*Days with "or in. or more.	1.37	1.84		3	14	13.12	14	14.18	14	6	3	12	26.23
*Days with "or in. or more.	11.18	13.14	3	14	12	13	13.12	14	6	3	9	6	11.18

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Kingstone Lisle Wantage Sent line to corrected for W.D.
in the County of Berkshire W.D.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

you have had hanting rain before of gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

42

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.15</u>	<u>.28</u>											1
2					<u>✓</u>	<u>.49</u>						<u>✓</u> <u>.16</u>	2
3		<u>.05</u>	<u>.09</u>	<u>.71</u>	<u>.04</u>				<u>.94</u>		<u>✓</u>	<u>✓</u>	3
4				<u>.18</u>				<u>.28</u>	<u>.25</u>		<u>.94</u>	<u>✓</u>	4
5				<u>.08</u>			<u>.32</u>	<u>1.41</u>	<u>.52</u>			<u>✓</u>	5
6				<u>.13</u>	<u>.05</u>	<u>.71</u>	<u>✓</u>				<u>✓</u>		6
7		<u>.09</u>		<u>.15</u>		<u>✓</u>			<u>.05</u>	<u>.40</u>	<u>.44</u>	<u>✓</u>	7
8	<u>✓</u>					<u>.18</u>		<u>.20</u>			<u>✓</u>	<u>.55</u>	8
9								<u>.25</u>			<u>✓</u>		9
10		<u>.19</u>									<u>.76</u>		10
11		<u>.07</u>				<u>.34</u>	<u>.49</u>	<u>.05</u>	<u>✓</u>		<u>.20</u>		11
12	<u>.25</u>	<u>.22</u>						<u>✓</u>					12
13	<u>.04</u>						<u>.45</u>		<u>.32</u>				13
14							<u>.36</u>	<u>.34</u>					14
15	<u>✓</u>	<u>.10</u>			<u>.15</u>	<u>.28</u>	<u>1.10</u>					<u>✓</u>	15
16				<u>.19</u>	<u>.10</u>		<u>.09</u>	<u>.16</u>					16
17		<u>.30</u>		<u>.12</u>	<u>.15</u>	<u>.32</u>	<u>✓</u>	<u>.42</u>					17
18	<u>.07</u>	<u>.16</u>		<u>.16</u>	<u>.06</u>	<u>.20</u>	<u>.25</u>	<u>✓</u>			<u>✓</u>		18
19		<u>.04</u>	<u>.15</u>	<u>.25</u>		<u>✓</u>	<u>✓</u>	<u>.62</u>			<u>.41</u>		19
20		<u>.02</u>		<u>.25</u>				<u>✓</u>		<u>.33</u>	<u>✓</u>		20
21		<u>.04</u>	<u>.04</u>			<u>✓</u>							21
22					<u>.45</u>	<u>✓</u>					<u>✓</u>		22
23	<u>.30</u>			<u>.05</u>		<u>✓</u>					<u>✓</u>		23
24	<u>.18</u>				<u>.50</u>	<u>✓</u>	<u>✓</u>				<u>.27</u>	<u>✓</u>	24
25				<u>.45</u>	<u>.35</u>	<u>.30</u>							25
26	<u>.05</u>	<u>.04</u>		<u>.26</u>	<u>.06</u>		<u>.35</u>						26
27		<u>.38</u>					<u>.64</u>						27
28	<u>.13</u>	<u>.14</u>			<u>.48</u>								28
29	<u>.07</u>			<u>.16</u>			<u>✓</u>			<u>✓</u>			29
30	<u>✓</u>	<u>×</u>				<u>.15</u>		<u>✓</u>					30
31		<u>×</u>		<u>×</u>	<u>✓</u>	<u>×</u>		<u>✓</u>	<u>×</u>		<u>×</u>	<u>.42</u>	31
TOTAL	<u>.28</u>	<u>2.12</u>	<u>.28</u>	<u>3.14</u>	<u>2.38</u>	<u>2.97</u>	<u>3.78</u>	<u>3.78</u>	<u>2.08</u>	<u>.73</u>	<u>3.02</u>	<u>.42</u>	26.50
*Days with "or in. or more.	<u>1.37</u>	<u>1.84</u>	<u>3</u>	<u>14</u>	<u>13.12</u>	<u>14</u>	<u>14.18</u>	<u>14</u>	<u>6</u>	<u>3</u>	<u>12</u>	<u>7</u>	127
*Days with ".04 in. or more.	<u>11.8</u>	<u>13.14</u>	<u>3</u>	<u>14</u>	<u>12</u>	<u>13</u>	<u>13.12</u>	<u>14</u>	<u>6</u>	<u>3</u>	<u>9</u>	<u>6</u>	114

Section

A

for the entry of Daily Observations.

Station No. **814**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *Kingsstone Lisle Wantage*
in the County of *Berkshire**Con for W.H.D.*Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

40

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.22		1.25			.35			1
2					1.72			.34		.15			2
3				.24	.17				.22			.52	3
4				.18	.14								4
5											.40		5
6									.16				6
7				.12							.10		7
8										.32			8
9									.23				9
10	.34			.17	.25								10
11				.19									11
12					.12								12
13	.62				.27								13
14				.14			.81		.06	.72	.24		14
15											.18		15
16	.35			.14	1.91					.12			16
17	.48												17
18					.19								18
19									.20		.22		19
20					.06								20
21				.06	.35			.61					21
22				.28	1.03					1.23			22
23	.35		.14		.16		.30		.52	.23			23
24					.62				.06	.53			24
25							2.17			.06			25
26							.25			.20			26
27				.25						.11			27
28			.61		.44		.18						28
29			.22	.20	.23								29
30		X	.64	.24	.66		.10	.13		.30	.39		30
31		X	.41	X		X			X		X	.70	31
TOTAL	2.14	.00	2.02	2.21	8.54		5.06	1.08	1.45	4.32	1.53	.52	29.57
*Days with ".01 in. or more.				2.43	8.32	1.25	3.81		1.80	3.97		1.22	
*Days with ".04 in. or more.													

Section

A

for the entry of Daily Observations.

Station No. 814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kingstone Little Tankin the County of BerkshireDiameter of Funnel of Gauge Two hatchedHeight of top of Gauge above Ground Particular in.Ground Sea Level ft.

W.D. incomplete

November & December
estimated by surrounding stations.
J. T. ch. 17/4/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.70			.09	.49									1
2														2
3	.58		.50		.14									3
4		.56	.24											4
5	.30				.25									5
6	.04	.06	.24											6
7		.23	.25							.16				7
8			.05											8
9														9
10							.32							10
11							.40			.55				11
12							.25							12
13	.28				.57				.87					13
14							.38							14
15														15
16	.45						.12	.65						16
17			1.10				.38		.05					17
18			.39											18
19	.19		.21											19
20			.30			.53								20
21			.10											21
22									.09					22
23						.94								23
24				.26					.21					24
25		1.94		.11		.16								25
26		1.30		.36					.36					26
27		.70		.03		.25			.38					27
28					.31					.20				28
29				.32						.06				29
30		x												30
31	.32	x		x		x			x		x			31
TOTAL	2.86	6.49	3.28	1.17	1.76	1.88	1.85	.65	1.96	.97	(.75)	(.50)	Year's total	(22.42)
*Days with or in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Brown

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

814

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingstone Lisle Park
in the County of Berkshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft. _____ in.

Sup. 1/2 in.
Totals
all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

07

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2								.20						2
3	.15								.48			.35		3
4										.44		.28		4
5	.10									.34		.50		5
6				.38	.30			.15				.40		6
7			.42		.30					.25		.66		7
8								.25				.42		8
9											.24	.12		9
10											.95	.82		10
11		.24		.22			.20	.06			.15			11
12	.70		.24	.42				.20				.26		12
13				.03								.16		13
14			.43				.47	.11				.26		14
15	.49		.35	.05							.18	.40		15
16			.14						.36	.15	.12			16
17												.09		17
18	.25											.24		18
19	.38			.35								.16		19
20			.30											20
21				.04										21
22						.50	.12			.25				22
23									.14			.19		23
24				.20		.45								24
25							.65							25
26	.32			.55								.38		26
27						.32								27
28						.52						.32		28
29								.50		.24		.40		29
30		X				.32								30
31	.06	X		X		X			X		X	.13		31
TOTAL	2.45	.24	1.88	2.24	.60	2.11	1.44	1.44	.98	1.64	1.64	6.54	23.26	
*Days with “.01 in. or more.	8	1	6	9	2	5	4	4	3	6	5	20	96	
*Days with “.04 in. or more.	8	1	6	8	2	5	4	4	3	6	5	20	45	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Y. Brown

[P.T.O.]

FORM 1090.

Kept at Uffington
in the County of Uffington

Diameter of Funnel of
Height of top of Gauge
,, Ground

THE MORNING

815
UFFINGTON - WOOLSTONE LODGE

1931 - 1940

78 02 03

US DAY.

FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		09		01	01	18			06			01	1
2	08	02		71	03				75			16	2
3			08	12		58	02	15	18		20	13	3
4				02			26	95	32		103	01	4
5				18		58	01					12	5
6		09		16		02	10			25	15		6
7					31	14		(10)			18	05	7
8	02	12		08	01	06	02	(30)		05	18		8
9		21				16	01				30		9
10		12				06	35	08			14		10
11	13	16				02		02	14		02		11
12							30	39	12	04		01	12
13							12			04			13
14		07			07	20	88	42				01	14
15		02		14	15		07	17				06	15
16		27		13	11	26		58					16
17		18		24	08	05	24	01					17
18	03	01	22	17		17	05	46	01		28		18
19	02	06	04	25		02	10	17					19
20		06	04	01				18			01	02	20
21	01				42								21
22	23			03									22
23	11			03	70	22			trace		19	01	23
24				40	16	12	03		01		01	10	24
25	06	02		19	01		24				05		25
26	15	05		14			60				31		26
27	10	26		09	57						11		27
28	06	16		08	22						01	09	28
29	04	X			22		06			12	05	02	29
30	19	X						04					30
31	03	X		X	09	X		402	X		X	04	31
TOTAL	99	179	34	315	294	226	346	358	159	50	322	84	2510
*Days with or in. or more.	14	16	3	19	15	15	18	13	8	5	17	15	158
*Days with or more.	9	12	3	15	11	12	13	11	6	5	13	8	118

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. P. Butler

[P.T.O.]

FORM 1090.

RAINFALL ORGANIZATION.
1931

Kept at Uppington, Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		09		01	01	18			06			01	1
2	08	02		71	03				75			16	2
3			08	12		58	02	15	18		20	13	3
4				02			26	95	32		103	01	4
5				18		58	01					12	5
6		09		16		02	10			25	15		6
7					31	14		(10)			18	05	7
8	02	12		08	01	06	02	(30)		05	18		8
9		21				16	01				30		9
10		12				06							10
		25				06	35	08			14		
11	13	16				02		02	14		02		11
12							30	39	12	04		01	12
13							12			04			13
14		07			07	20	88	42				01	14
15		02		14	15		07	17				06	15
16		27		13	11	26		58					16
17		18		24	08	05	24	01					17
18	03	01	22	17		17	05	46	01		28		18
19	02	06	04	25		02	10	17					19
20		06	04	01				18			01	02	20
21	01				42								21
22	23			03									22
23	11			03	70	22			trace		19	01	23
24				40	16	12	03		01		01	10	24
25	06	02		19	01		24				05		25
26	15	05		14			60				31		26
27	10	26		09	57						11		27
28	06	16		08	22						01	09	28
29	04	X			22		06			12	05	02	29
30	19	X						04					30
31	03	X		X	09	X			X		X	04	31
TOTAL	99	179	34	3.15	2.94	2.26	3.46	3.58	1.59	50	3.22	84	25.10
*Days with or in. or more.	14	16	3	19	15	15	18	13	8	5	17	15	158
*Days with or in. or more.	9	12	3	15	11	12	13	11	6	5	13	8	118

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. F. Butler

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at Uffington, Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

Readings for May confirmed by Observer see file 863495/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06				1.97	.85	.69	.16	.03	.25			1
2	.02			.15	.26		.02	.01	.60	.03	.01	.20	2
3	.01	.02		.19	.13				.14	.03	(.14)		3
4	.01				.43								4
5	.28								.07				5
6	.76		.01	.10	.29				.18				6
7			.13	.27	.09				.04	.26			7
8			.19	.07	.19				.10				8
9	.24	.03		.07	.19								9
10	.21		.02	.09	.08					.27	.06		10
11		.01			.03		.11		.10		.05	.02	11
12	.35	.01		.01	.25				.20	.25			12
13	.04			.30	2.07		.75			.22	.07	.12	13
14	.27			.10	.25					.03	.05	.02	14
15	.02			.04	2.07			.14		.10	.11	.01	15
16	.29			.26	.10								16
17					.01		.10			.04	.01		17
18					.02				.40		.21		18
19					.05		.02		.03	.14			19
20				.07	.32			.75		.75	.07		20
21	.01			.27	.87			.07		.63	.03	.11	21
22	.01		.33		.04		.35		.60	.21	.22		22
23		.05			.70	.06	.03		.56	.48			23
24		.01					1.75		.13	.06	.03		24
25		.03	.01				.35			.19			25
26			.12	.20	.05	.01	.15			.12	.02		26
27			.41	.18	.40	.01				.07			27
28			.34	.09	.28		.15			.09			28
29			.42	.20	.39	.12	.12	.14	.15	.24			29
30	.02	X	.33	.19	.03	.65	.02	.01	.16	.08	.26	.15	30
31		X	.03	X		X	.09	.02	X	.04	X	.40	31
TOTAL	2.60	.16	2.34	2.51	8.43	.85	.05	1.30	2.79	.5	1.34	1.03	YEAR'S TOTAL
*Days with or in. or more.	16	7	12	17	23	5	15	8	15	23	15	8	164
*Days with or in. or more.	9	1	8	16	19	3	11	5	13	20	10	5	120

Section **A**

for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Uppington, Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.22	.07	-	.07								1
2	.27		.24		.03						.03		2
3	.07	.15	.15		.01						.02		3
4	.20	.05	.11		(.24)								4
5		.02	.11		(.04)								5
6	.09	.27	.02		(.08)					.29	.06		6
7	.09	.02	.01		(.06)					.05			7
8	.02				(.06)		.18						8
9							.19			.15	.10		9
10	.07				.01		.70			.40	.15		10
11	.20				.04		.15	.19					11
12	.05				.10		.05		.50				12
13	.05				.12		.30	.02	.05	.01	.05		13
14							-	(.20)	.55	.01	.40		14
15	.40		.15				.18	.20		.05	.45		15
16	.05		.73		.12		.16		(.05)	.05			16
17	.05	.01	.36		.29				.05				17
18	.12	.02	.18			.11							18
19		.02	.27						.15		.15	.07	19
20		.01	.07			.23		.08	-	.05			20
21					.07			.04	.05	.01			21
22						.50		.04	.01	.01			22
23			.40						.50	.70			23
24		.187	.30		.19				.33				24
25		.157	.03						.33			.10	25
26		.79	.07		.44				1.26	.10		.01	26
27		.09	.45	.10					.15			.12	27
28			.17						.10			.09	28
29	.50	X	.12						.15			.21	29
30	.07	X	.02						.15			.12	30
31	.05	X	.01	X		X		.10	X	.03	X		31
TOTAL	2.39	5.04	2.39	1.54	1.03	1.98	1.91	.59	3.38	2.14	.96	.51	YEAR'S TOTAL
*Days with ".01 in. or more.	13	14	14	7	14	7	8	56	11	16	8	6	128
*Days with ".04 in. or more.	10	7	10	6	11	7	8	45	10	10	6	5	101

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. E. Butler

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

000815

Kept at Uffington Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
Ground Sea Level ft.

T.V.
March 14 15
P. 22.00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	~~.09~~						.34		.05	.02	.34		1
2	.11		.05					.60		.06		.23		2
3	~~.01~~	.09								.37		.02		3
4	.01		.01	.27	.17				.27	.25	.04	.43		4
5			.02		.10			.26		.04	.04	.30		5
6	.07		.13	.07	.26				.02	.23		.35		6
7	.06	~~.09~~			~~.14~~			.27		.04		.65		7
8	~~.01~~		.05		.14			.04	.02	.23	.17	.09		8
9	~~.01~~		.20	.19						.04	.84	.51		9
10	.13		.25	.19				.05			.10	.04		10
11	.41		.05	.48			.10	.10				.17		11
12	.01		.06				.10	.10			.03	.05		12
13	.34		.20	.03			.48	.05			.15	.39		13
14			.35				.18			.04	.12	.38		14
15	.01		.08		.03				.07	.11	.12	.07		15
16	.15		.25						.07	.15		.03		16
17	.10		.01	.23					.07	.04		.23		17
18	.21		.07	.30					.01			.10		18
19			.26						.01			.20		19
20			.04	.03					.02					20
21			.03			.15	.14	.03		.18				21
22			.05					.05	.22	.18		.07		22
23			.01	.18		.34						.03		23
24			.01	.07		.02	.45		.10	.01		.10		24
25	.25	.07		.13		.29			.10	.08		.42		25
26	.26	.01		.18		.04			.05	.03		.20		26
27				.02		.16			.05	.08		.40		27
28						.32		.35				.41		28
29		X						.04	.33			.04		29
30	(.10)	X							.02	.09		.08		30
31		X		X		X			X	.02	X	.09		31
TOTAL	2.24	.17	2.13	2.18	.70	1.32	1.17	1.68	1.79	1.75	5	6.32	Year's Total	
*Days with or in. or more.	6	3	20	13	5	7	4	12	13	17	9	28	147	
*Days with .04 in. or more.	18	2	14	10	4	6	4	11	8	14	7	25	113	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. Butler

[P.T.O.]

863495
Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Uffington Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.
Ground Sea Level.....ft.

Certain adjustments had been made to this record month by month, the Station No. 815
which has now been further examined in relation to near by stations & adjusted for (1) accumulations (2) W.D. (3) arithmetic
Examine at end of year.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

TV

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~02~~				⁰⁷ 22	02	(10)		11	02	01	✓		1
2									09	✓	01	✓		2
3		04	01	✓		26			70	41	30			3
4			01	✓		✓			15	53	✓			4
5		55	10	18		59			39	✓	15	06		5
6				34		✓			✓	✓	✓	16		6
7				60		✓			✓	47	25			7
8				✓		✓				87	15	✓		8
9	03			55	10	36				13	70			9
10				✓		37				05	01			10
11	40 45			16		22	10				30			11
12	40	✓		✓		35					05			12
13	10	11	✓	15	10	08			01		30			13
14		01	✓	✓	✓	09			02		✓			14
15		08	✓	50	15	50			21		25	17		15
16		08	10	18		12			22	02	95	07		16
17			✓	✓		19			09		40			17
18			✓	37		✓	07		✓		✓	✓		18
19				08	12	13	04		10	05	25	✓		19
20		33		25	49	08	11		09	✓	60			20
21		10		08					10	✓				21
22		03	09						20	✓				22
23			03						23	21	1.10	✓		23
24	05	30	02 05						02	55		✓		24
25	05	39		30		52			11	55		✓	95	25
26		33 39 23									02	✓		26
27		33			✓	✓			30	✓	✓	1.22		27
28					20				(10)	52	✓			28
29		28			03				13	✓	✓	01		29
30	04	✓		(10)	✓				82	08	1.00	65	33	30
31	04	✓		✓	21	✓			11	✓	✓	(75)		31
TOTAL	69 54	2.58	36	3.89 3.74	1.47 1.62	3.88	42 32	6 1.59	3.88 4.78	4.67 2.60	5.33	3.12 2.97	98 (31.46)	
*Days with "or in. or more.	7	15	67	19	11	20	5	7	19	18	23	18	(168)	
*Days with ".04 in. or more.	5	11	43	18	10	19	5	6	17	14	19	13	(140)	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) 863495

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Uffington, Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

200. in Jan
Nov 15-18th corrected by curr. stations.
Examined end of year
? Feb 2.5 - .38 entered twice

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.02		.13		.05		.02	—	—	.11	.23		1
2	.01	.25				.74		.02	—	—	.09	—		2
3	.28	.13		.01		.32		.01	.25	—	.29	—		3
4	.15	.38		.15		.09			.02	—	.10	—		4
5	.30		.02		.21		.01	.01	.09	—	—	—		5
6	.14		.03			.08	.02		.10	—	.08	—		6
7	.11		.28				.16		.11	—	.18	.07		7
8	.28								.11	—	.15	.03		8
9	.38		.08				.55		.01	—	.65	—		9
10	.01						.05		.03	—	—	—		10
11	.05				.02		.08		.30	—	.36	—		11
12				.03	.02		.18	.16	.13	—	—	—		12
13					.01	.45	.04		.03	—	.08	.62		13
14							.65		.02	.08	—	.66		14
15					.12	.25	.10		.15	—	.39	.09		15
16	.10	.29		.01			.02		—	—	.03	.11		16
17	.45	.61		.01			.02		—	.07	.09	—		17
18		.04							—	—	.11	.22		18
19	.35			.15		.40			—	—	—	—		19
20	.10	.12	.05	.27		.38			.50	—	—	—		20
21				.39			.08		—	—	—	—		21
22	.14	.50	.05			.10	.25		—	—	—	.15		22
23	.08		.10		.22		.02		—	.05	—	—		23
24	.10	.04	.13	.05	.05		.05		.19	.25	—	—		24
25	.04	.10	.12	.15			.02		.25	.09	—	—		25
26	.04	.06	.09						—	.03	—	—		26
27							.03		.09	.05	—	—		27
28	.20		.21				.02		—	—	—	.15		28
29	.61	.12	.07		.08	.06	.05		—	—	—	.05		29
30	.04	X	.15		.09	.27			—	.52	.20	.03		30
31	.02	X		X	.02	X	.13		X	.25	X	.25		31
TOTAL	(.38) 4.21 2.43	2.18 2.56	1.73	1.35	.84	3.19	2.53	.22	2.38	1.39	2.91	2.66	Year's Total. 25.59	
* Days with .01 in. or more.	23	11	14	11	10	12	21	5	17	9	16	13	162	
* Days with .04 in. or more.	20	10	12	7	6	12	13	1	12	8	15	12	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. E. B. J. J. J.

[P.T.O.]

Section **A**

for the entry of Daily Observations.

Station No. 000815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Uffington, Woodstone Lodge
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	25			-	-	-	-	07	02	19	56		1
2	-	15		38	-	-	-	-	-	-	-	12		2
3	-	50			03	-	-	-	-	-	-	07		3
4	04	71		04	01	-	-	-	-	-	-	09		4
5	82	05	02		15	-	-	-	-	-	-	-		5
6	-	09	22	10	-	-	-	-	-	-	07	-		6
7	-	70	01	31	-	-	-	-	-	-	07	-		7
8	-	05		13	05	-	22	-	-	-	23	-		8
9	-	-		11	30	-	-	-	32	-	-	-		9
10	-	-	60	83	-	18	05	-	-	-	-	-		10
11	-	07	10		75	05	08	-	-	-	-	-		11
12	11	39	09	01	12	30	-	03	08	-	-	29		12
13	32	03	56	08	-	32	-	04	03	-	-	05		13
14	-	02	40	09	-	-	-	15	01	-	-	-		14
15	19	13		08	-	-	1 10	07	08	-	-	14		15
16	-	04	46	52	-	02	-	-	53	-	-	-		16
17	23	05	30	02	-	03	-	-	66	-	-	-		17
18	33	09	02		-	13	-	-	02	-	24	-		18
19	11	02	04	01	18	28	-	-	01	-	03	-		19
20	37	01	08	02	32	-	-	-	-	-	01	-		20
21	15	54	10	36	-	-	-	-	-	-	02	-		21
22	53	04	05	03	02	13	-	-	-	77	10	-		22
23	25	08	11		05	-	15	-	-	68	25	-		23
24	38	48	03		04	-	02	-	14	40	-	-		24
25	14	31			95	-	-	-	-	45	-	-		25
26	01	67			12	-	-	-	-	09	-	-		26
27	-	09			-	-	-	-	-	1 33	-	-		27
28	-	03		21	-	-	-	-	-	08	-	05		28
29	-	X			-	-	-	-	-	22	06	26		29
30	43	X			-	01	-	-	-	05	15	02		30
31	13	X		X	-	X	-	-	X	15	X	-		31
TOTAL	3.56	5.59	3.19	3.13	3.09	1.45	1.62	2.29	1.95	4.18	2.27	1.65	31.17	Year's total
* Days with .01 in. or more.	176	26	17	18	14	10	6	4	11	10	10	10	155	1456
* Days with .04 in. or more.	145	20	13	13	11	7	5	3	8	8	8	9	125	1126

COPY FOR OFFICIAL USE

000815

Section **A** for the entry of Daily Observations Station No. **815**
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Uffington Woolstone Lodge July est by sun stars - see card - observer written to.

in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level 350.....ft.

Copy by B.R.O.

Nov. estimated from nearby stars.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02					(.10)	—	—	.43	—	—		1
2	—	—					—	—	—	~~.30~~	—	—		2
3	—	—			.51		(.05)	—	.03	~~.60~~	—	—		3
4	—	—					(.10)	—	—	.45	—	—		4
5	—	—					(.10)	—	—	.03	—	—		5
6	.20	—					(.04)	—	.06	.33	—	.26		6
7	—	—					(.30)	—	.28	.15	—	.06		7
8	.10	.02					—	.49	—	.09	—	—		8
9	—	.03					(.02)	.08	—	—	—	.65		9
10	.25	—					—	.07	—	—	—	.19		10
11	.05	—					—	—	—	—	(.10)	—		11
12	.39	—					—	.72	—	.22	—	.10		12
13	—	—			.08		—	—	—	—	.08	.40		13
14	.26	—					(.25)	.05	.10	—	~~.20~~	—		14
15	.12	—			.01		.11	—	—	.04	—	—		15
16	.40	—			.02		—	—	—	—	.04	.13		16
17	—	—			.02		—	—	.05	—	—	.12		17
18	.05	.13					—	.05	.30	—	.18	.21		18
19	—	—					—	—	—	—	.28	—		19
20	—	—					—	—	.10	—	.65	—		20
21	—	—		.03		.05	—	.10	.06	—	.28	.06		21
22	—	—		.02			.11	—	—	—	~~.28~~	.40		22
23	—	—		.02			—	—	—	—	.06	—		23
24	—	—					—	—	.16	—	(.04)	—		24
25	—	—	.09		.09		—	.17	.12	.13	(.70)	—		25
26	.30	.43	.04		.08		—	—	—	.19	—	.03	✓	26
27	.04	.04			.49	.31	.27	—	.07	.03	(.35)	—		27
28	.01	—			.49	.03	—	.82	—	—	—	.46		28
29	.08	X			.44		—	—	—	.03	.10	.07		29
30	.04	X		.02	.26		—	—	—	.05	.33	—		30
31	.13	X		X	.04	X	—	—	X	—	X	.08		31
TOTAL	2.42	.67	.13	.09	2.14	.39	.49	2.55	1.33	3.07	(3.21)	3.22	Year's Total	20.66
* Days with .01 in. or more.	15	6	2	4	12	3	11	9	11	14	15	15		118
* Days with .04 in. or more.	14	3	2	0	9	2	10	9	10	12	15	14		100

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) A. E. Butty [P.T.O.]

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Uffington, Wootton Bassett Lodge
in the County of Berkshire
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
,, Ground ,, Sea Level 350.....ft.

Observer written re Feb 28th - supplied revised value
than adj. by surr. stns.
Sept 3rd adj by surr stns. - not adopted - value
Dec 5th ~~not~~ not adopted by reference to newly stns

B.R.O.
COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~.4~~	—	~~.30~~	.22	<u>.49</u>	—	—	.05	—	—	—	.03	†	1
2	—	—	—	.03	—	—	—	—	(.65)	—	.38	.03		2
3	~~.4~~	—	—	.13	—	—	—	~~.35~~	.12	—	.09	.25		3
4	~~.4~~	—	~~.4~~	.42	—	—	.60	~~.85~~	—	.49	.07	.25		4
5	.42	—	—	.54	.33	—	—	.75	—	.06	.41	.05		5
6	.42	—	—	—	.20	—	.38	.11	—	.10	.20	—		6
7	—	.12	—	—	—	—	—	—	—	—	.58	.15		7
8	—	—	.56	—	—	—	.10	.09	—	.75	—	.25		8
9	~~.4~~	.11	—	—	—	—	—	—	.01	.39	—	.10		9
10	.32	.06	✓	—	—	.26	—	.21	—	.09	—	—		10
11	—	—	~~.4~~	—	—	—	—	—	—	—	—	—		11
12	—	—	.28	—	—	.12	—	—	—	—	—	—		12
13	—	—	—	—	—	—	.15	—	.05	<u>1.01</u>	—	—		13
14	~~.4~~	—	—	—	.32	—	—	—	—	.05	.24	—		14
15	.50	—	—	—	.09	.75	.39	—	—	.70	.24	—		15
16	.32	—	(.10)	—	.19	.15	—	—	—	—	.34	—		16
17	.21	—	—	—	—	.12	—	—	—	.61	—	—		17
18	.19	—	.03	—	.01	—	.30	—	—	—	.34	—		18
19	.13	—	—	—	—	.03	.40	—	—	—	—	—		19
20	.22	—	.03	—	—	.01	.22	.35	—	—	—	.03		20
21	—	.22	(.25)	—	—	.02	.85	.21	—	—	—	—		21
22	(.30)	.18	—	—	—	.01	—	—	—	.08	—	.02		22
23	.02	—	—	—	—	.02	.17	—	—	.15	.63	—		23
24	.34	—	.03	.15	—	.23	.14	—	—	.22	—	—		24
25	.09	.15	~~.4~~	.01	—	—	—	—	—	—	.35	.04		25
26	.91	—	.15	.01	—	—	.80	—	—	.12	—	—		26
27	.22	—	.10	.03	—	—	—	.10	—	—	—	—		27
28	—	.29	.15	.15	—	—	—	.14	.07	—	.02	—		28
29	—	~~.4~~	—	—	—	—	.30	—	—	—	.47	—		29
30	—	~~.4~~	—	<u>1.69</u>	—	—	.06	—	—	—	—	.20		30
31	—	~~.4~~	—	~~.4~~	—	~~.4~~	—	—	~~.4~~	.12	~~.4~~	—		31
TOTAL	<u>4.21</u>	<u>1.13</u>	<u>1.68</u>	<u>3.38</u>	<u>1.63</u>	<u>1.72</u>	<u>4.86</u>	<u>3.21</u>	<u>.90</u>	<u>4.94</u>	<u>43.6</u>	<u>1.35</u>	Year's Total	<u>(33.58)</u>
* Days with .01 in. or more.	<u>14</u>	<u>8</u>	<u>15</u>	<u>11</u>	<u>7</u>	<u>11</u>	<u>14</u>	<u>11</u>	<u>4</u>	<u>15</u>	<u>14</u>	<u>8</u>		
* Days with .04 in. or more.	<u>13</u>	<u>8</u>	<u>8</u>	<u>7</u>	<u>6</u>	<u>6</u>	<u>14</u>	<u>11</u>	<u>3</u>	<u>15</u>	<u>14</u>	<u>8</u>	<u>11</u>	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Uffington

Kept at

(Wharfedale Lodge)

in the County of

Berks

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....0.....in.

Ground

Sea Level.....350.....ft.

REGISTER OF RAINFALL IN 1934

Jan adj. for snow. Feb. for accumulation for Jan
Sept. + Dec. estd. Oct. + Nov. approximated + Nov. pr. estd.
from nearby stns.
July values adj. from nearby stations
863495/28 Accs.
BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	(.10)	.12	-	-	-	-	-	-	-	.18	-		1
2	-	(.40)	-	-	-	-	(.07)	-	-	-	.74	-		2
3	-	(.50)	-	-	-	-	-	-	-	-	1.25	-		3
4	-	(.20)	-	30	-	-	-	-	-	-	.15	-		4
5	-	.11	-	-	-	-	-	-	-	.60	.42	-		5
6	.03	(.23)	-	-	-	-	(.05)	-	-	-	-	-		6
7	.01	(.20)	-	-	-	-	(.05)	-	-	.10	.05	-		7
8	-	-	-	-	-	-	-	-	-	.15	.17	-		8
9	-	-	-	-	-	.41	(.85)	-	-	.10	.15	-		9
10	-	-	-	-	-	.09	.35	-	-	-	.13	-		10
11	-	-	-	-	-	-	.35	-	-	-	.56	-		11
12	-	-	-	-	-	-	.10	-	-	.02	-	-		12
13	-	-	.12	-	-	-	.02	-	-	-	1.07	-		13
14	-	-	.90	-	.12	-	(.09)	-	-	.22	(.66)	-		14
15	-	-	-	-	-	.24	(.15)	-	-	.21	(.66)	-		15
16	-	(.42)	.50	-	-	.25	-	-	-	-	-	-		16
17	-	-	.78	-	-	-	.10	-	-	-	-	-		17
18	-	(.23)	.34	-	-	-	.03	-	-	.62	-	-		18
19	-	-	-	-	-	-	-	-	-	-	-	-		19
20	-	-	-	-	-	-	-	-	-	-	(.75)	-		20
21	-	-	.08	-	.17	-	.02	-	-	.22	-	-		21
22	-	-	-	-	.15	-	-	-	-	-	-	-		22
23	-	(.05)	-	-	-	-	.05	-	-	-	-	-		23
24	-	-	-	-	-	-	.45	-	-	-	-	-		24
25	-	.12	-	-	-	-	-	-	-	-	-	-		25
26	(.15)	.03	-	-	X	-	X	-	-	-	-	-		26
27	.80	-	-	.40	-	-	X	-	-	-	-	-		27
28	(.47)	-	.33	.10	X	-	-	-	-	-	-	-		28
29	(.04)	-	-	.25	.71	-	-	-	-	.10	-	-		29
30	-	X	-	-	-	-	-	-	-	.09	-	-		30
31	-	X	-	X	-	X	-	-	X	.15	X	.35		31
TOTAL	(2.50)	(2.59)	2.67	1.05	1.15	.99	2.18	-	(.70)	3.08	6.94	(1.30)	Year's Total	
* Days with .01 in. or more.	6	12	87	4	67	4	18	-	(8)	12	13	(15)	(106)	
* Days with .04 in. or more.	4	11	87	4	67	4	13	-	(6)	11	13	(8)	(88)	

† Spare column, no entries required

(Signed)

Miss A. E. Butler

P.T.O.

* See Instruction 3 (f) on other side.

81B

Section

A

for the
AIR

FORM 1090.

R

Kept at Uffington
in the County of 9

Diameter of Funnel of Gauge 9
Height of top of Gauge above
Ground 9

THE MORNING

UFFINGTON

SHERBORNE COTTAGE

1931-1933

780203

FOR OFFICIAL USE.
BRITISH RAINFALL ORGANIZATION.
IN 1931.

PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	05		01	01				09		01	01	1
2		05		71	03				83		02	16	2
3			08	12			02	17	20			15	3
4				02			20	1.25	35	02	1.07	02	4
5		01		18		50	01				07	20	5
6		07		16		01	13			24	16	01	6
7					30	14	02	16		04	18	06	7
8	04	05		05	01	06	03	33			17		8
9		22				16					13		9
10		01				06	19	06		01	14		10
11	14	18				02		01	04		07		11
12	01	01					30	20		02		01	12
13							10	02	26	01			13
14		07			05	21	88	52					14
15	01	02		4	11		03	16				06	15
16	01	26		13	11	26		52	10				16
17	02	18		24	08		22	01	01		01		17
18	04	01	11	17		22		42			19		18
19	01			25		02	18	04					19
20		03	02	01			01	19			01	01	20
21	01		06		42								21
22	21												22
23	14			03	50	22					18		23
24				40	32	12	02					10	24
25	05	02		19	07		16				02		25
26		05		14			66				31		26
27	09	25		09	55		04				11		27
28	04	15		08	06					02	01	08	28
29	06				16		05			13	05	01	29
30	02	X						09					30
31	15	X		X	01	X			X		X	03	31
TOTAL	1.13	1.69	27	3.12	2.79	2.00	3.25	4.08	1.88	49	2.91	91	YEAR'S TOTAL
*Days with "or in. or more.	18	19	4	19	16	13	19	16	8	8	19	14	178
*Days with "04 in. or more.	11	12	3	15	12	10	12	12	7	3	13	7	117

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. E. Inwood

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Uffington Sherborne Cottage
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 287 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	05		01	01				09		01	01	1
2		05		71	03				83		02	16	2
3			08	12			02	17	20			15	3
4				02			20	125	35	02	107	02	4
5		01		18		50	01				07	20	5
6		07		16		01	13			24	16	01	6
7					30	14	02	16		04	18	06	7
8	04	05		05	01	06	03	33			17		8
9		22				16					13		9
10		01				06	19	06		01	14		10
11	14	18				02		01	04		07		11
12	01	01					30	20		02		01	12
13							10	02	26	01			13
14		07			05	21	88	52					14
15	01	02		4	11		03	16				06	15
16	01	26		13	11	26		52	10				16
17	02	18		24	08		22	01	01		01		17
18	04	01	11	17		22		42			19		18
19	01			25		02	18	04					19
20		03	02	01			01	19			01	01	20
21	01		06		42								21
22	21												22
23	14			03	50	22					18		23
24				40	32	12	02					10	24
25	05	02		19	07		16				02		25
26		05		14			66				31		26
27	09	25		09	55		04				11		27
28	04	15		08	06					02	01	08	28
29	06				16		05			13	05	01	29
30	02	X						02					30
31	15	X		X	01	X			X		X	03	31
TOTAL	1.13	1.69	27	3.12	2.79	2.00	3.25	4.08	1.88	4.9	2.91	91	YEAR'S TOTAL
*Days with or in. or more.	18	19	4	19	16	13	19	16	8	8	19	14	24.52
*Days with or in. or more.	11	12	3	15	12	10	12	12	7	3	13	7	117

FORM 1090.

REGISTER OF RAINFALL IN 1932 .

Kept at *Sherborne Cottage, Biffington*
in the County of *Berk*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground *—* Sea Level *287* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	—	.02	1.93	trace	trace	.16	.02	.18	—	—	1
2	.01	—	—	.22	.08	—	—	—	.79	.04	.01	.16	2
3	—	—	—	.19	.07	—	.01	—	.09	.03	.14	—	3
4	.01	—	—	.01	—	.02	.02	—	—	—	—	—	4
5	.28	—	—	—	—	—	—	—	.05	—	—	—	5
6	.76	—	.01	.10	—	—	—	—	.16	—	—	—	6
7	.01	—	.12	.03	.07	—	—	—	.04	—	—	—	7
8	.01	—	.17	—	.06	—	—	—	.16	.21	—	.01	8
9	.23	.02	—	.10	.14	—	—	—	—	—	—	—	9
10	.20	.01	.01	.15	.06	—	—	—	—	.15	—	—	10
11	.02	—	—	.04	.02	—	.12	—	—	—	.06	.01	11
12	.28	—	—	.01	.16	—	—	—	.09	.23	—	—	12
13	.05	—	—	.21	—	—	.65	—	—	.22	.07	—	13
14	.28	—	—	.04	—	—	—	—	—	.02	—	—	14
15	—	—	—	.02	1.27	—	—	.05	—	.10	.16	—	15
16	.25	—	—	.24	.07	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	.09	—	—	.06	.01	—	17
18	—	—	—	—	.02	—	—	—	.38	—	.21	—	18
19	—	—	—	—	.39	—	—	—	.03	.16	—	—	19
20	—	—	—	—	.04	—	—	.89	.01	.75	.06	.11	20
21	—	—	.18	.29	.89	—	—	.04	—	.61	.05	.01	21
22	—	—	.28	.01	.10	0.2	.31	—	.60	.20	.23	—	22
23	—	.04	—	—	.11	—	.02	—	.06	.55	—	.03	23
24	—	.01	—	—	.01	—	1.21	—	.02	.04	.02	—	24
25	—	.05	—	—	—	trace	.13	.05	—	.15	.01	.01	25
26	—	—	.11	.22	.04	—	.11	—	—	.08	—	—	26
27	—	—	.41	.16	.37	.81	.22	—	.01	.07	—	—	27
28	—	—	.30	.04	.09	—	.06	—	—	—	—	—	28
29	—	—	.32	.18	.57	15	.02	.04	.01	.28	.02	.04	29
30	.01	×	.37	.15	.02	.81	.01	.02	.21	.07	.50	.22	30
31	.01	×	.01	×	—	×	.05	—	×	.04	×	.07	31
TOTAL	2.47	.14	2.22	2.43	6.63	1.01	3.12	1.275	2.73	4.24	1.31	.67	YEAR'S TOTAL
*Days with "or in. or more.	16	36	12	22	23	54	15	7	17	22	15	10	164
*Days with "04 in. or more.	9	2	9	15	19	24	11	6	11	20	9	5	110

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Uffington, Sherborne Cottage
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

no record after 24th Feb.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.16											1
2	.27												2
3		.15											3
4	.30												4
5	.01	.02											5
6													6
7	.05												7
8	.01												8
9													9
10	.02												10
11													11
12	.03												12
13	.02												13
14													14
15	.39												15
16	.03												16
17	.03												17
18	.07												18
19													19
20													20
21													21
22													22
23		1.19											23
24													24
25													25
26													26
27													27
28													28
29													29
30	.41	X											30
31	.15	X		X		X			X		X		31
TOTAL	1.93	ing											YEAR'S TOTAL
*Days with .01 in. or more.	16												
*Days with .04 in. or more.	9												

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every
n
Name

MILTON HILL
1931-1937

so the space for

should be sent:—

*Didcot
Berks*

RAINFALL IN 1931

At *Milton Hill*

In the County of *Berks*

Diameter of Funnel *5* in.

Height of Top above Ground *1* ft. *6* in.

Height of Ground above Sea Level *300* ft.

Hour

Near

Near

Nature of objects
nearest to gauge

Heights of objects

Distances

Directions from
gauge

Summer

Direction from
gauge *N.W.*

Direction from
gauge *N*


Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	Number of Days with
	Inches.	Inches.	.01 in. or more	.04 in. or more
JAN.	<i>1.32</i>			
FEB.	<i>1.42</i>			
MAR.	<i>.13</i>			
APRIL	<i>2.83</i>			
MAY	<i>3.00</i>			
JUNE	<i>2.29</i>			
JULY	<i>3.49</i>			
AUG.	<i>4.40</i>			
SEPT.	<i>2.74</i>			
OCT.	<i>.60</i>			
NOV.	<i>3.21</i>			
DEC.	<i>.75</i>			
Total	<i>26.18</i>			

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Aug 4th 2.15
Sep 2. 1.45
July 14. 1.00

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wetlog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Milton Hill
In the County of Berks
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 6 in.
Height of Ground above Sea Level 300 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.	1.32			
FEB.	1.42			
MAR.	.13			
APRIL	2.83			
MAY	3.00			
JUNE	2.29			
JULY	3.49			
AUG.	4.40			
SEPT.	2.74			
OCT.	.60			
NOV.	3.21			
DEC.	.75			
Total	26.18			

Signature R. H. Betteridge

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. Betteridge, Milton Hill, Didcot Berks

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Stevenage Distance 1 1/2 miles Direction from gauge N.W.

Nearest Parish Church at Milton Distance 1 1/2 miles Direction from gauge N


Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Aug 4th 2.15
Sept 2. 1.45
July 14. 1.00

*See Instruction 2 (f) below.

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wetting this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

B**C**

816

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Milton Hill
In the County of Berks
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 6 in.
Height of Ground above Sea Level 300 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches	Inches	Date.	
JAN.	2.03			
FEB.	.08			
MAR.	1.64			
APRIL	2.44			
MAY	5.30			
JUNE	.68			
JULY	4.12			
AUG.	1.57			
SEPT.	2.97			
OCT.	3.95			
NOV.	1.28			
DEC.	.74			
Total	26.80			

Signature R. H. Betteridge.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. BetteridgeMilton Hill, Didcot, Berks

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station Stevenage Distance 1 1/2 miles Direction from gauge N.W.

Nearest Parish Church at Milton Distance 1 1/4 miles Direction from gauge N.

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

All Clear.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A



B



C



D



E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Greatest Rainfall in 24 hrs
1.89 in July 24

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193...

At Milton Hill
In the County of Berks
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 6 in.
Height of Ground above Sea Level 300 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. 1/4 in. or more	or more
JAN.	1.91				
FEB.	4.29				
MAR.	2.55				
APRIL	1.04				
MAY	1.32				
JUNE	.90				
JULY	1.62				
AUG.	.66				
SEPT.	2.76				
OCT.	1.82				
NOV.	.75				
DEC.	.44				
Total	20.09				

Signature R. H. Betteridge.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. Betteridge
Milton Hill. Didcot. Berks


Hour of observation by the clock—in Winter..... in Summer.....
Nearest Railway Station Steventon Distance 1 1/2 miles Direction from gauge N.W
Nearest Parish Church at Milton Distance 1 1/4 miles Direction from gauge N.
Nature of objects nearest to gauge
Heights of objects
Distances .. all quite clear
Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

816

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.....

At Milton Hill
In the County of Berks

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 6 in.
Height of Ground above Sea Level 300 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	<u>1.93</u>		
FEB.	<u>.14</u>		
MAR.	<u>1.86</u>		
APRIL	<u>1.90</u>		
MAY	<u>.59</u>		
JUNE	<u>1.02</u>		
JULY	<u>1.96</u>	<u>1.24</u>	<u>24th</u>
AUG.	<u>1.46</u>		
SEPT.	<u>1.72</u>		
OCT.	<u>1.80</u>		
NOV.	<u>1.50</u>	<u>.96</u>	<u>9th</u>
DEC.	<u>5.06</u>	<u>.53</u>	<u>9th 25 days</u>
Total	<u>20.94</u>		

Signature

R. H. Betteridge

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. Betteridge
Milton Hill, Berks
Hour of observation by the clock—in Winter 10 A.M. in Summer 10 A.M.

Nearest Railway Station Stevenage Distance 1 M. Direction from gauge N.W.

Nearest Parish Church at Milton Distance 1 1/4 Direction from gauge N.

Nature of objects nearest to gauge
Height of objects
Distances
Directions from gauge

All clear

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Milton Hill, MiltonIn the County of Berks

Rain Gauge
Diameter of Funnel..... 5 in.
Height of Top above Ground..... 1 ft. 6 in.
Height of Ground above Sea Level..... 300 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more	Number of Days with .04 in. or more
JAN.	<u>.63</u>			
FEB.	<u>2.55</u>			
MAR.	<u>.46</u>			
APRIL	<u>3.68</u>			
MAY	<u>1.26</u>			
JUNE	<u>5.36</u>	<u>2.40</u>	<u>25</u>	<u>June</u>
JULY	<u>.66</u>			
AUG.	<u>1.62</u>			
SEPT.	<u>3.99</u>			
OCT.	<u>3.61</u>			
NOV.	<u>4.40</u>			
DEC.	<u>3.18</u>			
TOTAL	<u>31.40</u>			

Signature R. H. Betteridge

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. Betteridge
Milton Hill, Didcot, Berks

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station...Stretton... Distance...1 1/2 m. Direction from gauge...N.W.Nearest Parish Church at...Milton... Distance...1 1/4 m. Direction from gauge...N

Nature of objects nearest to gauge

Height of objects

Distances ... All Clear


Directions from gauge ...

If gauge has been moved during the year state— No

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

On the 25th June 1935 2.40 in
of which 2.03 fell in 50 minutes
This was reported to the Air Ministry at the time

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceeding observation, and yet finds no water in the gauge. This happens sometimes, especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station,

816-

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Milton Hill
In the County of Berks

Rain Gauge
Diameter of Funnel.....5 in.
Height of Top above Ground.....1 ft. 6 in.
Height of Ground above Sea Level.....300 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with ".01 in. or more or more for more
JAN.	<u>3.46</u>			
FEB.	<u>2.02</u>			
MAR.	<u>2.05</u>			
APRIL	<u>1.20</u>			
MAY	<u>.74</u>			
JUNE	<u>3.11</u>			
JULY	<u>3.28</u>			
AUG.	<u>.60</u>			
SEPT.	<u>3.01</u>			
OCT.	<u>1.62</u>			
NOV.	<u>2.77</u>			
DEC.	<u>2.55</u>			
TOTAL	<u>26.41</u>			

Signature R. H. Betteridge

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. H. Betteridge
Milton Hill, Diocot, Berks

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station...Stevenage Distance...N.W. Direction from gauge...1 mile

Nearest Parish Church at...Milton Distance...1 1/2 miles Direction from gauge...N

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state —

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceeding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 816

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Milton Hill, Didcot,

in the County of Berks

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10													1
2		.30		.28						.11				2
3		.32			.09									3
4	.04	.41		.01										4
5	.15		.21	.03			.15							5
6			.20	.07	.18		.22							6
7		.72		.12										7
8		.04			.18									8
9				.23	.12		.02							9
10			.66	.36		.20								10
11	.07				.35		.04							11
12	.20	.30	.11	.01	.15	.40		.02	1.24					12
13	.16	.03		.05		.13								13
14			.86	.13				.27						14
15	.21	.17					.62							15
16			.68	1.01		.05		.18						16
17	.64		.46	.01			.01							17
18	.23	.13	.01	.09		.21								18
19			.06	.06	.01	.24								19
20	.27		.06	.31	.35	.02								20
21	.26	.61	.08	.06	.10		.04							21
22	.40	.02	.07		.10	.28	.11							22
23	.21	.04	.01		.21									23
24	.29	.48	.01		.04									24
25	.27	.36	.14		.96									25
26		.24	.05		.15									26
27		.12		.16		.03								27
28		.04												28
29														29
30	.34	X												30
31	.27	X		X		X			X		X	2.83		31
TOTAL	4.11	4.33	3.67	2.99	2.99	1.56	1.21	.47	1.35	1.53	2.83	27.04		
* Days with .01 in. or more.	17	18	18	18	14	9	9	3						
* Days with .04 in. or more.	17	16	15	13	13	7	6	2						

† Spare column, no entries required.

(Signed) R. H. Betteridge

[P.T.O.]

See Instruction 3 (f) on other side.

Mr Betteridge died at end of Aug. Flgs for last four months accurate but not dates.

Year's Total

mp low.

187/12

Kept at *Wintebrook*
in the County of *Berk*

Diameter of Funnel of Gauge *1 1/2*
Height of top of Gauge above Ground *10*
,, Ground ,, Sea Lev

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

81675
WALLINGFORD
(WINTERBROOK)
1931-1940

81675
FOR OFFICIAL USE.
INFALL ORGANIZATION.
1931.
by O.S. map. Fresh 26/2/32.
height above 175
St Leonard's Rectory 217.

1802 03 3 DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	'04	—	'13	'02	'14	—	—	—	—	—	—	1
2	—	'05	—	'57	'03	—	—	—	'61	—	'03	'03	2
3	'09	—	'06	'21	'10	—	—	'21	'64	—	'29	'25	3
4	—	—	—	—	—	—	'25	'63	'13	—	'21	—	4
5	—	—	—	'30	'06	'34	—	—	'05	—	'02	'29	5
6	—	'15	—	'14	—	—	'15	—	—	'22	'27	—	6
7	—	—	—	—	'23	'05	'17	'36	—	'08	'20	'07	7
8	—	'07	—	'02	'01	'13	—	'26	—	—	'08	—	8
9	'02	'02	—	'12	—	—	—	—	—	'01	'32	'01	9
10	—	'11	—	—	—	'04	—	'13	—	—	'30	—	10
11	'09	'20	—	—	—	—	—	—	—	—	'02	—	11
12	—	—	—	—	—	—	'13	'10	'35	—	—	—	12
13	'02	—	—	—	—	—	'19	'03	—	—	—	—	13
14	—	'09	—	—	'01	'05	'93	'31	—	—	—	—	14
15	—	—	—	'03	'14	—	'14	'08	—	—	—	'06	15
16	—	'04	—	'10	'12	'18	'02	'58	'06	—	—	—	16
17	—	'22	—	'15	'10	—	'02	—	'11	—	—	—	17
18	'03	'01	'01	'19	—	—	'11	'51	—	—	'31	—	18
19	'03	—	—	'30	—	'25	—	'10	—	—	—	—	19
20	—	'02	—	'08	—	—	—	'18	—	'02	'01	—	20
21	'01	—	—	—	'36	—	—	—	—	—	—	—	21
22	'21	—	—	'01	—	—	—	—	—	—	—	—	22
23	'22	'04	—	'09	'34	—	'01	—	—	—	'16	'01	23
24	—	—	'01	'18	'24	'16	—	—	'01	—	—	'08	24
25	'03	'01	—	'30	'11	—	'48	—	—	—	'07	—	25
26	—	'03	—	'08	—	—	'82	—	—	—	'26	—	26
27	'11	'27	—	'08	'55	—	'03	—	—	—	—	—	27
28	'06	'08	—	'03	'35	—	—	—	—	'05	'15	—	28
29	'06	X	—	—	'25	—	'08	—	—	'17	'01	'05	29
30	'06	X	—	—	—	—	—	'07	—	—	'02	—	30
31	'21	X	—	X	'10	X	—	'12	X	—	X	'06	31
TOTAL	1'25	1'45	'08	3'11	3'12	2'34	3'53	4'67	1'96	'55	2'73	'91	YEAR'S TOTAL 25'70
*Days with '04 in. or more.	15 X	17 X	3 X	20 X	18 X	15 X	15 X	15 X	8 X	6 X	18 X	10 X	16 X
*Days with '04 in. or more.	9	12	1	16	14	11	11	14	7	4	12	7	118

REGISTER OF RAINFALL IN 1931.

Kept at Winderbrook, Wallingford
in the County of Bucks.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
„ Ground „ Sea Level about 150 ft.

OK by O.S. map. Fluck 26/2/31.
G about 1/2 m S of St Leonards Rectory S17.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	'04	—	'13	'02	'14	—	—	—	—	—	—	I
2	—	'05	—	'57	'03	—	—	—	'61	—	'03	'03	2
3	'09	—	'06	'21	'10	—	—	'21	'64	—	'29	'25	3
4	—	—	—	—	—	—	'25	'63	'13	—	'21	—	4
5	—	—	—	'30	'06	'34	—	—	'05	—	'02	'29	5
6	—	'15	—	'14	—	—	'15	'—6	—	'22	'27	—	6
7	—	—	—	—	'23	'05	'17	'36	—	'08	'20	'07	7
8	—	'07	—	'02	'01	'73	—	'26	—	—	'08	—	8
9	'02	'02	—	'12	—	—	—	—	—	'01	'32	'01	9
10	—	'11	—	—	—	'04	—	'13	—	—	'30	—	10
11	'09	'20	—	—	—	—	—	—	—	—	'02	—	11
12	—	—	—	—	—	—	'13	'10	'35	—	—	—	12
13	'02	—	—	—	—	—	'19	'03	—	—	—	—	13
14	—	'09	—	—	'01	'05	'93	'31	—	—	—	—	14
15	—	—	—	'03	'14	—	'14	'08	—	—	—	'06	15
16	—	'04	—	'10	'12	'18	'02	'58	'06	—	—	—	16
17	—	'22	—	'15	'10	—	'02	—	'11	—	—	—	17
18	'03	'01	'01	'19	—	—	'11	'51	—	—	'31	—	18
19	'03	—	—	'30	—	'25	—	'10	—	—	—	—	19
20	—	'02	—	'08	—	—	—	'18	—	'02	'01	—	20
21	'01	—	—	—	'36	—	—	—	—	—	—	—	21
22	'21	—	—	'01	—	—	—	—	—	—	—	—	22
23	'22	'04	—	'09	'34	—	'01	—	—	—	'16	'01	23
24	—	—	'01	'18	'24	'16	—	—	'01	—	—	'08	24
25	'03	'01	—	'30	'11	—	'48	—	—	—	'07	—	25
26	—	'03	—	'08	—	—	'82	—	—	—	'26	—	26
27	'11	'27	—	'08	'55	—	'03	—	—	—	—	—	27
28	'06	'08	—	'03	'35	—	—	—	—	'05	'15	—	28
29	'06	X	—	—	'25	—	'08	—	—	'17	'01	'05	29
30	'06	X	—	—	—	—	—	'07	—	—	'02	—	30
31	'21	X	—	X	'10	X	—	'12	X	—	X	'06	31
TOTAL	1'25	1'45	'08	3'11	3'12	2'34	3'53	4'67	1'96	'55	2'73	'91	25'70
*Days with "or in. or more.	15 X	17 X	3 X	20 X	18 X	15 X	15 X	15 X	8 X	6 X	18 X	10 X	16 X
*Days with "04 in. or more.	9	12	1	16	14	11	11	14	7	4	12	7	118

Section

A

for the entry of Daily Observations.

Station No.

816/5
816/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932..

Kept at Winterbrook Wallingford
in the County of Bucks.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 12 ft. in.,, Ground ,, Sea Level about 151 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	—	03	90	01	19	22	—	13	02	02	1
2	—	—	—	12	11	—	—	05	14	—	—	16	2
3	—	—	—	23	11	—	—	—	42	15	—	—	3
4	01	—	—	—	—	01	—	—	—	—	17	01	4
5	29	01	03	—	—	01	11	—	10	—	—	—	5
6	40	—	02	10	—	—	—	—	17	—	—	—	6
7	—	—	07	06	09	—	—	—	07	03	—	—	7
8	—	—	14	11	02	—	—	—	103	16	—	—	8
9	18	—	—	18	29	—	—	—	—	03	—	—	9
10	31	04	—	05	07	05	—	—	02	11	04	—	10
11	—	—	—	13	02	01	87	—	02	06	05	—	11
12	10	01	—	06	17	—	—	01	02	35	02	02	12
13	09	—	—	—	—	—	27	—	—	21	01	03	13
14	28	—	—	19	—	—	—	29	—	01	12	—	14
15	—	—	—	01	19	—	—	—	—	07	—	01	15
16	18	—	—	04	05	—	—	—	—	—	—	—	16
17	—	—	—	01	—	—	05	—	—	06	01	—	17
18	—	—	—	—	—	—	—	—	28	—	17	—	18
19	—	—	—	—	—	—	—	—	01	19	01	—	19
20	—	—	—	08	17	—	—	142	05	66	06	—	20
21	03	—	02	11	144	—	—	30	—	39	—	03	21
22	01	—	21	01	05	—	14	—	—	14	19	—	22
23	—	02	—	—	36	—	04	—	34	59	—	06	23
24	—	02	—	—	02	01	101	—	07	06	01	—	24
25	—	01	—	02	—	—	33	—	04	16	01	01	25
26	—	—	09	15	—	—	01	—	05	—	04	—	26
27	—	—	31	13	19	04	33	—	—	13	02	—	27
28	—	—	14	06	28	08	04	—	—	09	—	—	28
29	—	—	27	11	11	63	02	02	14	43	06	—	29
30	01	×	22	27	05	—	—	—	21	02	36	30	30
31	—	×	—	×	—	×	09	—	×	—	×	06	31
TOTAL	193	11	152	226	469	85	350	231	378	423	137	71	YEAR'S TOTAL 2666
*Days with or in. or more.	13	56	31	52	30	59	14	27	18	23	18	11	52/73
*Days with .04 in. or more.	9	1	8	18	17	4	12	5	14	19	10	4	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Frank H. Meaden

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. **816/5**
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **Winterbrook**

in the County of **Bucks**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **1** ft. **15** in.

Ground Sea Level **151** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.11	.04	—	—	—	—	—	—	—	.04	—	1
2	.35	—	.28	—	.53	—	—	—	—	—	.01	—	2
3	.03	.18	.11	—	—	—	—	—	—	—	—	—	3
4	.12	—	.06	—	.27	—	—	—	—	—	—	—	4
5	.01	.02	.19	—	.05	—	—	—	—	—	—	—	5
6	—	.07	.01	—	.10	—	—	—	—	.36	.06	—	6
7	.07	.12	.06	—	.03	—	—	—	—	.06	—	.01	7
8	.04	—	.06	—	.09	—	.25	—	—	.05	—	—	8
9	—	—	—	—	.01	—	.15	—	—	.19	.10	—	9
10	.01	—	—	—	—	.04	.62	—	—	.35	.21	—	10
11	.23	—	—	—	.02	—	.09	.14	—	.02	—	—	11
12	—	—	—	—	—	.13	—	—	.56	—	.01	—	12
13	.07	—	—	—	.13	.03	.23	—	.04	—	—	—	13
14	.01	—	—	—	.01	—	.01	.04	—	—	.43	.01	14
15	.37	—	.05	—	—	—	.11	.11	—	—	.10	—	15
16	—	—	.68	—	—	.10	.03	—	.02	.04	—	—	16
17	.05	—	.41	—	—	.11	—	—	.05	—	.02	—	17
18	.04	.05	.22	—	—	.15	—	—	—	—	—	—	18
19	—	—	.37	—	—	.07	—	—	.26	—	—	.02	19
20	—	—	.08	.06	—	.13	—	—	.01	—	—	—	20
21	—	.04	.01	—	—	—	—	.13	.15	—	.01	—	21
22	—	—	—	—	.89	.12	—	.06	—	.26	—	—	22
23	—	—	—	.19	—	—	—	—	.64	.04	—	—	23
24	—	.126	—	.07	—	.90	—	—	.19	.05	—	—	24
25	—	.129	—	.34	.05	—	—	—	.27	.02	.05	.13	25
26	—	.76	—	.07	—	.17	—	—	.23	.04	—	—	26
27	—	.03	—	—	.14	—	.02	—	.01	.14	—	.07	27
28	—	—	—	.08	—	—	—	—	—	.17	—	.04	28
29	—	X	—	.27	—	—	.05	—	—	.01	—	.02	29
30	.32	X	.07	—	—	—	.04	—	.09	—	—	—	30
31	.16	X	—	X	—	X	—	.10	X	.04	X	—	31
TOTAL	2.00	3.93	2.70	1.08	2.32	1.95	1.60	.58	2.52	1.84	1.04	.30	YEAR'S TOTAL
*Days with .01 in. or more.	16	11	16	7	13	11	11	6	13	16	11	7	138
*Days with .04 in. or more.	12	9	14	7	9	10	8	6	10	13	7	3	108

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Frank H. Weiden

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

816/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Amersham*in the County of *Buckshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *12* ft.Ground Sea Level *151* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13	—	—	—	—	—	—	23	—	—	02	31		1
2	16	—	03	—	—	—	—	—	70	09	—	17		2
3	—	09	—	—	—	—	—	02	—	23	—	01		3
4	03	—	05	20	03	—	—	—	—	53	—	39		4
5	—	—	03	—	04	—	—	11	—	04	10	36		5
6	—	—	17	02	35	16	—	01	—	15	—	51		6
7	03	01	—	—	—	—	—	41	—	06	—	27		7
8	—	01	—	—	11	—	—	02	05	—	17	05		8
9	—	—	—	—	—	—	—	—	—	—	76	25		9
10	01	—	31	13	—	—	—	05	—	—	04	03		10
11	51	—	14	26	—	—	—	—	—	—	—	17		11
12	—	—	—	07	—	—	07	05	—	—	—	08		12
13	40	01	15	05	—	—	23	06	—	—	03	96		13
14	05	—	33	—	01	—	—	—	—	—	16	23		14
15	04	—	19	—	04	—	—	—	04	15	01	12		15
16	12	—	20	—	—	—	—	—	—	01	—	01		16
17	03	01	—	—	02	—	—	—	07	02	—	17		17
18	21	—	—	20	—	—	—	—	02	—	—	05		18
19	—	—	21	—	—	02	—	—	07	02	03	07		19
20	—	—	09	—	—	—	07	—	—	—	01	04		20
21	—	—	—	03	—	07	08	11	—	14	—	—		21
22	—	—	—	—	—	—	—	10	17	—	01	06		22
23	—	—	—	16	—	43	—	—	—	—	02	02		23
24	—	03	10	05	—	62	38	—	13	—	—	—		24
25	27	07	—	23	—	—	—	—	—	11	—	36		25
26	03	—	—	15	—	01	—	—	04	—	—	10		26
27	04	—	—	03	—	09	—	—	—	08	—	47		27
28	—	—	—	23	—	18	—	51	—	—	—	31		28
29	—	X	—	—	—	—	—	—	20	—	01	01		29
30	05	X	—	—	—	—	—	01	—	—	—	08		30
31	—	X	—	X	—	X	03	—	X	02	X	02		31
TOTAL	211	23	200	181	60	158	86	169	149	165	137	568	2107	
*Days with or in. or more.	16	7	13	14	7	8	6	13	10	14	13	29	150	
*Days with or in. or more.	10	2	11	11	4	6	5	9	9	10	5	23	105	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Frank H. Friedman

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. *816/5*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at *Winterhook Hallingford*
in the County of *Bucks.*Diameter of Funnel of Gauge *5"* in.
Height of top of Gauge above Ground *12"* ft.
Ground Sea Level *151* ft.*all
Days***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	—	—	02	03	05	06	—	—	05	40	—	—	1
2	01	—	—	—	—	—	—	—	—	08	03	—		2
3	—	02	01	01	—	24	—	—	41	52	19	01		3
4	—	02	—	23	—	09	—	—	65	35	—	—		4
5	—	26	08	—	—	21	01	—	34	—	02	—		5
6	—	—	02	24	—	59	—	—	—	—	—	04		6
7	—	—	—	55	—	05	—	—	—	05	35	13		7
8	—	02	—	23	—	—	—	03	—	26	11	01		8
9	—	—	—	41	—	61	—	—	—	1'06	48	—		9
10	—	—	—	28	—	01	—	—	—	—	10	01		10
11	36	—	—	—	—	4 } 25	16	—	—	—	20	—		11
12	—	—	—	—	—	4 }	—	02	—	—	04	—		12
13	08	10	—	10	14	05	—	—	—	—	—	—		13
14	—	—	—	08	08	09	—	—	08	—	32	07		14
15	—	06	—	43	04	54	—	—	30	—	18	07		15
16	—	15	03	19	—	12	—	—	55	—	48	02		16
17	—	—	01	06	—	24	—	—	05	—	20	—		17
18	—	—	—	29	01	08	11	—	31	—	—	—		18
19	—	01	—	21	13	06	26	—	03	07	14	15		19
20	01	16	—	06	43	08	09	—	08	—	32	—		20
21	—	27	—	04	—	—	—	—	02	—	01	—		21
22	—	02	11	06	—	—	—	15	19	—	—	—		22
23	—	14	05	02	—	—	—	58	09	22	—	—		23
24	02	34	05	—	—	—	—	30	45	06	—	—		24
25	07	17	—	23	—	63	—	—	—	—	—	54		25
26	—	12	—	—	—	—	—	21	06	01	—	38		26
27	—	23	—	—	02	—	—	—	07	—	08	44		27
28	—	02	—	—	49	—	—	—	25	01	—	06		28
29	—	X	—	—	—	—	—	—	51	—	—	24		29
30	02	X	—	09	03	—	—	61	05	04	44	43		30
31	—	X	—	X	—	X	—	—	X	67	X	26		31
TOTAL	642'11	36	3'83	1'40	3'99	69	1'90	4'49	3'45	4'09	2'86	29'81	Year's Total	
* Days with .01 in. or more.	8	17	8	21	10	19	6	7	19	14	19	16	164	
* Days with .04 in. or more.	4	11	4	18	6	18	5	5	17	12	16	12	128	

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1906.

Kept at Newburgh
in the County of Brooklyn
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " Ground " Sea Level 151 ft.

Station No 816/5.

Total -

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	24	08	31	—	07	12	—	—	—	11	03	1
2	05	—	—	01	—	13	22	05	—	—	05	—	2
3	—	—	—	19	—	—	05	—	19	—	29	—	3
4	—	—	19	—	—	06	—	—	15	—	09	06	4
5	27	—	03	—	—	02	01	—	29	—	01	08	5
6	23	—	—	—	—	14	01	07	11	—	20	—	6
7	31	—	—	—	—	02	—	—	02	—	18	05	7
8	19	—	18	—	—	—	—	—	—	—	54	—	8
9	32	—	07	—	—	—	36	—	12	—	—	—	9
10	01	—	—	—	—	—	07	99	—	—	—	10	10
11	—	—	—	06	—	—	06	—	19	—	55	—	11
12	—	—	—	—	—	36	17	—	32	—	31	14	12
13	—	—	—	06	—	25	—	—	—	03	03	55	13
14	—	04	—	—	—	03	65	—	—	02	01	48	14
15	—	04	—	01	—	—	—	—	28	—	—	14	15
16	17	13	—	01	—	—	01	—	04	—	40	02	16
17	28	66	—	—	—	—	05	—	—	01	06	—	17
18	—	08	—	—	—	28	07	01	—	—	—	12	18
19	26	06	03	02	—	49	—	10	—	04	—	—	19
20	07	15	10	24	—	52	—	—	100	—	—	—	20
21	—	—	—	37	—	21	23	—	01	—	—	—	21
22	13	36	05	01	18	—	17	—	—	—	—	06	22
23	08	—	40	06	02	—	13	—	—	05	—	—	23
24	06	09	—	—	—	—	10	—	19	30	—	—	24
25	03	—	12	11	—	—	19	—	21	07	07	—	25
26	—	06	15	06	—	02	—	—	—	01	—	—	26
27	12	—	06	—	—	—	—	—	05	11	—	—	27
28	57	—	21	—	—	—	28	—	—	—	—	15	28
29	07	11	03	—	—	22	26	—	—	02	31	07	29
30	07	X	—	—	17	25	08	—	—	33	—	—	30
31	32	X	18	X	04	X	14	—	X	39	X	33	31
TOTAL	372	202	188	152	41	807	343	122	321	144	321	238	YEARS TOTAL
Days with '01 in. or more.	21	12	15	14	4	16	22	5	15	12	16	15	167
Days with '04 in. or more.	19	12	12	9	3	12	19	4	13	8	13	13	137

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

816/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Wunderhooft*in the County of *Burke*Diameter of Funnel of Gauge *5"* in.Height of top of Gauge above Ground *12"* ft.Ground Sea Level *151* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	08	-	-	01	-	-	-	-	01	02	20	44		1
2	-	24	-	36	-	-	-	-	09	-	-	28		2
3	-	17	08	-	-	-	-	-	-	-	-	02		3
4	04	31	-	-	-	-	-	-	-	-	-	30		4
5	17	01	17	-	-	-	11	-	-	-	-	-		5
6	02	10	38	04	27	-	34	-	-	-	-	-		6
7	-	58	-	20	-	-	-	-	03	-	-	-		7
8	-	02	-	-	10	-	-	-	-	-	40	-		8
9	-	07	-	10	12	01	04	-	26	-	-	17		9
10	-	-	56	56	-	24	-	22	-	-	-	-		10
11	-	-	07	-	-	02	02	-	-	-	-	-		11
12	18	26	10	-	54	38	-	02	14	-	-	24		12
13	16	07	39	05	-	48	-	-	15	-	-	20		13
14	-	02	35	11	-	-	-	26	02	-	-	04		14
15	23	10	-	16	-	-	35	20	20	-	-	01		15
16	01	10	66	45	-	10	-	-	34	-	-	-		16
17	38	01	33	02	-	-	-	-	60	-	-	-		17
18	40	09	14	01	-	40	-	-	14	-	12	15		18
19	07	06	03	05	-	21	-	-	10	-	-	-		19
20	56	02	-	40	32	02	-	-	-	-	-	03		20
21	30	60	06	05	2	-	05	-	-	02	-	04		21
22	31	04	17	-	14	25	04	-	-	63	14	02		22
23	30	03	02	-	56	-	02	-	-	30	14	-		23
24	36	33	-	-	-	-	-	-	x	70	-	-		24
25	29	30	16	-	146	-	-	-	x	25	22	01		25
26	-	38	02	-	13	-	-	-	-	07	-	-		26
27	05	10	-	15	-	-	-	-	01	84	-	-		27
28	-	03	-	-	-	-	-	-	-	05	-	01		28
29	02	X	-	-	-	03	-	-	-	05	07	05		29
30	31	X	-	-	-	-	-	-	-	01	17	02		30
31	30	X	-	X	-	X	-	-	X	09	X	03		31
TOTAL	454	424	371	272	366	214	97	70	254	305	124	206	3157	Year's Total
* Days with .01 in. or more.	21	25	17	16	10	11	8	4	15	12	7	18	164	
* Days with .04 in. or more.	18	18	14	13	9	7	6	3	11	9	7	10	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Frank H. Kudm* [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

816/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Greenwich*

in the County of *Berk*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *12* ft.

Ground Sea Level *151* ft.

File No 167072/32.

Leeds

W.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	20	—	03	09	03	—	03		1
2	03	—	—	02	06	—	—	—	—	52	—	04		2
3	—	—	—	—	24	—	—	—	—	121	—	—		3
4	07	—	—	—	—	—	01	26	—	11	—	07		4
5	—	—	—	—	—	—	09	—	—	18	—	—		5
6	03	—	—	—	—	—	03	—	18	14	—	—		6
7	—	—	—	—	—	—	43	103	09	44	—	04		7
8	11	—	—	—	—	05	61	16	03	21	01	—		8
9	10	—	—	—	—	—	03	15	—	02	—	86		9
10	9	02	—	—	—	—	04	26	—	—	—	08		10
11	17	—	—	—	—	—	—	—	—	—	10	05		11
12	31	—	—	—	03	—	—	17	—	16	01	—		12
13	05	01	—	—	03	—	—	—	—	01	16	19		13
14	37	—	—	—	05	—	—	—	04	—	—	02		14
15	09	—	—	—	—	—	35	—	—	11	—	22		15
16	45	—	—	—	—	—	01	16	—	05	01	—		16
17	—	09	—	—	—	—	—	—	03	04	—	—		17
18	05	—	—	—	05	—	—	—	13	—	30	—		18
19	—	—	—	—	—	—	—	18	10	—	19	—		19
20	—	—	—	—	—	—	—	—	07	—	62	—		20
21	02	—	—	—	—	—	—	—	03	—	04	—		21
22	—	—	—	01	—	01	—	05	—	—	18	69		22
23	—	—	—	—	—	—	—	—	02	—	02	—		23
24	—	—	10	—	—	—	—	—	11	—	04	—		24
25	11	08	08	02	10	—	—	22	—	01	119	—		25
26	14	30	08	—	01	—	—	—	20	13	—	64		26
27	05	03	—	01	17	30	26	01	21	08	36	—		27
28	06	01	—	—	81	05	—	67	01	—	—	13		28
29	05	X	—	—	23	—	—	15	—	01	08	13		29
30	03	X	—	—	14	10	—	—	14	03	40	—		30
31	21	X	—	X	13	X	—	—	X	08	X	21		31
TOTAL	259	54	26	06	205	71	186	350	148	354	371	340	Year's Total	2370
* Days with .01 in. or more.	21	7	3	4	13	6	10	14	16	20	16	16	146	✓
* Days with .04 in. or more.	17	3	3	—	10	5	5	12	11	14	11	14	105	✓

† Spare column, no entries required.

(Signed)

Frank H. Hudson

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

816/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Winterthur*in the County of *Berne*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....ft. *12* in.,, Ground ,, Sea Level*151* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	-	02	42	42	-	-	02	-	-	-	-		1
2	02	-	-	01	-	-	-	39	48	-	-	07		2
3	38	-	-	19	-	-	-	25	-	-	21	28		3
4	06	-	27	-	-	-	08	13	-	-	07	-		4
5	-	-	-	38	37	-	13	16	-	41	33	14		5
6	37	-	-	07	04	-	35	01	-	09	19	-		6
7	01	09	-	-	-	-	03	-	-	02	32	07		7
8	-	12	19	-	-	-	06	04	-	29	51	22		8
9	04	02	-	-	-	-	-	04	-	17	-	11		9
10	37	-	-	-	-	25	-	11	-	-	-	-		10
11	-	-	26	-	-	-	-	-	06	05	-	-		11
12	-	-	02	-	-	01	-	-	-	-	03	-		12
13	-	-	-	-	-	-	05	-	03	69	-	-		13
14	44	-	-	03	18	02	12	-	-	11	21	-		14
15	29	-	03	-	25	42	25	-	09	59	-	-		15
16	36	-	06	02	04	45	-	-	-	-	51	-		16
17	28	01	-	-	21	-	11	-	-	164	05	-		17
18	18	01	06	-	-	27	37	-	-	01	30	-		18
19	14	-	-	-	-	-	101	-	-	-	-	-		19
20	23	-	-	-	-	-	41	04	-	-	-	02		20
21	07	15	25	-	-	01	12	-	06	-	-	-		21
22	20	23	-	-	-	01	06	-	-	-	08	-		22
23	04	-	03	11	-	-	07	-	-	09	60	-		23
24	06	-	-	09	-	09	27	-	-	17	-	-		24
25	85	02	08	-	-	-	68	-	-	-	23	-		25
26	37	-	-	-	-	-	-	03	-	-	15	-		26
27	-	10	-	-	-	-	02	02	-	27	10	-		27
28	02	14	26	04	-	-	04	-	-	-	20	11		28
29	-	X	-	25	-	-	41	-	-	16	09	-		29
30	-	X	-	125	-	03	-	-	-	01	05	06		30
31	-	X	-	X	-	X	03	02	X	-	X	-		31
TOTAL	22	10	12	12	7	10	21	13	5	16	19	19	156	✓
* Days with .01 in. or more.	480	89	153	286	152	156	467	116	71	477	422	118	2987	✓
* Days with .04 in. or more.	18	6	8	9	7	5	18	8	4	13	18	8	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 816/52

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at ... *Winterville* ...in the County of ... *Berk* ...Diameter of Funnel of Gauge ... *5* in.Height of top of Gauge above Ground ... *12* ft. *12* in.,, Ground ,, Sea Level ... *151* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	01	—	—	—	—	—	—	10	—		1
2	—	07	—	10	—	—	18	—	—	—	81	—		2
3	—	24	—	—	—	—	—	—	—	12	106	03		3
4	—	05	—	27	—	—	—	—	—	26	12	—		4
5	—	03	—	—	—	—	—	—	05	07	38	11		5
6	08	09	—	—	—	—	24	—	—	18	—	—		6
7	11	23	—	—	03	—	07	—	—	—	—	01		7
8	—	—	—	—	—	—	—	—	—	15	04	20		8
9	—	—	—	—	—	04	—	14	—	01	20	03		9
10	—	—	—	—	—	—	94	—	—	—	12	03		10
11	—	—	01	03	—	—	03	—	—	—	77	04		11
12	—	—	08	—	—	—	05	—	—	—	—	—		12
13	—	03	43	—	—	—	—	—	—	—	121	—		13
14	—	—	11	09	03	—	—	—	11	21	—	24		14
15	—	—	—	02	05	—	21	—	02	05	41	01		15
16	02	32	49	05	—	01	65	—	23	38	63	—		16
17	—	—	19	—	—	—	03	—	29	—	01	—		17
18	—	32	23	23	—	—	08	04	—	16	19	11		18
19	—	10	02	16	—	—	02	—	—	—	14	—		19
20	—	—	03	03	—	—	04	—	—	14	04	—		20
21	21	—	—	—	—	—	—	—	—	12	71	—		21
22	—	—	13	—	60	35	—	—	11	—	—	—		22
23	—	01	01	05	—	35	—	—	—	—	01	02		23
24	01	—	—	—	—	—	31	—	—	—	—	—		24
25	—	—	25	—	—	—	03	—	—	—	—	—		25
26	4	06	10	35	06	—	14	—	—	—	—	—		26
27	138	12	—	—	03	—	—	—	—	—	—	—		27
28	56	—	—	02	27	—	—	—	—	—	—	—		28
29	—	07	06	01	15	29	—	—	—	—	—	34		29
30	09	X	—	16	01	—	—	—	—	13	—	02		30
31	02	X	—	X	—	X	—	—	X	62	X	—		31
TOTAL	2.68	1.74	2.14	1.58	1.23	1.04	3.02	.78	.81	2.60	6.95	1.19	Year's Total	25.16
* Days with .01 in. or more.	10	14	14	15	9	5	15	2	6	14	18	13		135
* Days with .04 in. or more.	7	11	10	9	5	4	11	1	5	13	16	6		98

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

James H. Hudson

REGISTER

Kept at *St. Leonard's Rectory*
in the County of *Berk*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Level.....

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1 of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

S DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	04		11	03	30	02						1
2	07	05		66	03				57		03	12	2
3	~~02~~		05	21	10			19	73		31	13	3
4		02					23	2.17	14		18		4
5				26	04	30	03		24		5	27	5
6		12		14			14			21	30		6
7					24	04	34	53		07	13	06	7
8	03	08		07	01	12		15			13		8
9		10	01	06							29	~~01~~	9
10		03				03	03	13	01		28		10
11	06	20							05		03		11
12							11		28				12
13	01						16	06					13
14		09			01	03	91	27			03		14
15	01			02	11		08				02	06	15
16		~~27~~		11	13	19		12	13				16
17				18	10		19	42	03				17
18	03			19		06					30		18
19	04		01	39		1.11	20	60		07			19
20		02		07				15					20
21	02				36								21
22	25												22
23	18	04		05	35	12					17	08	23
24			6	24	25	07							24
25	04	01		21	07		46				07		25
26				07			83				25		26
27	12	29		04	77		05				17	01	27
28	08	06		02	11					04	01	11	28
29	05				26		06			18	02		29
30	07	X											30
31	22	X		X	08	X		16	X		X	03	31
TOTAL	1.30	1.42	.07	3.04	3.05	2.37	3.84	4.95	1.98	.57	2.70	.88	YEAR'S TOTAL
*Days with "or in. or more.	17	1576	4	19	18	11	16	12	9	5	18	10	155
*Days with "04 in. or more.	11	1112	1	16	14	9	13	12	7	5	12	7	119

REGISTER OF RAINFALL IN 1931.

Kept at St. Leonard's Rectory, Wallingford
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	04		11	03	30	02						1
2	07	05		60	03				57		03	12	2
3	~~02~~		05	21	10			19	73		31	13	3
4		02					23	2.17	14		18		4
5				26	04	30	03		04		5	27	5
6		12		14			14			21	30		6
7					24	04	34	53		07	13	06	7
8	03	08		07	01	12		15			13		8
9		10	01	06							29	~~01~~	9
10		03				03	03	13	01		28		10
11	06	20							05		03		11
12							11		28				12
13	01						16	06					13
14		09			01	03	91	27			03		14
15	01			02	11		08				02	06	15
16		~~1.27~~		11	13	19		12	13				16
17				18	10		19	42	03				17
18	03			19		06					30		18
19	04		01	39		1.11	20	60		07			19
20		02		07				15					20
21	02				36								21
22	25												22
23	18	04		05	35	12					17	08	23
24				24	25	07							24
25	04	01		21	07		46				07		25
26				07			83				25		26
27	12	29		04	77		05				17	01	27
28	08	06		02	11					04	01	11	28
29	05				26		06			18	02		29
30	07	×											30
31	22	×		×	08	×		16	×		×	03	31
TOTAL	1.30	1.42	.07	3.04	3.05	2.37	3.84	4.95	1.98	.57	2.70	.88	YEAR'S TOTAL
*Days with "or in. or more.	17	1576	4	19	18	11	16	12	9	5	18	10	155
*Days with "04 in. or more.	11	1112	1	16	14	9	13	12	7	5	12	7	119

Section

A

for the entry of Daily Observations.

Station No.

817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931².Kept at St. Leonard's Rectory, Wellingford
in the County of BerkDiameter of Funnel of Gauge.....in. no alteration
Height of top of Gauge above Ground.....ft. 11.5
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.02	.99		.17	.08	.03	.10	.01		1
2				.12	.11			.05	.27	.07		.16	2
3				.22	.11				.22	.16			3
4											.18		4
5	.27	.01	.05			.01			.10				5
6	.36		.04	.08			.09		.15				6
7			.11	.05	.05				.07	.08			7
8			.11	.13	.07		.07		1.02	.10			8
9	.23			.04	.27					.06			9
10	.27	.06		.12	.07	.04			.02	.10	.04		10
11				.05	.02					.11	.05	.02	11
12	.14				.16		.35	.01	.03	.36			12
13	.03			.18					.02	.32	.09	.04	13
14	.27						.20	.29			.05		14
15				.04	.19					.06		.01	15
16	.17			.18	.05								16
17				.01			.04			.05	.01		17
18									.26		.17		18
19									.02	.17	.01		19
20				.04	.15			1.44	.04	.78	.06		20
21	.03		.04	.12	1.49			.30	.18	.57		.02	21
22	.01		.21	.02	.03		.05		.33	.12	.18		22
23		.04			.35				.07	.60	.01	.05	23
24		.01			.01		.69		.04	.05	.02		24
25		.01		.02		.07	.29		.03	.15	.03		25
26			.09	.18	.05		.29			.11	.01		26
27			.31	.11	.14		.04			.02			27
28			.11	.03	.30	.01	.03			.11			28
29			.26	.10	.10	.06		.02	.13	.29	.08		29
30		X	.25	.23		.60			.19	.03	.36	.29	30
31		X		X		X			X		X	.07	31 43
TOTAL	1.82	.13	1.58	2.09	4.71	.79	2.31	2.19	3.22	4.57	1.36	.66	YEAR'S TOTAL
*Days with ".01 in. or more.	11	5	11	22	20	6	12	7	20	24	17	8	163
*Days with ".04 in. or more.	8	2	11	17	17	4	11	15	14	22	10	5	126

Section

A

for the entry of Daily Observations.

Station No.

817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at St Leonard's Rectory, Wallingfordin the County of BerksDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 3 in.,, Ground ,, Sea Level 2100 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11		03								03		1
2	32		25		41								2
3	03	21	13								01		3
4	10		01		30								4
5	01		22								01		5
6		06			09					36	03		6
7	07		06		07		03			06			7
8	04				07		23			03			8
9							12			14	07		9
10						02	42			27	21		10
11	17						13	10					11
12	03				02	17	07		57	01			12
13	09				12		11		~~03~~ ³¹		01		13
14							01				44		14
15	37		10				09	08			01		15
16			63			10	02		01	04	01		16
17	05		38			03			03				17
18	05		19			20							18
19		06	28			05			25				19
20			10	05		11			01				20
21								08	14				21
22					80	11		05		29			22
23		1.33 ^x		17					62	07			23
24				06		58			22		02		24
25				32	07	19			21			11	25
26		1.95 ^x		07					26	04			26
27		01			10		02		01			02	27
28				08						28			28
29	10			26			05			02		02	29
30		X	10				03		06				30
31	35	X		X		X			X	07	X	02	31
TOTAL	185	3.62	2.48	1.01	2.05	1.56	~~1.57~~	31	2.40	1.66	85	17	YEAR'S TOTAL 19.30
*Days with "01 in. or more.	15	10	13	7	10	10	13	4	13	13	11	4	125
*Days with ".04 in. or more.	12	9	11	7	9	8	8	4	8	10	3	1	90

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wallingford

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

Ground Sea Level 512 ft.

Leak discovered 25/2

21/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01							20	69		04	30		1
2	02		01							06		16		2
3								01		20		09		3
4				20	06					45	05	21		4
5					6			08		06	06	29		5
6			04	07	35	15		09		15		47		6
7		01						28		06		27		7
8					12			02	04		20	05		8
9			03								68	07		9
10	06		24	15				01			01	04		10
11	06		15	23				01				15		11
12			01	05				02			05			12
13	15		14	03			30	03				99		13
14	02		29		01						14	26		14
15			10		03				04	12	09	04		15
16	07		19							03		04		16
17	01				01				04	03	02	17		17
18	02		05	18					03			1704		18
19			19			01			07	01		09		19
20			06	01				6	02					20
21				x		06	13	09		13				21
22								09	15		01	06		22
23				x		45		6			01	01		23
24		01	09	90		05	55		12					24
25	20	02			01	45				09		34		25
26				x		01				01		09		26
27						06				08		46		27
28						19		50				27		28
29				10			02							29
30		x							02			05		30
31		x		x		x	01		x	01	x	02		31
TOTAL	62	04	159	192	59	143	101	143	121	149	133	4099	17.65	
* Days with .01 in. or more.	10	3	14	16	7	9	5	13	10	15	12	25	138	
* Days with .04 in. or more.	6		11	8	4	7	3	7	7	10	7	23	95	

40-9999 In February a leak was discovered. There was more rain than was measured.

† Spare column, no entries required.

(Signed)

W. E. M. M. M.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at X Wallingford (ST. LEONARDS RECTORY) X

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

Ground Sea Level 100 ft.

Ave. 24.7

142 X

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07			.02		.04	.07		.01	.02	.15	.02		1
2			.01						.03	.06	.01	.01		2
3		.04	.01			.25			.94	.55	.17	.01		3
4				.25		.02			.10	.32				4
5		.29	.09			.23	.01		.35		.02	.01		5
6		.01		.22		.54					.04			6
7				.54		.02				.12	.34	.14		7
8				.21				.02		.17	.13	.01		8
9				.35		.58				.92	.44			9
10				.17							.09			10
11	.22					.05	.02				.19			11
12		.01				.10	.17	.01			.03			12
13	.08	.08		.08	.15	.03								13
14				.10	.06	.08			.08		.31	.08		14
15		.05		.37	.03	.43			.31		.19	.06		15
16		.21	.03	.07		.10			.46		.50	.05		16
17				.08		.20			.03		.20			17
18				.28	.01	.06	.10		.17	.02				18
19		.01		.16	.13	.06	.19		.07	.02	.12	.17		19
20		.14		.06	.35	.08	.08		.01		.30			20
21		.26		.02					.05	.04	.01			21
22		.02	.09	.05				.15	.15					22
23		.13	.03	.01				.74	.17	.24		.14		23
24	.01	.35	.05					.18	.35			.15		24
25	.09	.12		.24		1.06						.18		25
26	.01	.10							.06	.01		.44		26
27		.21			.02			.12	.08		.07	.40		27
28		.01			.37				.66	.01		.02		28
29									.10		.02	.25		29
30	.02	X		.11	.02			.59	.06	.02	.42	.38		30
31		X		X		X			X	.90	X	.09		31
TOTAL	.50	2.04	.31	3.34	1.14	3.93	.64	1.79	4.24	3.42	3.75	2.61	27.78	
* Days with .01 in. or more.	7	17	7	20	9	18	7	7	21	15	21	19	168	
* Days with .04 in. or more.	3	12	3	15	5	15	5	5	18	9	16	13	119	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

X W. A. Simmons X

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Wellington (St. Leonard's Rec.)*in the County of *Berk.*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....in.,, Ground ,, Sea Level.....*142* ft.*units
to
convert
London*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08	23	09	23		32	10				11	03		1
2	05					03	21	03	21		12			2
3				16		05	06	03	10 21		13			3
4			17			01			12 10		10	06		4
5	28		02		01			005	09 19		18	12		5
6	28					15		06	09 05					6
7	21		02			01	01		015		13	05		7
8	19		15				06				47			8
9	34		07				33		11		01			9
10							07	84	01			10		10
11				06			06		29		51			11
12				06		37	15	005	20		32	11		12
13						21				044	02	53		13
14						03	57		11			38		14
15		03		01			10		12			13		15
16		13							03		38	05		16
17	45	65				10	03			01	07	09		17
18		06				19				02		10		18
19	24	06	02	05		54		10						19
20			09	19		49			99					20
21				34		18	06		01					21
22	22	35	08		18		26					07		22
23			35	06	005		05							23
24	14	07							18	25	08			24
25			15	10					26	13				25
26	03	05	10	07		02				005				26
27			06						01	11				27
28	65		18				57					12		28
29	08	13	03		04	24				03	27	07		29
30	08	~~X~~			18	24	05			49				30
31	33	~~X~~	25	~~X~~	05	~~X~~	32		~~X~~	31	~~X~~	31		31
TOTAL	3.65	1.76	1.83	1.33	4.65	3.18	2.86	1.07	2.925	1.395	2.90	2.32	Year's Total	
* Days with .01 in. or more.	16	10	16	11	5	17	18	6	17	9	15	16	158	25-68
* Days with .01 in. or more.	15	9	12	10	4	12	16	3	12	6	13	15	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

A. Simmon

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ...Wallingford...

in the County of ...Banks...

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 10 in.

,, Ground ,, Sea Level ...ft. 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	07			01					01	025	23	X		1
2		23		38					10		01	76X		2
3		11	07									12		3
4	03	29										30		4
5	12	01	21				10							5
6	03	04	36	09	23		33				03			6
7		59		11					11					7
8					12						36	X		8
9		11		19	09	01			24			19X		9
10			43	51		24		17				16		10
11			03		14	02	02							11
12	18	25	09	03	35	37		02	12			17		12
13	17	10	41	02		46			15			13		13
14	01	02	41	10		09		23	10			03		14
15	20519	08		15			37		21			01		15
16	50005	11	66	49		06		19	45					16
17	50	01	27	01					54					17
18	25	11	11			41			15		11	44		18
19	06	03	02	01		21			10					19
20	54	02		14	35	01								20
21	29	62	07	39	01		05					05		21
22	36		13		10	24	04			66	12			22
23	19	04	02		54		02			19	14			23
24	34	30	15						18	64				24
25	27	33	015		1.50					17				25
26		26			13					14				26
27	05	07							02	78				27
28										025		07		28
29						05				04				29
30	29	X									27			30
31	28	X		X		X			X	10	X	07		31
TOTAL	4285	373	3455	263	356	217	93	61	248	277	627	220	Year's Total	30.09
* Days with .01 in. or more.	20	22	17	15	11	12	7	4	14	10	8	1315	113	155
* Days with .04 in. or more.	17	17	13	10	10	9	5	3	12	8	6	413	121	123

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. Simmons

[P.T.O.]

Section **A**

FORM 1090.

Kept at **69**
in the County

Diameter of Fun
Height of top of ()
Ground

819
WALLINFORD CASTLE

1932-1940

78 02 03

IAL USE.

Station No.

819

CE.—BRITISH RAINFALL ORGANIZATION.

ALL IN 1932.

Banks

NR 1931

OK by 816/5
817-820.
print.

THE MC

THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	0	0	2	96	2	13	29	4	9	1	0	1
2	0	0	0	13	10	0	0	4	20	7	0	15	2
3	0	0	0	20	12	0	1	0	29	18	0	0	3
4	1	0	0	0	0	2	0	0	0	0	17	0	4
5	23	1	1	0	0	2	10	0	8	0	0	0	5
336	333	0	5	15	6	0	0	0	19	0	0	0	6
7	0	0	9	9	5	0	0	0	9	5	0	0	7
8	0	0	14	14	5	0	5	0	95	12	0	0	8
9	20	0	0	5	29	0	0	0	0	8	0	0	9
10	25	0	0	13	7	5	0	0	4	11	4	0	10
11	0	0	0	5	2	1	25	0	1	20	4	3	11
12	11	0	0	0	15	0	0	1	1	40	0	1	12
13	6	6	0	14	0	0	23	0	1	21	10	3	13
14	27	0	0	1	0	0	0	0	0	1	4	0	14
15	16	0	0	4	14	0	1	34	0	6	0	0	15
16	0	0	0	14	5	0	0	0	0	0	0	0	16
17	0	0	0	1	0	0	6	0	0	4	0	0	17
18	0	0	0	0	1	0	0	0	27	0	15	0	18
19	0	0	0	0	0	0	0	0	1	16	0	0	19
20	0	0	0	3	14	0	3	154	5	65	6	0	20
21	2	0	5	10	148	0	0	20	0	37	0	2	21
22	3	1	19	1	2	0	3	0	31	12	18	0	22
23	0	3	1	0	36	0	2	0	7	59	0	5	23
24	0	0	0	0	1	0	111	0	5	6	1	0	24
25	0	2	0	5	0	4	29	0	4	16	3	0	25
26	0	0	8	20	4	0	1	0	0	7	0	1	26
27	0	0	29	11	18	0	14	0	0	5	3	0	27
28	0	0	10	3	28	1	4	0	0	11	0	0	28
29	0	0	25	9	12	6	2	2	13	36	5	1	29
30	0	x	23	21	0	58	0	0	14	2	34	27	30
31	0	x	1	x	0	x	0	0	x	0	x	6	31
TOTAL	1.73	.13	1.50	2.19	4.76	.81	2.53	2.44	3.01	4.34	1.25	.64	25.33
*Days with .01 in. or more.	12	5	13	23	22	9	17	7	20	25	14	10	177
*Days with .04 in. or more.	9	1	10	17	18	4	10	5	16	23	10	4	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section **A**

for the entry of Daily Observations.

IAL USE.

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Berks/5

Kept at Wallingford Castle
in the County of Berks

NR 1931

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 176 ft.

OK by 96/5
817-F20.
pink.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	0	0	2	96	2	13	29	4	9	1	0	1
2	0	0	0	13	10	0	0	4	20	7	0	15	2
3	0	0	0	20	12	0	1	0	29	18	0	0	3
4	1	0	0	0	0	2	0	0	0	0	17	0	4
5	23	1	1	0	0	2	10	0	8	0	0	0	5
33 6	383	0	5	15	6	0	0	0	19	0	0	0	6
7	0	0	9	9	5	0	0	0	9	5	0	0	7
8	0	0	14	14	5	0	5	0	95	12	0	0	8
9	20	0	0	5	29	0	0	0	0	8	0	0	9
10	25	0	0	13	7	5	0	0	4	11	4	0	10
11	0	0	0	5	2	1	25	0	1	20	4	3	11
12	11	0	0	0	15	0	0	1	1	40	0	1	12
13	6	6	0	14	0	0	23	0	1	21	10	3	13
14	27	0	0	1	0	0	0	0	0	1	4	0	14
15	16	0	0	4	14	0	1	34	0	6	0	0	15
16	0	0	0	14	5	0	0	0	0	0	0	0	16
17	0	0	0	1	0	0	6	0	0	4	0	0	17
18	0	0	0	0	1	0	0	0	24	0	15	0	18
19	0	0	0	0	0	0	0	0	1	16	0	0	19
20	0	0	0	3	14	0	3	154	5	65	6	0	20
21	2	0	5	10	148	0	0	20	0	37	0	2	21
22	3	1	19	1	2	0	3	0	31	12	18	0	22
23	0	3	1	0	36	0	2	0	7	59	0	5	23
24	0	0	0	0	1	0	111	0	5	6	1	0	24
25	0	2	0	5	0	4	29	0	4	16	3	0	25
26	0	0	8	20	4	0	1	0	0	7	0	1	26
27	0	0	29	11	18	0	14	0	0	5	3	0	27
28	0	0	10	3	28	1	4	0	0	11	0	0	28
29	0	0	25	9	12	6	2	2	13	36	5	1	29
30	0	x	23	21	0	58	0	0	14	2	34	27	30
31	0	x	1	x	0	x	0	0	x	0	x	6	31
TOTAL	1.73	.13	1.50	219	4.76	.81	2.53	2.44	3.01	4.34	1.25	.64	2.533
*Days with or in. or more.	12	5	13	23	22	9	17	7	20	25	14	10	77
*Days with .04 in. or more.	9	1	10	17	18	4	10	5	16	23	10	4	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wallingford Castle
in the County of Berkshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.09	.02	—	—	—	—	—	—	—	.03	—	1
2	.32	—	.23	—	.53	—	—	—	—	—	.01	—	2
3	.03	.20	.10	—	—	—	—	—	—	—	—	—	3
4	.11	.01	.05	—	.32	—	—	—	—	—	—	—	4
5	.02	.01	.18	—	—	—	—	—	—	—	.03	—	5
6	—	.10	.03	—	.09	—	—	—	—	.37	.04	—	6
7	.07	.06	.06	—	.03	—	.02	—	—	.06	.01	—	7
8	.04	—	.06	—	.08	—	.26	—	—	.03	—	—	8
9	—	—	—	—	.03	—	.13	—	—	.15	.09	—	9
10	.01	—	—	—	—	.03	.48	—	—	.28	.20	—	10
11	.23	—	—	—	.01	.01	.03	.11	—	—	—	—	11
12	—	—	—	—	.01	.14	—	—	.76	—	—	—	12
13	.05	—	—	—	.13	.03	.22	—	.02	—	.02	—	13
14	—	—	—	—	.01	—	.01	.02	—	.02	.37	.03	14
15	.37	—	.04	—	—	—	.14	.12	—	—	.06	—	15
16	—	.01	.62	—	—	.12	.01	—	.02	.04	—	—	16
17	.06	—	.38	—	—	.08	—	—	.05	—	—	—	17
18	.04	—	.19	—	—	.09	—	—	—	—	—	—	18
19	—	.01	.26	—	—	.06	—	—	.26	—	—	.03	19
20	—	.06	.11	.06	—	.09	—	.01	.02	—	.01	—	20
21	—	.03	—	—	—	—	—	.15	.16	—	—	—	21
22	—	—	—	—	.52	.01	—	.06	—	.32	—	—	22
23	—	—	—	.15	—	—	—	—	.64	.08	—	—	23
24	—	.16	—	.09	—	.71	—	—	.21	.01	.04	—	24
25	—	.33	—	.32	.16	—	—	—	.23	.02	.04	.12	25
26	—	.73	—	.06	—	.15	—	—	.32	.03	—	.01	26
27	—	.02	—	—	.11	—	.01	—	.01	.13	—	.06	27
28	—	—	—	.08	.01	—	—	—	—	.17	—	.03	28
29	.17	×	.01	.27	—	—	.05	—	—	.02	—	.03	29
30	.17	×	.13	.01	—	—	.03	—	.05	—	—	.12	30
31	.16	×	.01	×	—	×	—	.09	×	.02	×	—	31
TOTAL	1.95	3.82	2.48	1.04	2.04	1.52	1.39	0.56	2.75	1.75	0.95	0.43	20.68
*Days with ".01 in. or more.	16	14	17	8	14	12	12	7	13	16	13	8	150
*Days with ".04 in. or more.	13	8	13	7	8	8	6	5	9	9	7	3	96

40-9999

*See Instruction 2 (f) on other side,

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wallingford Castle
in the County of BerkshireDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03							.21		.01	.02	.34		1
2	.21		.03						.72	.05	.01	.13		2
3	.01	.07						.02	.01	.21		.07		3
4	.03		.05	.20	.06					.41	.05	.27		4
5			.03		.01			.09		.04	.07	.30		5
6	.01		.18	.02	.36	.16		.05		.15	.01	.50		6
7	.02	.02						.29		.07		.25		7
8					.11			.03	.05		.15	.05		8
9	.01		.05								.69	.24		9
10	.01		.22	.14				.04			.02	.02		10
11	.46		.15	.21			.02	.02				.14		11
12				.06			.06	.05				.20		12
13	.36		.15	.03			.18	.07		.01	.04	.81		13
14	.07		.29			.01		.01			.14	.22		14
15	.04		.07		.06				.04	.19	.08	.06		15
16	.12	.01	.18							.02	.01	.02		16
17	.02	.01		.02	.02				.06	.04	.03	.15		17
18	.25		.01	.21					.03		.01	.03		18
19			.19						.07	.02	.01	.09		19
20			.08	.02			.07	.01	.04			.01		20
21			.01	.02		.06	.08	.09		.14	.01			21
22								.10	.16		.01	.06		22
23		.01		.17		.42		.01			.02	.02		23
24		.03	.10	.05		.05	.63		.13					24
25	.23	.03		.17	.01	.33				.08		.33		25
26	.01			.20		.01			.03			.09		26
27	.03	.01		.13		.08				.11		.43		27
28				.40		.23	.02	.48			.01	.28		28
29								.03	.19			.01		29
30	.05	X							.03	.01		.06		30
31	.01	X		X		X	.01		X	.02	X	.03		31
TOTAL	1.98	.19	1.79	2.05	.63	1.35	1.07	1.60	1.56	1.58	1.39	5.21	20.40	Year's Total.
* Days with .01 in. or more.	20	8	16	16	7	9	8	17	13	17	19	29	179	
* Days with .04 in. or more.	9	1	12	11	4	7	5	10	9	11	7	22	108	

Section

A

for the entry of Daily Observations.

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Wallingford Castle* in the County of *Berks*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	-	-	.03	.01	.05	.08	-	.01	.04	.19	.04		1
2	.01	-	.04	-	-	-	-	-	.05	.07	.02	.01		2
3	-	.05	.01	.02	-	.29	-	-	.33	.50	.17	.01		3
4	-	-	-	.22	-	.03	-	-	.15	.36	-	-		4
5	-	.26	.09	.01	-	.29	-	-	.37	-	.02	-		5
6	.01	.02	.01	.24	-	.50	-	-	-	.04	.02	.03		6
7	.01	.01	-	.54	-	.05	-	-	-	.10	.34	.13		7
8	-	-	-	.22	-	-	-	.02	-	.16	.12	.02		8
9	-	-	-	.35	-	.68	-	-	-	.88	.42	-		9
10	-	-	-	.14	-	.01	-	-	-	-	.09	.01		10
11	.28	-	-	-	-	.06	.42	-	-	-	.19	-		11
12	-	.01	-	-	-	.17	-	.01	-	-	.03	-		12
13	.06	.08	-	.09	.15	.05	-	-	-	-	-	-		13
14	-	-	-	.10	.07	.14	-	-	.11	-	.32	.09		14
15	-	.05	-	.41	.03	.45	-	-	.30	-	.17	.05		15
16	-	.12	.03	.17	-	.09	-	-	.43	.02	.49	.05		16
17	.01	-	-	.04	-	.21	.02	-	.05	-	.18	-		17
18	-	.01	-	.27	.02	.05	.10	-	.27	.01	-	-		18
19	-	-	-	.11	.14	.08	.24	-	.05	.02	.11	.22		19
20	.01	.14	-	.06	.30	.09	.14	-	.05	-	.31	-		20
21	-	.25	.02	.02	-	-	-	-	.02	.05	.01	-		21
22	-	.03	.09	.06	-	-	-	.15	.17	-	-	-		22
23	-	.13	.03	.03	-	-	-	.62	.09	.22	-	.15		23
24	.02	.33	.05	-	-	-	-	.27	.41	.03	-	.12		24
25	.12	.11	-	.23	-	1.71	-	-	-	-	-	.16		25
26	.01	.18	-	-	-	-	-	.17	.06	.01	-	.38		26
27	-	.15	-	-	.05	-	-	-	.08	-	.07	.41		27
28	-	.01	-	-	.44	-	-	-	.41	.02	-	.05		28
29	-	X	-	-	-	-	-	-	.33	-	.05	.25		29
30	.03	X	-	.11	.03	-	-	.57	.04	.02	.38	.30		30
31	-	X	-	X	-	X	-	-	X	.86	X	.13		31
TOTAL	.66	1.94	.37	.347	1.24	4.90	1.00	1.89	4.28	3.41	3.70	2.61	Year's Total	29.39
* Days with .01 in. or more.	12	18	9	22	10	19	6	7	21	18	21	20		183
* Days with .04 in. or more.	4	12	4	17	6	17	5	5	19	11	16	15		131

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Major. Hodgkins* [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. **819**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at **Wallingford Castle**

in the County of **Berks**

Diameter of Funnel of Gauge **2.5** in.

Height of top of Gauge above Ground **1** ft. **3** in.

„ Ground „ Sea Level **175** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	9	23	10	25	0	11	10	3	0	0	10	2		1
2	5	1	0	2	0	9	23	2	0	0	5	0		2
3	0	0	0	11	0	5	11	0	18	0	23	0		3
4	1	0	20	0	0	0	0	0	14	0	8	5		4
5	25	0	4	0	0	0	0	0	15	0	0	10		5
6	23	0	0	0	5	16	0	9	10	0	17	0		6
7	25	0	2	0	0	2	1	0	2	0	11	3		7
8	17	0	15	0	0	0	0	0	0	0	40	0		8
9	32	0	6	0	0	0	42	0	11	0	0	10		9
10	1	0	0	0	0	0	7	76	1	0	1	0		10
11	0	0	0	6	0	0	9	0	24	0	48	0		11
12	0	0	0	6	0	34	16	1	25	0	39	10		12
13	0	0	0	1	0	26	0	0	0	5	3	50		13
14	0	3	0	0	0	3	64	0	7	1	0	39		14
15	0	0	0	0	0	0	1	0	5	0	0	9		15
16	19	14	0	1	0	0	1	0	3	0	40	3		16
17	30	62	0	0	0	0	4	0	0	1	7	10		17
18	0	6	0	0	0	31	5	1	0	3	0	14		18
19	23	6	3	2	0	70	0	8	0	0	0	0		19
20	6	12	8	23	0	42	0	0	74	0	0	0		20
21	0	0	0	35	0	18	5	0	0	0	0	0		21
22	12	34	5	0	18	0	16	0	0	0	0	0		22
23	7	0	41	6	1	0	9	0	0	5	0	8		23
24	5	7	0	0	0	0	3	0	18	24	0	0		24
25	2	0	14	10	0	0	14	0	29	12	6	0		25
26	2	6	11	7	0	2	0	0	3	2	0	1		26
27	7	0	7	0	0	0	0	0	0	9	0	0		27
28	55	0	18	0	0	0	21	0	0	0	0	12		28
29	7	11	0	0	0	32	26	0	0	2	27	6		29
30	8	≡	0	0	23	25	4	0	0	33	0	0		30
31	33	≡	23	≡	0	≡	12	0	≡	42	≡	26		31
TOTAL	354	185	187	135	46	326	304	100	259	139	285	218	Year's Total 2538	
* Days with .01 in. or more.	23	12	15	13	4	15	22	7	16	12	15	17	171	
* Days with .04 in. or more.	19	10	13	9	3	12	18	3	12	7	13	13	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

F. Wells
Major Hedges. [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wallingford, castlein the County of Berks

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft....3...in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	8	0	0	1	0	0	0	0	2	2	23	46		1
2	0	20	0	41	0	6	0	0	10	0	0	24		2
3	0	12	7	0	0	0	0	0	0	0	0	3		3
4	4	28		0	1	0	0	0	0	0	0	30		4
5	12	1	20	0	0	0	10	0	0	0	0	0		5
6	5	2	29	4	23	0	31	0	0	0	4	0		6
7	0	61	0	18	0	0	0	0	3	0	0	0		7
8	0	0	0	0	9	0	0	0	0	0	33	7		8
9	0	7	0	17	11	1	3	0	25	0	0	0		9
10	0	0	55	58	0	24	0	16	0	0	0	24		10
11	0	0	4	0	15	2	2	0	0	0	0	0		11
12	17	0	8	0	36	26	0	0	14	0	0	8		12
13	17	8	37	5	0	52	0	0	22	0	0	20		13
14	0	2	37	10	0	0	0	19	1	0	0	3		14
15	21	7	0	16	0	0	38	0	22	0	0	0		15
16	1	11	64	55	0	5	0	19	47	0	0	1		16
17	38	1	28	2	0	0	0	0	63	0	0	0		17
18	37	8	10	0	0	37	0	0	11	0	11	13		18
19	5	5	2	3	0	20	0	0	11	0	0	0		19
20	49	2	0	27	35	1	0	0	0	0	0	0		20
21	27	58	7	5	0	0	6	0	0	0	0	0		21
22	33	2	16	0	13	22	4	0	0	61	12	5		22
23	23	3	0	0	49	0	2	0	0	25	16	1		23
24	27	33	5	0	0	0	0	0	0	62	0	0		24
25	27	25	15	0	142	0	0	0	17	18	0	0		25
26	0	38	1	0	14	0	0	0	0	8	0	0		26
27	3	5	0	15	0	0	0	0	1	78	0	0		27
28	0	0	0	0	0	1	0	0	0	0	0	4		28
29	0	0	0	0	0	8	0	0	0	4	6	2		29
30	30	×	0	0	0	0	0	0	0	1	20	0		30
31	27	×	0	×	0	×	0	0	×	9	×	5		31
TOTAL	411	339	345	287	348	199	96	54	249	268	125	199	Year's Total	2920
* Days with .01 in. or more.	20	22	17	15	11	12	8	3	14	10	9	16	156	✓
* Days with .04 in. or more.	18	15	15	12	10	8	5	3	10	8	8	11	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at

Wallingford Castle

in the County of

Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft...6.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	3	18	1	4	5	3	—	2		1
2	2	—	—	1	5	—	—	—	—	44	—	3		2
3	—	—	—	—	26	—	—	—	1	69	—	—		3
4	4	—	—	—	—	—	1	20	—	9	—	6		4
5	—	—	—	—	—	—	8	—	—	17	—	—		5
6	3	—	—	—	—	—	2	—	15	12	—	1		6
7	—	—	—	—	—	—	41	120	11	15	—	3		7
8	9	—	—	—	—	5	62	11	2	13	—	1		8
9	13	—	—	—	—	—	2	13	—	—	—	79		9
10	10	2	—	—	—	—	6	27	—	—	—	7		10
11	17	—	—	—	—	—	—	—	—	—	9	4		11
12	27	—	—	—	2	—	—	12	—	15	1	—		12
13	2	—	—	—	5	—	—	—	—	1	13	17		13
14	34	—	—	—	4	—	5	—	3	—	—	—		14
15	6	—	—	—	—	—	32	—	—	10	—	23		15
16	35	—	—	—	—	—	1	4	—	5	1	15		16
17	—	10	1	—	—	—	—	—	3	3	1	—		17
18	4	—	—	—	4	—	—	—	10	—	26	—		18
19	—	—	—	—	—	—	—	7	8	—	15	—		19
20	—	—	—	—	—	—	—	2	5	—	57	—		20
21	1	—	—	—	—	—	—	1	3	—	3	—		21
22	—	—	—	1	—	1	—	5	3	—	16	95		22
23	—	—	—	—	—	—	—	—	—	—	2	—		23
24	—	—	9	—	1	—	—	—	11	—	3	—		24
25	8	8	7	2	8	—	—	20	—	2	65	—		25
26	15	29	7	—	1	—	—	—	20	11	—	30		26
27	4	3	—	—	26	31	24	—	1	5	31	—		27
28	5	1	—	—	76	3	—	76	—	—	—	14		28
29	13	—	—	—	24	—	—	7	1	—	12	13		29
30	1	—	—	—	16	9	—	—	11	4	18	3		30
31	19	—	—	—	12	—	—	—	—	6	—	14		31
TOTAL	235	53	24	04	213	67	185	329	113	244	273	330	Year's Total	2070
* Days with .01 in. or more.	21	6	4	3	15	6	12	15	17	18	16	18	151	
* Days with .04 in. or more.	16	3	3	—	11	4	7	13	9	14	10	12	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) George Wheeler [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WALLINGFORD CASTLE

in the County of BERKSHIRE

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...6...in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2	-	-	39	39	-	-	2	2	-	-	1		1
2	4	-	-	-	-	-	-	4.3	3.5	-	-	5		2
3	31	-	-	18	-	-	-	12	-	1	20	20		3
4	6	-	24	10	-	-	8	8	-	35	6	-		4
5	-	-	-	36	36	-	10	13	-	6	30	12		5
6	38	-	1	5	2	-	28	2	-	-	17	10		6
7	1	10	-	-	-	-	4	1	-	-	34	22		7
8	-	8	16	-	-	-	5	5	-	25	38	-		8
9	4	2	-	-	-	-	-	4	-	8	-	11		9
10	23	-	-	-	-	25	-	8	-	-	-	-		10
11	-	-	25	-	-	-	-	-	1	-	2	-		11
12	-	-	2	-	-	1	-	-	1	-	2	-		12
13	-	-	-	-	-	3	4	-	-	65	-	-		13
14	38	-	-	4	19	-	8	-	2	5	2	-		14
15	21	-	2	-	27	31	18	-	11	48	19	-		15
16	24	-	6	-	5	40	-	-	-	-	9	-		16
17	25	1	-	3	10	-	13	-	-	148	41	-		17
18	18	-	6	-	-	26	-	-	-	2	5	-		18
19	12	-	-	-	-	-	65	-	-	5	28	2		19
20	25	-	1	-	-	-	36	2	-	-	-	-		20
21	2	18	24	-	-	1	8	1	5	-	-	-		21
22	13	18	1	1	-	-	4	-	1	-	5	-		22
23	5	-	3	8	-	-	7	-	-	3	55	-		23
24	8	-	1	12	-	-	55	-	-	8	8	-		24
25	79	6	7	-	-	8	2	-	-	-	19	-		25
26	20	-	1	-	-	-	2	3	-	4	12	1		26
27	-	5	8	-	-	-	4	2	-	-	14	-		27
28	2	12	8	7	-	-	3	-	-	2	20	-		28
29	-	-	-	21	-	-	34	-	-	15	6	-		29
30	-	X	-	126	-	-	-	-	-	-	5	-		30
31	-	X	-	X	-	X	3	1	X	-	X	-		31
TOTAL	401	80	136	290	138	135	321	107	58	390	395	84	Year's Total	2535
* Days with .01 in. or more.	22	9	18	13	7	8	21	15	8	16	23	9		169
* Days with .04 in. or more.	18	7	10	11	6	5	17	7	3	12	20	6		122

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) J. L. Roberts Head Gardener T.O.

Section

A

for the entry of Daily Observations

Station No.

819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at WALLINGFORD CASTLEin the County of BERKSHIRE

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 15 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-		-	-	-	(20)	-	-	-	11	-		1
2	-	(28)		-	-	-	-	-	-	-	60	-		2
3	-	148		(39)	-	-	-	-	-	13	106	04		3
4	-	15		-	-	-	-	-	-	19	11	-		4
5	-	-		-	-	-	-	-	-	03	36	08		5
6	25	10		-	02	-	10	-	-	15	-	-		6
7	12	23		-	02	-	20	-	-	-	-	-		7
8	-	-		-	-	-	-	-	01	13	04	21		8
9	-	-		-	-	-	-	-	03	06	17	03		9
10	-	-		-	-	03	103	06	02	-	19	06		10
11	-	-		-	-	-	02	-	-	-	60	03		11
12	-	-		-	-	-	05	-	-	-	-	-		12
13	-	-		05	05	-	-	-	13	-	127	-		13
14	-	-		-	05	-	-	-	03	05	-	21		14
15	-	-		-	03	-	18	-	04	15	36	-		15
16	-	-		-	-	-	-	-	21	38	65	-		16
17	-	-		20	-	-	50	-	-	-	02	-		17
18	-	45		15	-	-	01	09	-	15	18	10		18
19	-	12		10	-	-	-	-	22	-	11	-		19
20	-	-		-	-	-	12	-	01	15	03	-		20
21	-	-		-	-	-	-	-	-	10	69	-		21
22	-	-		-	(50)	-	-	-	09	-	-	-		22
23	-	-		05	-	(60)	-	-	-	-	01	03		23
24	-	-		-	-	-	22	-	-	-	-	-		24
25	-	-		-	-	-	12	-	-	-	-	-		25
26	-	(28)		33	05	-	-	-	-	-	-	-		26
27	110	-		-	-	-	15	-	-	-	-	-		27
28	(230)	-		-	34	-	04	-	-	-	-	-		28
29	-	-		02	10	36	-	-	-	-	-	27		29
30	-	X		18	-	-	-	-	-	12	-	-		30
31	-	X		X	-	X	-	-	X	54	X	01		31
TOTAL	567	161		147	116	(99)	294	15	79	233	646	107	Year's Total	
	147	253	(2.10)	108	76	39							(2374)	
* Days with .01 in. or more.	3	6		8	9	2	14	2	10	14	18	11		
* Days with .04 in. or more.	3	6		7	6	4	12	2	5	13	15	7		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

MAJOR HEDGES

(Signed)

GEORGE WINDALE

[P.T.O.]

820

820
FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

IN 1931.

Kept at Style A
in the County of

SOTWELL
(STYLE ACRE)

1931-

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING

PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.12	-	.12	.02	-	.05	-	-	-	1
2	.09	.05	-	.70	.03	-	.02	-	.86	-	.02	.05	2
3	.02	-	.07	.24	.13	-	-	.08	.48	-	.29	.18	3
4	-	.06	-	.08	-	-	.23	2.39	.16	-	.21	-	4
5	-	-	-	.20	.04	.38	.03	.01	.05	-	.04	.19	5
6	-	.12	-	.14	-	-	.03	-	-	.19	.25	-	6
7	-	-	-	.01	.21	.07	1.45	.32	-	.10	.12	.05	7
8	.04	.11	-	.05	-	.13	-	.16	-	-	.17	-	8
9	-	.08	-	.05	-	-	.02	-	-	.01	.24	-	9
10	-	.07	-	-	-	.05	.11	.13	.03	.01	.23	-	10
11	.12	.16	-	-	-	-	-	-	.06	-	.03	-	11
12	.01	-	-	-	-	-	.12	.02	.32	-	-	-	12
13	-	-	-	-	-	-	.23	.16	-	-	-	-	13
14	-	.09	-	-	.04	.04	.80	.42	-	-	-	-	14
15	.01	.05	-	.04	.15	-	.14	.03	-	-	-	.07	15
16	-	.04	-	.13	.13	.18	-	.22	.09	-	.01	-	16
17	-	.24	-	.18	.19	-	.19	-	.05	-	-	-	17
18	.04	.02	-	.25	-	.06	-	.62	-	-	.29	-	18
19	.03	-	-	.46	-	.43	.35	.13	-	-	.01	-	19
20	-	.02	-	.09	-	-	-	.14	-	-	-	.01	20
21	-	-	-	-	.38	-	-	-	-	-	-	-	21
22	.18	-	-	.07	-	-	-	-	-	-	-	-	22
23	.19	.03	-	.06	.36	.04	-	-	-	-	.20	.07	23
24	-	-	-	.16	.25	.25	-	-	.02	-	-	.02	24
25	.04	.02	-	.23	.06	-	.42	-	-	-	.07	-	25
26	-	.02	-	.12	-	-	.65	-	-	-	.26	-	26
27	.12	.35	-	.05	.67	-	.18	-	-	-	.28	-	27
28	.09	.09	-	.04	.24	-	-	-	-	.06	-	.15	28
29	.05	-	-	-	.25	-	.07	-	-	.19	.03	-	29
30	.05	X	-	-	-	-	-	.04	-	-	-	-	30
31	.21	X	-	X	.03	X	-	.07	X	-	X	.01	31
TOTAL	1.29	1.65	.07	3.47	3.16	1.75	5.06	4.94	2.17	.56	2.75	.80	YEAR'S TOTAL 27.67
*Days with or in. or more.	16	19	1	22	16	11	18	16	11	6	18	10	164
*Days with .04 in. or more.	12	13	1	21	14	11	13	13	9	4	13	7	131

Section



for the

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sty. Acc. School
in the County of Bucks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	.	.12	.	.12	.02	.	.05	.	.	.	1
2	.09	.05	.	.70	.03	.	.02	.	.86	.	.02	.05	2
3	.02	.	.07	.24	.13	.	.	.02	.48	.	.29	.18	3
4	-	.06	.	.08	.	.	.23	2.39	.16	.	.21	.	4
5	-	.	.	.20	.04	.38	.03	.01	.05	.	.04	.19	5
6	-	.12	.	.14	.	.	.03	.	.	.19	.25	.	6
7	-	.	.	.01	.21	.07	1.45	.32	.	.10	.12	.05	7
8	.04	.11	.	.05	.	.13	.	.16	.	.	.17	.	8
9	-	.08	.	.05	.	.	.02	.	.	.01	.24	.	9
10	-	.07	.	.	.	.05	.11	.13	.03	.01	.23	.	10
11	.12	.16	.	.	.	.	.	.	.06	.	.03	.	11
12	.01	.	.	.	.	.	.12	.02	.32	.	.	.	12
13	-	.	.	.	.	.	.23	.16	.	.	.	.	13
14	-	.09	.	.	.04	.04	.80	.42	.	.	.	.	14
15	.01	.05	.	.04	.15	.	.14	.03	.	.	.	.07	15
16	-	.04	.	.13	.13	.18	.	.22	.09	.	.01	.	16
17	-	.24	.	.18	.19	.	.19	.	.05	.	.	.	17
18	.04	.02	.	.25	.	.06	.	.62	.	.	.29	.	18
19	.03	.	.	.46	.	.43	.35	.13	.	.	.01	.	19
20	-	.02	.	.09	.	.	.	.14	.	.	.	.01	20
21	-	.	.	.	.38	.	.	.	.	.	.	.	21
22	.18	.	.	.07	.	.	.	.	.	.	.	.	22
23	.19	.03	.	.06	.36	.04	.	.	.	.	.20	.07	23
24	-	.	.	.16	.25	.25	.	.	.02	.	.	.02	24
25	.04	.02	.	.23	.06	.	.42	.	.	.	.07	.	25
26	-	.02	.	.12	.	.	.65	.	.	.	.26	.	26
27	.12	.35	.	.05	.67	.	.18	.	.	.	.18	.	27
28	.09	.09	.	.04	.24	.	.	.	.	.06	.	.15	28
29	.05	.	.	.	.25	.	.07	.	.	.19	.03	.	29
30	.05	X	.	.	.	.	.	.04	.	.	.	.	30
31	.21	X	.	X	.03	X	.	.07	X	.	X	.01	31
TOTAL	1.29	1.65	.07	3.47	3.16	1.75	5.06	4.94	2.17	.56	2.75	.80	YEAR'S TOTAL
*Days with .01 in. or more.	16	19	1	22	16	11	18	16	11	6	18	10	164
*Days with .04 in. or more.	12	13	1	21	14	11	13	13	9	4	13	7	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. L. M. M. M.

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at St. Leonards-on-Sea
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	-	.02	1.05	.01	.07	.16	.03	.06	.01	-	1
2	-	-	-	.15	.12	-	-	.04	.37	.09	-	.16	2
3	-	-	-	.27	.13	-	-	-	.29	.18	-	-	3
4	.01	-	-	-	-	.01	-	-	-	-	.19	-	4
5	.21	-	.04	-	-	-	.10	-	.08	-	-	-	5
6	.39	-	.01	.14	-	-	-	-	.18	-	-	-	6
7	-	-	.08	.10	.05	-	.01	-	.06	-	-	-	7
8	-	-	.15	.17	.03	-	-	-	1.42	.20	-	.02	8
9	.16	.01	-	.07	.30	-	-	-	.04	.07	-	-	9
10	.29	.01	-	.09	.07	.04	-	-	.02	.12	.04	-	10
11	-	-	-	.09	.03	.03	.79	-	.01	.27	.04	.02	11
12	.11	-	-	.01	.16	-	-	-	.02	.32	.02	-	12
13	.04	-	-	.16	-	-	.23	-	.02	.19	.08	.02	13
14	.25	-	-	.01	.01	-	-	.28	-	-	.03	-	14
15	-	-	-	.04	.19	-	-	-	-	.07	-	.01	15
16	.19	-	-	.16	.12	-	.01	-	-	-	-	-	16
17	-	-	-	.01	-	-	.10	-	-	.05	.01	-	17
18	-	-	-	-	.01	-	-	-	.32	-	.18	-	18
19	-	-	-	-	-	-	-	-	.01	.17	-	-	19
20	-	-	-	.02	.25	-	-	1.17	.03	.74	.07	-	20
21	.02	-	.05	.14	1.48	-	-	.20	-	.48	-	.02	21
22	-	-	.21	.02	.03	-	.04	-	.39	.11	.21	-	22
23	.01	.03	-	-	.32	-	.01	-	.06	.69	-	.07	23
24	-	.03	-	.02	-	-	1.44	-	.04	.08	.02	-	24
25	-	.01	-	.05	-	.07	.43	-	.04	.15	.08	.01	25
26	-	-	.10	.19	.02	-	.04	-	-	.03	-	-	26
27	-	.01	.30	.12	.21	-	.16	-	-	.09	.03	-	27
28	-	-	.19	.05	.24	.02	.07	-	-	.15	-	-	28
29	-	-	.25	.11	.22	.08	.02	-	.12	.34	.08	-	29
30	-	X	.26	.27	.02	.63	-	-	.20	.02	.36	.30	30
31	-	X	-	X	-	X	.04	-	X	-	X	.07	31
TOTAL	1.75	.11	1.64	2.49	5.06	.89	3.56	1.85	3.76	4.68	1.45	.70	YEAR'S TOTAL 27.98
*Days with "or in. or more.	12	7	11	25	22	7	16	5	21	23	16	10	175
*Days with "04 in. or more.	9	-	10	18	15	3	12	4	14	21	10	4	120

Section **A** for the entry of Daily Observations.Station No. **820**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Styl. Acc. 3.5 in. Wellingfordin the County of BedfordDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 4 in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.12	.03								.04			1
2	.18		.17		.58						.02			2
3		.22	.14											3
4	.15		.03		.34									4
5	.01	.01	.18		.05						.02			5
6		.08	.06		.10					.32	.04			6
7	.09	.12	.08		.03					.06				7
8	.05		.07		.09		.27			.03				8
9					.02		.13			.11	.10			9
10						.03	.35			.26	.25			10
11	.23						.07	.06						11
12						.11	.01		.64					12
13	.07				.16	.08	.30		.03		.02			13
14	.01						.01	.01		.02	.42	.02		14
15	.40		.04				1.09	.09			.11			15
16	.01		.62			.12	.01		.01	.08				16
17	.07		.34			.04			.05		.01			17
18	.05		.20			.04								18
19		.04	.19			.06			.22			.02		19
20			.10	.03		.08		.04	.06		.01			20
21		.01						.08	.16					21
22					.95			.07		.32				22
23				.18					.49	.03				23
24		.16		.13		.26			.22	.07	.04			24
25		.31		.26	.07				.26		.02	.10		25
26		.65		.09		.19			.25	.02				26
27		.02			.18				.02	.14		.04		27
28				.07						.14		.03		28
29	.13			.65			.06			.03				29
30	.19	X	.17				.05		.08	.02		.22		30
31	.15	X	.01	X		X		.10	X	.02	X			31
TOTAL	2.01	3.74	2.53	1.41	2.57	1.01	2.35	.45	2.49	1.67	1.10	.43	21.76	
*Days with .01 in. or more.	16	11	16	7	11	10	11	7	13	16	13	6	137.	
*Days with .04 in. or more.	13	8	13	6	9	9	8	6	10	9	7	3	101.	

† Spare column, no entries required.

(Signed)

Section

A

for the entry of Daily Observations.

Station No.

820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Leonards-on-Sea (Sussex)in the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 4 in.,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	-	-	-	-	.28	-	.01	.02	.39	1
2	.23	-	.03	-	-	-	-	-	.73	.03	.01	.14	2
3	-	.08	-	-	-	-	-	-	-	.25	-	.03	3
4	.05	-	.05	.24	.04	-	-	-	-	.31	.05	.34	4
5	-	-	-	-	.03	-	-	.11	-	.05	.06	.28	5
6	.01	-	.20	.02	.36	.18	-	-	-	.19	.02	.47	6
7	.03	-	-	-	-	-	-	.31	-	.13	-	.26	7
8	-	.01	-	-	.12	-	-	.03	.05	-	.12	.03	8
9	.01	-	.04	-	-	-	-	-	-	-	.76	.28	9
10	.01	-	.18	.11	-	-	-	.14	-	-	.02	.02	10
11	.47	-	.16	.32	-	-	.08	.01	-	-	-	.15	11
12	-	-	-	.04	-	-	.06	.05	-	-	-	.11	12
13	.39	-	.13	.03	-	-	.17	.06	-	-	.02	.68	13
14	.07	-	.33	-	.01	-	-	-	-	-	.16	.24	14
15	.04	-	.02	-	.04	-	-	-	.03	.19	.08	.09	15
16	.13	-	.19	-	-	-	-	-	-	.02	-	.02	16
17	.03	-	-	-	.04	-	-	-	.07	.02	.03	.14	17
18	.18	-	-	.20	-	-	-	-	.01	-	-	.02	18
19	-	-	.23	-	-	-	-	-	.10	.02	-	.09	19
20	-	-	.09	-	-	-	.06	-	.02	-	-	.04	20
21	-	-	.05	.04	-	.08	.11	.09	-	.12	-	-	21
22	-	-	-	-	-	-	-	.13	.17	-	.02	.08	22
23	-	-	-	.18	-	.42	-	-	-	-	.02	.02	23
24	-	.02	.09	.07	-	.02	.59	-	.16	-	-	-	24
25	.26	.01	-	.15	.04	.48	-	-	-	.08	-	.36	25
26	.02	-	-	.29	-	.02	-	-	.04	.01	-	.08	26
27	.03	-	-	.03	-	.07	-	-	-	.07	-	.46	27
28	.02	-	-	.59	-	.15	.04	.48	-	-	-	.29	28
29	-	-	-	-	-	-	-	.04	.26	-	-	.01	29
30	.05	×	-	-	-	-	-	-	.01	-	-	.07	30
31	.01	×	-	×	-	×	-	-	×	.02	×	.02	31
TOTAL	2.08	.12	1.75	2.31	.68	1.42	1.11	1.73	1.65	1.52	1.39	5.21	YEAR'S TOTAL
*Days with ".6 or in. or more.	20	4	14	14	8	8	7	12	12	16	14	29	158.
*Days with ".04 in. or more.	11	1	11	11	6	6	7	10	8	9	6	21	107.

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. L. Ingham

[P. 10.]

REGISTER OF RAINFALL IN 1935.

820

Kept at St. Paul's, Barking (Retired)
in the County of Bucks
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 10 in.
Ground Sea Level.....2.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	-	-	.01	.03	.03	.08	-	-	.07	.19	.02	1
2	7	-	-	-	.01	.01	-	-	.04	.12	.01	.01	2
3	-	.03	.02	.01	-	.16	-	-	.65	.49	.17	.01	3
4	-	.02	-	.21	-	.05	-	-	.39	.36	-	-	4
5	-	.22	.11	-	-	.26	-	-	.37	-	.03	.07	5
6	-	.03	.01	.25	-	.47	-	-	-	.03	-	.03	6
7	-	-	-	.53	-	.02	-	-	-	.07	.35	.15	7
8	-	-	-	.24	-	-	-	-	-	.22	.15	.01	8
9	-	-	-	.30	-	.64	-	-	-	.78	.51	-	9
10	-	-	-	.13	-	.01	-	-	-	-	.13	-7	10
11	.25	-	-	-	-	.05	.44	-	-	-	.23	.01	11
12	.01	.01	-	-	-	.25	-	.01	-7	-	.03	-	12
13	.08	.08	-	.09	.17	.05	-	-	-	-	-	-	13
14	-	-	-	.22	.05	.06	-	-	.03	-	.25	.10	14
15	-	.06	-	.37	.03	.51	-	-	.23	-	.21	.08	15
16	-	.08	.03	.15	-	.20	-	-	.54	-	.37	.04	16
17	-	-	-	.04	-	.23	-7	-	.05	-	.26	-	17
18	-	-	-	.30	.01	.06	.14	-	.18	.02	-	-	18
19	-	-	-	.24	.18	.11	.11	-	.05	-	1.14	.278	19
20	-	.13	-	.05	.22	.11	.10	-	.07	.01	.29	-	20
21	-	.25	-7	.02	-	-	-	-	.03	.06	.01	-	21
22	-	.03	.14	.04	-	-	-	.18	.24	-	-	-	22
23	-	.14	.03	.01	-	-	-	.52	.10	.25	-	.06	23
24	.01	.32	.04	-	-	-	-	.27	.41	.04	-	.22	24
25	.07	.13	-	.25	-	2.27	-	-	-	-	-	.18	25
26	-	.14	-	-	-	-	-	.18	.08	.01	-	.37	26
27	-	.20	-	-	.06	-	-	-	.06	-	.09	.45	27
28	-	-	-	-	.31	-	-	-	.18	.01	-	.09	28
29	-	-	-	-	-	-	-	-	.45	-	.05	.22	29
30	.02	X	-	.14	.03	-	-	.57	.08	.03	.32	.36	30
31	-	X	-	X	-	X	-	-	X	1.15	X	.12	31
TOTAL	.52	1.87	.38	3.60	1.09	5.55	.87	1.73	4.23	3.72	4.79	2.82	31.17
*Days with ".01 in. or more.	7	16	7	21	10	20	5	6	20	17	20	21	170
*Days with ".04 in. or more.	4	11	3	17	6	16	5	5	18	13	16	14	126

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Styl. Ave. Sotwellin the County of BucksDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 4 in.,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.25	.09	.29	-	.04	.25	.03	-	-	.11	.03		1
2	.08	-	-	-	-	.15	.24	.06	-	-	.06	-		2
3	-	-	-	.15	-	.02	.11	-	.30	-	.25	-		3
4	-	-	.20	-	-	-	-	-	.22	-	.09	.04		4
5	.32	-	.04	-	-	-	-	-	.22	-	.01	.08		5
6	.17	-	-	-	-	.11	-	.14	.10	-	.22	.03		6
7	.32	-	.03	-	-	.08	-	-	.02	-	.09	.03		7
8	.25	-	.19	-	-	-	.03	-	-	-	.47	.11		8
9	.32	-	.05	-	-	-	-	-	.11	.02	-	.02		9
10	.04	-	-	-	-	-	.09	.84	.02	-	-	-		10
11	-	-	-	.04	-	-	.08	-	-	-	.44	-		11
12	-	-	-	.08	-	.30	.20	-	.44	-	.31	.14		12
13	-	-	-	.01	-	.33	-	-	-	-	.04	.49		13
14	-	.02	-	-	-	.03	.72	-	.09	-	-	.40		14
15	-	-	-	.01	-	-	.02	-	.01	-	-	.10		15
16	.15	.15	-	-	-	-	-	-	.03	-	.45	.07		16
17	.25	.62	-	-	-	-	.05	-	-	.06	.08	.12		17
18	-	.08	-	-	-	.26	.06	.01	-	-	-	.13		18
19	.28	.08	.03	.03	-	.49	-	.07	-	.04	-	-		19
20	.06	.14	.09	.23	-	.43	-	-	.80	-	-	-		20
21	-	-	-	.32	-	.22	.02	-	.06	-	-	-		21
22	.12	.26	.04	.02	.25	-	.19	-	-	-	-	.11		22
23	.10	-	.50	.04	.04	-	.10	-	-	.06	-	-		23
24	.05	.05	-	-	-	-	.03	-	.13	.23	-	.01		24
25	.03	-	.13	.10	-	-	.10	-	.35	.09	.09	-		25
26	-	.04	.13	.09	-	.02	-	-	.05	.10	-	-		26
27	.08	-	.06	-	-	-	-	-	-	.11	-	-		27
28	.53	-	.12	-	-	-	.28	-	-	-	-	.15		28
29	.07	.11	.10	-	-	.15	.27	-	-	.02	.29	.04		29
30	.09	X	-	-	.23	.21	.03	-	-	.35	-	-		30
31	.33	X	.22	X	.04	X	.13	-	X	.45	X	.21		31
TOTAL	3.74	1.80	2.02	1.41	.56	2.84	3.00	1.15	2.95	1.53	3.00	2.31	26.31	✓
* Days with .01 in. or more.	21	11	16	13	4	15	20	6	16	11	15	19	167	✓
* Days with .04 in. or more.	20	10	14	9	4	12	15	4	12	9	14	14	137	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. L. Moxley

[P.T.O.]



Station No. 724

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at ... Styke - Ben - Sotwell ...

in the County of Bucks

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1...ft...4....in.

Ground " Sea Level 2.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	-	-	-	-	-	-	-	.03	.02	.28	.49		1
2	-	.19	-	.37	-	-	-	-	.08	-	.01	.28		2
3	-	.23	.07	-	-	-	-	-	-	-	.02	.02		3
4	.06	.30	-	-	-	-	-	-	-	-	-	.30		4
5	.13	.01	.21	-	-	-	.09	-	-	-	-	-		5
6	.08	-	.25	.04	.22	-	.28	-	-	-	.04	-		6
7	-	.59	.03	.25	-	-	-	-	.01	-	-	-		7
8	.01	.02	-	-	.11	-	-	-	-	-	.17	.11		8
9	-	.07	-	-	.14	-	.02	-	.24	-	-	.09		9
10	-	-	.46	.15	-	.23	-	.03	-	-	-	.14		10
11	-	-	.05	.49	.18	.01	.01	-	-	-	-	-		11
12	.19	.29	.09	-	.26	.37	-	.01	.15	-	-	.09		12
13	.17	.09	.32	-	-	.58	-	-	.16	-	-	.19		13
14	.01	.01	.38	.06	-	-	-	.18	-	-	-	.05		14
15	.18	.08	-	.10	-	-	.34	-	.20	-	-	.01		15
16	.03	.10	.56	.15	-	.15	-	.18	.52	-	-	-		16
17	.36	-	.45	.56	-	-	-	-	.38	-	-	-		17
18	.06	.07	.03	.03	-	.43	-	-	.12	-	.12	.11		18
19	.47	.06	.05	.01	-	.21	-	-	.07	-	-	.08		19
20	.29	.03	.02	.04	.34	.02	-	-	-	-	-	-		20
21	.34	.58	.09	.38	.03	-	.04	-	-	.01	.01	.03		21
22	.29	.03	.10	.07	.10	.21	.05	-	-	.65	.16	.02		22
23	.36	.03	.03	-	.36	-	.04	-	-	.20	.19	-		23
24	.25	.38	.03	-	-	-	-	-	.19	.57	-	.01		24
25	-	.24	.20	-	1.28	-	-	-	.01	.23	-	.01		25
26	.03	.32	.01	-	.08	-	-	-	-	.08	-	-		26
27	-	.06	-	.14	-	-	-	-	.01	.98	-	-		27
28	.02	.02	-	-	-	-	-	-	-	.08	-	.04		28
29	.36	X	-	-	-	.09	-	-	-	.08	.08	.01		29
30	.28	X	-	-	-	-	-	-	-	.02	.26	-		30
31	.29	X	-	X	-	X	-	-	X	.09	X	.04		31
TOTAL	4.40	3.80	3.43	2.84	3.10	2.30	.87	.50	2.18	3.01	1.34	2.12	Year's Total	29.89
* Days with .01 in. or more.	23	23	20	15	11	10	8	4	14	12	11	20		171
* Days with .04 in. or more.	18	16	14	13	10	8	6	2	10	9	8	13		127

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) A. L. Mozharov. [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stylle Ave. Solihullin the County of BucksDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 4 in.,, Ground ,, Sea Level 2.02.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	-	-	-	-	-	.21	-	-	.03	-	-	.03		1	
2	.03	-	-	.01	.04	-	-	-	-	.48	-	.06		2	
3	-	-	-	-	.30	-	-	-	.01	.63	-	-		3	
4	.06	-	-	-	-	-	-	.32	-	.10	-	.08		4	
5	-	-	-	-	-	-	.23	-	-	.19	-	-		5	
6	.03	-	-	-	-	-	.09	-	.16	.04	-	-		6	
7	.01	-	-	-	-	-	.46	.27	.13	.22	-	.06		7	
8	.10	-	-	-	-	.03	.23	.09	.04	.12	.01	.01		8	
9	.09	-	-	-	-	-	.05	.15	-	-	-	.87		9	
10	.13	.02	-	-	-	-	.05	.75	-	-	-	.07		10	
11	.19	-	-	-	-	-	-	-	-	-	.10	.04		11	
12	.25	-	-	-	.01	-	-	.17	-	.16	.02	-		12	
13	.02	-	-	-	.01	-	-	-	-	-	.12	.22		13	
14	.33	.02	-	-	.04	-	.07	-	.04	-	-	-		14	
15	.01	-	-	-	-	-	.29	-	-	.12	.02	.28		15	
16	.35	.03	-	-	.01	-	.01	.01	-	.05	-	.38		16	
17	-	.05	-	-	.01	-	-	-	.03	.04	-	-		17	
18	.05	-	-	-	.04	-	-	-	.11	-	.27	-		18	
19	-	-	-	-	-	-	-	.09	.10	-	.13	-		19	
20	-	-	-	-	-	-	-	-	.09	-	.67	-		20	
21	.01	-	-	-	-	-	-	.06	.02	-	.03	.59		21	
22	-	-	-	-	-	-	-	.07	-	-	.18	.33		22	
23	-	-	-	-	-	-	-	-	.09	-	.09	-		23	
24	-	-	.10	-	-	-	-	-	.16	-	.04	-		24	
25	.08	.12	.08	-	.09	-	-	.16	-	.01	.70	-		25	
26	.19	.25	.09	-	.04	-	.24	-	.19	.11	-	.33		26	
27	.05	.03	-	-	.27	.22	-	.01	.22	.07	.31	-		27	
28	.10	.02	-	-	.67	.04	-	.87	-	-	-	.13		28	
29	.15	-	-	-	.34	-	-	.04	.02	.01	.13	.14		29	
30	.01	~~X~~	-	-	.11	.18	-	-	.17	.04	.19	.03		30	
31	.20	~~X~~	-	~~X~~	.12	~~X~~	-	-	~~X~~	.06	~~X~~	.17		31	
TOTAL	2.44	.54	.27	.01	2.10	.68	1.72	3.70	1.61	2.45	3.01	3.82	Year's Total	22.35	✓
* Days with .01 in. or more.	22	8	3	✓	15	5	10	16	17	17	16	18	14.6	✓	✓
* Days with .04 in. or more.	15	3	3	1	11	4	9	12	12	15	12	15	11.2	✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

(Signed) H. J. Morphet [P.T.O.]

Section



for the entry of Daily Observations

Station No.

820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19840

Kept at Styke, near Gathwick

in the County of Bucks

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft....4....in.

„ Ground „ Sea Level 200.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	-	-	-	-	-	-	-	.13	-		1
2	-	.06	-	.11	-	-	.18	-	-	.03	.67	-		2
3	-	.15	-	.05	-	-	-	-	-	.14	1.08	.01		3
4	-	.16	-	.24	-	-	-	-	-	.22	.09	-		4
5	-	.04	-	-	-	-	-	-	-	.02	.42	.08		5
6	.14	.09	-	-	.02	-	.18	-	-	.11	.01	-		6
7	.18	.22	-	-	.02	-	.29	-	-	-	-	.02		7
8	-	-	-	-	-	.04	-	-	-	.15	.03	.23		8
9	-	-	-	-	-	.01	-	.01	.04	.04	.20	.04		9
10	-	-	-	-	-	-	1.22	-	.02	.14	.09	.07		10
11	-	-	-	.02	-	.02	.04	-	-	-	.56	.03		11
12	-	-	.03	-	-	.01	.03	-	.03	-	-	-		12
13	-	.01	.49	-	-	-	-	-	.19	-	1.32	.01		13
14	-	-	.08	.11	-	-	-	-	.06	.15	-	.21		14
15	-	-	.01	.04	.02	-	.15	-	.03	.18	.35	-		15
16	.02	.17	.25	.12	-	-	.44	-	.26	.42	.63	-		16
17	-	-	.42	-	-	-	.01	-	-	-	.02	-		17
18	-	.32	.24	.26	-	-	-	.03	-	.07	.16	.10		18
19	-	.13	.01	.19	-	-	.01	-	.10	-	.12	-		19
20	-	-	.03	.02	-	-	.07	-	-	.17	.02	-		20
21	.01	-	.01	-	.08	-	.09	-	-	.10	.48	-		21
22	-	-	.16	-	.55	.33	-	-	.09	-	-	-		22
23	-	.05	-	.05	-	.36	-	-	-	-	.02	.02		23
24	-	-	-	-	-	-	.24	-	-	-	-	-		24
25	-	-	.19	-	-	-	.03	-	-	-	-	-		25
26	1.06	.06	.10	.88	.05	-	.18	-	-	-	-	-		26
27	.34	.06	-	-	.03	-	.02	-	-	-	-	-		27
28	.68	.08	-	.01	.32	-	-	-	-	-	-	-		28
29	.02	.07	.04	-	.07	-	-	-	-	-	-	.36		29
30	.02	~~X~~	-	.18	.02	-	-	-	-	.12	-	.01		30
31	.02	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.60	~~X~~	-		31
TOTAL	2.49	1.69	2.06	1.88	1.18	.77	3.18	.04	.82	2.76	6.40	1.13	Year's Total	24.40
* Days with .01 in. or more.	10	16	14	14	10	6	16	2	9	16	4	13		145
* Days with .04 in. or more.	5	14	9	11	5	3	11	-	6	14	14	7		99

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

A. J. Ingham

Section

A

for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

FORM 1090.

REGISTER OF

Kept at Sewage Disposal Works - Didcot
in the County of Berkshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft
Ground Sea Level 170

THE MORNING MEASUREMENT IS OF

An observer who does not conform to this rule should insert the reading made on January 1st of the year in the space on the right of this paragraph.

1931.

Please read the Notes and Instructions Overleaf.

OFFICIAL USE.
ANIZATION.

821
DIDCOT
S.D.W.

1931-1940

780203

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	25	09	07		05	03		05				I
2	19								1.05		01	15	2
3	—		03	63		03		09	48		48	06	3
4	—			22			24	2.42	30		21		4
5	—	11	02	04		61	01		02				5
6	—			19	20		01		01	21	23	17	6
7	—			16		07	65	25	01	15	19	03	7
8	—	17		06	80	12		12			23		8
9	—	15					02		01		26	01	9
10	—	10	01			04	13	11			29		10
11	12	07				01	04		02		02		11
12	—						12	16	16				12
13	—				01		11	05					13
14	—				07	12	1.04	29					14
15	—	14			10.01		09	05				05	15
16	—	23			18.07	23		41	12				16
17	—				08.10		16		01				17
18	03			14	18	11	04	63			27		18
19	—		03	15	08	28	23	01					19
20	—	10		18				22			01		20
21	—	04		18	32								21
22	26					01							22
23	13				39.32	16					20	07	23
24	—	03		03	21		01					01	24
25	—			07	05.39		35					01	25
26	04	03		15	21		51						26
27	—	05		24	86.05		10				30		27
28	18	23		08	17						24	09	28
29	—			07	13.86		04	03		05			29
30	11	X			17		01	04		16	04		30
31	—	X		X	07.15	X			X		X		31
TOTAL	1.06	1.70	18	2.66	2.84	1.84	3.94	4.88	2.24	57	2.98	65	25.54
*Days with or in. or more.	8	14	5	17	14	12	31	15	12	4	15	10	148
*Days with 04 in. or more.	7	10	1	16	13	10	15	13	6	4	12	6	118

40-999

*See Instruction 2 (f) on other side.

(Signed) Thomas N. Paulkner. [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sewage Disposal Works - Didcot.

in the County of Berkshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

1931.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.25	.09	.07		.05	.03		.05				I
2	.19								1.05		.01	.15	2
3	—		.03	.63		.03		.09	.48		.48	.06	3
4	—			.22			.24	2.42	.30		.21		4
5	—	.11	.02	.04		.61	.01		.02				5
6	—			.19	.20		.01		.01	.21	.23	.17	6
7	—			.16		.07	.65	.25	.01	.15	.19	.03	7
8	—	.17		.06	.80	.12		.12			.23		8
9	—	.15					.02		.01		.26	.01	9
10	—	.10	.01			.04	.13	.11			.29		10
II	.12	.07				.01	.04		.02		.02		II
12	—						.12	.16	.16				12
13	—				.01		.11	.05					13
14	—				.07	.12	1.04	.29					14
15	—	.14			10.01		.09	.05				.05	15
16	—	.23			18.07	.23		.41	.12				16
17	—				08.10		.16		.01				17
18	.03			.14	.18	.11	.04	.63			.27		18
19	—		.03	.15	.08	.28	.23	.01					19
20	—	.10		.18				.22			.01		20
21	—	.04		.18	.32								21
22	.26					.01							22
23	.13				39.32	.16					.20	.07	23
24	—	.03		.03	.21		.01					.01	24
25	—			.07	05.39		.35					.01	25
26	.04	.03		.15	.21		.51						26
27	—	.05		.24	86.05		.10				.30		27
28	.18	.23		.08	.17						.24	.09	28
29	—			.07	13.86		.04	.03		.05			29
30	.11	X			.17		.01	.04		.16	.04		30
31	—	X		X	07.15	X			X		X		31
TOTAL	1.06	1.70	.18	2.66	2.84	1.84	3.94	4.88	2.24	.57	2.98	.65	YEAR'S TOTAL
* Days with or in. or more.	8	12	5	17	14	13	31	15	12	4	15	10	14.8
* Days with .04 in. or more.	7	12	1	16	13	10	15	15	6	4	12	6	11.5

40-9999

*See Instruction 2 (f) on other side.

(Signed) Thomas N. Gaultner. [P.T.O.]

Section **A**

for the entry of Daily Observations.

87733/31
821
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Didcot (Sewage Disposal Works)
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

Details of gauge etc previously given,
but can be repeated if desired

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09			.05	.03		.05				1
2		.25		.07					1.05		.01	.15	2
3	.19		.03			.03		.09	.48		.48	.06	3
4				.63			.24	2.42	.30		.21		4
5				.22		.61	.01		.02				5
6		.11	.02	.04			.01		.01	.21	.23	.17	6
7				.19		.07	.65	.25	.01	.15	.19	.03	7
8				.16	.20	.12		.12			.23		8
9		.17		.06			.02		.01		.26	.01	9
10		.15	.01			.04	.13	.11			.29		10
11		.10				.01	.04		.02		.02		11
12	.12	.07					.12	.16	.16				12
13							.11	.05					13
14						.12	1.04	.29					14
15					.01		.09	.05	.12				15
16		.14			.07	.23		.41	.01				16
17		.23			.10		.16					.05	17
18				.14	.18	.11	.04	.63			.27		18
19	.03		.03	.15	.08	.28	.23	.01					19
20				.18				.22			.01		20
21		.10		.18									21
22		.04				.01					.20		22
23	.39				.32	.16						.07	23
24		.03	.03	.03			.01					.01	24
25			.07	.07	.39		.35				.30	.01	25
26	.04	.03		.15	.21		.51				.24		26
27		.05		.24	.05		.10						27
28		.23		.08								.09	28
29	.18	X		.07	.86		.04			.05	.04		29
30		X			.17		.01	.03		.16			30
31	.11	X		X	.13	X		.04	X		X		31
TOTAL	1.06	1.70	.18	2.66	2.77	1.84	3.94	4.88	2.24	.57	2.98	.65	YEAR'S TOTAL
*Days with "or in. or more.	7	14	5	17	13	13	21	15	12	4	15	10	146
*Days with ".04 in. or more.	6	12	1	16	12	10	15	13	6	4	12	6	113

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Severage Disposal Works. DIDCOT*in the County of *BERKS*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *1* in.,, Ground ,, Sea Level *170* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	.01	1.15	-	.09	.06	.03	.05	-	-	1
2	-	-	-	.10	.08	-	-	.04	.48	.04	-	.15	2
3	-	-	-	.28	.10	-	.01	-	.13	-	-	-	3
4	-	-	.01	-	-	.01	.01	-	-	-	.19	-	4
5	.36	-	-	-	-	.03	.65	-	.08	-	-	-	5
6	.41	-	.03	.08	.01	-	-	-	.15	-	-	-	6
7	.01	-	.09	.06	.09	-	-	-	.05	.16	-	-	7
8	-	-	.09	.11	.07	-	-	-	.55	.02	-	-	8
9	.15	.01	-	.02	.13	-	-	-	.10	-	-	-	9
10	.22	.01	.01	.12	.06	.04	-	-	-	.09	-	-	10
11	-	-	-	.02	.03	-	.92	-	.03	.03	.06	-	11
12	.17	-	-	-	.17	-	-	-	.03	.14	-	-	12
13	.04	-	-	.26	-	-	.15	-	-	.19	.07	.05	13
14	.24	-	-	-	.03	-	-	.10	-	-	-	-	14
15	-	-	-	.01	.23	-	-	-	-	.06	-	.01	15
16	.21	-	-	.14	.15	-	.21	-	-	-	-	-	16
17	-	-	-	-	-	-	.06	-	-	.04	.05	-	17
18	-	-	-	-	.01	-	-	-	.27	-	.15	-	18
19	-	-	-	-	-	-	-	-	.03	.14	.01	-	19
20	-	-	-	.01	.31	-	-	.85	-	.70	.06	.01	20
21	-	-	.08	.15	1.27	-	-	.16	.01	.52	.18	-	21
22	.01	-	.11	-	.01	-	.03	-	.37	.37	-	-	22
23	-	.01	-	-	.33	-	-	-	.05	.39	-	.09	23
24	-	-	-	-	-	-	1.58	-	.04	-	.01	-	24
25	-	-	-	.03	.01	.07	.09	-	.07	.14	.02	-	25
26	-	-	.08	.16	.09	-	.05	-	-	.07	-	-	26
27	-	-	.29	.11	.17	-	.14	-	-	.04	.02	-	27
28	-	-	.06	.02	.20	-	.04	-	-	.12	-	-	28
29	-	-	.25	.08	.25	.08	-	-	.12	.31	.03	.03	29
30	-	X	.30	.42	.05	.48	.05	-	.21	.03	.37	.31	30
31	-	X	-	X	.01	X	.01	-	X	-	X	.07	31
TOTAL	1.86	.03	1.40	2.19	5.01	.71	3.49	1.21	2.80	3.70	1.22	.72	YEAR'S TOTAL 24.34
*Days with ".01 in. or more.	11	3	12	20	25	6	16	5	19	21	13	8	159
*Days with ".04 in. or more.	9	-	9	13	18	4	12	5	14	18	8	5	115

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Thomas R. Hall

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

827
822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Sewage Disposal Works, Didcot*
in the County of *Berkshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground */* ft. */* in.,, Ground ,, Sea Level *170* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'10	'11	'05	.	.	.	.	.	.	.	.	.		1
2	'30	.	'23	.	'31	.	.	.	.	.	'02	.		2
3	'01	'16	'20	.	'03	.	.	.	.	.	.	.		3
4	'23	'01	.	.	'27	.	.	.	.	.	.	.		4
5	.	.	'19	.	.	.	.	.	.	.	.	.		5
6	.	'18	'02	.	'09	.	.	.	.	'37	'02	.		6
7	'06	'02	'04	.	.	.	.	.	.	'07	.	.		7
8	'02	.	'06	.	'07	.	'24	.	.	'03	.	.		8
9	.	.	.	.	.	.	'13	.	.	'12	'09	.		9
10	.	'04	.	.	.	.	'21	.	.	'27	'18	.		10
11	'19	'04	.	.	'02	.	'09	'06	.	.	.	.		11
12	'02	.	.	.	'02	'08	'11	.	'53	.	.	.		12
13	'03	.	.	.	'07	.	'16	.	.	.	.	'04		13
14	.	'03	.	.	.	.	'01	.	.	.	'37	.		14
15	'38	.	'13	.	.	.	'04	'11	.	.	.	.		15
16	'01	.	'48	.	.	'07	'08	.	'04	'05	.	.		16
17	'03	.	'42	.	.	'02	.	.	'03	.	.	.		17
18	'02	.	'17	.	.	'05	.	.	.	.	.	.		18
19	.	.	'19	.	.	.	.	.	'15	.	.	.		19
20	.	.	'11	'03	.	'04	.	'01	'02	.	.	'03		20
21	.	.	.	.	'05	.	.	'13	'11	'01	.	.		21
22	.	.	.	.	'13	.	.	'05	.	'17	.	.		22
23	.	'03	.	'19	.	.	.	.	'40	'12	.	.		23
24	.	<u>'31</u>	.	'12	.	.	.	.	'31	.	.	.		24
25	.	<u>'41</u>	.	'23	.	'09	.	.	'23	.	.	'09		25
26	.	'62	.	'07	.	'05	.	.	'28	'06	.	.		26
27	.	.	.	.	.	.	.	.	'01	'09	.	'04		27
28	.	.	.	'07	'29	'04	.	.	.	'12	.	'07		28
29	'25	.	.	'23	.	.	.	.	.	'05	.	'05		29
30	'10	X	.	.	.	.	'04	.	'09	.	.	'10		30
31	'14	X	.	X	.	X	.	'08	X	.	X	.		31
TOTAL	19'2	3'97	2'29	9'4	1'35	'44	1'11	'44	2'20	1'53	'68	'42	17'29	
*Days with "or in. or more.	7/6	2/12	13	7	113	8	10	6	128	132	25	7	120	
*Days with ".04 in. or more.	9	8	12	6	8	7	9	5	9	11	3	6	93	

Year's Total

† Spare column, no entries required.

(Signed)

James G. ... P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at District Sewage Disposal Works
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

Duplicate. man has written for

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	11											1
2	30				31						02		2
3	01	16			03								3
4	23	01			27								4
5													5
6		18			09					37	02		6
7	06	02								07			7
8	02				09		24			03			8
9							13			12	09		9
10		04					21			27	18		10
11	19	04			02		09	06					11
12	02				02	08	11		53				12
13	03				07		16						13
14		03					01				37		14
15	38						04	11					15
16	01					07	08		04	05			16
17	03					02			03				17
18	02					05							18
19									15				19
20				03		04		01	02				20
21					05			13	11	01			21
22					13			05		17			22
23		03		19					40	12			23
24		131		12					31				24
25		141		23		09			23				25
26		62		07		05			28	06			26
27									01	09			27
28		01		07	27	04				12			28
29	25			23						05			29
30	10	X					04	08	09				30
31	17	X		X		X			X		X		31
TOTAL	192	397		94	135	44	111	44	220	153	68		YEAR'S TOTAL
*Days with or in. or more.	16	13		7	11	8	10	6	12	13	5		
*Days with or in. or more.	9	8		6	9	7	9	5	9	11	3		

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Didcot, Sewage Disposal Works
in the County of

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft in.
Ground Sea Level ft.

March and December, please.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.05											1
2			.23											2
3			.20											3
4														4
5			.19											5
6			.02											6
7			.04											7
8			.06											8
9														9
10														10
11														11
12														12
13												.04		13
14														14
15			.13											15
16			.48											16
17			.42											17
18			.17											18
19			.19											19
20			.11									.03		20
21														21
22														22
23														23
24														24
25												.09		25
26														26
27												.04		27
28												.07		28
29												.05		29
30		X										.10		30
31		X		X		X			X		X			31
TOTAL			2.29									.42	Year's Total	
*Days with .01 in. or more.			13									7		
*Days with .04 in. or more.			12									6		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Thomas A. Jones

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 821
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Disposal Works.
 in the County of Berks. DIDEOT

Diameter of Funnel of Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 „ Ground „ Sea Level _____ ft.

(Handwritten: 100)

Annual total since _____
 low but site is the inspection
 later in the year. March 21/3/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.01					.26		.02	.02	.28		1
2	.15								.66			.10		2
3		.06		.02						.23		.09		3
4	.03		.03	.29	.06				.02	.43	.03	.28		4
5					.02			.12		.14	.05	.28		5
6			.17		.29	.03		.12		.15		.44		6
7	.02							.23		.10		.30		7
8			.03		.09			.03	.02		.19	.06		8
9											.12	.50		9
10	.08		.13	.11				.04			.01	.02		10
11	.38		.23	.37			.02	.01						11
12								.06				.19		12
13	.31		.12	.01			.01				.07	.35		13
14	.04		.30					.03			.17	.25		14
15	.03		.02		.05			.11	.02	.13	.07	.08		15
16	.11		.19				.11			.01		.02		16
17	.08			.05				.03	.09	.01	.06	.14		17
18	.16			.06								.04		18
19			.22						.09			.06		19
20			.05	.02			.14		.02	.01				20
21					.03	.05	.07	.02		.11				21
22									.18			.09		22
23				.18			.27				.01	.02		23
24		.03	.08			.42			.06					24
25				.12		.38				.09		.39		25
26	.21			.31		.02			.04			.15		26
27	.01			.02		.14				.06		.47		27
28							.03	.41				.28		28
29				.12				.04	.29					29
30	.06	X							.03			.08		30
31		X		X		X	.05	.14	X	.04	X	.03		31
TOTAL	1.72	.09	1.58	1.68	.54	1.04	.70	1.65	1.52	1.53	1.80	4.99	18.84	
* Days with .01 in. or more.	47.5	7.2	13.4	13.4	6.2	6.2	8.2	15	12.5	14	11.4	26.4	142	
* Days with .04 in. or more.	11	1	9	9	4	4	5	10	7	10	7	22	99	

M

in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05		.01					.26		.02	.02			1
2	.15								.66					2
3		.06		.02						.23				3
4	.03		.03	.29	.06				.02	.43	.03			4
5					.02			.12		.14	.05			5
6			.17		.29	.03		.12		.15				6
7	.02							.23		.10				7
8			.03		.09			.03	.02		.19			8
9											1.12			9
10	.08		.13	.11				.04			.01			10
11	.38		.23	.37			.02	.01						11
12								.06						12
13	.31		.12	.01			.01				.07			13
14	.04		.30					.03			.17			14
15	.03		.02		.05			.11	.02	.13	.07			15
16	.11		.19				.11			.01				16
17	.08			.05				.03	.09	.01	.06			17
18	.16			.06										18
19			.22						.09					19
20			.05	.02			.14		.02	.01				20
21					.03	.05	.07	.02		.11				21
22									.18					22
23				.18			.27				.01			23
24		.03	.08			.42			.06					24
25				.12		.38				.09				25
26	.21			.31		.02			.04					26
27	.01			.02		.14				.06				27
28							.03	.41						28
29				.12				.04	.29					29
30	.06	X							.03					30
31		X		X		X	.05	.14	X	.04	X			31
TOTAL	1.72	.09	1.58	1.68	.54	1.04	.70	1.65	1.52	1.53	1.80		Year's total	
*Days with or in. or more.	15	2	13	13	65	6	8	15	12	14	11			
*Days with .04 in. or more.	11	1	9	9	4	4	5	10	7	10	7			

Section **A** for the entry of Daily Observations.

Station No. 821.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sewage Disposal Works, Didcot.

in the County of Berks.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	.04	-	.03	-	.01	.01	.09	-		1
2	-	-	-	-	-	.04	-	-	.02	.05	-	-		2
3	-	.03	.02	-	-	.24	-	-	.84	.47	.20	.01		3
4	-	-	-	.17	-	.04	-	-	.03	.20	-	-		4
5	-	.30	.11	-	-	.34	-	-	.36	-	.05	.01		5
6	-	-	-	.24	-	.46	-	-	-	.04	.04	-		6
7	-	-	-	.46	-	.02	-	-	-	.17	.26	.13		7
8	-	-	-	.25	-	-	-	.01	-	.15	.17	.01		8
9	-	-	-	.33	-	.61	-	-	-	.73	.80	-		9
10	-	-	-	.12	-	.01	-	-	-	-	.18	-		10
11	.31	-	-	-	-	.10	.48	-	-	-	.17	-		11
12	-	.04	-	-	-	.20	-	-	-	-	.02	-		12
13	.07	.07	-	.05	.16	.05	-	-	-	-	-	-		13
14	-	-	-	.30	.07	.07	-	-	.01	-	.28	.09		14
15	-	.04	-	.38	.02	.38	-	-	.23	-	.27	.08		15
16	-	.07	-	.16	-	.11	-	-	.22	-	.46	.08		16
17	-	-	.06	.04	-	.18	-	-	-	-	.13	-		17
18	-	-	-	.31	-	.04	.10	-	.21	.01	-	-		18
19	-	-	-	.19	.11	.04	.03	-	.09	-	.21	.25		19
20	-	.19	-	.05	.42	.06	.08	-	-	-	.32	-		20
21	-	.24	-	.02	-	-	-	-	.03	.05	.01	-		21
22	-	.03	.23	.01	-	-	-	.32	.22	-	-	-		22
23	-	.18	.03	-	-	-	-	.51	.16	.32	-	.10		23
24	.01	.31	.01	-	-	-	-	.15	.34	-	-	.13		24
25	.09	.20	-	.22	-	1.62	-	-	-	-	-	.20		25
26	-	.26	-	-	-	-	-	.16	.05	.02	-	.35		26
27	.10	.10	-	-	.04	-	-	-	.07	-	.07	.56		27
28	-	.01	-	-	-	-	-	.01	.50	-	-	.01		28
29	-	-	.01	-	-	-	-	-	.08	-	.06	.26		29
30	.03	~~X~~	-	.13	.05	-	-	.54	.09	.02	.33	.35		30
31	-	~~X~~	-	~~X~~	.05	~~X~~	-	-	~~X~~	1.07	~~X~~	.08		31
TOTAL	.53	2.07	.47	3.43	.96	4.61	.72	1.70	3.56	3.31	4.12	2.70	28.18	Year's Total
* Days with .01 in. or more.	6	15	7	18	9	19	5	7	19	14	20	17	156	
* Days with .04 in. or more.	3	12	3	16	8	17	3	5	14	10	18	13	122	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [Signature] P.T.O.

July cont.
by Obs.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Didcot Sewage Disposal Works
in the County of Berkshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

[Handwritten signature]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02				04		03		01	01	09			1
2						04			02	05				2
3		03	02			24			84	47	20	01		3
4				17		04			03	20				4
5		30	11			34			36		05	01		5
6				24		46				04	04			6
7				46		02				17	26	13		7
8				25				01		15	17	01		8
9				33		61				73	80			9
10				12		01					18			10
11	31					10	48				17			11
12		04				20					02			12
13	07	07		05	16	05								13
14				30	07	07			01		28	09		14
15		04		38	02	38			23		27	08		15
16		07		16		11			22		46	08		16
17			06	04		18					13			17
18				31		04	10		21	01				18
19				19	11	04	03 30		09		21	25		19
20		19		05	42	06	08				32			20
21		24		02					03	05	01			21
22		03	23	01				32	22					22
23		18	03					51	16	32		10		23
24	01	31	01					15	34			13		24
25	09	20		22		1.62						20		25
26		26						16	05	02		35		26
27		10			04				07		07	56		27
28		01						01	50			01		28
29			01						08		06	26		29
30	03	X		13	05			54	09	02	33	35		30
31		X		X	05	X			X	1.07	X	08		31
TOTAL	53	2.07	47	3.43	96	4.61	72 99	1.70	3.56	3.31	4.12	2.70	28.18	
*Days with "or in. or more.	6	15	7	18	9	19	5	7	19	14	20	17	156	
*Days with ".04 in. or more.	3	12	3	16	8	17	3 4	5	14	10	18	13	122	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Wallingford R.D.C.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Didcot Sewage Disposal Works*
in the County of *Berkshire*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	19	05	15		08	13		—	—	110	04		1
2	07	01				20	25	02	—	—	11	—		2
3				13		01	08	03	31	—	14	01		3
4			18						09	—	09	07		4
5	25		05		05		01		09	—	—	04		5
6	25								01	—	14	—		6
7	15		03			14	06	08	06	—	10	03		7
8	17		16				05		—	—	50	08		8
9	30		02				21		08	—	—	—		9
10	02						08		—	—	01	—		10
11				08			09	47	40	—	42	06		11
12				01		35	17		04	—	19	—		12
13				05		16			—	06	03	55		13
14		02		01		05	86		11	01	—	34		14
15				02					02	—	—	10		15
16	10	18		02					03	—	39	11		16
17	28	57				04	11		—	01	07	14		17
18		05				13	05	02	—	06	01	09		18
19	24	09	02	07		25		04	—	—	—	—		19
20	07	09	06	19		44			1.23	—	—	—		20
21				30		18	06		—	—	—	—		21
22	10	40	08	01	39		20		—	—	—	09		22
23	11		43	05	04		02		—	04	—	—		23
24	07	05					01		14	22	—	—		24
25			13	08			30		20	15	09	—		25
26	07	04	09	13		09			—	—	—	—		26
27	08		03						—	10	—	—		27
28	62		15				32		01	—	—	17		28
29	02	07	03		09	20	25		—	—	24	02		29
30	08	X			15	11	03		—	40	—	—		30
31	34	X	24	X	15	X	09		X	33	X	25		31
TOTAL	3.43	1.76	1.75	1.30	.87	2.48	3.43	.66	2.82	1.38	2.66	2.19	24.73	✓
* Days with .01 in. or more.	21	12	16	15	6	15	22	6	15	10	16	17	171	✓
* Days with .04 in. or more.	19	10	11	10	6	14	18	3	11	8	13	14	137	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *Wallingford R.D.C.*

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 2090.

REGISTER OF RAINFALL IN 1937.

Kept at *Didcot Sewage Works*
in the County of *Berkshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	—		02	—	—	—		01	02	23	53		1
2	—	22		32	—	—	—		07	—	—	18		2
3	—	21			—	—	—		—	—	—	02		3
4	04	27			—	—	—		—	—	—	26		4
5	15	—	17	03	—	—	10		—	—	—			5
6	05	06		08	20	—	27		—	01	03			6
7	—	67	15	24	—	—	—		03	—	—			7
8	—	10			12	—	—		—	—	11	10		8
9	—	—		22	13	—	—		25	—	—	05		9
10	—	—	62	21	—	20	—		—	—	—	15		10
11	—	—	04		23	02	02		—	—	—			11
12	18	28	10		25	36	—	09	11	—	—	12		12
13	16	04	37	05	—	27	—		06	—	—	05		13
14	—	02	41	11	—	—	—	33	—	—	—	03		14
15	15	14		13	—	—	39		18	—	—			15
16	—	01	79	53	—	01	—	17	41	—	—			16
17	43	—	35		—	—	—		30	—	—			17
18	30	12	11	02	—	31	—		09	—	18	16		18
19	05	01	02	03	—	22	—		02	—	—			19
20	32	02		33	27	—	—		—	—	—			20
21	29	56	07	07	07	—	03		—	—	02	03		21
22	31	02	10		07	31	04		—	70	19			22
23	38	03			21	—	05		—	20	14			23
24	20	43	04		03	—	—		20	42	—			24
25	24	27	11		85	—	—		01	17	—			25
26	—	32	08		07	—	—		—	22	—			26
27	01	09		11	—	—	—		—	83	—			27
28	—	02			—	—	—		—	04	—	01		28
29	01	—			—	03	—		—	10	08	03		29
30	29	X			—	—	—		—	—	16			30
31	26	X		X	—	X	—		X	13	X	03		31
TOTAL	3.91	3.91	3.53	2.50	2.60	1.73	.90	59	1.74	2.84	1.14	1.75	Year's Total	27.4
* Days with .01 in. or more.	20	22	14	16	12	9	7	3	13	11	9	15		153
* Days with .04 in. or more.	18	15	15	12	11	6	5	3	9	9	7	9		119

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 100

REGISTER OF RAINFALL IN 1938

Kept at Didcot Sewage Works

in the County of Berkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft. in.

Ground Sea Level 170 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-				.10	.01	-	-	.21	-	.05		1
2	-	-		.02	.05	-	-	-	-	.23	-	.04		2
3	-	-			.32	-	-	-	-	.75	-	-		3
4	.06	-				-	.03	.09	-	.13	-	.07		4
5	.05	-				-	.11	-	.04	.20	-	-		5
6	-	-				-	.04	-	.10	.22	-	.01		6
7	-	-				.01	.30	.85	.13	.10	.01	.09		7
8	.08	-				.03	.07	.21	.01	.13	-	-		8
9	.08	-				-	.02	.14	-	-	-	.76		9
10	.09	.01				-	.03	.76	-	-	-	.09		10
11	.16	-				-	-	-	-	-	.10	.04		11
12	.21	.04			.03	-	-	.04	-	.16	.03	-		12
13	.02	.07				-	-	.02	-	-	.12	.24		13
14	.31	.02			.05	-	.10	-	.06	-	.01	-		14
15	.13	-				-	.33	-	-	.09	-	.16		15
16	.25	.01			.07	-	.02	.01	-	.03	-	.04		16
17	-	.08				-	-	-	.03	.05	.01	-		17
18	.04	-			.03	-	-	.04	.23	-	.23	-		18
19	-	-				-	-	.05	.10	-	.35	-		19
20	-	-				-	-	-	.01	-	.77	.12		20
21	-	-				-	-	.01	.01	-	.04	.13		21
22	-	-				-	-	.06	-	-	.18	.21		22
23	-	-				-	-	-	.11	-	.11	.01		23
24	-	-	.07			-	-	-	-	-	.04	-		24
25	-	.10	.05	.02	.05	-	-	.01	.21	-	.69	.02		25
26	.25	.28	.09		.04	-	.02	-	.14	.12	-	.14		26
27	.04	.02			.69	.18	.19	.02	.01	-	.30	-		27
28	.03	.02			.22	.05	-	.78	-	.03	-	.07		28
29	.10	X			.31	-	-	.01	-	.02	.13	.69		29
30	-	X			.13	.15	-	-	.18	.02	.14	.03		30
31	.18	X		X	.11	X	-	-	X	.06	X	.13		31
TOTAL	2.09	.65	.20	.04	2.10	.52	1.27	3.10	1.37	2.55	3.29	2.54	19.72	✓
* Days with .01 in. or more.	18	10	3	2	13	6	13	✓ 16	✓ 15	✓ 17	✓ 14	21	151	✓
* Days with .04 in. or more.	15	5	3	0	11	4	✓ 7	✓ 10	✓ 10	✓ 13	✓ 13	17	108	✓
Year's Total														19.72

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Thomas Faulkner P.T.O.

P.T.O. See file for footnote

Section

for the entry of Daily Observations

Station No. 821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Didcot Sewage Works

in the County of Berkshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....9 ft. in.

,, Ground ,, Sea Level...170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.02	.38	.36	-	-	.17	.09	-	-	-		1
2	.01	-	-	.01	-	-	-	.34	.41	-	.02	.05		2
3	.23	-	-	.12	-	-	-	.12	-	-	.21	.25		3
4	.03	-	.22	.20	.04	-	.14	.14	-	.46	.05	.04		4
5	-	-	-	.43	.31	-	.04	.39	-	.15	.30	.08		5
6	.29	-	-	.03	.01	-	.27	-	-	-	.04	-		6
7	.01	.07	-	-	-	-	.01	-	-	-	.21	.15		7
8	.01	.06	.17	-	-	-	.06	.05	-	.41	.24	.24		8
9	.02	.03	-	-	-	-	-	.03	-	.12	.01	.08		9
10	.25	-	.02	-	-	.25	-	.10	-	-	.03	-		10
11	-	-	.19	-	-	-	-	-	-	.02	.01	.01		11
12	.01	.01	-	-	.01	.03	-	-	-	-	.07	-		12
13	-	-	-	-	-	-	.09	-	-	.76	.01	-		13
14	.45	-	-	.01	.16	.03	.11	-	-	.07	.17	-		14
15	.12	-	-	-	.19	.42	.08	-	.06	.63	.23	-		15
16	.27	-	.10	.02	.06	.17	.01	-	-	-	.30	-		16
17	.21	-	.01	-	.01	-	-	-	-	1.22	.04	-		17
18	.12	.01	.03	-	-	.01	.62	-	-	.01	.25	-		18
19	.11	-	-	-	-	-	.44	-	-	-	-	-		19
20	.29	-	-	-	-	-	.37	.10	-	-	-	-		20
21	.01	.10	.25	-	-	.01	.20	-	.02	-	-	-		21
22	.17	.17	-	.04	-	-	.06	-	.01	.01	.05	-		22
23	.02	-	-	.05	-	.02	.12	-	-	.02	.48	-		23
24	.20	-	-	.05	-	.08	.21	-	-	.14	-	.03		24
25	.76	.07	.09	-	-	-	.65	-	-	.02	.16	-		25
26	.10	-	-	-	-	-	-	.18	-	.02	.21	.01		26
27	.01	.07	.08	-	-	-	.02	.01	-	.05	.02	.01		27
28	.02	.14	.11	.07	-	-	-	-	-	.02	.22	.09		28
29	-	-	-	.25	-	-	.20	-	-	.11	.08	-		29
30	-	X	-	1.27	-	-	-	-	-	-	.03	.05		30
31	-	X	-	X	-	X	-	.03	X	-	X	.03		31
TOTAL	3.74	.73	1.29	2.93	1.15	1.02	3.70	1.66	.59	4.24	3.49	1.12	Year's Total 25.66	
* Days with .01 in. or more.	25	10	12	14	9	9	19	12	5	18	25	14	172	
* Days with .04 in. or more.	14	7	8	10	6	4	16	9	3	11	18	9	115	

† Spare column, no entries required.

(Signed) P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Sewage Wks. Didcot
in the County of Berks

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...9...ft...9...in.

,, Ground ,, Sea Level ...170.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	02	-	07	-	-	-	-	-	-	14	-		1
2	-	05	-	12	-	-	15	-	-	04	70	-		2
3	-	15	-	01	-	-	-	-	-	16	108	-		3
4	-	11	-	21	-	-	-	-	-	18	09	02		4
5	-	01	-	-	-	-	01	-	-	02	45	05		5
6	12	10	-	-	-	-	12	-	-	10	-	-		6
7	10	18	-	-	-	-	26	-	-	10	-	02		7
8	01	-	-	-	01	-	-	-	-	04	02	18		8
9	-	-	-	-	-	04	-	01	04	01	16	05		9
10	-	-	01	-	-	-	135	-	-	14	08	07		10
11	-	-	-	03	-	07	04	-	-	-	57	-		11
12	-	-	03	-	-	-	04	-	04	-	01	-		12
13	-	03	44	-	-	-	-	-	05	-	132	-		13
14	-	-	07	09	05	-	-	-	07	11	-	22		14
15	-	-	-	04	06	-	17	-	10	16	40	-		15
16	-	19	52	08	-	-	86	-	09	51	67	01		16
17	-	-	17	-	-	-	07	-	-	-	04	-		17
18	-	30	22	22	-	-	-	04	-	15	10	09		18
19	-	12	02	16	-	-	07	-	14	-	14	01		19
20	-	-	02	01	-	-	01	01	-	19	-	-		20
21	03	01	-	-	27	-	14	-	-	02	48	-		21
22	-	-	13	-	32	27	-	-	08	-	-	-		22
23	-	06	02	03	03	30	-	01	-	02	01	-		23
24	-	-	-	-	-	-	19	-	-	-	-	02		24
25	-	-	17	-	01	-	-	-	-	-	-	-		25
26	104	03	05	76	05	01	08	-	-	-	-	-		26
27	79	07	-	-	-	-	03	-	-	-	-	-		27
28	41	04	-	02	25	-	-	-	-	-	-	-		28
29	04	07	04	04	02	01	-	-	-	-	-	31		29
30	01	X	-	15	-	-	-	-	-	15	-	01		30
31	02	X	-	X	-	X	-	-	X	-	X	01		31
TOTAL	257	154	191	204	107	70	359	07	61	210	646	107	2373	
* Days with .01 in. or more.	10	17	14	16	10	6	16	4	8	17	13	14	150	
* Days with .04 in. or more.	6	12	9	11	6	4	13	1	8	13	14	7	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Wallingford R.D.C.

[P.T.O.]

Am A. X APPLEFORD (WIGB)

COPY FOR

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL

FORM 1090.

REGISTER OF

Kept at Long Wittenham

in the County of Berks

Diameter of Funnel of Gauge 5 in. in

Height of top of Gauge above Ground ft 10 in

Ground Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

821/3

821/3

APPLEFORD

(WIGBALDS)

1935-1940

88/35

780203

Jan. 1, following

(.10)

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.01		.12	.07				.08	1.04	.35		1
2	.02			.04			.06			.04	.08			2
3						.05			.04	.05	✓	.05		3
4		.04				.25			.83	.52	✓	.16		4
5				.23		.07			.04	.30				5
6		.40	.12	✓		.31			.43	.03	.04	✓		6
7				.24		.45					.13	✓		7
8				.49		.04				.17	.27	.14		8
9				.26		.64		.06		✓	.16			9
10				.25		.01				.82	.96			10
11	✓			.12		.10					.18			11
12	.28					.21	.27							12
13		.04				.04					.01			13
14	.07	.07		.06	.17							.01		14
15				.18	.09	.05					.25	.13		15
16		✓		.32		.36			.18		.30	.03		16
17		.19	.06	.15		.13			.16		.50	.07		17
18				.03		.17			.05	.03	.15			18
19				.35		.04	.17		.17		.01			19
20		.02		.26	.14	.07	.05		.11	.02		.29	✓	20
21		.17	✓	.07	.69	.06	.12				.30			21
22		.20	✓	.01					.28	.04	.01			22
23		.02	.23					.28	.06					23
24		.17	.03	.01				.48	.20	.30		✓		24
25	.01	.31						.20	.30	✓		.25		25
26		.13		.23		1.27			.04			.23		26
27	.11	.18			.02			.13		.02		.31		27
28	.01	.12							.06		.07	✓		28
29		.01			.15				.60		✓	.58		29
30		✓			.06				.07		✓	.20		30
31	.01	✓		✓	.07	✓		.70	✓	.01	.35	.32		31
TOTAL	.51	2.07	.44	.42	1.39	4.39	.67	1.85	3.62	2.43	3.93	2.96	Year's Total	28.40
* Days with .01 in. or more.	8	16	6	20	8	19	5	6	17	16	21	18		160
* Days with .04 in. or more.	3	13	3	16	7	18	5	6	17	11	16	14		129

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

Albert James Esq

[P.M.O.]

W.A. X APPLEFORD (WIDE)

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

821/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Long Wittenham
in the County of Berks

Diameter of Funnel of Gauge 5 in Chas
Height of top of Gauge above Ground — ft. 10 in Chas
,, Ground ,, Sea Level 180 ft.

W.D.

419888/35

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

(.10)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01		.01		.12	.07				.08	1.04	.35		1
2	.02			.04			.06			.04	.08			2
3						.05			.04	.05	✓	.05		3
4		.04				.25			.83	.52	.16			4
5				.23		.07			.04	.30				5
6		.40	.12	✓		.31			.43	.03	.04	✓		6
7				.24		.45					.13	✓		7
8				.49		.04				.17	.27	.14		8
9				.26		.64		.06		✓	.16			9
10				.25		.01				.82	.96			10
11	✓			.12		.10					.18			11
12	.28					.21	.27							12
13		.04				.04					.01			13
14	.07	.07		.06	.17							.01		14
15				.18	.09	.05					.25	.13		15
16		✓		.32		.36			.18		.30	.03		16
17		.19	.06	.15		.13			.16		.50	.07		17
18				.03		.17			.05	.03	.15			18
19				.35		.04	.17		.17		.01			19
20		.02		.26	.14	.07	.05		.11	.02		.29		20 snow
21		.17	✓	.07	.69	.06	.12				.30			21
22		.20	✓	.01					.28	.04	.01			22
23		.02	.23					.28	.06					23
24		.17	.03	.01				.48	.20	.30		✓		24
25	.01	.31						.20	.30	✓		.25		25
26		.13		.23		1.27		.04				.23		26
27	.11	.18			.02			.13		.02		.31		27
28	.01	.12							.06		.07	✓		28
29		.01			.15				.60		✓	.58		29
30		✓			.06				.07		✓	.20		30
31	.01	✓		.12		✓		.70	✓	.01	.35	✓	.32	31 10.4.1936
TOTAL	.51	2.07	.44	.42	1.39	4.39	.67	1.85	3.62	2.43	4.62	2.96	28.40	
* Days with .01 in. or more.	8	16	6	20	8	19	5	6	17	16	21	18	160	
* Days with .04 in. or more.	3	13	3	16	7	18	5	6	17	11	16	14	129	
Total for year														28.31

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

X Albert Jarne Esq X P.M.O.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 193

Station Number 821/3

File number 419888/35

Ground 18.0 Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Albert James

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

821/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at

Wiglands Appleford

in the County of

Bucks

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...ft.....in.

,, Ground ,, Sea Level 1.80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.28	.01								.04	.17		1
2	.06	.20							.02	.02	.23	.11		2
3				.08					.06			.46		3
4		.17	.01									.21		4
5	.03	.27										.22		5
6	.09		.21				.09							6
7	.06	.01	.13	.08	.20		.27				.06			7
8		.70		.09					.01					8
9		.07			.12						.11	.05		9
10				.24	.08		.02		.24			.04		10
11			.56	.24		.24						.20		11
12			.07		.27	.01	.02							12
13	.15	.29	.09		.19	.44		.02	.08			.09		13
14	.15	.05	.40	.06		.42			.12			.05		14
15			.44	.11				.27				.03		15
16	.14	.07		.47			.47		.18			.01		16
17		.07	.82	.24		.02		.13	.50					17
18	.55		.37	.02					.45					18
19	.13	.11	.11	.01		.32					.19	.14		19
20	.04	.01		.12		.22			.01					20
21	.30	.60		.24	.38							.02		21
22	.25	.51	.08	.06	.07		.04							22
23	.21		.08		.07	.32				.69	.21	.02		23
24	.34				.05					.14	.14			24
25	.26	.27	.02		.01				.21	.44				25
26	.19		.17		.91				.01	.22				26
27		.24	.01		.06					.20				27
28		.10		.12						.84				28
29						.01					.01	.04		29
30		~~X~~				.08				.14	.06			30
31	.31	~~X~~		~~X~~		~~X~~			~~X~~	.09	~~X~~			31
TOTAL	3.55	4.02	3.58	2.48	2.41	2.08	.91	.42	1.89	2.78	1.05	1.86	27.053	
* Days with .01 in. or more.	18	18	17	15	12	10	6	3	12	9	9	16	145	
* Days with .04 in. or more.	17	16	12	13	11	7	4	2	8	8	8	12	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Albert James

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

821/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Wigbolds Appleford*
in the County of *Berks*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*.....ft.....in.
„ Ground „ Sea Level.....*180*.....ft.

File No *449.888/35*

taken 10.0 AM each day
Days *annual*
total corr. for B.A.
UK

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.15				.10	.13			.18	.05	.09		1
2						.11				.30				2
3	.04			.01	.03					.06		.04		3
4					.29				.01	.63		.02		4
5	.06					.01		.23		.15		.05		5
6						.01	.18							6
7	.06					.03	.03		.22	.26				7
8							.29	.62	.10			.09		8
9	.06						.06	.18		.09				9
10	.06						.03	.15	.01			.60		10
11	.10	.01						.85				.09		11
12	.17										.09			12
13	.20			.02	.02			.24		.16	.12			13
14	.01	.05						.01						14
15	.26			.04	.04		.72		.06			.18		15
16							.28			.08		.15		16
17	.28			.07	.07		.02			.02		.03		17
18		.06		.02	.02				.01	.04				18
19	.05			.02	.02			.10	.23					19
20									.10		.19			20
21											.96	.15		21
22											.04	.18		22
23						.01	.01	.10			.20			23
24												.17		24
25			.08	.01	.01				.14		.03			25
26	.15	.08	.06		.05					.02	.58			26
27	.17	.24	.08		.03				.17	.10		.28		27
28	.04	.04			.67	.17	.15	.02	.18	.02	.29			28
29	.07				.14	.03		.83						29
30	.12				.28						.08	.18		30
31					.10					.04		.03		31
TOTAL	1.90	.63	.22	.01	1.77	.47	1.30	3.33	1.23	2.15	2.63	2.33	Year's Total	17.97
* Days with .01 in. or more.	17	7	3	1	14	8	11	11	11	15	11	16	125	✓
* Days with .04 in. or more.	16	6	3	0	8	3	7	9	8	12	10	13	95	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Albert James

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 8213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wigboldus Long Wottonham*
in the County of *Berk*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground...*1*.....ft.....in.
„ Ground „ Sea Level...*18.0*.....ft.

*Nearest station 1 1/2 miles SW
Long Wottonham Church 1 1/2 miles
North East
Total corrected for anemometer *2075**

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.13				1.18							.09		1
2			.03	.36	.33			.24	.03					2
3	.07			.02				.37	.38		.02	.06		3
4	.22			.12				.12	.42		.17	.22		4
5	.07		.17	.25	.04		.12	.12	.12	.45	.06	.06		5
6				.38	.28		.03	.39	.39	.10	.10	.08		6
7	.25				.02		.25				.15			7
8		.04					.01			.08		.15		8
9		.06					.06	.07	.07	.43	.22	.19		9
10		.05						.12	.12	.01		.07		10
11	.24		.05			.25	~~.25~~				.02			11
12			.19							.68				12
13		.04			.01	0.3	~~.03~~				.06			13
14							.08		.05	.62				14
15	.33			.02	.15	0.5	.40				.15			15
16	.16		.02			.43	~~.43~~		.07		.22			16
17	.23		.07	.01	.24	.17	.05				.30			17
18	.13			.02			.02			1.41	.03			18
19	.16	.08	.04				.30				.24			19
20	.11						.95							20
21	.14				.01	.01	.33	.07				.01		21
22		.08	.24		.24				.02					22
23	.03	.15	.04		.07									23
24	.50		.01	.06		.03	.13			.04	.52			24
25	.34	.06		.09		.04	.33		.01	.07				25
26	.13		.10				.49				.13			26
27						.02		.22		.04	.20			27
28		.18	.08	.01						.06				28
29	.03		.08	.07						.17		.07		29
30		X		.10			.19	.06		.25		.10		30
31	3.27	X		X		X			X		X			31
TOTAL	~~2.27~~	.74	1.12	1.49	2.59	1.03	3.44	1.78	.56	4.41	2.59	1.10	Year's Total	24.182
* Days with .01 in. or more.	18	9	13	12	12	9	16	10	11	14	16	11	151	
* Days with .04 in. or more.	16	9	10	8	8	4	13	10	7	13	13	10	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

821/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at ... *Weybalds Long Wittenham corrected for W.D.*

in the County of ... *Berks*

Diameter of Funnel of Gauge ... *5* in.

Height of top of Gauge above Ground ... *1* ft. in.

„ Ground „ Sea Level ... *180* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the ... made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.16						.52			1
2		.03		.06							.12			2
3				.11			.16			.04	.65			3
4		.24								.16	.97	.01		4
5		.02		.25						.15	.07			5
6										.01	.47	.06		6
7	.18	.14					.05			.07		.02		7
8							.35			.12				8
9		.08										.17		9
10						.05			.03		.08			10
11		.04	.01				.40			.13	.14	.08		11
12		.05	.03	.03		.12	.04				.45	.08		12
13			.55				.04		.04		.31			13
14		.03							.23					14
15				.09	.01				.06	.13		.16		15
16				.04	.04		.12		.10	.46	.37			16
17		.12	.57	.06			.56		.09	.02	.68			17
18	.02		.19				.01							18
19		.33	.18	.24				.02		.35	.13	.11		19
20		.13		.16							.12			20
21			.03	.01			.15		.12	.11	.43			21
22	.02		.14		.07		.05							22
23					.50	.30	.22		.08					23
24		.10		.03		.27			.03		.02	.02		24
25			.25											25
26						.01								26
27	1.06	.03	.01	.74	.03		.12							27
28	.36			.02	.08		.03							28
29	.57				.33									29
30	.02	×		.04								.29		30
31	.02	×		(.16) .04	×				×	.13	×	.01		31
TOTAL	2.19	1.34	1.96	2.04	1.26	.75	3.30	.02	.78	2.40	6.53	1.06	22.85	22.95
* Days with .01 in. or more.	8	13	10	14	9	5	14	1	9	13	16	11	123	
* Days with .04 in. or more.	4	9	6	10	7	4	12	0	7	11	15	7	92	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Albert James

P.T.O.

REGISTE

Kept at *Shellingford Ho*
in the County of *Berksh*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.05

821/5

SHELLINGFORD
HSE.

1934-1940

Station No *821/5*
FALL ORGANIZATION.

1934.

3/10/38

Jan 1935

Jan 1933

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	—	—	.01	—	.04	—	.02		1
2	.02	—	.05	—	—	—	—	.20	.53	—	.06	.26		2
3	.18	.03	.04	—	—	—	—	—	—	.03	—	.24		3
4	—	.06	—	—	—	—	—	.04	.14	.24	—	.08		4
5	.06	—	—	.32	.13	—	—	—	—	.25	.06	.28		5
6	—	—	—	—	—	—	—	.26	—	.07	.05	.32		6
7	—	—	.17	.09	.32	—	—	—	—	.14	—	.62		7
8	.04	—	—	—	—	—	—	.27	.01	.09	—	.25		8
9	—	—	—	—	.13	—	—	.02	—	—	.12	.08		9
10	—	—	.04	—	—	—	—	—	—	—	.83	.42		10
11	.13	—	.11	.17	—	—	—	.05	—	—	.05	—		11
12	.25	—	.28	.40	—	—	.09	.13	—	—	—	.18		12
13	—	—	.03	.04	—	—	—	.03	—	—	—	.03		13
14	.31	—	.18	.03	—	—	.11	.01	—	—	.05	.3		14
15	.05	—	.22	—	—	—	—	—	.11	.04	.11	.26		15
16	.03	—	.07	—	—	—	—	—	—	.10	.14	.05		16
17	.11	—	.20	—	—	—	—	—	.05	—	—	.02		17
18	.15	—	—	.07	.06	—	—	—	—	.07	.07	.14		18
19	.14	—	—	.25	—	—	—	—	.04	—	—	.14		19
20	—	—	.22	—	—	—	—	—	—	.02	—	.08		20
21	—	—	.03 ⁿ	.03	—	—	—	—	.07	—	—	—		21
22	—	—	—	—	—	.18	.14	.05	—	.15	—	—		22
23	—	—	—	—	.01	—	—	.03	.20	—	—	.13		23
24	—	—	—	—	—	.34	—	—	—	—	—	.03		24
25	—	.05	.04	—	—	.02	.35	—	.06	—	—	—		25
26	.21	—	—	—	—	.72	—	—	—	.10	—	.34		26
27	—	—	.02	.75 ^x	—	.05	—	—	.01	—	—	.01		27
28	—	—	—	—	—	.10	—	—	.06	.05	—	.41		28
29	.04	—	—	—	—	.18	.03	.36	—	—	—	.28		29
30	—	X	—	—	—	—	—	—	.37	—	—	—		30
31	.05	X	—	X	—	X	—	.05	X	.07	X	.10		31
TOTAL	.02	.16	1.70	2.15	.65	1.59	.01	.15	.04	.13	.02	5.07	Year's Total.	
* Days with .01 in. or more.	1.77	.14	15	10	56	7	56	1.50	1.69	1.55	1.56	5.10	19.90	
* Days with .04 in. or more.	12	2	12	8	4	6	4	9	10	12	10	2+22	114	

Section **A** for the entry of Daily Observations.Station No. **821/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at **Shellingford House**
in the County of **Berkshire**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **275** ft. in.Ground Sea Level **275** ft. in.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	—	—	—	—	—	.01	—	.04	—	.02		1
2	.02	—	.05	—	—	—	—	.20	.53	—	.06	.26		2
3	.18	.03	.04	—	—	—	—	—	—	.03	—	.24		3
4	—	.06	—	—	—	—	—	.04	.14	.24	—	.08		4
5	.06	—	—	.32	.13	—	—	—	—	.25	.06	.28		5
6	—	—	—	—	—	—	—	.26	—	.07	.05	.32		6
7	—	—	.17	.09	.32	—	—	—	—	.14	—	.62		7
8	.04	—	—	—	—	—	—	.27	.01	.09	—	.25		8
9	—	—	—	—	.13	—	—	.02	—	—	.12	.08		9
10	—	—	.04	—	—	—	—	—	—	—	.83	.42		10
11	.13	—	.11	.17	—	—	—	.05	—	—	.05	—		11
12	.25	—	.28	.40	—	—	.09	.13	—	—	—	.18		12
13	—	—	.03	.04	—	—	—	.03	—	—	—	.03		13
14	.31	—	.18	.03	—	—	.11	.01	—	—	.05	.3		14
15	.05	—	.22	—	—	—	—	—	.11	.04	.11	.26		15
16	.03	—	.07	—	—	—	—	—	—	.10	.14	.05		16
17	.11	—	.20	—	—	—	—	—	.05	—	—	.02		17
18	.15	—	—	.07	.06	—	—	—	—	.07	.07	.14		18
19	.14	—	—	.25	—	—	—	—	.04	—	—	.14		19
20	—	—	.22	—	—	—	—	—	—	.02	—	.08		20
21	—	—	.03	.03	—	—	—	—	.07	—	—	—		21
22	—	—	—	—	—	.18	.14	.05	—	.15	—	—		22
23	—	—	—	—	.01	—	—	.03	.20	—	—	.13		23
24	—	—	—	—	—	.34	—	—	—	—	—	.03		24
25	—	.05	.04	—	—	.02	.35	—	.06	—	—	—		25
26	.21	—	—	—	—	.72	—	—	—	.10	—	.34		26
27	—	—	.02	.75	—	.05	—	—	.01	—	—	.01		27
28	—	—	—	—	—	.10	—	—	.06	.05	—	.41		28
29	.04	—	—	—	—	.18	.03	.36	—	—	—	.28		29
30	—	X	—	—	—	—	—	—	.37	—	—	—		30
31	.05	X	—	X	—	X	—	.05	X	.07	X	.10		31
TOTAL	.02	.16	1.70	2.15	.65	1.59	.01	.15	.04	.13	.02	5.07	Year's Total.	
* Days with .01 in. or more.	1.77	.14	15	10	5	7	.13	1.50	1.69	1.35	1.56	5.10	19.95	
* Days with .04 in. or more.	12	2	12	8	4	6	4	9	10	12	10	2+22	114	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shellingford
in the County of BucksDiameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	(.02)		.09		.05	.02	.13		(.10)	(.03)	.05	.05		1
2	-								.06	.08	x	.05		2
3		.06				.15			.60	.51	x			3
4			.02	.13		.05			.02	.72	.04			4
5		.36	.18			.92			.40	.17	x	.01		5
6				.21		.35				.11	x			6
7				.53		.15				.24	.25	.14		7
8	(.03)			.27		.30			x .95	.08	.02			8
9				.37					.08	.67				9
10				.42		.02				.08				10
11	.25					.08	.12				.28	.01		11
12		.06		.16		.37					.05			12
13	.11	.09		x .39	.12	.04			(.03)					13
14				(.50)	.10	.02			.18		.08	.12		14
15		.06			.04	.39			.17	.01	.22	.07		15
16		.05	.15	.16		.14	.05		.10	.01	.55			16
17				.06	.06	.22	.04		.23		.33			17
18				.38		.07	.07		.10		x	.05		18
19				.02	.13	.07	.05			.06	x .37	.29		19
20		.10		.06	.53	.10	.17				.50			20
21		.33		.10					.31	.05				21
22			.12					.12	.17					22
23			(.03)					.10	.12	.55		x		23
24	.05	.26	.01					.47	.41	.04		x .30		24
25	(.05)	.31		.31		.65						.21		25
26		.22						.14	.06	.01		.39		26
27		.08	.04		.07				.13		.08	.80		27
28					.04			.07	.30		.02	(.30)		28
29								.02	.22	.04	.08			29
30	(.05)	x		.27	.21			.80	.16	.05	.33	(.31)		30
31		x		x	.21	x			x	1.18	x	(.07)		31
TOTAL	.56	1.98	.64	(4.33)	1.56	4.11			(3)	9	4.26	(3.44)	Year's Total	
* Days with .01 in. or more.	7	12	7	18	11	19	7	7	20	19	23	14	(170)	
* Days with .04 in. or more.	5	12	5	15	11	16	7	6	16	15	18	14	(147)	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

from weekly card used 1.1936 (Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... Farningham...Shellingford House
in the County of ... Berks

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31	.07	.03	.13		.08	.18		-	-	.15	.20		1
2	.07	.18	.10	.02		.14	.47	.08	-	-	.14	-		2
3	.05	.07		.10		.03	.05		.25	-	.25	.06		3
4	.10	.05	.25			.28			.16	-	.08	.10		4
5	-		.06		.06	.14			.02	-	-	-		5
6	.05					.08		.07	.08	-	.10	.05		6
7	.26		.05			.02	.15		.01	-	.13	.05		7
8	.13		.26			.08			-	-	.83	.09		8
9	.06		.13			.01	.33		.14	-	-	-		9
10	.12						.17	.52	.02	-	.02	-		10
11	.04			.02	.03		.04		.27	-	.27	-		11
12	.03					.41	.24		.34	-	-	.14		12
13	-			.08		.14				.06	.15	.46		13
14	-			.02		.03	.65		.03	-	.03	.50		14
15	-				.03				.30	-	-	.09		15
16	-	.30			.02				.02	-	.44	.13		16
17	.30	.54								.07	.10	.12		17
18	-	.02				.02	.13	.02		.05	.02	.07		18
19	.34	.04				.32		.05		-	-	-		19
20	.04	.05	.07	.31					.68	-	-	-		20
21	-			.34			.01			-	-	-		21
22	-	.51	.05		.18		.26			-	-	.17		22
23	.10		.08	.03	.08		.01			-	-	-		23
24	.11	.12					.21		.19	.19	-	-		24
25	.03		.25	.10			.10		.31	.18	.12	.01		25
26	.08	.08	.10							.02	-	-		26
27	-		.01				.02		.25	.07		.20		27
28	.33		.15				.17			-	-	-		28
29	-	.05			.06	.66				-	.26	.05		29
30	.07	X			.08		.06			.55	-	-		30
31	-	X	.38	X	.14	X			X	.15	X	-		31
TOTAL	2.62	2.08	1.97	1.15	.68	2.44	3.25	.74	3.07	1.34	3.03	2.49	24.86	✓
* Days with .01 in. or more.	20	13	15	10	9	15	18	5	16	9	16	17	163	✓
* Days with .04 in. or more.	18	12	13	6	6	10	15	4	11	8	13	16	132	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Faringdon, Shellingford, Ho.

in the County of Berkshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	.10	.04	-	-	-	-	.03	.02	.17	.34		1
2	-	.26	.03	.28	-	-	.01	-	-	-	-	.25		2
3	-	.38			-	-	-	-		-	.01			3
4	.03	.45		.04	-	-	-	-		-	-	.31		4
5	.20	-	.12	.02	.03	-	.10	-		-	-			5
6	-	.02	.20	.19	.13	-	.20	-		.02	-			6
7	-	.78	.02	.09	.14	-	-	-		-	.04			7
8	.05	.03			.14	-	-	-		-	.14			8
9	-	-		.05	.27	-	.10	-	.30	-	-	.10		9
10	-	-	.54	.10	.14	.21	-	-		-	-	.17		10
11	-	-	.08		.43	.08	.09	-		-	-	.04		11
12	.16	.27	.06		.17	.34	-	-	.07	-	-	.17		12
13	.17	.02	.48	.11	-	.43	-	-	.03	-	-	.04		13
14	.15	-	.35	.22	-	-	-	.06		-	-			14
15	-	.14		.09	-	-	.74	-	.07	-	-	.18		15
16	-	.04	.42	.72	-	.01	-	.72	.31	-	-			16
17	.29	.03	.23		-	-	.04	-	(.50)	-	-			17
18	.26	.08			-	.31	.01	.12		-	.21	.04		18
19	.10	.07	.10	.05	.11	.30	-	-	.07	-	.02			19
20	.28	-	.11	.39	.24	.15	.03	-		-	-			20
21	.12	.55	.14	.07	-	-	-	-		.02	.03	.02		21
22	.23	.03	.01		.04	.05	.07	-		.85	.13			22
23	.31	.03			.13	-	.08	-		.30	.08			23
24	.33	.75	.01		.04	-	-	-	.13	.35	-	.02		24
25	.20	.26	.14		.55	-	.02	-		.41	-	.03		25
26	-	.53			.14	-	-	-		.20	-			26
27	-	.10			-	-	-	-		.93	-			27
28	-	-		.20	-	-	-	-		.15	-	.04		28
29	.09	-			-	-	-	-		.11	.08			29
30	.29	X			-	-	-	-		.01	-			30
31	-	X		X	-	X	-	-	X	.10	X			31
TOTAL	3.32	4.82	3.14	3.66	2.53	1.88	1.49	.90	1.01	3.47	.91	1.75	29.38	
* Days with .01 in. or more.	18	20	18	16	13	9	12	3	8	13	10	14	154	✓
* Days with .04 in. or more.	17	14	14	15	13	8	8	3	8	9	7	11	125	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 1938

Kept at *Faringdon, Shellingford Hls.*

in the County of *Berkshire*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level *275*.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—				.14	.14	—	—	.02	.02	.06		1
2	.01	—	.05	.04	.05	.11	—	—	—	.46	.04	.07		2
3	—	—			.46		.06	—	—	.60	—	.09		3
4	.04	—					.11	.15	—	.48	—	.04		4
5	—	—					.11	.04	.32	.25	—	—		5
6	.04	—					.04	—	.27	.20	—	.12		6
7	.01	—				.05	.29	.66	.05	.08	—	.07		7
8	.16	—				.26	—	.14	—	.09	—	—		8
9	.04	.02					.03	.12	—	—	—	.53		9
10	.14	.01				.22	—	.26	—	—	—	.13		10
11	.26	—					—	—	—	—	.13	.08		11
12	.26	—			.05		.02	—	—	.25	—	—		12
13	—	—					—	—	.08	.02	—	.32		13
14	.14	—			.04		.26	—	—	—	.03	—		14
15	.30	—					.10	—	—	.02	—	.18		15
16	.37	.02			.01		—	—	—	.08	—	—		16
17	—	.06					—	—	.03	.05	—	—		17
18	.05	—			.04		—	.06	.33	—	.19	—		18
19	—	.01					—	.04	.10	—	.15	—		19
20	—	—					—	—	—	—	.54	—		20
21	.02	—					—	—	.02	—	—	.30		21
22	—	—				.03	—	.18	—	—	.21	.15		22
23	—	—		.01			—	—	—	—	.05	—		23
24	—	—			.04		—	—	.18	—	.04	—		24
25	.09	.13			.03		—	.20	—	.13	.56	—		25
26	.24	.23	.17				—	—	.24	.12	—	.32	✓	26
27	.03	.03	.01		.75	.20	.19	1.00	.09	.02	.29	—		27
28	.02	—	.05		.55	.10	—	—	.01	—	.04	.03		28
29	.16	X			.28	.01	—	—	—	—	.06	.09		29
30	—	X			.09	.02	—	—	—	.02	—	—		30
31	—	X		X		X	—	—	X	—	X	—		31
TOTAL	2.24	.51	.28	.05	2.39	1.14	1.35	2.85	1.72	2.89	2.44	2.58	Year's Total	20.44
* Days with .01 in. or more.	19/18	8	4	2	12	10	11	11	12	17	14	16	136	✓
* Days with .04 in. or more.	14/3	3	3	1	10	7	9	11	9	12	12	15	106	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) *M. Marshall*

[P.T.O.]

Section

for the entry of Daily Observations

Station No. 821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Faringdon, Shellingford Hrs. Feb + Mar adj by serial obs.*in the County of *Berkshire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level *275*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	—	—	.30	<u>.38</u>	—	—	.01	.04	—	.04	.02		1
2	~~.15~~	—	~~.16~~	.03	<u>.49</u>	—	—	.38	<u>.41</u>	—	.28	.03		2
3	~~.15~~	—	.01	.15	—	—	—	.60	—	—	.23	.22		3
4	—	—	.19	.48	.03	—	.40	.33	—	.58	.05	.21		4
5	~~.08~~	—	—	.54	.25	—	.04	<u>.94</u>	—	.11	.40	.04		5
6	.23	—	—	.05	.21	—	.28	.04	—	.10	.18	—		6
7	.01	.14	—	—	—	—	.06	—	—	—	.35	.17		7
8	—	.11	.23	—	—	—	.11	.28	—	.80	.22	.24		8
9	.01	.05	—	—	—	—	—	.04	—	.58	—	.10		9
10	.16	—	.04	—	—	.28	—	.10	.01	—	—	—		10
11	—	—	.24	—	—	—	—	—	—	.01	—	—		11
12	.02	.08	.08	—	—	.15	—	—	—	—	.02	—		12
13	—	—	—	.06	—	—	.10	—	.11	<u>.98</u>	—	—		13
14	.40	—	—	.05	.08	.11	.05	—	—	.05	.10	—		14
15	.13	—	—	.01	.24	<u>.55</u>	.28	—	—	.80	.05	—		15
16	.31	—	.05	—	.07	.28	.01	—	—	.08	.50	—		16
17	.14	~~.1~~	—	—	.15	—	—	—	—	.60	.03	—		17
18	.13	~~.1~~	—	—	—	.27	.29	—	—	—	.30	—		18
19	.17	—	—	—	—	—	.21	—	—	—	—	—		19
20	.27	—	—	—	—	.08	.15	.02	—	—	—	.03		20
21	.01	~~.11~~	<u>.28</u>	—	—	.02	.09	—	—	—	—	—		21
22	.18	<u>.24</u>	.02	—	—	.08	.06	—	—	.01	.14	.02		22
23	.02	—	.03	.10	—	.05	.17	—	—	—	.65	—		23
24	.28	—	—	.13	—	.14	.14	—	—	.08	—	—		24
25	<u>.72</u>	.11	.17	.02	—	—	<u>.56</u>	—	—	—	.19	.04		25
26	.32	.01	—	—	—	—	—	.01	—	.09	.31	—		26
27	—	.06	.11	—	—	—	.04	.04	—	—	.01	—		27
28	—	~~.16~~	.15	.02	—	.04	—	—	—	.05	.32	—		28
29	—	—	—	.29	—	—	.09	—	—	—	.15	—		29
30	—	~~.1~~	—	<u>.38</u>	—	—	—	—	—	—	—	.19		30
31	—	~~.1~~	—	~~.1~~	—	~~.1~~	—	—	~~.1~~	~~.1~~	~~.1~~	—		31
TOTAL	3.90	<u>1.07</u>	<u>1.60</u>	<u>3.64</u>	<u>1.52</u>	2.05	3.13	2.79	.57	<u>4.92</u>	<u>4.52</u>	<u>1.31</u>	Year's Total	
* Days with .01 in. or more.	27	12	14	14	12	12	19	12	4	15	21	12	31.02	✓
* Days with .01 in. or more.	16	8	11	10	8	11	18	9	3	13	18	8	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *[Signature]* B.R.O.

Section

A

for the entry of Daily Observations

Station No. 821/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Faringdon

Kept at

in the County of

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ...275.....ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	08	03	-	15	-	-	-	-	-	31	-		1
2	-	18	06	12	10	-	11	-	-	02	1.03	-		2
3	-	12	-	02	-	-	-	-	-	28	1.10	-		3
4	-	16	-	-	-	-	-	-	-	-	10	05		4
5	-	-	-	-	-	-	03	-	-	01	47	04		5
6	18	15	-	-	-	-	10	-	-	14	-	-		6
7	06	20	-	-	-	-	-	-	-	-	07	-		7
8	-	-	-	-	-	-	-	-	-	12	-	13		8
9	-	-	-	-	-	06	-	02	03	-	16	08		9
10	-	-	-	-	-	05	99	-	-	09	-	-		10
11	-	-	-	04	-	-	13	-	-	-	70	09		11
12	-	-	09	-	-	-	17	-	05	-	02	-		12
13	-	-	52	10	-	-	-	-	04	-	1.02	-		13
14	-	-	15	-	12	-	-	-	06	23	-	18		14
15	-	-	05	01	02	-	08	-	11	17	50	-		15
16	-	27	41	-	-	-	31	-	16	42	68	-		16
17	-	-	36	-	-	-	-	-	-	-	04	-		17
18	-	30	34	51	-	-	-	-	-	16	10	14		18
19	-	15	05	24	-	-	04	-	17	-	13	02		19
20	-	-	03	03	-	-	-	-	-	31	01	02		20
21	-	-	-	-	11	-	08	-	-	-	66	-		21
22	-	-	13	-	34	29	-	-	03	09	-	-		22
23	-	23	05	01	02	16	-	-	-	01	01	03		23
24	-	-	10	-	-	-	22	-	-	-	-	02		24
25	-	-	-	-	-	-	-	-	-	-	-	-		25
26	98	06	-	-	05	-	27	-	-	-	-	-		26
27	76	04	-	-	20	-	06	-	-	-	-	-		27
28	48	-	-	03	21	-	-	-	-	-	-	-		28
29	03	-	02	15	32	-	-	-	-	-	-	30		29
30	-	X	-	-	04	-	-	-	-	13	-	-		30
31	-	X	-	X	-	X	-	-	X	40	X	-		31
TOTAL	2.49	1.94	2.39	1.29	1.68	5.6	2.59	02	65	2.58	7.11	1.10	24.40	
* Days with .01 in. or more.	6	12	15	11	12	4	13	1	8	15	18	24	49	127
* Days with .04 in. or more.	5	12	12	6	10	4	13	-	6	12	15	8	102	

† Spare column, no entries required

(Signed)

Mrs. K. Marshall

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily
AIR MINISTRY.—ME

FORM 1090.

REGISTER

Kept at *Rectory, Abbots Wilton*
in the County of *Derbs*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule should insert the reading made on *January* the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.03	—	.06	.01	.12	.03	—	.08	—	—	—	1
2	.07	.07	—	.66	—	—	.02	—	.91	—	.01	.08	2
3	.02	—	.08	.22	.09	—	—	.09	.52	—	.35	.10	3
4	.03	.01	—	.03	.01	—	.25	1.60	.23	—	.23	—	4
5	—	—	—	.21	—	.46	.02	—	.06	—	.03	.14	5
6	—	.11	—	.12	.18	—	.01	—	—	.20	.25	—	6
7	—	—	—	—	—	.12	.15	.30	—	.11	.08	.05	7
8	.02	.09	.01	.04	—	.14	—	.15	—	—	.23	—	8
9	—	.10	—	.03	—	—	.01	.15	—	.01	.18	.01	9
10	.01	.03	—	—	—	.04	.17	—	.03	.01	.23	—	10
11	.10	.09	—	—	—	—	—	—	.05	—	.04	—	11
12	—	—	—	—	—	—	.15	—	—	—	—	—	12
13	—	—	—	—	—	—	.08	.23	—	.01	—	—	13
14	—	.08	—	—	.03	.05	.00	.53	—	—	—	—	14
15	—	.04	—	.05	.12	—	.12	.04	—	—	.01	.06	15
16	—	.07	—	.13	.15	.19	—	.34	.11	—	—	—	16
17	—	.18	—	.22	.20	—	.15	.01	.04	—	—	—	17
18	.04	.02	.01	.16	—	.10	.15	.55	—	—	.25	—	18
19	.03	.01	—	.27	—	.31	.32	.02	—	—	.01	—	19
20	—	.01	—	.04	—	—	—	.13	—	—	.01	.01	20
21	.01	—	—	—	.47	—	—	—	—	—	—	—	21
22	.16	—	—	—	—	—	—	—	—	—	—	—	22
23	.14	.02	—	.07	.40	.13	—	—	.01	—	.16	.07	23
24	—	.01	—	.11	.21	.12	—	—	—	—	—	—	24
25	.03	.02	—	.16	.05	—	.47	—	—	—	.05	—	25
26	—	.03	—	.07	—	—	.53	—	—	—	.25	—	26
27	.08	.30	—	.05	.82	—	.20	—	—	—	.25	—	27
28	.11	.08	—	.05	.17	—	—	—	—	.06	.01	.15	28
29	.05	—	—	—	.21	—	.07	—	—	.17	.04	—	29
30	.10	×	—	—	—	—	—	.03	—	—	—	—	30
31	.06	×	—	×	.04	×	—	.04	×	—	×	.03	31
TOTAL	1.07	1.40	.10	2.75	3.16	1.78	3.80	4.21	2.04	.57	2.67	.70	YEAR'S TOTAL
*Days with or in. or more.	18	21	3	20	16	11	19	15	10	7	20	10	170
*Days with .04 in. or more.	10	11	1	18	13	11	14	12	8	3	14	7	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. H. Steward

[P.T.O.]

Section

A

for the entry of Daily

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Rectory, Abbots Wilttenham
in the County of Dorset

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.01	.03		.06	.01	.12	.03		.08				I
2	.07	.07		.66			.02		.91		.01	.08	2
3	.02		.08	.22	.09			.09	.52		.35	.10	3
4	.03	.01		.03	.01		.25	1.60	.23		.23		4
5				.21		.46	.02		.06		.03	.14	5
6		.11		.12	.18		.01			.20	.25		6
7						.12	.15	.30		.11	.08	.05	7
8	.02	.09	.01	.04		.14		.15			.23		8
9		.10		.03			.01	.15		.01	.18	.01	9
10	.01	.03				.04	.17		.03	.01	.23		10
11	.10	.09							.05		.04		11
12							.15						12
13							.08	.23		.01			13
14		.08			.03	.05	.00	.53					14
15		.04		.05	.12		.12	.04			.01	.06	15
16		.07		.13	.15	.19		.34	.11				16
17		.18		.22	.20		.15	.01	.04				17
18	.04	.02	.01	.16		.10	.15	.55			.25		18
19	.03	.01		.27		.31	.32	.02			.01		19
20		.01		.04				.13			.01	.01	20
21	.01				.47								21
22	.16												22
23	.14	.02		.07	.40	.13			.01		.16	.07	23
24		.01		.11	.21	.12							24
25	.03	.02		.16	.05		.47				.05		25
26		.03		.07			.53				.25		26
27	.08	.30		.05	.82		.20				.25		27
28	.11	.08		.05	.17					.06	.01	.15	28
29	.05				.21		.07			.17	.04		29
30	.10	X						.03					30
31	.06	X		X	.04	X		.04	X		X	.03	31
TOTAL	1.07	1.40	.10	2.75	3.16	1.78	3.80	4.21	2.04	.57	2.67	.70	YEAR'S TOTAL 24.25
*Days with or in. or more.	18	21	3	20	16	11	19	15	10	7	20	10	170
*Days with or in. or more.	10	11	1	18	13	11	14	12	8	3	14	7	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. H. Ward.

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Rectory, Abbots Wittenham
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01		.01	1.45		.05	.25	.03	.09		.01	1
2				.13	.08			.05	.37	.10		.12	2
3				.27	.11		.01		.28	.14			3
4											.20		4
5	.18		.04				.09		.07				5
6	.46			.08					.16				6
7	.02		.10	.13	.02				.05	.05			7
8		.01	.12	.17	.10				.65	.07			8
9	.14	.01		.04	.25				.05	.17			9
10	.15	.02		.11	.08	.05			.02	.16	.03		10
11	.02			.07	.03	.03	.08			.23	.04	.04	11
12	.17				.17				.02	.18	.03		12
13	.07			.16			.20		.02	.18	.06	.02	13
14	.25	.01						.17		.01	.02		14
15				.03	.18					.05			15
16	.27			.15	.20		.21						16
17							.08			.04	.01		17
18					.01				.31		.15		18
19									.01	.16			19
20				.03				.71	.02	.75	.07	.01	20
21	.03		.07	.18	1.41			.12		.55		.02	21
22	.01		.18		.02		.09		.41	.14	.15		22
23		.03			.31				.05	.68	.05	.06	23
24		.01					1.02		.03	.03	.01	.01	24
25		.02		.04		.09	.28		.13	.12	.01		25
26			.10	.20	.06		.07			.07			26
27			.22	.06	.18		.22			.04	.03		27
28			.08	.04	.23		.03			.14			28
29			.20	.09	.25	.08			.11	.23	.03	.02	29
30		x	.26	.27	.04	.42			.19	.03	.33	.30	30
31		x		x	.01	x	.05		x		x	.05	31
TOTAL	1.75	.12	1.37	2.26	5.19	.67	4.28	1.30	2.98	4.35	1.22	.66	YEAR'S TOTAL 26.15
*Days with .01 in. or more.	13	8	10	20	21	5	14	5	20	25	16	11	168
*Days with .04 in. or more.	8	0	10	17	16	4	12	5	19	22	8	5	126

Section

A

for the entry of Daily Observations.

Station No.

822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mittenham Rectory, Abingdon
in the County of Berk

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.11	.04		.01						.04		1
2	.22		.24		.55						.02		2
3	.01	.19	.13		.01								3
4	.17		.01		.36								4
5	.01	.02			.01						.02		5
6		.11	.16		.10					.31	.05		6
7	.07	.05	.06		.03					.06	.01		7
8	.03		.07		.06		.30			.03			8
9					.03		.15			.08	.11		9
10	.02					.02	.27			.22	.22		10
11	.20						.10	.09					11
12	.01				.02	.08	.05		.62			.03	12
13	.05				.13	.02	.28				.03		13
14	.01						.01	.01		.05	.46		14
15	.35		.07				.85	.12			.03		15
16	.01		.50			.10	.01		.04	.02			16
17	.05	.01	.28			.02			.04				17
18	.05	.03	.16			.06							18
19			.09			.06			.20				19
20			.08	.07		.09		.09	.08				20
21		.03						.23	.15	.01			21
22					.80	.03		.07		.28			22
23				.14					.65	.11			23
24		.70		.11	.01	.45			.25		.03		24
25		1.23		.27	.07	.15			.24	.02	.03	.10	25
26		.38		.08		.11			.16	.04			26
27		.01			.34		.02		.02			.04	27
28				.10						.20		.04	28
29	.24			.43			.07			.03		.05	29
30	.13	×	.08				.04		.08	.02		.12	30
31	.11	×	.02	×		×		.11	×		×		31
TOTAL	1.83	2.87	1.99	1.20	2.53	1.19	2.15	.72	2.53	1.48	1.05	.38	YEAR'S TOTAL 19.92
*Days with ".01 in. or more.	19	12	15	7	15	12	12	7	12	15	12	6	144
*Days with ".04 in. or more.	12	7	13	7	8	8	9	6	11	9	5	5	100

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wilttenham Rectoryin the County of BerksDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04							.01		.03	.05	.42	1
2	.23		.04					.17	.62	.02	.01	.13	2
3	.01	.06								.35		.07	3
4	.04	.02	.05	.26	.04				.04	.50	.05	.23	4
5	.01									.03	.05	.24	5
6			.20	.01	.31	.06		.11		.16		.43	6
7	.03							.05		.10		.24	7
8					.10			.35	.02		.11	.03	8
9	.01		.02					.02			.68	.30	9
10	.01		.09	.10				.05			.01	.01	10
11	.38		.21	.30			.07	.02				.10	11
12			.01				.04	.03				.11	12
13	.27		.14	.01			.04	.03			.05	.65	13
14	.07		.20		.01					.01	.19	.15	14
15	.04		.05		.03				.04	.18	.10	.04	15
16	.10		.12		.04					.03		.03	16
17	.02								.12	.02	.06	.10	17
18	.22			.10					.02			.03	18
19			.21			.01			.13	.01	.01	.10	19
20			.06	.01					.03		.01	.01	20
21			.01	.05		.05	.12	.04		.09		.09	21
22							.10		.19		.01	.02	22
23				.18		.46					.02	.03	23
24		.04	.10	.01		.04	.86		.06				24
25	.18			.08	.02	.36				.06		.22	25
26	.02			.40		.02			.04			.12	26
27						.10				.06		.44	27
28	.03			.40		.21	.05	.43				.23	28
29								.02	.31		.01	.01	29
30	.06	X							.02	.03		.05	30
31	.01	X		X		X		.01	X		X	.03	31
TOTAL	1.78	.12	1.51	1.91	.55	1.31	1.28	1.34	1.64	1.68	1.42	4.65	YEAR'S TOTAL
*Days with .01 in. or more.	20	3	15	13	7	9	7	14	13	16	16	30	163
*Days with .04 in. or more.	12	2	12	9	4	7	7	7	9	8	9	21	107

40-9999

*See Instruction 2 (f) on other side,

(Signed)

W. H. Ward

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Little Wittenham Rectory
in the County of BerksDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06		.01	.02	.09	.07	.09		.01	.06	.09	.02		1
2	.01								.03	.04	.01	.01		2
3			.02			.23			.80	.52	.15	.02		3
4		.05		.23		.06			.15	.54				4
5		.30	.10			.29			.42			.02		5
6			.01	.16		.42				.10	.03			6
7	.01			.55		.05				.10	.30	.12		7
8				.25				.04		.18	.14	.02		8
9				.28		.62				.70	.45			9
10	.01	.01		.11		.02				.01	.26	.01		10
11	.24					.07	.75				.12			11
12	.02	.02				.25					.02			12
13	.07	.08		.06	.14	.05		.02						13
14				.17	.09	.04					.30	.13		14
15		.06		.25		.37			.20		.27	.08		15
16		.14	.05	.15		.14	.01		.20		.38			16
17	.01		.02	.04		.15	.03		.06	.01	.20	.01		17
18				.37		.07	.17		.10	.01				18
19		.01		.28	.15	.11	.05		.10	.03	.17	.35 (Snow)		19
20	.01	.18		.03	1.05	.10	.12		.03		.26			20
21	.01	.21	.01	.04					.05	.05	.03			21
22		.02	.20	.04				.26	.27					22
23		.11	.03					.44	.11	.22		.09		23
24	.02	.27	.03					.28	.43	.02		.11		24
25	.14	.14		.25		1.87		.01				.13		25
26		.06						.15	.09	.01		.23		26
27		.08			.03				.04		.07	.55		27
28					.15				.40	.01	.02	.03		28
29			.01						.26		.03	.14		29
30	.03	×			.05			.60	.06	.01	.29	.25		30
31		×		×	.02	×		.01	×	1.15	×	.08		31
TOTAL	.64	1.74	.49	3.28	1.80	4.08	1.22	1.81	3.00	3.77	3.50	2.40	20.62	Year's Total
* Days with .01 in. or more.	13	16	11	18	9	19	7	9	20	19	21	20	182	
* Days with .04 in. or more.	4	12	3	16	7	18	5	8	17	11	15	12	126	

Section

A

for the entry of Daily Observations.

Station No. 822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wilttenham Rectory
in the County of BerksDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.20	.08	.22	~~.04~~	.04	.42	.13			.11	.03		1
2	.00			.01	~~.18~~	.28	.41	.07			.10			2
3	.03			.12	~~.02~~	.02	.14		.29		.25	.03		3
4			.28					.15			.09	.07		4
5	.23	.01	.04				.01	.01	.20		.01	.09		5
6	.20					.19		.10	.04		.12			6
7	.28		.02			.01	.08		.03		.08	.05		7
8	.16		.20				.02		.01		.51	.07		8
9	.29		.04				.28		.09	.02		.02		9
10	.03						.10	1.29	.02					10
11			~~.05~~	.05			.06		.25		.25	.01		11
12				.07		.32	.25		.10		.17	.15		12
13				.01		.31				.05	.04	.44		13
14		.03				.05	.82		.13	.03	.01	.36		14
15		.03	.03				.01		.03			.10		15
16	.05	.15							.03		.42	.10		16
17	.25	.31					.21			.01	.08	.12		17
18		.04				.20	.07	.01		.03	.02	.07		18
19	.17	.07	.04	.05		.37		.05						19
20	.05	.08	.06	.23		.34			1.10					20
21				.23		.25	.03		.03		.01			21
22		.29	.04	.04	.27		.20		.01			.10		22
23	.11		.46	.03	.08		.03			.05				23
24	.06	.06					.02		.13	.26				24
25	.02		.12	.08			.23		.47	.19	.10			25
26	.02	.08	.09	.05		.04			.04	.02				26
27	.08		.04						.01	.09				27
28	.55		.09				.15		.02			.13		28
29	.05	.10	.01			.36	.23			.03	.30	.02		29
30	.09	x			.29	.17	.05			.30		.01		30
31	.36	x	.20	x	.05	x	.10		x	.52	x	.23		31
TOTAL	3.27	1.45	1.81	1.22	.69	2.95	3.92	1.66	3.18	1.60	2.67	2.20	26.62	Year's Total
* Days with .01 in. or more.	22	13	16	14	4	15	23	7	21	13	18	20	186	
* Days with .04 in. or more.	18	10	14	10	x	13	17	5	12	7	14	14	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. J. Ward

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. **822**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **Abbots Wittenham Rectory**
in the County of **Berks**

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06		.01	.02										1
2		.18	.01	.35										2
3		.20	.05											3
4	.05	.25												4
5	.10	.02	.21				.10							5
6	.07	.01	.20	.05	.23		.32							6
7		.55	(Snow)	.17										7
8		.05			.07									8
9		.03		.20	.16		.03							9
10			.42	.36		.20								10
11			.04		.21	.02	.02							11
12	.15	.27	.10		.22	.32	.02							12
13	.18	.05	.35	.05		1.27								13
14	.01	.02	.40	.12										14
15	.14	.07		.10			.40							15
16	.01	.07	.55	.53		.11								16
17	.23	.02	.38	.02			.01							17
18	.33	.06	.08	.01		.32								18
19	.05	.04	.05	.05		.22								19
20	.30	.02	.01	.52	.36	.06								20
21	.22	.55	.10	.07			.05							21
22	.27	.03	.10		.05	.20	.05							22
23	.23	.04	.03		.33		.09							23
24	.23	.35	.04											24
25	.18	.20	.20		1.12									25
26		.28	.01		.09									26
27	.03	.09		.14										27
28		.03				.03								28
29	.01	×				.06								29
30	.25	×												30
31	.30	×		×		×		×		×				31
TOTAL	3.40	3.48	3.34	2.76	2.84	2.81	1.09						Year's Total.	
* Days with .01 in. or more.	22	25	21	16	10	11	10							
* Days with .04 in. or more.	18	17	16	13	10	9	6							

BMonthly
Summary.

* * The following register of monthly totals &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Long Wittenham (The Manor House)
In the County of Berks.

Rain Gauge Diameter of Funnel 700 Square in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 170 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	*01 in. or more	*04 in. or more
JAN.	2.02				
FEB.	1.16				
MAR.	1.85				
APRIL	2.02				
MAY	1.52				
JUNE	1.30				
JULY	1.08				
AUG.	1.61				
SEPT.	1.77				
OCT.	1.50				
NOV.	1.53				
DEC.	5.32				
Total	20.68				

Signature R.P. Ling Esq.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } -14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

822/5

LONG WITTENHAM
(THE MANOR HSE)

1934-1940

780203

tion and also the space for
his register should be sent:—

in Summer
Direction from
gauge
Direction from
gauge


Nearest Parish Church at	Distance			
Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*Copied from 10 year sheet supplied by observer.
Back years 1927 - 1934 received together*

OK print

XAV. 25.3 X

BMonthly
Summary.**C**

Particulars of Station.

822/5

11/Barry/5

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1934

At Long Wittenham (The Manor House)In the County of Berks.Diameter of Funnel Foot Square in.Height of Top above Ground 1 ft. 0 in.Height of Ground above Sea Level 170 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	2.02				
FEB.	1.16				
MAR.	1.85				
APRIL	2.02				
MAY	1.52				
JUNE	1.30				
JULY	1.08				
AUG.	1.61				
SEPT.	1.77				
OCT.	1.50				
NOV.	1.53				
DEC.	5.32				
Total	20.68				

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station.....Distance.....Direction from gauge.....

Nearest Parish Church at.....Distance.....Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*Copied from 10 year sheet supplied by observer.
Back years 1927 - 1934 received together*

Signature R. P. Ling Esq.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section

A

for the entry of Daily Observations.

Station No.

822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *The Manor House Long Wittenham*
in the County of *Berk*

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

Ground Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05				02	10	08			06	10			1
2						03			03	05	03	02		2
3		05	01			24			63	57	15	02		3
4				25		09			20	60				4
5		39	11	01		23			44			02		5
6		02		26		39						02		6
7				54		02				07	38	11		7
8				26				08		07	18	01		8
9				31		66	51			21	63			9
10	01			18		01				79	44			10
11	28					05				02	19			11
12		02				26					02			12
13	08	09		06	18	05								13
14		07		12	09	02					25	19		14
15		09		32	02	46			17		31	07		15
16			08	16		20	01		15	01	44	06		16
17				03		17	04		06		19			17
18				59		06	09		18	01				18
19				20	17	08	02		09	02	18	31 (snow)		19
20		19		04	98	10			04		31			20
21		22	02				13		03	03	03			21
22		02	15	05				26	26		01			22
23		09	02					43	13	25		09		23
24	02	34	02					30	45	04		17		24
25	14	21		25		1.70					02	17		25
26		16						11	07	02		31		26
27		12			05				06		08	66		27
28		02			15				34	01	01	04		28
29									28		03	20		29
30	02	x		11	05			70	02		29	30		30
31		x		x	02	x		01	x	1.07	x	09		31
TOTAL	.60	2.10	.41	3.74	1.73	4.92	.88	1.89	3.63	3.90	4.27	2.86	30.93	
* Days with .01 in. or more.	7	16	7	18	10	29	7	7	19	18	22	19	168	
* Days with .04 in. or more.	4	12	3	17	7	16	5	6	16	11	15	14	126	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *The Manor House, Long Wittenham*
in the County of *Berks*Diameter of Funnel of Gauge.....*4.0 in.*

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.....in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.18	.07	.27		.05	.15	.15			.12	.03		1
2	.10					.20	.47	.07			.12			2
3				.11			.13		.28		.28	.03		3
4	.02		.29						.14		.10	.05		4
5	.22		.03									.08		5
6	.20					.19		.08	.23		.14			6
7	.31		.03			.03	.09		.02		.08	.04		7
8	.16		.22								.57	.09		8
9	.29		.03				.24							9
10	.02						.10	1.04		.02				10
11				.06			.07		.36		.38			11
12				.05		.33	.26		.09		.13	.20		12
13				.04		.27			.10	.05	.04	.42		13
14		.04				.03	.96		.02	.03		.34		14
15				.02					.03			.07		15
16		.18									.46	.08		16
17	.31	.45					.24			.01	.08	.14		17
18		.05				.19	.05			.03		.07		18
19	.21	.06	.05			.39		.05						19
20	.07	.09	.07	.24		.32			1.18					20
21				.30		.24	.03		.03					21
22	.09	.38	.04	.06	.29		.23					.12		22
23	.11		.56	.04	.09		.02			.04				23
24	.06	.07							.13	.27				24
25			.12	.08			.13		.56	.17				25
26	.02	.08	.09	.05		.05			.05	.04	.12			26
27	.07		.03						.02					27
28	.64		.14				.20					.14		28
29	.07	.10	.03			.43	.34			.02	.29	.02		29
30	.10	~~X~~			.15	.15	.05			.34				30
31	.46	~~X~~	.24	~~X~~	.01	~~X~~	.11		~~X~~	.54	~~X~~	.22		31
TOTAL	3.64	1.68	2.04	1.32	.54	2.86	3.87	1.39	3.24	1.56	2.91	2.14	27.19	
* Days with .01 in. or more.	21	11	16	12	4	14	19	5	15	12	14	17	160	
* Days with .04 in. or more.	19	11	12	11	3	12	17	5	10	7	14	14	155	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

1 Jan 1937

R. W. P. King [P.T.O.]

Am A.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Longbittenham Manor

in the County of Berks

Diameter of Funnel of Gauge foot square

Height of top of Gauge above Ground ft in

Ground Sea Level ft

No change

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	-	-	03	-	-	-	-	04	04	25	52		1
2	-	18	-	39	-	-	-	-	09	-	-	32		2
3	-	24	03	-	-	-	-	-	-	-	-	01		3
4	05	27	-	-	-	-	-	-	-	-	-	34		4
5	11	-	22	-	-	-	11	-	-	-	-	-		5
6	08	71	11	04	21	-	33	-	-	-	04	-		6
7	-	04	05	12	-	-	-	-	-	-	-	-		7
8	-	05	-	-	11	-	-	-	-	-	15	07		8
9	-	-	-	18	15	-	-	-	27	-	-	12		9
10	-	-	55	34	-	23	02	-	-	-	-	16		10
11	-	-	09	-	25	01	02	-	-	-	-	-		11
12	17	36	12	-	17	35	-	05	13	-	-	08		12
13	20	07	35	06	-	74	-	-	09	-	-	07		13
14	01	-	48	-	-	-	-	35	-	-	-	04		14
15	17	08	-	10	-	-	38	-	19	-	-	01		15
16	-	08	60	66	-	07	-	10	55	-	-	-		16
17	31	-	62	02	-	-	-	-	46	-	-	-		17
18	46	06	10	01	-	37	-	-	-	-	23	15		18
19	06	05	04	03	-	22	-	-	02	-	-	03		19
20	28	02	01	51	36	07	-	-	-	-	-	01		20
21	26	59	09	07	06	-	-	-	-	04	-	02		21
22	27	04	04	-	06	19	05	-	-	61	22	-		22
23	34	03	04	-	23	-	07	-	-	26	18	-		23
24	29	50	03	-	-	-	-	-	22	37	-	-		24
25	16	23	19	-	96	-	-	-	01	33	-	-		25
26	-	29	-	-	05	-	-	-	-	07	-	-		26
27	02	13	-	15	-	-	-	-	-	1.17	-	-		27
28	-	-	-	-	-	02	-	-	-	07	-	05		28
29	-	X	-	-	-	-	-	-	-	08	11	-		29
30	30	X	-	-	-	-	-	-	-	08	22	02		30
31	34	X	-	X	-	X	-	-	X	05	X	02		31
TOTAL	3.97	4.02	3.76	2.71	2.61	2.27	0.98	0.50	2.07	3.17	1.40	2.04	29.50	Year's Total.
* Days with .01 in. or more.	20	20	319	415	441	210	27	443	211	442	448	718	24	154
* Days with .04 in. or more.	18	18	16	11	11	8	5	3	9	12	8	11	130	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Rowan [Signature] P.T.O.

Contd.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at The Manor House Longwithenham

in the County of Berk

Diameter of Funnel of Gauge foot in.

Height of top of Gauge above Ground ft in.

Ground ft Sea Level ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.14	.01					.03		1
2					.03					.44		.03		2
3					.29		.02		.02	.66				3
4	.08						.02	.34		.16		.06		4
5										.17				5
6							.02		.20	.16		.02		6
7	.04					.02	.30	.67	.10	.12		.09		7
8	.08					.03	.03	.11		.10		.02		8
9	.09						.04	.15				.66		9
10	.14	.01					.05	.76				.12		10
11	.20										.11	.03		11
12	.25	.02			.02			.20		.20	.02			12
13	.01	.05						.02			.10	.22		13
14	.28	.02			.04		.16		.09					14
15	.03						.32			.09		.18		15
16	.23	.02			.09					.04		.07		16
17		.06			.02					.07				17
18	.05				.04				.25		.18			18
19								.06	.07		.13			19
20									.02		.98			20
21								.03			.05	.57 ^s		21
22						.01		.08			.15	.28 ^s		22
23									.04		.02			23
24			.09						.12		.03			24
25	.07	.08	.06		.11			.04			.66	.10 ^s		25
26	.21	.27	.10		.05				.16	.13		.23		26
27	.05	.03		.01	.27	.22	.17	.01	.22	.02	.34			27
28	.20	.03			.50	.04		.96	.01			.10		28
29					.26					.03	.08	.14		29
30	.01	×			.10	.13			.19	.06	.15	.04		30
31	.16	×		×	.10	×			×	.06	×	.15		31
TOTAL	2.18	.59	.25	.01	1.92	.59	1.14	3.43	1.49	2.51	3.00	3.14	20.25	✓
* Days with .01 in. or more.	18	9	3	1	14	7	11	13	13	16	14	20	139	✓
* Days with .04 in. or more.	15	4	3	0	12	4	6	10	10	14	11	15	104	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Rowland

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Long Wittenham Manor*in the County of *Berk*Diameter of Funnel of Gauge... *1 foot 6 inches*

Height of top of Gauge above Ground... ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04		.01	.38	.50			.47	.05			.01		1
2	.03 ^s							.39	.40		.03	.08		2
3	.24			.16			.08	.19			.19	.25		3
4	.10		.19	.20				.15	.02	.46	.05	.03		4
5				.45	.50		.02	.48		.11	.30	.15		5
6	.39			.05	.01		.22				.11			6
7	.02	.09									.19	.13		7
8		.03	.21				.08	.18		.39	.24	.29		8
9	.02	.02						.03		.18		.10		9
10	.26					.28		.10				.04		10
11		.07	.27							.01				11
12											.10			12
13							.07		.03	.83				13
14	.42			.02	.14	.08	.15			.05 ^s	.17			14
15	.15		.05		.26	.31	.15		.07	.68	.13			15
16	.26		.09		.05	.30	.02				.50			16
17	.20	.01	.02		.04	.05	.07			1.70	.05			17
18	.14	.01	.05			.01	.33				.31			18
19	.12						1.12							19
20	.34						.30	.07						20
21	.03	.11	.26				.44							21
22	.15	.18	.09				.05		.02		.06			22
23	.04		.01	.05			.15			.04	.50			23
24	.20 ^s			.13		.06	.18			.07				24
25	.74 ^s	.09	.17				.51				.20			25
26	.21							.17		.04	.15	.05		26
27	.02	.06	.06				.03			.11	.14			27
28		.16	.12	.11			.03				.29	.09 ^s		28
29		X		.25		.01	.20			.12	.10			29
30		X		1.14							.05	.07 ^s		30
31		X		X		X	.03	.02	X	.00	X			31
TOTAL	4.12	.83	1.60	2.94	1.50	1.10	4.23	2.25	.59	4.79	3.86	1.25	29.06	Year's Total
* Days with .01 in. or more.	22	11	14	11	7	8	21	11	6	14	21	11	157	
* Days with .04 in. or more.	17	7	11	10	6	6	16	9	3	13	20	9	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

1 Jan 1940

Roger P. Smith [R.P.O.]

Section

A

for the entry of Daily Observations

Station No. 822/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.Kept at Manor House, Long Wittenham.in the County of Berkshire.Diameter of Funnel of Gauge 12" square 1" across neck of funnel.Height of top of Gauge above Ground 1 ft. in.,, Ground ,, Sea Level 2 ft. 170 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.14			1
2				.16			.20			.04	.80			2
3		.20		.02						.19	1.16	.02		3
4		.12		.25						.20	.12	.01		4
5		.04							.05	.01	.51	.05		5
6	.12	.10			.02		.12			.08				6
7	.11	.21			.01		.35					.02		7
8	.01									.13	.03	.23		8
9						.03					.13	.05		9
10							1.57			.08	.12	.07		10
11				.03		.08	.03				.49	.03		11
12			.04				.06		.04	.01				12
13			.52	.01	.02				.11		1.55			13
14			.14 (snow)	.10					.06	.12		.22		14
15				.01			.12		.04	.18	.44			15
16	.02 (snow)	.17 (snow)	.43	.02			.34		.24	.51	.72	.01		16
17			.34							.01	.02			17
18		.35	.32	.31			.01	.04		.18	.15	.12		18
19		.15		.19					.10		.08			19
20		.01	.05	.03	.69		.04	.01		.15	.03			20
21	.03 (snow)						.14				.48			21
22			.14			.26			.09					22
23		.16	.04	.06		.46								23
24						.24					.02			24
25			.24			.04								25
26	1.12	.03	.09	.68	.06		.20							26
27	.51	.07		.07	.07		.02			.12				27
28	.70	.07			.30									28
29	.02	.09	.03	.07	.04							.34		29
30		X		.19	.02					.11		.01		30
31	.06	X		X		X			X	.63	X			31
TOTAL	2.70	1.77	2.38	2.20	1.23	.87	3.44	.05	.73	2.75	6.99	1.18	Year's Total	26.29
* Days with .01 in. or more.	10	14	12	16	9	5	14	2	8	17	18	13		138
* Days with .04 in. or more.	6	12	11	10	5	4	11	1	8	14	14	7		103

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) M. Helen D. Singh P.T.O.

823
LONG WITTENHAM
1931-1937

823.
FOR OFFICIAL USE.
ORGANIZATION.

REGISTER OF

Kept at Henry J. Hewett
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 164

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.09	.02	.10			.09				1
2	.08	.06		.68			.03		.99			.09	2
3	.02		.08	.20	.07			.08	.53		.39	.11	3
4	.02	.03		.02			.31	1.35	.84		.25		4
5				.20		.68	.03		.04		.06	.16	5
6		.16		.14		.04	.09	.01		.20	.21		6
7					.14	.08	.21	.25		.11	.12	.06	7
8	.02	.09		.04		.15		.15			.25		8
9		.14		.03			.03			.01	.26	.01	9
10						.08	.18	.10	.03	.02	.30		10
11	.11	.15					.04		.04		.06		11
12							.16	.04	.34				12
13							.03	.40					13
14		.08			.10	.08	1.06	.29					14
15	.01	.04		.06	.12		.12	.10			.02	.06	15
16		.12		.14	.15	.23		.24	.10				16
17		.15		.24	.21		.16		.03				17
18	.04	.02	.02	.14		.09	.16	.61			.31		18
19	.03			.30		.18	.16				.01		19
20				.04				.10			.02		20
21					.42								21
22	.16			.02									22
23	.16	.04		.07	.43	.24			.03		.19	.09	23
24				.23	.21	.03						.02	24
25	.04 .06			.19	.06		.44				.04		25
26		.05		.04			.51				.28		26
27	.09	.35		.06	1.04		.22				.21		27
28	.12	.10		.05	.05					.06	.02	.18	28
29	.06				.23		.06				.04		29
30	.05	X						.05			.01		30
31	.14	X		X	.06	X		.04	X		X	.03	31
TOTAL	1.14	1.61	.10	3.02	3.34	1.95	4.03	3.84	2.62	.40	3.08	.81	3125.97
*Days with ".01 in. or more.	16	16	2	21	15	12	19	15	11	5	20	10	26.95
*Days with ".04 in. or more.	11	13	1	18	14	11	15	14	8	3	15	4	130

(Signed) Henry J. Hewett P.T.O.

Section **A**

for the entry of Daily Observations.

823.
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Henry J. Hewett
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 164 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.09	.02	.10			.09				1
2	.08	.06		.68			.03		.99			.09	2
3	.02		.08	.20	.07			.08	.53		.39	.11	3
4	.02	.03		.02			.31	1.35	.34		.25		4
5				.20		.68	.03		.04		.06	.16	5
6		.16		.14		.04	.09	.01		.20	.21		6
7					.14	.08	.21	.25		.11	.12	.06	7
8	.02	.09		.04		.15		.15			.25		8
9		.14		.03			.03			.01	.26	.01	9
10						.06	.18	.10	.03	.02	.30		10
11	.11	.15					.04		.04		.06		11
12							.16	.04	.34				12
13							.03	.40					13
14		.08			.10	.08	1.06	.29					14
15	.01	.04		.06	.12		.12	.10			.02	.06	15
16		.12		.14	.18	.23		.24	.10				16
17		.15		.24	.21		.16		.03				17
18	.04	.02	.02	.14		.09	.16	.61			.31		18
19	.03			.30		.18	.16				.01		19
20				.04				.10			.02		20
21					.42								21
22	.16			.02									22
23	.16	.04		.07	.43	.24			.03		.19	.09	23
24				.23	.21	.03						.02	24
25	.04			.19	.06		.44				.04		25
26		.05		.04			.51				.28		26
27	.09	.35		.04	1.04		.22				.21		27
28	.12	.10		.05	.05					.06	.02	.18	28
29	.06				.23		.06				.04		29
30	.05	X						.05			.01		30
31	.14	X		X	.06	X		.04	X		X	.03	31
TOTAL	1.14	1.61	.10	3.02	3.34	1.95	4.03	3.84	2.62	.40	3.06	.81	3125.97
*Days with or in. or more.	16	16	2	21	15	12	19	13	11	5	20	10	162
*Days with .04 in. or more.	11	13	1	18	14	11	15	14	8	3	15	4	130

40-9999

*See Instruction 2 (f) on other side.

(Signed) Henry J. Hewett [P.T.O.]

Section **A**

for the entry of Daily Observations.

823
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Long Wittenham
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 164 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.01			1.59		.12	.22	.03	.10		.01	1
2				.12	.09			.09	.61	.12		.11	2
3				.29	.09				.12	.11			3
4											.19		4
5	.18		.03			.02	.08		.08				5
6	.62			.09					.16				6
7	.04		.11	.18	.04				.06	.10			7
8			.13	.12	.06				.43	.10			8
9	.15			.06	.23				.24	.05			9
10	.21	.01		.14		.04			.02	.10	.03		10
11	.02			.04	.10		.90			.19	.05	.04	11
12	.14				.16				.06	.18	.03	.01	12
13				.19			.14			.16	.04	.02	13
14	.23							.19			.02		14
15				.03	.16					.06		.01	15
16	.26			.14	.29		.34						16
17							.08			.04	.02		17
18					.03				.31		.16		18
19									.03	.16	.02		19
20				.06	.36			1.38	.01	.98	.06		20
21	.04		.04	.18	1.40			.04		.58		.02	21
22			.18		.02		.22		.46	.15	.21		22
23	.01	.03			.86				.04	.64	.02	.05	23
24					.02		2.44		.06	.02	.01		24
25				.03		.10	.14		.10	.13	.02		25
26			.12	.20	.04		.09			.04	.01		26
27			.31	.12	.18		.20			.04	.02		27
28			.06	.02	.26		.04			.10		.01	28
29			.23	.10	.14	.09	.03		.11	.24	.02	.02	29
30		X	.28	.28	.10	.65	.02		.12	.03	.29	.34	30
31		X	.01	X	.01	X	.03		X		X	.66	31
TOTAL	1.98	.05	1.53	2.45	5.79	1.80	4.96	1.90	3.38	4.24	1.24	.70	29.03
*Days with "or in. or more.	12	3	11	19	22	5	13	5	19	24	18	12	165
*Days with ".04 in. or more.	104	0	49	16	18	4	XX	5	16	22	4	5	123

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Henry J. Hewett

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Long Wittenham

in the County of

Berks

Diameter of Funnel of Gauge

5 in.

Height of top of Gauge above Ground

1 ft.

Ground Sea Level

16.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.13	.06		.01						.04			1
2	.24		.25		.49									2
3	.02	.19	.14											3
4	.18				.88									4
5	.03	.03	.12								.03			5
6		.11	.18		.12					.32	.03			6
7	.08	.07	.06		.07					.06	.01			7
8	.04		.06		.06		.26			.02				8
9					.03		.13			.08	.10			9
10	.02					.02	.28			.22	.23			10
11	.23				.01	.01	.11	.11						11
12					.04	.10	.13		.59		.01	.03		12
13	.06				.14	.01	.28				.01			13
14	.01						.02			.05	.44			14
15	.38		.04				.10	.15			.05			15
16			.55			.16	.02		.06					16
17	.04	.03	.81			.02			.03		.02			17
18	.05	.04	.14			.05					.04			18
19			.12			.05			.14			.01		19
20			.08	.04		.07		.09	.03					20
21		.01				.04		.29	.12					21
22					.96	.03		.09		.28				22
23				.15					.65	.09				23
24		1.23		.14		.14			.30	.03	.02			24
25		1.53		.28	.05	.19			.25		.02	.01		25
26		.56		.06		.13			.18	.05				26
27					.44		.01		.03	.10		.05		27
28				.11					.01	.15		.05		28
29	.34		.01	.35			.07			.03		.05		29
30	.12	X	.08				.05		.09			.15		30
31	.12	X	.03	X		X		.10	X	.03	X			31
TOTAL	2.03	4.03	2.29	1.13	2.61	1.02	1.41	1.86	2.44	1.46	1.02	.34	20.64	
*Days with .01 in. or more.	14	11	16	7	13	14	12	6	13	14	14	7	144	
*Days with .04 in. or more.	12	8	14	4	10	9	9	6	9	10	5	4	104	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Henry J. Hewett

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. **823**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934Kept at *Long Witterham*in the County of *Berks*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *164* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							.27			.04	.46		1
2	.27		.03						.46	.03	.01	.15		2
3		.06		.01						.24		.06		3
4	.05	.02	.03	.25	.07				.06	.38	.05	.29		4
5					.02			.14		.03	.06	.29		5
6			.18	.01	.31	.02		.13		.14	.01	.44		6
7	.03	.01						.28		.10		.28		7
8					.10			.03	.02		.10	.05		8
9	.02		.03								.45	.53		9
10			.13	.13				.05			.03	.02		10
11	.39		.26	.39			.04	.02				.14		11
12		.01	.02	.02			.03	.03				.15		12
13	.29		.16				.04	.02			.06	.42		13
14	.06		.26	.01							.20	.20		14
15			.10		.03				.03	.18	.10	.04		15
16	.13		.14							.02		.02		16
17	.01	.01		.01		.01			.23	.02		.15		17
18	.24		.12									.03		18
19			.24				.17		.13	.01	.04	.10		19
20			.06	.01			.14		.03		.01			20
21				.03		.06	.03	.06		.10				21
22					.02			.12	.19		.02	.10		22
23				.18		.46			.03		.01	.03		23
24		.03	.10	.02		.05	.69							24
25	.20			.11		.19			.05	.08		.33		25
26	.01			.49		.02			.03	.01		.20		26
27	.01			.01		.08				.05		.42		27
28				.28		.22	.05	.42				.31		28
29							.04	.31						29
30	.06	x							.01	.01		.04		30
31	.02	x		x		x	.10	.03	x	.05	x	.03		31
TOTAL	1.84	.14	1.80	2.05	.55	1.11	1.12	1.62	1.84	1.48	1.51	5.28	20.38	
*Days with "or in. or more.	76	6	14	14	6	9	8	14	12	16	13	24	161	
*Days with ".04 in. or more.	10	1	10	8	3	6	6	9	4	9	9	22	110	

Year's Total

40

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Henry J. Hewlett

[P. 10.]

Section **A** for the entry of Daily Observations.Station No. **823**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at **Lans Wittenham**in the County of **Berk.**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. in.,, Ground ,, Sea Level **167** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05			.01		.08	.08			.03	.10	.02		1
2						.03			.04	.04	.02	.01		2
3		.04				.26			.74	.54	.15	.02		3
4				.21		.04			.03	.44				4
5		.81	.11	.03		.24			.42		.03	.02		5
6				.26		.41				.06	.04	.02		6
7				.48		.02				.04	.24	.11		7
8				.24				.04		.22	.24	.01		8
9				.30		.63				.46	.63			9
10	.02			.20		.02				.02	.41	.01		10
11	.24					.10	.44				.20			11
12	.01	.03				.24					.02			12
13	.04	.10		.06	.14	.05								13
14				.11	.08	.04			.01		.25	.18		14
15		.06		.34	.03	.41			.16		.31	.08		15
16		.10	.05	.18		.18	.05		.20		.40	.06		16
17				.04		.14			.04		.18			17
18			.03	.58		.06	.12		.18	.02		.02		18
19				.20	.16	.09	.03		.13	.02	.18	.30		19
20		.19			.90	.10	.12				.30	.10		20
21		.23	.02	.08					.12	.03	.03			21
22		.02	.16	.02				.25	.25					22
23		.16	.03					.48	.20	.25				23
24	.02	.35	.02					.20	.34	.04		.15		24
25	.16	.18		.23		.40		.01			.01	.14		25
26		.21						.11	.08	.02		.32		26
27		.16			.05			.06		.04	.63			27
28		.02			.13			.43	.01	.01	.03			28
29			.01					.42		.04	.22			29
30	.02	x		.12	.06			.64	.04	.01	.33	.31		30
31		x		x	.03	x		.01	x	.03	x	.10		31
TOTAL	.62	.210	.48	3.71	1.61	4.93	.89	1.80	3.41	3.40	4.25	2.85	29.62	
* Days with .01 in. or more.	8	15	8	19	9	20	6	8	19	18	23	22	145	
* Days with .04 in. or more.	4	12	3	16	4	14	5	6	14	10	14	13	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **Henry J. Hewell**

P.T.O.

Section



for the entry of Daily Observations

Station No.

823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at *Long Wittenham*in the County of *Berks*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground....*1*.....ft.....in.,, Ground ,, Sea Level...*16.4*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.14	.06	.28		.04	.15	.16			.13	.03		1
2	.09			.01		.19	.45	.08			.12			2
3				.11		.03	.13		.31		.25	.03		3
4	.02		.24						.10		.10	.09		4
5	.24		.03		.01			.01	.16			.11		5
6	.18					.18			.06		.13			6
7	.28		.03				.10		.03		.08	.03		7
8	.18		.23				.02				.58			8
9	.35		.03				.32		.08	.01		.09		9
10	.03						.10	.10	.01					10
11				.04			.04		.33		.39	.02		11
12				.05		.34	.24		.04		.13	.16		12
13				.03		.20				.05	.04	.49		13
14		.03		.01		.04	.88		.12	.04		.38		14
15		.01		.02					.02			.08		15
16	.10	.16	.65						.03		.44	.10		16
17	.24	.50				.04	.20			.01	.08	.14		17
18		.05				.14	.07	.01		.04	.02	.06		18
19	.25	.06	.04	.09		.34	.03	.05				~~.14~~		19
20	.04	.09	.08	.19		.40			.12					20
21	.08			.30		.33			.01					21
22	.10	.34	.04		.36		.24		.01			.09		22
23			.54	.04	.02		.03			.04		.01		23
24	.06	.06							.11	.24				24
25	.03		.11	.08		.01	.15		.51	.18	.10			25
26	.02	.08	.10	.06		.05			.01	.04				26
27	.08		.03							.09				27
28	.63		.14				.23		.03			.15		28
29	.06	.08	.03		.06	.40	.23			.01	.29	.03		29
30	.10	~~X~~			.11	.15	.05			.82				30
31	.43	~~X~~	.23	~~X~~	.02	~~X~~	.11		~~X~~	.41	~~X~~	.24		31
TOTAL	3.41	1.63	2.44	1.34	.58	2.85	3.41	1.41	3.04	1.51	2.84	2.30	26.79	27.92
* Days with .01 in. or more.	23	12	14	14	6	16	20	6	19	13	15	19	180	
* Days with .01 in. or more.	19	9	12	10	3	14	14	4	11	10	14	13	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Henry J. Hewett* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Long Wittenham*
in the County of *Berks*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft.....in.,, Ground ,, Sea Level *167*.....ft.*Henry J. Hewett*
Long Wittenham
Abingdon

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01			.03					.04	.05	.24	.45		1
2		.14		.34					.06		.01	.24		2
3		.23	.03									.33		3
4	.05	.31												4
5	.11		.20	.01			.09							5
6	.09	.02	.14	.02	.20		.34				.04			6
7		.66		.13					.02					7
8		.03			.14						.14			8
9		.04		.20	.11		.03		.25			.11		9
10			.52	.32		.22						.04		10
11			.09		.21		.02					.16		11
12	.19	.34	.13		.16	.43		.10	.13			.10		12
13	.14	.67	.30	.05	.01	.60			.08			.06		13
14	.01	.02	.34	.15				.24				.04		14
15	.14	.04		.11			.39		.20			.02		15
16	.02	.09	.66	.65		.05		.11	.54					16
17	.33	.01	.56	.02					.42					17
18	.44	.04	.11	.01		.30			.01		.22	.15		18
19	.06	.04	.04	.04		.21			.01		.01	.02		19
20	.38	.03	.01	.48	.36	.12				.02				20
21	.30	.52	.04	.08	.04		.04				.01	.02		21
22	.29	.03	.06		.09	.16	.06			.68	.18	.01		22
23	.32	.03	.02		.20		.04			.24	.14			23
24	.29	.44	.03						.19	.46		.01		24
25	.16	.24	.18		.89				.02	.28				25
26		.29			.06					.22	.02	.01		26
27	.03	.15		.14						.89				27
28						.02				.04		.03		28
29						.06				.08	.04	.01		29
30	.28	~~X~~								.04	.20	.02		30
31	.29	~~X~~		~~X~~		~~X~~			~~X~~	.05	~~X~~			31
TOTAL	4.01	3.93	3.49	2.48	2.50	2.14	1.04	.50	2.02	3.13	1.34	1.86	28.75	Year's Total
* Days with .01 in. or more.	21	23	18	14	12	10	8	3	13	12	13	19	166	
* Days with .04 in. or more.	18	16	14	13	11	9	6	3	9	11	8	9	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Henry J. Hewett* [P.T.O.]

Kept at *Sewage Pump*
in the County of *Ab*

824
ARBINGTON S.W.

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea

1931 - 40

THE MORNING MEASUREMENT

780203

An observer who does not conform
year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.04		0.06	0.01	0.03	0.01	-	0.12	-	-	-	1
2	0.06	0.06	-	0.64	-	-	-	-	0.93	-	-	0.05	2
3	0.01	-	0.08	0.20	0.01	-	-	0.20	0.55	-	0.35	0.14	3
4	-	0.03	-	0.04	-	-	0.25	1.06	0.42	0.02	0.30	0.01	4
5	-	0.02	-	0.17	0.01	0.97	-	0.01	0.01	-	0.05	0.15	5
6	-	0.10	-	0.16	-	-	0.02	-	-	0.23	0.21	-	6
7	-	-	-	0.01	0.14	0.11	0.08	0.11	-	0.13	0.10	0.06	7
8	0.03	0.07	0.01	0.05	0.01	0.09	-	0.14	-	0.01	0.21	-	8
9	-	0.16	-	0.02	-	0.22	0.03	-	-	0.01	0.22	0.01	9
10	0.01	0.01	-	-	-	0.05	0.29	0.12	0.01	-	0.22	-	10
11	0.11	0.14	-	-	-	0.02	-	-	0.05	-	0.05	-	11
12	-	-	-	-	-	-	0.18	0.04	0.30	-	-	-	12
13	-	-	-	-	-	-	0.12	0.13	-	-	-	-	13
14	-	0.07	-	-	0.03	0.23	0.72	0.20	-	-	-	-	14
15	0.01	0.02	-	0.05	0.12	-	0.09	0.09	-	-	0.01	0.05	15
16	-	0.12	-	0.12	0.15	0.21	-	0.18	0.12	-	-	-	16
17	0.01	0.28	-	0.17	0.16	-	0.14	-	0.04	-	-	-	17
18	0.03	0.04	0.06	0.17	-	0.19	-	0.51	-	-	0.33	-	18
19	0.02	0.01	-	0.33	-	0.11	0.35	0.03	-	-	0.01	-	19
20	-	0.02	0.02	0.04	-	-	-	0.11	-	-	0.02	-	20
21	0.01	-	-	-	0.33	-	-	-	-	-	-	-	21
22	0.10	-	-	0.03	-	-	-	-	-	-	-	-	22
23	0.11	0.05	-	0.03	0.46	0.19	-	-	0.03	-	0.13	0.09	23
24	-	-	0.01	0.10	0.24	0.09	0.01	-	-	-	0.01	0.01	24
25	0.05	0.02	-	0.24	0.08	-	0.74	-	-	-	0.05	-	25
26	-	0.04	-	0.06	-	-	0.47	-	-	-	0.27	0.01	26
27	0.02	0.33	-	0.09	0.26	-	0.16	-	-	0.01	0.16	-	27
28	0.17	0.10	-	0.10	0.15	-	-	-	-	0.07	-	0.07	28
29	0.05	X	-	-	0.23	-	0.07	-	-	0.18	0.05	-	29
30	0.11	X	-	-	-	-	-	0.03	-	-	0.01	-	30
31	0.10	X	-	X	0.13	X	-	0.01	X	-	X	0.03	31
TOTAL	1.09	1.76	0.18	2.88	3.12	2.51	3.73	2.97	2.58	0.66	2.76	0.68	24.92
*Days with or in. or more.	19	21	5	22	17	13	17	16	11	8	20	12	181
*Days with or in. or more.	10	14	2	18	12	11	13	12	8	4	15	7	126

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Sewage Pumping Station
in the County of Abingdon, Berkshire
Diameter of Funnel of Gauge eight in.
Height of top of Gauge above Ground one ft. two in.
Ground Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.04		0.06	0.01	0.03	0.01	-	0.12	-	-	-	1
2	0.06	0.06	-	0.64	-	-	-	-	0.93	-	-	0.05	2
3	0.01	-	0.08	0.20	0.01	-	-	0.20	0.55	-	0.35	0.14	3
4	-	0.03	-	0.04	-	-	0.25	1.06	0.42	0.02	0.30	0.01	4
5	-	0.02	-	0.17	0.01	0.97	-	0.01	0.01	-	0.05	0.15	5
6	-	0.10	-	0.16	-	-	0.02	-	-	0.23	0.21	-	6
7	-	-	-	0.01	0.14	0.11	0.08	0.11	-	0.13	0.10	0.06	7
8	0.03	0.07	0.01	0.05	0.01	0.09	-	0.14	-	0.01	0.21	-	8
9	-	0.16	-	0.02	-	0.22	0.03	-	-	0.01	0.22	0.01	9
10	0.01	0.01	-	-	-	0.05	0.29	0.12	0.01	-	0.22	-	10
11	0.11	0.14	-	-	-	0.02	-	-	0.05	-	0.05	-	11
12	-	-	-	-	-	-	0.18	0.04	0.30	-	-	-	12
13	-	-	-	-	-	-	0.12	0.13	-	-	-	-	13
14	-	0.07	-	-	0.03	0.23	0.72	0.20	-	-	-	-	14
15	0.01	0.03	-	0.05	0.12	-	0.09	0.09	-	-	0.01	0.05	15
16	-	0.13	-	0.12	0.15	0.21	-	0.18	0.12	-	-	-	16
17	0.01	0.28	-	0.17	0.16	-	0.14	-	0.04	-	-	-	17
18	0.03	0.04	0.06	0.17	-	0.19	-	0.51	-	-	0.33	-	18
19	0.02	0.01	-	0.33	-	0.11	0.35	0.03	-	-	0.01	-	19
20	-	0.02	0.02	0.04	-	-	-	0.11	-	-	0.02	-	20
21	0.01	-	-	-	0.33	-	-	-	-	-	-	-	21
22	0.10	-	-	0.03	-	-	-	-	-	-	-	-	22
23	0.11	0.05	-	0.03	0.46	0.19	-	-	0.03	-	0.13	0.09	23
24	-	-	0.01	0.10	0.24	0.09	0.01	-	-	-	0.01	0.01	24
25	0.05	0.03	-	0.24	0.08	-	0.74	-	-	-	0.05	-	25
26	-	0.04	-	0.06	-	-	0.47	-	-	-	0.27	0.01	26
27	0.08	0.33	-	0.09	0.86	-	0.16	-	-	0.01	0.16	-	27
28	0.17	0.10	-	0.10	0.15	-	-	-	-	0.07	-	0.07	28
29	0.05	X	-	-	0.23	-	0.07	-	-	0.18	0.05	-	29
30	0.11	X	-	-	-	-	-	0.03	-	-	0.01	-	30
31	0.10	X	-	X	0.13	X	-	0.01	X	-	X	0.03	31
TOTAL	1.09	1.76	0.18	2.88	3.12	2.51	3.73	2.97	2.58	0.66	2.76	0.68	24.92
*Days with or in. or more.	19	21	5	22	17	13	17	16	14	8	20	12	181
*Days with or more.	10	14	2	18	12	11	13	12	8	4	15	7	126

40-9999

*See Instruction 2 (f) on other side.

(Signed) Walter H. Lewis
Borough Surveyor.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Sewage Pumping Station, Abingdon*
in the County of *Berkshire*

Diameter of Funnel of Gauge *eight* in.Height of top of Gauge above Ground *one ft. two* in.,, Ground ,, Sea Level *169* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	-	-	-	1.78	0.01	0.06	0.98	0.03	0.12	0.01	-	1
2	0.01	-	-	0.12	0.09	-	-	0.05	0.36	0.07	0.01	0.11	2
3	-	-	-	0.30	0.09	-	0.02	-	0.19	0.05	-	-	3
4	0.02	0.01	-	0.02	-	-	-	-	-	-	0.13	-	4
5	0.20	0.01	0.02	-	-	0.03	0.02	-	0.06	-	-	-	5
6	0.69	-	0.01	0.10	-	-	-	-	0.22	-	-	-	6
7	0.05	-	0.10	0.14	0.02	-	-	-	0.03	0.06	-	-	7
8	-	0.02	0.11	0.09	0.03	-	-	-	0.18	0.10	-	-	8
9	0.10	0.03	-	0.05	0.10	-	-	-	0.06	-	-	-	9
10	0.18	0.01	0.01	0.15	0.07	0.02	-	-	0.01	0.09	0.02	-	10
11	0.02	-	-	0.05	0.02	-	0.74	0.01	-	0.16	0.04	0.03	11
12	0.15	-	-	0.01	0.19	-	-	-	0.04	0.18	0.04	0.01	12
13	0.03	-	-	0.11	0.01	-	0.13	-	0.02	0.14	0.06	0.03	13
14	0.17	-	-	0.02	0.01	-	-	0.07	-	0.05	0.02	-	14
15	0.01	-	-	0.02	0.21	-	0.10	-	-	-	0.01	0.01	15
16	0.23	-	-	0.19	0.22	-	0.06	-	-	-	-	-	16
17	-	-	-	-	-	-	0.11	-	-	0.07	0.01	-	17
18	-	-	-	-	0.01	-	-	-	0.37	-	0.15	-	18
19	-	-	-	-	-	-	-	-	0.03	0.12	0.01	-	19
20	-	-	-	0.04	0.50	-	0.01	0.99	0.02	0.75	0.07	0.01	20
21	0.02	-	0.11	0.18	1.24	-	-	0.17	-	0.62	0.01	0.02	21
22	0.01	-	0.15	0.01	-	-	0.05	-	0.31	0.16	0.21	-	22
23	-	0.03	-	-	0.37	-	-	-	0.05	0.53	0.01	0.04	23
24	-	0.01	-	-	0.02	-	1.75	-	0.03	0.04	0.01	0.01	24
25	-	0.02	-	0.01	0.02	0.08	0.11	-	0.06	0.13	-	-	25
26	-	-	0.12	0.22	0.05	-	0.10	-	-	0.08	-	-	26
27	-	-	0.27	0.10	0.26	-	0.10	-	0.01	0.05	0.03	-	27
28	-	-	0.13	0.05	0.22	-	0.05	-	-	0.07	-	0.01	28
29	-	-	0.19	0.08	0.64	0.11	0.01	0.03	0.11	0.17	0.01	0.01	29
30	-	X	0.20	0.34	0.08	0.40	-	0.01	0.15	0.03	0.18	0.29	30
31	-	X	0.01	X	0.02	X	0.04	-	X	-	X	0.06	31
TOTAL	1.96	0.14	1.43	2.40	6.27	0.65	3.46	2.31	2.34	3.84	1.04	0.64	26.48
*Days with 0.1 in. or more.	16	8	13	23	25	6	17	8	21	23	20	13	193
*Days with 0.4 in. or more.	9	-	9	17	16	3	13	5	13	22	8	4	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Walter H. Lewis

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Sewage Pumping Station
in the County of Abingdon-on-Thames, Berks.Diameter of Funnel of Gauge eight in.Height of top of Gauge above Ground one ft. two in.,, Ground ,, Sea Level 160 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.08	0.13	0.03	-	0.02	-	0.01	-	-	-	0.03	-		1
2	0.20	-	0.28	-	0.26	-	-	-	-	-	0.02	-		2
3	0.01	0.21	0.16	-	0.03	-	-	-	-	-	0.01	-		3
4	0.20	0.01	0.04	-	0.34	-	-	-	-	-	-	-		4
5	0.02	0.03	0.07	-	0.01	-	-	-	-	-	0.03	-		5
6	-	0.14	0.11	-	0.14	-	-	-	-	0.62	0.03	-		6
7	0.08	0.05	0.06	-	0.07	-	-	-	-	0.08	0.01	0.01		7
8	0.02	-	0.06	-	0.08	-	0.23	-	-	0.01	-	-		8
9	-	0.01	-	-	0.03	-	0.11	-	-	0.07	0.11	-		9
10	0.02	0.05	-	-	-	0.01	0.68	-	-	0.23	0.23	-		10
11	0.18	-	-	-	0.02	-	0.26	0.15	-	-	-	-		11
12	0.01	-	-	-	0.04	0.06	0.05	-	0.58	-	-	0.03		12
13	0.06	-	-	-	0.11	0.02	0.30	-	-	0.03	0.05	-		13
14	0.01	-	-	-	-	-	-	-	-	0.04	0.31	-		14
15	0.25	-	0.12	-	-	-	0.04	0.10	-	0.01	0.03	-		15
16	0.01	0.01	0.59	-	-	0.08	0.06	-	0.10	0.01	0.01	-		16
17	0.03	0.07	0.35	-	-	0.02	-	-	0.02	-	0.01	-		17
18	0.05	0.05	0.17	-	-	0.06	-	-	-	-	0.01	-		18
19	-	0.01	0.27	0.03	-	0.04	-	-	0.10	-	0.01	0.02		19
20	-	0.01	0.10	0.01	-	0.03	-	0.03	0.02	-	0.01	-		20
21	-	0.02	-	-	0.12	0.12	-	0.25	0.12	0.01	-	-		21
22	-	-	-	-	0.33	0.03	-	0.09	-	0.18	-	-		22
23	-	-	-	0.14	-	-	-	-	0.50	0.12	-	-		23
24	-	1.13	-	0.12	0.01	0.06	-	-	0.24	0.04	-	-		24
25	-	1.17	-	0.27	0.01	0.12	-	-	0.24	0.01	0.01	0.07		25
26	-	0.77	-	0.07	-	0.10	-	-	0.11	0.04	-	0.01		26
27	-	0.01	-	-	0.39	-	0.06	-	0.01	0.12	-	0.05		27
28	-	-	-	0.22	-	-	-	-	0.01	0.07	-	0.07		28
29	0.13	X	0.01	0.19	-	-	0.07	-	-	0.03	-	0.04		29
30	0.12	X	0.05	-	-	-	0.02	-	0.08	-	-	0.14		30
31	0.12	X	0.05	X	-	X	-	0.10	X	0.04	X	-		31
TOTAL	1.60	3.88	2.52	1.05	2.01	0.75	1.89	0.72	2.13	1.76	0.92	0.44	19.67	
*Days with "01 in. or more.	19	18	17	8	17	13	12	6	13	19	17	9	168	
*Days with ".04 in. or more.	11	10	15	6	10	8	10	5	9	12	4	5	105	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. *824*.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Sewage Pumping Station.*in the County of *Abingdon-on-Thames Berks*Diameter of Funnel of Gauge. *eight* in.Height of top of Gauge above Ground *one* ft. *two* in.,, Ground ,, Sea Level *169* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	0.01	-	-	-	-	-	0.17	0.01	0.01	0.05	0.36		1
2	0.22	-	0.04	-	0.01	-	-	-	0.63	0.02	0.01	0.19		2
3	0.01	0.06	-	0.10	-	-	-	0.01	-	0.20	-	0.04		3
4	0.04	0.01	0.02	0.27	0.06	-	-	-	0.10	0.26	0.04	0.23		4
5	-	-	0.01	-	0.02	-	-	0.12	-	0.02	0.04	0.31		5
6	0.01	-	0.16	0.01	0.29	0.04	-	0.05	-	0.16	-	0.33		6
7	0.02	0.01	-	-	-	-	-	0.32	-	0.09	-	0.21		7
8	-	-	-	-	0.08	-	-	0.03	0.01	-	0.12	0.03		8
9	0.01	-	0.02	-	-	-	-	-	-	-	0.76	0.37		9
10	0.02	0.01	0.10	0.11	-	-	-	0.02	-	-	0.02	0.03		10
11	0.29	-	0.21	0.47	-	-	0.03	0.02	-	-	-	0.11		11
12	-	-	0.01	0.03	-	-	-	0.03	-	-	-	0.05		12
13	0.28	-	0.20	0.02	-	-	0.07	-	-	-	0.08	0.38		13
14	0.06	-	0.22	-	0.02	-	-	-	-	-	0.23	0.26		14
15	0.02	-	0.08	-	0.04	-	-	-	0.04	0.15	0.13	0.03		15
16	0.10	-	0.13	-	0.01	-	-	-	-	0.02	0.01	0.04		16
17	0.03	0.01	-	0.01	-	-	-	-	0.21	0.02	0.04	0.19		17
18	0.22	-	0.01	0.17	-	-	0.02	-	0.01	-	-	0.09		18
19	-	-	0.24	-	0.01	0.02	-	-	0.11	0.01	0.01	0.05		19
20	-	-	0.06	0.02	-	-	0.04	-	0.03	-	-	-		20
21	-	-	0.01	-	-	0.06	0.08	0.08	-	0.12	-	-		21
22	-	-	-	0.01	0.03	-	-	0.12	0.22	-	0.02	0.09		22
23	-	-	-	0.20	-	0.41	-	-	-	-	0.02	0.03		23
24	-	0.04	0.10	0.03	-	0.01	0.48	-	0.05	-	-	-		24
25	0.21	-	-	0.09	-	0.10	-	-	-	0.08	-	0.35		25
26	0.02	-	-	0.50	-	0.03	-	-	0.02	0.02	-	0.13		26
27	-	-	-	-	-	0.06	-	-	-	0.03	-	0.31		27
28	-	-	-	0.10	-	0.09	0.06	0.32	-	-	-	0.23		28
29	-	X	-	-	-	-	-	0.01	0.29	-	-	0.01		29
30	0.07	X	-	-	-	-	-	0.06	0.05	0.05	-	0.06		30
31	0.02	X	-	X	-	X	0.01	0.25	X	0.08	X	0.03		31
TOTAL	1.70	0.15	1.62	2.14	0.57	0.82	0.79	1.61	1.78	1.34	1.58	4.54	18.64	
*Days with "or in. or more.	19	7	17	16	10	9	8	15	14	17	15	28	175	
*Days with "0.4 in. or more.	10	2	11	9	4	6	5	9	9	9	9	22	105	

† Spare column, no entries required.

(Signed) *Admiral*

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No. 824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lewage Pumping Station
 in the County of Abingdon-on-Thames, Berks.

Diameter of Funnel of Gauge eight in.
 Height of top of Gauge above Ground one ft. two in.
 „ Ground „ Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	-	-	.02	.01	.03	.14	-	.05	.07	.08	.02		1
2	.01	-	-	-	-	.03	-	-	.10	.07	.03	.02		2
3	-	.05	.02	-	-	.15	-	-	.78	.52	.13	.03		3
4	-	-	-	.23	-	.02	-	-	.11	.37	.01	-		4
5	-	.47	.12	.02	-	.13	.02	-	.40	.02	.03	.02		5
6	-	.01	.01	.25	-	.37	-	-	-	.12	.01	.01		6
7	-	.02	-	.47	-	.01	-	-	-	.06	.31	.10		7
8	-	-	-	.23	.01	-	-	-	-	.24	.16	.01		8
9	.01	-	-	.28	-	.55	-	-	-	.85	.40	-		9
10	.01	-	-	.15	-	.01	-	-	-	.06	.15	.01		10
11	.25	-	-	-	-	.10	.27	-	-	-	.17	.01		11
12	.01	.02	-	-	-	.20	-	-	-	-	.01	-		12
13	.07	.09	-	.09	.18	.03	-	-	-	-	.01	-		13
14	-	-	-	.01	.06	.01	-	-	-	-	.24	.18		14
15	-	.06	-	.36	.02	.65	-	-	.26	-	.26	.07		15
16	-	.05	.07	.12	-	.12	.06	-	.21	.01	.50	.08		16
17	-	-	-	.04	-	.16	.01	-	.11	-	.20	-		17
18	-	-	-	.37	.02	.03	.19	-	.17	.03	-	.06		18
19	-	-	-	.09	.13	.04	.04	-	.09	.02	.25	.21	SNOW	19
20	-	.14	-	.05	.29	.08	.07	-	.03	-	.38	-		20
21	-	.26	.05	-	-	-	-	-	.21	.03	.03	-		21
22	-	.02	.06	.15	-	-	-	.13	.23	-	-	-		22
23	-	-	.03	-	-	-	-	.31	.11	.32	-	.11		23
24	.02	.26	-	-	-	-	-	.26	.45	.03	-	.12		24
25	.15	.18	-	.24	-	.80	-	.02	-	-	-	.21		25
26	-	.19	-	-	-	-	-	.07	.06	.02	-	.35		26
27	-	.13	-	-	.03	.01	-	-	.03	-	.07	.68		27
28	.01	.05	-	-	.09	-	-	-	.36	.01	-	.03		28
29	-	X	.02	-	.07	-	-	-	.20	-	.04	.14		29
30	.02	X	-	.14	.09	-	-	.73	.04	.01	.28	.26		30
31	-	X	-	X	.03	X	-	.06	X	1.01	X	.12		31
TOTAL	0.59	2.00	0.38	3.31	1.03	3.50	0.80	1.58	4.00	3.87	3.75	2.85	27.66	
* Days with .01 in. or more.	11	16	4	19	13	21	8	7	20	20	23	23	185	
* Days with .04 in. or more.	3	12	8	16	7	10	6	6	18	11	16	14	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Sewage Farm, Abingdon

in the County of Berkshire

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level 169.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.05	0.05	0.21	-	0.02	0.18	0.05	0.01	-	0.10	0.03		1
2	0.11	0.01	0.01	-	-	0.22	0.47	0.08	-	-	0.11	-		2
3	-	0.01	-	0.10	-	0.24	0.09	-	0.22	-	0.25	0.03		3
4	0.02	-	0.28	-	-	-	-	-	0.13	-	0.09	0.05		4
5	0.17	-	0.03	-	0.03	-	-	0.01	0.12	-	0.01	0.07		5
6	0.15	-	-	-	0.01	0.17	0.01	0.11	0.04	-	0.11	-		6
7	0.22	-	0.04	-	-	-	0.25	-	0.03	-	0.07	0.03		7
8	0.12	-	0.24	-	-	-	-	-	0.01	-	0.65	0.08		8
9	0.28	-	0.02	-	-	-	0.18	-	0.05	0.03	-	-		9
10	0.07	-	-	-	-	-	0.08	0.69	0.02	0.01	-	-		10
11	-	0.01	-	0.08	-	-	0.06	-	0.28	-	0.35	-		11
12	-	-	-	0.02	0.01	0.33	0.23	-	0.07	-	0.07	0.14		12
13	-	-	-	-	-	0.23	-	-	-	0.06	0.03	0.33		13
14	-	0.04	-	0.02	-	0.03	0.77	-	0.12	0.03	-	0.27		14
15	-	-	-	-	-	-	0.01	-	0.08	-	0.01	0.05		15
16	0.12	0.25	-	0.05	-	-	0.01	-	0.02	-	0.41	0.10		16
17	0.20	0.46	-	-	-	-	0.02	-	-	0.02	0.08	0.12		17
18	-	0.04	-	-	-	0.16	0.04	0.01	-	0.04	0.02	0.04		18
19	0.25	0.04	0.04	0.06	-	0.30	-	0.04	-	0.01	-	-		19
20	0.06	0.06	0.06	0.20	-	0.35	-	-	1.35	-	-	-		20
21	-	-	-	0.35	-	0.19	0.05	-	0.03	-	-	-		21
22	0.10	0.53	0.03	-	0.29	-	0.23	-	-	-	-	0.11		22
23	0.09	-	0.76	0.03	0.07	-	0.02	-	-	0.03	-	-		23
24	0.06	0.08	-	-	-	-	0.02	-	0.13	0.19	-	-		24
25	0.03	0.01	0.14	0.07	-	-	0.17	-	0.39	0.17	0.08	-		25
26	0.02	0.07	0.09	0.02	-	0.05	-	-	0.02	0.03	-	-		26
27	0.08	-	0.03	-	-	-	-	-	0.01	0.07	-	-		27
28	0.65	-	0.11	-	-	-	1.55	-	0.01	-	-	0.14		28
29	0.03	0.09	0.02	-	-	0.61	0.05	-	-	0.01	0.22	0.02		29
30	0.10	~~X~~	-	-	0.12	0.08	0.04	-	-	0.37	-	0.01		30
31	0.35	~~X~~	0.27	~~X~~	-	~~X~~	0.09	-	~~X~~	0.51	~~X~~	0.18		31
TOTAL	3.32	1.75	2.22	1.21	0.53	2.98	4.62	0.99	3.14	1.58	2.66	1.80	26.80	✓
* Days with .01 in. or more.	23	14	17	12	6	14	23	7	21	15	17	18	187	✓
* Days with .04 in. or more.	19	11	11	8	3	12	17	5	12	7	13	13	181	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

B. P. King

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pumping Station, Abingdon

in the County of Berkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	—	—	.03	—	—	—	—	.03	.04	.20	.40		1
2	.01	.18	.01	.30	—	—	—	—	.05	—	.01	.23		2
3	—	.34	.01	—	.02	—	—	—	—	—	—	.02		3
4	.04	.38	—	.01	.01	—	—	—	—	—	—	.28		4
5	.11	—	.17	.02	—	—	.09	—	—	—	—	—		5
6	.09	.02	.21	.05	.16	—	.29	—	—	.02	.04	—		6
7	—	.69	—	.15	—	—	—	—	.02	—	—	—		7
8	—	.03	—	—	.08	—	—	—	—	—	.15	.06		8
9	—	.05	.04	.12	.22	.01	.05	—	.26	—	—	.11		9
10	—	—	.57	.31	—	.22	—	—	—	—	—	.11		10
11	—	—	.05	—	.23	.01	.02	—	—	—	—	—		11
12	.13	.31	.04	—	.14	.49	.01	.19	.09	—	—	.09		12
13	.12	.06	.33	.03	—	.29	—	—	.03	—	—	.04		13
14	.01	.01	.45	.33	—	—	—	.44	.01	—	—	.05		14
15	.14	.06	—	.08	—	—	.66	—	.15	—	.01	.01		15
16	.01	.06	.47	.75	—	.02	—	.06	.33	—	—	—		16
17	.30	.01	.34	.03	—	—	.03	—	.31	—	—	—		17
18	.34	.07	.04	.02	—	.28	—	—	.09	—	.28	.16		18
19	.06	.03	.10	.03	.04	.22	—	—	.02	—	.02	.04		19
20	.21	.01	—	.47	.39	.01	—	—	—	.02	—	—		20
21	.17	.55	.07	.08	.08	—	.04	—	—	.01	.02	.06		21
22	.18	.03	.09	—	.05	.28	.06	—	—	.71	.21	.01		22
23	.32	.03	.01	—	.19	—	.07	—	—	.27	.17	—		23
24	.21	.51	.03	—	.07	—	—	—	.17	.28	—	.01		24
25	.16	.16	.12	—	.88	—	—	—	.02	.14	—	.01		25
26	.01	.39	.01	—	.10	—	—	—	—	.09	—	—		26
27	.02	.08	—	.14	—	—	—	—	—	.98	—	.71		27
28	—	.02	—	—	—	—	—	—	—	.04	—	.03		28
29	.02	X	—	—	—	.07	—	—	—	.07	.05	.01		29
30	.29	X	—	—	—	.01	—	—	—	.02	.16	.01		30
31	.24	X	—	X	—	X	—	—	X	.06	X	.03		31
TOTAL	3.27	4.08	3.16	2.95	2.66	1.84	1.32	.69	1.58	2.75	1.32	1.77	27.39	Year's Total
* Days with .01 in. or more.	24	24	20	18	15	12	10	3	14	14	12	21	187	
* Days with .04 in. or more.	18	15	15	11	13	7	7	3	8	10	8	12	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

S.A. Bradfield

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. **824**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at *Sewage Pumping Station, Abingdon.*in the County of *Berkshire*Diameter of Funnel of Gauge.....*8* in.Height of top of Gauge above Ground.....*1* ft. *0* in.,, Ground ,, Sea Level*170* ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.01	—	—	—	.07	.04	—	.01	.05	—	.06		1
2	—	—	—	.01	.04	—	—	—	—	.39	—	.03		2
3	.01	—	—	—	.25	—	—	—	.02	.50	—	—		3
4	.05	—	—	—	—	—	.02	.03	—	.28	—	.05		4
5	—	—	—	—	—	.01	—	—	—	.16	—	.02		5
6	.04	—	—	—	—	—	.05	—	.12	.12	—	.01		6
7	.01	—	—	—	—	.01	.25	.52	.08	.10	—	.07		7
8	.09	—	—	—	—	.04	.01	.14	.01	.07	—	.02		8
9	.02	.01	—	—	—	—	.03	.12	—	—	—	.63		9
10	.15	.02	—	—	—	.01	.02	.30	—	—	—	.06		10
11	.20	—	—	—	—	—	—	—	—	—	.08	.03		11
12	.21	.02	—	—	.02	—	—	.26	—	.24	.01	—		12
13	.01	.05	—	—	—	—	—	—	—	.01	.06	.21		13
14	.20	.01	—	—	.04	—	.18	—	.06	—	—	.02		14
15	.04	—	—	—	.01	—	.31	—	—	.06	.02	.10		15
16	.30	.03	—	—	.11	—	.01	.02	—	.02	.01	.08		16
17	—	.09	—	—	.07	—	—	—	.01	.07	—	—		17
18	.04	—	—	—	.02	.01	—	.02	.24	—	.16	—		18
19	—	—	—	—	—	—	—	.03	.06	—	.16	—		19
20	—	—	—	—	—	—	—	—	.03	—	.77	.03		20
21	.01	—	.01	—	—	—	—	.02	.01	—	.01	.47		21
22	—	—	—	.01	—	.02	—	.15	—	—	.14	.32		22
23	—	—	—	—	—	—	—	—	—	—	.06	—		23
24	—	—	.09	—	.02	—	—	.01	.12	—	.02	—		24
25	.05	.07	.05	—	.11	—	.01	.10	—	.02	.60	.14		25
26	.20	.26	.10	—	.03	—	—	—	.13	.10	—	.22		26
27	.04	.02	—	.01	.26	.26	.14	.03	.17	.01	.31	—		27
28	.18	.03	—	—	.57	.03	—	.77	.02	—	.03	.07		28
29	.12	X	—	—	.28	—	—	—	—	.05	.05	.11		29
30	.02	X	—	.01	.12	.14	—	—	.19	.04	.16	.03		30
31	.16	X	—	X	.07	X	—	—	X	.05	X	.13		31
TOTAL	2.15	0.42	0.25	0.04	2.02	0.60	1.07	2.52	1.28	2.34	2.65	2.91	18.25	
* Days with .01 in. or more.	22	12	4	4	16	10	12	15	16	19	17	23	170	
* Days with .04 in. or more.	16	4	2	—	11	4	6	8	9	15	11	15	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *S. D. Broadfield* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ... Pumping Station ... Abingdon

in the County of ... Oxfordshire

Diameter of Funnel of Gauge ... 8 in.

Height of top of Gauge above Ground ... 4 ft ... in.

Ground Sea Level ... 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	.01	.01	-	-	-	-	-	.14	-		1
2	-	.10	-	.15	-	-	.16	-	-	.02	.80	-		2
3	-	.12	-	.01	-	-	-	-	-	.20	1.09	.01		3
4	-	.14	-	.19	-	-	-	-	-	.16	.17	.02		4
5	-	.02	-	-	-	-	.04	-	-	.01	.30	.05		5
6	.14	.09	-	-	.02	-	.06	-	-	.12	.02	.01		6
7	.08	.16	-	.01	-	-	.33	-	-	-	.01	.01		7
8	-	-	-	-	-	-	-	-	.01	.13	-	.20		8
9	-	-	-	-	-	.01	-	-	.02	.01	.12	.05		9
10	-	-	.01	-	-	-	1.09	-	.01	.07	.13	.07		10
11	-	.01	-	.04	-	.02	.02	-	-	-	.47	.02		11
12	-	-	.02	-	-	-	.06	-	.05	.01	.01	-		12
13	-	.10	.44	-	-	-	.01	-	.14	-	1.06	-		13
14	-	.01	.14	.10	.03	-	-	-	.06	.23	-	.18		14
15	-	-	.01	.06	.05	-	.08	-	.05	.35	.31	.01		15
16	.03	.17	.35	-	-	.01	.37	-	.23	.55	.72	.02		16
17	-	-	.33	-	-	-	.01	-	.01	-	.03	-		17
18	-	.30	.25	.35	-	-	-	.04	-	.12	.14	.11		18
19	-	.14	.01	.27	-	-	-	-	.07	-	.09	.01		19
20	-	.01	.03	.03	-	-	-	.01	-	.15	.03	-		20
21	.03	-	-	-	.12	-	.11	-	-	.04	.48	-		21
22	-	-	.17	-	.54	.28	-	-	.15	-	-	-		22
23	-	.12	.01	.03	.01	.29	.01	-	-	.02	.01	.01		23
24	-	-	-	-	-	-	.23	-	-	-	-	-		24
25	.01	-	.19	-	-	.05	.01	-	-	-	-	-		25
26	.99	.03	.05	.57	.04	.01	.23	-	-	-	-	-		26
27	.68	.02	-	.03	.09	-	.09	-	-	-	.01	-		27
28	.57	.06	-	.01	.15	-	-	-	-	-	-	-		28
29	.04	.12	.02	.04	.02	-	-	-	-	-	-	.29		29
30	.03	X	-	.18	-	-	-	-	-	.11	-	.01		30
31	.02	X	-	X	-	X	-	-	X	.50	X	.02		31
TOTAL	2.62	1.73	2.03	2.03	1.08	.67	2.91	.05	.81	2.80	6.19	1.10	24.02	
* Days with .01 in. or more.	11	19	15	17	11	11	17	2	11	17	21	18	166	
* Days with .04 in. or more.	6	12	8	9	6	3	12	1	7	13	14	7	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.C.

REGISTER OF

Kept at The First Cabin
in the County of Berkshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 15 ft.
Ground 200 Sea Level

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	TR		.06	.01	.03			.16	.01			1
2	.07	.08	.1	.60		TR	TR		.9	TR	.02	.1	2
3	.01	.01		.21			TR	.18	.53	~~.05~~	~~.05~~	.11	3
4		.02		.07			.235	.91	.5	.015	.16		4
5		.02		.17	.04	.45	TR	.01	~~.18~~	.6R	.08	.18	5
6		.09		.18		.02	.065			.25	.21	TR	6
7	.041	TR		.01	.15	.035	.05	.11		.14	.15	.66	7
8		.07	TR	.075	.01	.13	TR	.20		.01	.22		8
9		.16	TR	.01		.15	.05	TR		TR	.205		9
10		.01			TR	.05	.125	.13	.01	.02	.21	.01	10
11	.12					.02	.21		.05		.08		11
12	TR	TR					.24	.04	.32		.01		12
13						TR	.10	.18	.01		TR		13
14	TR	.09			.03	.25	.66	.16					14
15	.01	.02		.06	.16		.02	.10				.05	15
16		.22		.11	.13	.21		.18	.14				16
17	TR	.18		.141	.16	TR	.15		.03				17
18	.04	.035	.06	.21	TR	.23	.015	.50		.01	.35		18
19	.03	.02		.3		.07	.39	.05			.01		19
20	.01		.02	.02			TR	.11		TR		.01	20
21	.02			.04	.335	TR		TR			TR		21
22	.10			.03							.01		22
23	.12	.05	TR	.17	.55	.25		TR	.02		.13	.09	23
24	TR	.02	TR	.10	.2	.07	TR		TR		TR	TR	24
25	.04	.03		.05	.075		.71				.08		25
26	TR	.05		.075			.56				.27		26
27	.04	.385		.06	.83		.23			.015	.16		27
28	.15				.1		TR			.07	.01	.15	28
29	.03	.1			.27		.07			.12	.05		29
30	.08	X					.01	.01					30
31	.12	X		X	.16	X		TR	X		X	.03	31
TOTAL	1.10	1.66	.18	2.84	3.26	2.48	3.89	2.87	2.68	.66	2.93	.79	YEAR'S TOTAL 25.39
*Days with ".01 in. or more.	18	20	2	22	16	14	18	15	12	10	20	10	177
*Days with ".04 in. or more.	11	11	2	16	12	10	15	13	7	4	15	7	125

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Iris Cabinado
in the County of Belews

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 15 ft.
Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	TR		.06	.01	.03			.16	.01			1
2	.07	.08	.1	.60		TR	TR		.9	TR	.02	.1	2
3	.01	.01		.21			TR	.18	.53	~~.05~~	~~.05~~	.11	3
4		.02		.07			.235	.91	.5	.015	.16		4
5		.02		.17	.04	.45	TR	.01	~~.28~~	TR	.08	.18	5
6		.09		.18		.02	.665			.25	.21	TR	6
7	.041	TR		.01	.15	.035	.05	.11		.14	.15	.66	7
8		.07	TR	.075	.01	.13	TR	.20		.01	.22		8
9		.16	TR	.01		.15	.05	TR		TR	.205		9
10		.01			TR	.05	.125	.13	.01	.02	.21	.01	10
11	.12					.02	.21		.05		.08		11
12	TR	TR					.24	.041	.32		.01		12
13						TR	.10	.18	.01		TR		13
14	TR	.04			.03	.25	.66	.16					14
15	.01	.02		.06	.16		.02	.10				.05	15
16		.22		.11	.13	.21		.18	.14				16
17	TR	.18		.141	.16	TR	.15		.03				17
18	.04	.035	.06	.21	TR	.23	.015	.50		.01	.35		18
19	.03	.02		.3		.07	.39	.05			.01		19
20	.01		.02	.02			TR	.11		TR		.01	20
21	.02			.04	.335	TR		TR			TR		21
22	.10			.03							.01		22
23	.12	.05	TR	.17	.55	.25		TR	.02		.13	.04	23
24	TR	.02	TR	.10	.2	.07	TR		TR		TR	TR	24
25	.04	.03		.05	.075		.71				.08		25
26	TR	.05		.075			.56				.27		26
27	.04	.385		.06	.83		.23			.015	.16		27
28	.15				.1		TR			.07	.01	.15	28
29	.03	.1			.27		.07			.12	.05		29
30	.08	X					.01	.01					30
31	.12	X		X	.16	X		TR	X		X	.03	31
TOTAL	1.10	1.66	.18	2.84	3.26	2.48	3.89	2.87	2.68	.66	2.93	.79	YEAR'S TOTAL 25.33
*Days with .01 in. or more.	18	20	2	22	16	14	18	15	12	10	20	10	177
*Days with .04 in. or more.	11	11	2	16	12	10	15	13	7	4	15	7	125

Section

A

for the entry of Daily Observations.

Station No.

826
526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at The Firs, Marcham Rd., Abingdon
in the County of BerksDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 1/2 in.
,, Ground ,, Sea Level 200 ft.Observer says possibly some days are
wa during summer + 679016/26.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

09

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	Tr	-	Tr	1.5	.01	.06	.54	.04	.15	-	Tr	1
2	.01	.01	-	.12	.09	-	Tr	.05	.34	.15	-	.11	2
3	-	-	-	.3	.07	-	Tr	-	.15	.09	-	-	3
4	Tr	-	-	.02	-	-	-	-	.06	.1	.13	-	4
5	.16	Tr	.01	Tr	-	.01	.02	-	.25	-	-	-	5
6	.52	-	.14	.12	-	-	-	-	.04	-	-	-	6
7	-	-	-	.10	Tr	Tr	Tr	-	.165	.09	-	-	7
8	-	.02	.1	.07	.03	-	-	-	.03	-	-	-	8
9	.085	SNOW Tr	Tr	.04	.09	-	-	-	.02	.08	-	-	9
10	.15	SNOW .015	.02	.18	.07	.02	-	-	Tr	.085	.02	-	10
11	.04	Tr	-	.05	.03	Tr	Thunder .77	-	.06	.1	.05	.04	11
12	.13	Tr	-	-	.20	-	Tr	-	.01	.245	.04	-	12
* 13	.29	.02	-	.11	.01	-	.15	-	-	.12	.05	.03	13
14	-	Tr	-	.045	-	-	Tr	.06	-	Tr	.03	Tr	14
15	.01	-	-	.08	.19	-	.175	-	-	-	.01	.01	15
16	.25	-	-	.2	.21	-	.2	-	-	.06	-	-	16
17	.01	-	-	.01	-	-	.15	-	-	-	.01	-	17
18	-	-	-	Tr	.02	-	.01	-	.38	.07	.15	-	18
19	-	-	-	-	-	-	-	-	.01	.19	.015	-	19
20	-	-	-	Tr	.47	-	Tr	.89	-	.78	.07	Tr	20
21	.01	-	-	.22	1.28	-	-	.14	.02	.62	-	.025	21
22	.01	Tr	-	Tr	Tr	Tr	.05	-	-	.15	.22	Tr	22
23	-	.035	-	-	.36	-	Tr	-	.34	.54	.03	.05	23
24	-	.01	.15	Tr	.03	-	1.7	-	.06	.02	.01	.015	24
25	-	.02	.2	Tr	.03	.21	.12	-	.03	.16	Tr	-	25
26	-	-	.13	.21	.09	-	.12	-	.05	.09	Tr	Tr	26
27	-	-	.28	.12	.33	Tr	.11	-	-	.04	.02	-	27
28	-	-	.17	.05	.28	-	.05	-	.015	.05	Tr	.01	28
29	-	-	.21	.09	.55	.13	.02	.04	-	.2	Tr	Tr	29
30	Tr	X	.25	.36	.06	.44	Tr	.01	.015	.02	.2	.29	30
31	-	X	.01	X	.01	X	.02	-	X	-	X	.06	31 25.56
TOTAL	1.775	.13	1.67	2.495	6.3	.82	2.725	1.73	2.085	4.2	1.055	.64	YEAR'S TOTAL 25.565
*Days with ".01 in. or more.	15	7	12	20	23	6	16	7	20	24	16	10	176
*Days with ".04 in. or more.	9	0	9	18	16	3	12	6	12	22	9	5	120

Section

A

for the entry of Daily Observations.

Station No.

826
826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

November 1/2 1933

906 sent 30/5/34 suggesting 35 for 14/11.
Observer agrees 4/6/34Kept at The Fins Marcham Rd. Abingdon
in the County of Berks.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 3 in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.08	.02	-	.01	-	-	-	-	-	.02	-		1
2	.19	TR	.28	-	.25	-	-	-	-	-	.03	-		2
3	TR	.22	.19	-	.02	-	-	-	-	-	.03	-		3
4	.16	.01	.01	-	.36	-	-	-	-	-	-	-		4
5	.01	.03	.08	TR	.01	-	-	-	-	-	.04	-		5
6	TR	.17	.07	-	.12	-	-	-	-	.51	.03	-		6
7	.04	.04	.08	-	.07	-	-	-	-	.08	-	.01		7
8	.03	TR	.06	-	.08	-	.27	-	-	.02	-	-		8
9	-	TR	-	-	.03	TR	.13	-	-	.09	.16	-		9
10	-	-	-	TR	TR	.01	.69	TR	-	.24	-	-		10
11	.22	X	-	-	.01	TR	.28	.17	-	.01	TR	-		11
12	-	-	-	-	.07	.06	.06	-	.6	-	-	.03		12
13	.06	-	-	-	.12	.02	.31	-	-	.01	.06	-		13
14	.01	-	-	-	-	-	.01	.01	-	.06	.35	-		14
15	.24	-	.15	-	-	-	.03	.1	-	.01	TR	-		15
16	-	.06	.61	-	-	.09	.08	-	.12	-	.61	-		16
17	.05	.04	.35	-	-	.02	TR	-	.02	-	-	-		17
18	.05	.02	.15	-	-	.06	-	-	-	-	TR	-		18
19	TR	TR	.31	.015	-	.04	-	-	.105	-	.01	.025		19
20	-	-	.11	.01	-	.12	-	.05	.01	-	TR	-		20
21	-	.01	-	-	.05	.05	-	.15	.11	.02	-	-		21
22	-	-	-	-	.22	.05	-	.1	-	.2	-	-		22
23	-	TR	-	.14	-	-	-	-	.46	.17	-	-		23
24	-	.17	-	.15	-	.09	-	-	.25	TR	-	-		24
25	-	.57	-	.29	.03	.03	-	-	.22	.01	TR	.08		25
26	-	.54	-	.12	-	.08	-	-	.14	.05	-	.01		26
27	-	TR	-	-	.33	-	.03	-	.025	.1	-	.05		27
28	-	-	-	.24	-	-	-	-	.01	.07	-	.07		28
29	.12	X	-	.27	-	-	.1	-	-	.03	-	.04		29
30	.14	X	.03	-	.01	-	.04	.1	.06	-	-	.12		30
31	.09	X	.06	X	-	X	-	-	X	.04	X	-		31
TOTAL	1.55	3.96	2.56	1.235	1.79	2.05	.68	.68	2.13	1.72	.34	.435	Year's total	19.553
*Days with or in. or more.	8/6	4/13	3/16	8	7/17	4/13	3/12	4/7	13/15	8/18	6/9	4/9	46	151
*Days with .04 in. or more.	12	9	3/13	7	10	9	9	6	9	11	3	5	96	103

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

MERCY R. CHALLENGER

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Abingdon

in the County of Berks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	TR	-	-	-	-	-	.17	TR	-	.05	.37		1
2	.25	TR	.05	-	-	-	-	.01	.6	.02	.01	.2		2
3	.01	.06	-	.18	-	-	-	.01	.01	.28	-	.07		3
4	.05	-	.03	.23	.07	-	-	-	.1	.3	.04	.19		4
5	.01	TR	TR	-	.03	-	-	.13	-	.01	.04	.29		5
6	TR	-	.16	.02	.3	.04	-	.04	-	.16	-	.34		6
7	.01	.01	-	-	.01	TR	-	.31	-	.08	.01	.17		7
8	-	-	-	-	.08	-	-	.02	-	-	.14	.05		8
9	.01	-	.02	-	-	-	-	-	.01	-	.76	.35		9
10	.07	-	.09	.12	-	-	-	.04	-	-	.02	.02		10
11	.23	-	.24	.4	-	-	.04	.02	-	-	-	.11		11
12	-	.02	.02	.03	-	-	.01	.06	-	-	-	.05		12
13	.26	-	.28	.02	-	TR	.1	.03	-	-	.09	.49		13
14	.08	-	.23	TR	-	-	-	-	-	TR	.23	.27		14
15	.02	-	.06	-	-	-	-	-	.06	.15	.14	.05		15
16	.12	-	.13	-	.03	-	-	-	-	.02	.01	.02		16
17	.05	TR	.01	.01	TR	.05	TR	-	.14	.02	.04	.16		17
18	.27	-	.02	.24	-	TR	.03	-	.03	-	TR	.11		18
19	-	-	.25	TR	.02	-	-	-	.13	.01	.01	.05		19
20	-	-	.06	.02	-	.02	.04	TR	.01	TR	-	TR		20
21	-	-	.01	-	-	.11	.07	.08	-	.09	-	-		21
22	-	-	TR	-	.03	-	-	.12	.22	-	-	.09		22
23	-	.01	-	.18	-	.37	-	-	.01	-	-	-		23
24	-	.04	.09	.04	-	.01	.45	-	.03	-	.03	.03		24
25	.21	-	-	.12	TR	.06	-	-	-	.09	-	.32		25
26	.02	-	TR	.58	-	.04	-	-	.01	.02	-	.16		26
27	-	.01	-	.01	-	.07	-	-	-	.03	-	.31		27
28	-	-	.01	.12	-	.07	.07	.36	-	-	-	.21		28
29	-	-	-	TR	-	-	-	.04	.31	-	-	.02		29
30	.08	X	-	-	-	-	-	.02	.06	.04	-	.06		30
31	.02	X	-	X	-	X	.02	.14	X	.09	X	.03		31
TOTAL	1.82	.15	1.76	2.32	.59	.84	.83	1.60	1.73	1.41	1.62	4.59	19.26	
*Days with ".01 in. or more.	81962	187	166	96	62	93	176	157	716	156	286	178		
*Days with ".04 in. or more.	12	2	11	10	3	8	6	11	8	9	9	22	111	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. G. Challenger

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE

Station No.

826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Firs, Marcham Rd. Abingdon

in the County of Berks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	.03	.01	.025	.175	-	.025	.04	.085	.02		1
2	TR	-	-	-	-	.065	-	-	.065	.08	.02	.02		2
3	-	.05	.02	-	-	.19	-	TR	.765	.53	.12	.02		3
4	-	-	-	.24	-	.05	-	-	.09	.44	.01	-		4
5	-	.43	.13	.03	-	.205	.025	-	.45	.02	.03	.02		5
6	-	.03	.01	.25	-	.315	-	-	-	(.4)	.04	.02		6
7	.01	.02	-	.5	-	.03	-	-	-	(.52)	.28	.095		7
8	-	-	-	.27	.01	-	-	-	-	(.2)	.16	.01		8
9	.01	-	-	.24	TR	.56	-	-	-	.8	.41	-		9
10	.01	-	-	-	-	.025	-	-	-	.05	.09	.015		10
11	.24	-	-	-	-	.11	.2	-	-	TR	.16	-		11
12	.01	.04	-	-	-	.17	-	TR	-	-	.02	-		12
13	.08	.11	-	.1	.185	.04	-	-	-	-	TR	-		13
14	-	TR	-	.02	.06	.035	-	-	.015	-	.21	.22		14
15	-	.13	-	.36	.02	.58	-	-	.28	-	.2	.11		15
16	-	.06	.06	.12	TR	.25	TR	-	.18	.01	.61	-		16
17	-	-	.01	.04	-	.16	.05	TR	.1	-	.15	.08		17
18	-	-	-	.37	.02	.03	.16	TR	.165	.04	TR	.1		18
19	TR	TR	-	.09	.155	.04	.05	-	.09	.02	.265	.13		19
20	-	.11	-	.06	.33	.09	.09	-	.02	-	.4	.14		20
21	TR	.30	.03	.02	.01	TR	-	-	.37	.03	.04	-		21
22	-	.02	.07	.12	-	-	-	.11	.26	-	TR	-		22
23	-	-	.03	-	-	-	-	.38	.1	.36	-	.14		23
24	.02	.26	.01	(.25)	-	-	-	.21	.53	-	-	.13		24
25	.15	.17	-	(.25)	-	1.02	-	.03	.06	-	-	(.58)		25
26	TR	.24	-	-	-	.01	-	.08	-	.05	-	(.58)		26
27	TR	.11	-	-	.03	.015	TR	-	.05	.01	.07	.65		27
28	.01	.04	-	-	.11	-	-	-	.37	-	.02	.02		28
29	-	-	.02	-	.21	-	-	-	.155	.02	.04	.17		29
30	.02	X	-	.14	.095	-	-	.76	.06	-	.33	.28		30
31	-	X	-	X	.03	X	-	.085	X	.21	X	.16		31
TOTAL	.6	2.12	.39	3.25	1.275	4.015	.75	1.655	4.1	3.23	3.81	3.13	Year's Total.	
* Days with .01 in. or more.	15	16	8	5	9	14	8	5	3	7	8	8	28.325	
* Days with .04 in. or more.	3	13	3	15	7	15	6	6	10	11	10	15	193	
													108	
													132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. P. Challinor

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **826**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **THE Firs, Marchand Rd Abingdon**in the County of **BERKS**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground....**1** ft....**3** in.,, Ground ,, Sea Level**2.00** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.05	.045	.25	-	.04	.20	.12	-	-	.12	.04		1
2	.09	TR	TR	.01	-	.18	.65	.10	TR	-	.11	TR		2
3	-	-	-	.09	-	.20	.14	-	.18	-	.28	.05		3
4	.02	-	.295	TR	-	.01	-	-	.15	-	.10	.05		4
5	.19	-	-	TR	.025	TR	-	TR	.14	-	-	.10		5
6	.16	-	-	-	-	.18	-	.10	.05	-	.15	-		6
7	.235	-	.08	-	-	-	.19	-	.02	-	.06	-		7
8	.115	-	.27	-	-	-	TR	-	.06	-	.74	.13		8
9	.295	-	.04	-	TR	-	.175	-	TR	.03	-	-		9
10	.09	-	-	-	-	-	.09	.49	.04	-	-	-		10
11	-	.01	.075	-	-	-	.05	-	.18	-	.335	-		11
12	-	-	-	.02	TR	.32	.25	-	.21	-	.08	.14		12
13	-	-	-	.01	-	.22	-	-	.31	.07	.03	.34		13
14	-	-	-	.02	-	TR	.81	-	.10	.02	TR	.28		14
15	-	-	-	.01	-	.03	.02	-	.09	-	TR	.06		15
16	.095	.30	-	.05	-	-	TR	-	-	-	.41	.115		16
17	-	.495	-	-	-	-	.02	-	.04	.02	.08	.10		17
18	.19	.04	-	-	-	.14	.05	.02	-	.08	.03	.05		18
19	.30	.035	.06	.06	-	.325	-	.05	-	-	-	-		19
20	.04	.075	.05	.21	-	.29	-	-	1.47	-	-	-		20
21	-	-	-	.375	-	.23	.03	-	.06	-	-	-		21
22	.09	.54	.03	.01	.24	-	.23	-	-	-	-	.125		22
23	.10	-	.86	.04	.085	-	.03	-	-	.09	-	-		23
24	.07	.08	-	-	-	-	.04	-	.11	.20	-	-		24
25	.03	-	.13	.09	TR	-	.31	-	.36	.13	.08	-		25
26	.02	.08	.10	.02	-	.08	TR	-	.05	.10	-	.01		26
27	.10	-	-	-	-	-	-	-	.02	.08	-	-		27
28	.64	-	.15	-	-	-	1.00	-	-	-	.01	-		28
29	.035	.10	.01	-	.02	.225	.08	-	-	-	.24	.14		29
30	.11	X	-	-	.11	.12	.035	-	-	.33	-	-		30
31	.035	X	.295	X	TR	X	.10	-	X	.57	X	.21		31
TOTAL	3.370	1.805	2.490	1.265	.480	2.590	4.420	.880	3.640	1.720	2.855	1.940	Year total 27.455	✓
* Days with .01 in. or more.	523	211	215	715	25	215	521	46	219	312	316	161	35	174 ✓
* Days with .04 in. or more.	18	9	13	8	3	13	16	5	17	9	13	15	139	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) **Marcy R. Challender** [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at The Friar Church Rd. Abingdonin the County of Berkshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...1 ft.....3 in.

,, Ground ,, Sea Level 2.00 ft.

File number 679016/26.
Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.110	—	TR	.025	—	—	—	—	.020	.025	.250	.360		1
2	T.R.	.170	—	.235	—	—	—	—	.040	—	.010	.240		2
3	—	.370	—	—	.165	TR	—	—	—	—	TR	—		3
4	.060	.410	—	.070	.050	—	.100	—	—	—	TR	.330		4
5	.130	—	.180	.010	—	—	.270	—	—	—	—	—		5
6	.080	.040	.220	.050	.150	—	—	—	—	.030	.030	—		6
7	TR	.660	—	.170	—	—	—	—	—	—	~~.030~~	—		7
8	.010	.030	—	—	.090	—	—	—	TR	—	.140	TR		8
9	—	.060	TR	.070	.190	.010	.090	—	—	—	—	.150		9
10	.010	—	.570	.340	—	.220	—	—	.290	—	—	.130		10
11	—	—	.050	—	.220	.010	.020	—	—	—	—	TR		11
12	.150	.310	.050	.030	.140	.520	—	.180	.090	—	—	.090		12
13	.130	.070	.330	—	TR	.250	—	—	.025	—	—	.040		13
14	.020	.070	.455	.36	—	TR	—	.540	—	—	—	—		14
15	.140	—	—	.105	—	—	.79	—	—	—	—	.040		15
16	.020	.060	.400	.790	—	—	—	.050	.245	—	—	—		16
17	.270	—	.430	—	—	.020	.025	—	.350	—	—	—		17
18	.380	.060	.040	.035	—	.330	~~.025~~	—	.080	—	.245	—		18
19	.025	.070	.125	.050	.095	.215	TR	—	.085	—	—	—		19
20	.230	.020	—	.390	.380	.010	—	—	—	—	—	—		20
21	.210	.540	.065	.090	.110	~~.040~~	.040	—	—	—	.300	.070		21
22	.180	.040	.090	—	.060	~~.240~~	.070	—	—	.750	.160	.010		22
23	.340	.030	.020	—	.185	—	—	—	—	.400	—	—		23
24	.240	.525	.040	—	.105	—	.100	—	.140	.290	—	TR		24
25	.150	.180	.115	—	.870	—	—	—	.020	.170	—	.020		25
26	.010	.640	.020	—	.100	—	—	—	—	.075	—	—		26
27	.020	.110	.050	.160	—	—	—	—	—	.96	.010	.030		27
28	—	.020	—	—	—	—	—	—	—	.055	—	—		28
29	.030	×	—	—	—	—	—	—	—	.070	.040	—		29
30	.320	×	—	—	—	—	—	—	—	.070	.18	—		30
31	.240	×	—	×	—	×	—	—	×	—	×	.040		31
TOTAL	3.805	4.450	3.250	2.980	2.910	1.825	1.505	.770	1.395	2.895	1.365	1.740	Year's Total	28.43
* Days with .01 in. or more.	825	422	218	417	215	410	29	23	211	211	210	213	35	164
* Days with .04 in. or more.	17	18	16	13	15	6	7	3	8	9	7	10	129	

3.51

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) Mercy R. Challender [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Friar's Marchant Rd. Ailingdon
in the County of Beck's

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....3.....in.

,, Ground ,, Sea Level 200.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.110	—	TR	.160	.135	—	—	.130	—	.060		1
2	.010	—	—	—	—	—	—	—	—	.315	—	.030		2
3	.020	—	—	—	.260	—	—	—	.020	.545	—	—		3
4	.030	—	—	—	—	—	.040	.020	—	.260	—	.066		4
5	—	—	—	TR	—	TR	.100	—	TR	.180	—	.020		5
6	—	TR	—	—	—	—	.020	—	.110	.170	TR	.016		6
7	.040	—	—	—	—	.070	.265	.590	.040	.110	—	.070		7
8	.120	—	—	—	—	—	—	.150	.020	.070	—	—		8
9	.010	TR	—	—	—	.020	.03	.100	—	TR	—	.605		9
10	.175	—	—	—	—	—	.025	.320	—	—	—	.040		10
11	.230	—	—	—	—	—	—	—	—	—	.105	.030		11
12	.250	.020	—	—	.025	—	TR	.350	—	.240	.015	TR		12
13	TR	.040	—	—	—	—	—	—	.070	.015	.055	.260		13
14	.200	—	—	—	.040	—	.150	—	—	—	.020	.020		14
15	.070	—	—	—	.020	—	.270	—	—	.050	—	.120		15
16	.320	.035	—	—	.085	—	.015	.020	—	—	.010	.030		16
17	—	.080	—	—	.040	—	—	—	—	.070	TR	TR		17
18	.040	—	—	—	TR	—	—	.025	.280	TR	.160	TR		18
19	—	—	—	—	TR	—	—	.040	.100	—	.290	—		19
20	—	—	—	—	—	—	—	—	—	—	.810	.020		20
21	.020	—	TR	—	—	—	—	.050	.020	—	.020	.330		21
22	—	—	—	TR	—	.025	—	.130	TR	—	.140	.235		22
23	—	—	—	.010	—	—	TR	—	—	—	.030	—		23
24	—	—	.110	TR	—	—	—	—	.110	—	.030	—		24
25	.070	.070	.040	TR	.150	—	—	.100	—	.030	.565	.205		25
26	.230	.275	.100	—	.400	TR	—	—	.140	.100	—	.190		26
27	—	—	—	TR	.300	.210	.150	.020	.180	.010	.370	TR		27
28	.255	—	—	—	.450	.030	—	.760	TR	—	—	.180		28
29	.120	—	—	—	.310	—	—	TR	.175	.050	.055	.050		29
30	.025	X	—	.01	.066	.130	—	—	X	.040	.190	.050		30
31	.140	X	—	X	—	X	—	—	X	.060	X	.130		31
TOTAL	2.375	.520	.360	.020	2.140	.645	1.200	2.675	1.265	2.385	2.865	2.695	Year's Total	
* Days with .01 in. or more.	20	26	04	2	22	83	411	414	312	318	166	22	145	
* Days with .04 in. or more.	14	4	4	0	10	4	7	10	9	15	10	15	102	

† Spare column, no entries required

* See Instruction 3 (i) on other side.

(Signed)

M. R. Chalcraft

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Friars, Marcham Rd., Abingdon

in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft. 3.....in.

,, Ground ,, Sea Level ...20.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.035		TR	.380	.490	-	-	.110	.050	-	-	-		1
2	.050	-	-	TR	-	-	-	-	.450	-	.060	.260		2
3	-	-	-	.170	-	-	-	.590	-	-	.220	.060		3
4	.040	-	.150	.310	.050	-	.220	.340	-	.445	-	-		4
5	-	-	-	.635	.330	-	.070	.090	-	.200	.310	.165		5
6	.360	-	-	.040	TR	-	.220	.030	-	-	.080	TR		6
7	.010	.080	-	-	-	-	.020	-	-	-	-	.130		7
8	-	.070	.180	-	-	-	.045	.310	-	.680	-	.230		8
9	.020	.030	-	-	-	-	-	.050	-	.120	.110	.130		9
10	.285	TR	.120	-	-	.270	-	.070	TR	-	-	-		10
11	-	-	.210	-	-	-	-	-	-	TR	.040	-		11
12	-	-	.020	-	-	.060	-	-	-	.010	.035	-		12
13	-	.030	TR	-	-	TR	.120	-	TR	.900	-	-		13
14	.615	-	TR	-	.150	.085	.100	-	.090	.845	-	-		14
15	.270	-	.020	TR	.230	.485	.110	-	.050	.845	.310	-		15
16	.140	-	.130	-	.070	.500	-	-	-	-	.420	-		16
17	.180	.015	.010	-	.030	.180	.020	-	-	1.150	-	-		17
18	.170	-	.040	-	-	.100	.310	-	-	TR	.390	-		18
19	.150	-	TR	-	-	.200	.390	-	-	-	-	-		19
20	.380	TR	.260	-	-	.100	.250	.040	-	-	-	.015		20
21	TR	.110	.085	TR	-	.030	1.070	-	.020	-	TR	-		21
22	.240	.180	.030	.020	-	-	.070	-	-	-	.050	-		22
23	.010	TR	.020	TR	-	.045	.250	-	TR	TR	.470	-		23
24	.380	TR	-	.130	-	.040	.310	-	TR	.080	-	-		24
25	.570	.095	.200	-	-	-	.900	-	-	-	-	-		25
26	.210	TR	TR	.020	-	-	-	.030	-	.040	.270	.005		26
27	.020	.100	.100	TR	-	-	.060	.100	-	-	.020	.010		27
28	-	.120	.110	.045	-	-	TR	-	-	-	.280	-		28
29	-	-	-	.230	-	-	.175	-	-	.085	-	-		29
30	-	-	-	.990	-	TR	-	-	-	TR	.040	.095		30
31	-	-	-	-	-	-	.200	-	-	-	-	-		31
TOTAL	4.140	.845	1.685	2.970	1.350	2.095	4.930	1.760	.660	2.555	3.105	1.100	Year's Total	
* Days with .01 in. or more.	620	410	516	211	7	12	20	211	5	213	219	113	155	
* Days with .04 in. or more.	176	7	1011	9	6	11	18	9	4	1012	1018	8	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mercy R. Challen P.T.O.

Section

A

for the entry of Daily Observations

Station No. 826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at The Friars, Marcham Rd. Abingdon

in the County of Berks

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	TR	.010	TR	.030	-	-	-	TR	-	.160	-		1
2	-	.130	-	.170	-	-	.150	-	-	.060	X	-		2
3	-	X	-	-	-	-	-	-	-	.165	2.04	.020		3
4	-	.250	-	.210	-	-	.020	-	-	.170	.140	.030		4
5	-	.045	-	-	-	-	.070	-	-	.020	.380	.050		5
6	.165	.100	-	-	.030	-	X	-	-	.095	-	.010		6
7	.100	.180	-	TR	.015	-	.300	-	-	-	TR	.020		7
8	-	-	-	-	-	-	-	-	-	.090	.020	.210		8
9	-	-	-	-	-	-	TR	.020	.030	.080	X	.080		9
10							1.100	TR	-	.060	.240	.050		10
11	-	TR	TR	.050	-	-	.030	-	-	.015	.490	.020		11
12	-	TR	.045	-	-	-	.110	-	.110	-	.010	-		12
13	-	TR	.445	-	-	-	TR	-	.060	-	1.080	.025		13
14	.020	.040	.130	.065	.060	-	-	-	TR	X	-	.190		14
15	-	-	-	-	.060	-	.075	-	.085	X	.320	-		15
16	-	.240	.440	-	-	.040	.336	-	.260	.595	(.73)	-		16
17	-	-	.350	-	-	-	TR	-	-	.020	.095	-		17
18	-	.350	-	.460	-	-	-	.045	-	.085	.130	.110		18
19	-	.145	.015	.360	-	-	TR	TR	-	-	.100	-		19
20	-	.020	-	.040	-	-	.100	-	.086	.220	TR	.010		20
21	.025	.010	.020	-	.250	-	.130	-	TR	-	.340	-		21
22	TR	-	.165	TR	.410	.290	TR	-	.160	.010	TR	-		22
23	-	-	.025	.035	.055	.280	TR	-	-	-	.030	TR		23
24	-	.260	-	-	-	-	.210	-	-	.050	-	-		24
25	TR	.010	.110	-	-	-	.010	-	-	-	TR	-		25
26	1.100	.040	.055	.305	.050	-	TR	-	-	-	.030	-		26
27	.640	.025	-	-	.290	-	.180	-	-	-	-	-		27
28	.520	.055	TR	.020	.060	-	TR	-	-	-	-	-		28
29	-	.130	.030	.040	-	-	TR	-	-	TR	-	.290		29
30	-	X	-	.200	-	-	-	-	-	.120	-	.025		30
31	.015	X	-	X	-	X	-	-	X	.520	X	TR		31
TOTAL	2.585	2.830	1.840	1.955	3.10	.610	2.815	.065	.785	2.830	5.385	1.140	Year's Total	23.85
	38	418	513	212	311	93	315	12	74	194	419	815	142	
	5	14	8	10	8	3	112	1	6	15	15	7	104	

* Days with
.01 in.
or more.

* Days with
.04 in.
or more.

† Spare column, no entries required.

(Signed) M. R. Challen [P.T.O.]

* See Instruction 3 (f) on other side.

ABINGDON/CHRIST'S HOSPITAL 826/5.

Section **A** for the en
AIR MI
FORM 1090

RE

Kept at ..The Albert. Pa
in the County of Berl
Diameter of Funnel of Gaug
Height of top of Gauge abo

„ Ground „
THE MORNING ME

ABINGDON

CHRIST HOSPITAL

1938-40

780203

Station No. 826/5
H RAINFALL ORGANIZATION

N 1938.

f730725/38

PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	nil	.01	trace	nil	trace	.07	.12	nil	.01	.02	nil	.05		1
2	.01	trace	nil	.01	.04	.04	nil	nil	nil	.41	nil	.03		2
3	.03	trace	nil	nil	.23	trace	.02	nil	.01	.58	trace	nil		3
4	.03	nil	nil	nil	nil	nil	.03	.03	nil	.25	trace	.06		4
5	nil	nil	nil	trace	nil	.01	.10	nil	.03	.18	trace	.02		5
6	.03	trace	nil	nil	nil	trace	.02	nil	.09	.17	trace	.01		6
7	.01	nil	nil	nil	nil	.02	.23	.65	.04	.11	nil	.07		7
8	.10	nil	nil	nil	nil	.05	.01	.11	.02	.08	trace	.02		8
9	.01	trace	nil	nil	nil	nil	.04	.13	nil	.01	trace	.65		9
10	.18	trace	nil	nil	nil	.02	.02	.29	nil	nil	trace	.07		10
11	.24	.01	nil	nil	nil	nil	trace	nil	nil	.01	.10	.03		11
12	.25	.02	nil	nil	.02	nil	nil	.49	nil	.23	.02	.01		12
13	.01	.04	nil	nil	nil	nil	nil	nil	nil	.01	.05	.26		13
14	.22	.01	nil	nil	.05	nil	.16	nil	.06	nil	.01	.01		14
15	.04	Trace	nil	nil	.02	nil	.29	trace	nil	.05	.02	.12		15
16	.36	.04	nil	nil	.08	nil	.01	nil	nil	.03	.01	.03		16
17	trace	.07	trace	nil	.04	nil	trace	.01	.01	.06	nil	nil		17
18	.03	nil	nil	nil	.02	trace	nil	.05	.25	.01	.14	trace		18
19	trace	nil	nil	nil	nil	nil	nil	.03	.10	nil	.15	trace		19
20	.01	nil	nil	nil	trace	nil	trace	nil	.03	nil	.97	.04		20
21	.01	nil	.01	nil	nil	nil	nil	.05	.01	nil	.01	.29		21
22	trace	nil	nil	.01	nil	.02	nil	.13	nil	nil	.14	.25		22
23	trace	nil	nil	.01	trace	nil	trace	nil	nil	nil	.05	.04		23
24	trace	nil	.10	nil	.03	nil	nil	nil	.12	nil	.03	nil		24
25	.07	.07	.05	trace	.15	nil	.01	.09	.03	.03	.55	.10		25
26	.23	.28	.08	nil	.03	.01	nil	nil	.13	.09	nil	.25		26
27	.04	.03	nil	trace	.40	.21	.16	.02	.18	.01	.33	.01		27
28	.20	.04	nil	nil	.32	.02	trace	.78	.01	nil	.04	.07		28
29	.13	X	nil	trace	.29	trace	trace	trace	.01	.05	.05	.13		29
30	.02	X	nil	.01	.05	.15	nil	nil	.16	.05	.18	.04		30
31	.13	X	nil	X	.08	X	nil	nil	X	.07	X	.15		31
TOTAL	2.39	.32	.24	.04	1.85	.62	1.22	2.86	1.30	2.51	2.85	3.51	20.01	
* Days with .01 in. or more.	24	11	4	4	16	11	14	14	19	22	18	26	180	
* Days with .04 in. or more.	13	6	3	nil	11	5	7	10	9	14	12	17	107	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

THE GOVERNORS OF CHRIST'S HOSPITAL

W. T. MORLAND ESQ.

W. T. MORLAND

Section



for the entry of Daily Observations

Station No.

826/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938.

Kept at ..The..Albert..Park..ABINGDON..Lat..51.40 N. Long. 1.15 W

in the County of Berks...../5

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1....ft.....in.

„ Ground „ Sea Level ...190.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	nil	.01	trace	nil	trace	.07	.12	nil	.01	.02	nil	.05		1
2	.01	trace	nil	.01	.04	.04	nil	nil	nil	.41	nil	.03		2
3	.03	trace	nil	nil	.23	trace	.02	nil	.01	.58	trace	nil		3
4	.03	nil	nil	nil	nil	nil	.03	.03	nil	.25	trace	.06		4
5	nil	nil	nil	trace	nil	.01	.10	nil	.03	.18	trace	.02		5
6	.03	trace	nil	nil	nil	trace	.02	nil	.09	.17	trace	.01		6
7	.01	nil	nil	nil	nil	.02	.23	.65	.04	.11	nil	.07		7
8	.10	nil	nil	nil	nil	.05	.01	.11	.02	.08	trace	.02		8
9	.01	trace	nil	nil	nil	nil	.04	.13	nil	.01	trace	.65		9
10	.18	trace	nil	nil	nil	.02	.02	.29	nil	nil	trace	.07		10
11	.24	.01	nil	nil	nil	nil	trace	nil	nil	.01	.10	.03		11
12	.25	.02	nil	nil	.02	nil	nil	.49	nil	.23	.02	.01		12
13	.01	.04	nil	nil	nil	nil	nil	nil	nil	.01	.05	.26		13
14	.22	.01	nil	nil	.05	nil	.16	nil	.06	nil	.01	.01		14
15	.04	Trace	nil	nil	.02	nil	.29	trace	nil	.05	.02	.12		15
16	.36	.04	nil	nil	.08	nil	.01	nil	nil	.03	.01	.03		16
17	trace	.07	trace	nil	.04	nil	trace	.01	.01	.06	nil	nil		17
18	.03	nil	nil	nil	.02	trace	nil	.05	.25	.01	.14	trace		18
19	trace	nil	nil	nil	nil	nil	nil	.03	.10	nil	.15	trace		19
20	.01	nil	nil	nil	trace	nil	trace	nil	.03	nil	.97	.04		20
21	.01	nil	.01	nil	nil	nil	nil	.05	.01	nil	.01	.29		21
22	trace	nil	nil	.01	nil	.02	nil	.13	nil	nil	.14	.25		22
23	trace	nil	nil	.01	trace	nil	trace	nil	nil	nil	.05	.04		23
24	trace	nil	.10	nil	.03	nil	nil	nil	.12	nil	.03	nil		24
25	.07	.07	.05	trace	.15	nil	.01	.09	.03	.03	.55	.10		25
26	.23	.28	.08	nil	.03	.01	nil	nil	.13	.09	nil	.25		26
27	.04	.03	nil	trace	.40	.21	.16	.02	.18	.01	.33	.01		27
28	.20	.04	nil	nil	.32	.02	trace	.78	.01	nil	.04	.07		28
29	.13	X	nil	trace	.29	trace	trace	trace	.01	.05	.05	.13		29
30	.02	X	nil	.01	.05	.15	nil	nil	.16	.05	.18	.04		30
31	.13	X	nil	X	.08	X	nil	nil	X	.07	X	.15		31
TOTAL	2.39	.62	.24	.04	1.85	.62	1.22	2.86	1.30	2.51	2.85	3.51	20.01	
* Days with .01 in. or more.	24	11	4	4	16	11	14	14	19	22	18	26	180	
* Days with .04 in. or more.	13	6	3	nil	11	5	7	10	9	14	12	17	107	

Year's Total

* Days with .01 in. or more.

* Days with .04 in. or more.

W. T. MORLANDS

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

THE GOVERNORS OF CHRIST'S HOSPITAL

W. T. MORLANDS

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1939

Kept at **Abingdon**. Lat. **51.40N** Long. **1.15 W**
in the County of **Berks.**

Diameter of Funnel of Gauge.....**5**.....in.
Height of top of Gauge above Ground...**1**....ft.....in.
,, Ground ,, Sea Level ...**190**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	Nil	.01	.38	.50	Nil	Nil	.10	.03	Nil	Trace	Nil		1
2	.07	Nil	Nil	.02	.01	Nil	Nil	.38	.45	Nil	.05	.06		2
3	.28	Nil	Nil	.15	Nil	Nil	Nil	.21	Nil	.01	.24	.28		3
4	.08	Nil	.15	.30	.06	Nil	.18	.37	Nil	.42	.04	.04		4
5	Nil	Nil	Nil	.63	.33	Nil	.07	.12	Nil	.20	.30	.17		5
6	.35	Nil	Nil	.07	.01	Nil	.20	.03	Nil	Nil	.06	Nil		6
7	.03	.09	Nil	Nil	Nil	Nil	.05	Nil	Nil	Nil	.35	.12		7
8	.07	.08	.19	Nil	Nil	Nil	.05	.33	Nil	.62	.12	.27		8
9	.02	.03	Nil	Nil	Nil	Nil	Nil	.05	Nil	.22	Nil	.14		9
10	.29	.01	.09	Nil	Nil	.27	Nil	.10	Nil	Nil	Nil	.01		10
11	Nil	Trace	.23	Nil	Nil	Nil	Nil	.04	Trace	Trace	Nil	Nil		11
12	.02	.02	.01	Nil	Trace	.06	Nil	Nil	Nil	Nil	.04	Nil		12
13	Nil	Nil	Nil	.01	.01	Trace	.10	Nil	.05	.87	.01	Nil		13
14	.57	Nil	.01	.01	.16	.07	.15	Nil	Nil	.07	.12	Nil		14
15	.33	Nil	.01	Trace	.22	.50	.13	Nil	.07	.75	.24	Nil		15
16	.13	Nil	.13	.01	.08	.17	Nil	Nil	Nil	.01	.44	Nil		16
17	.18	.01	.01	Nil	.04	Trace	.01	Nil	Nil	1.23	.04	Nil		17
18	.17	.01	.04	Nil	Nil	.10	.43	Nil	Nil	trace	.38	Nil		18
19	.16	.01	Nil	Nil	Nil	Nil	.34	Nil	Nil	Nil	trace	Nil		19
20	.36	Nil	Trace	Nil	Trace	.07	.32	.04	Nil	Nil	Nil	.02		20
21	.05	.09	.25	.01	Nil	.03	1.08	Nil	.02	Nil	Nil	Nil		21
22	.25	.17	.07	.01	Nil	.01	.09	Nil	trace	Nil	.08	.02		22
23	.04	Nil	.04	.04	Nil	.03	.24	Nil	Nil	.04	.48	.01		23
24	.30	Nil	.02	.15	Nil	.05	.40	Nil	Nil	.07	Nil	Nil		24
25	.71	.09	.20	trace	Nil	Nil	.81	Nil	Nil	.04	.16	.01		25
26	.22	Trace	.02	.02	Nil	Nil	Nil	.04	Nil	.03	.26	.02		26
27	.01	.09	.10	.01	Nil	trace	.06	.07	Nil	.01	.02	.02		27
28	.02	.11	.12	.05	Nil	"	.02	Nil	Nil	trace	.29	.11		28
29	.01		Nil	.30	Nil	Nil	.07	Nil	Nil	.08	.13	Nil		29
30	trace	~~X~~	Nil	.95	Nil	trace	Nil	Nil	Nil	.01	.05	.10		30
31	Nil	~~X~~		~~X~~	Nil	~~X~~	.23	.04	~~X~~	trace	~~X~~	.01		31
TOTAL	4.75	.81	1.70	3.12	1.42	1.36	5.13	1.92	.62	4.68	3.90	1.49	Year's Total	
* Days with .01 in. or more.	26	13	19	18	10	11	21	14	5	17	22	17	193	
* Days with .04 in. or more.	19	7	12	10	7	8	19	13	3	12	20	9	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

THE GOVERNORS OF CHRIST'S HOSPITAL
(Signed) ABINGDON. *W. Moorland*
P.T.O.

Section

A

for the entry of Daily Observations

Station No. 826/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ..Albert..Park, ..Abingdon, ..LAT. 51.40 N
in the County of ..Berks. LONG 1.15 W

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level ..19.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	.01	Nil	.05	.03	Nil	Nil	Nil	Nil	Nil	.12	Nil		1
2	Nil	.12	Nil	.01	Nil	Nil	.15	Nil	Nil	.06	.86	Nil		2
3	Nil	.14	Nil	.10	Nil	Nil	.01	Nil	Nil	.17	1.26	.01.		3
4	Nil	.13	Nil	.20	Nil	Nil	.02	Nil	Nil	.18	.15	.04		4
5	Nil	.12	Nil	Nil	.01	Nil	.06	Nil	Nil	.02	.01.	.06		5
6	.15	.12	Nil	Nil	.02	Nil	.10	Nil	Nil	.12	Nil	.02		6
7	.11	.19	Nil	.01	.01	Nil	.26	Nil	Nil	Nil	Nil	.01		7
8	Nil	.01	Nil	Nil	.01	.01	.01	Nil	Nil	.16	.02	.22		8
9	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.04	.02	.13	.06		9
10	Nil	Nil	.02	Nil	Nil	Nil	1.13	.02	.02	Nil	.16	.12		10
11	Nil	.01	Nil	.05	Nil	.02	.03	Nil	Nil	.07	.52	.05		11
12	Nil	.01	.04	Nil	Nil	Nil	.10	Nil	.06	Nil	.01	.02		12
13	Nil	.05	.50	Nil	.05	Nil	.01	Nil	.08	Nil	1.12	Nil		13
14	Nil	.02	.12	.06	.06	Nil	Nil	Nil	.07	.17	Nil	.20		14
15	Nil	Nil	.02	Nil	Nil	Nil	.09	Nil	.06	.20	.35	Nil		15
16	.03	.26	.45	Nil	Nil	.01	.33	Nil	.27	.56	.80	.02		16
17	Nil	Nil	.46	Nil	Nil	Nil	.01	Nil	.01	.01	.10.	.04		17
18	Nil	.37	.20	.46	Nil	Nil	Nil	Nil	Nil	.16	.15	.12		18
19	Nil	.15	.02	.31	Nil	Nil	Nil	.02	.08	Nil	.12	.02		19
20	Nil	.01	.04	.06	Nil	Nil	.01	Nil	.07	.15	.02	Nil		20
21	.04	.02	Nil	Nil	.26	Nil	.25	Nil	Nil	.06	.48	Nil		21
22	.01	Nil	.17	.01	.37	.26	.01	Nil	.17	.06	Nil	Nil		22
23	Nil	.26	.02	.03	.07	.33	trace	Nil	Nil	.05	.02	.02		23
24	Nil	Nil	Nil	Nil	Nil	Nil	.20	Nil	Nil	.01	Nil	Nil		24
25	.04	Nil	.19	.02	.02	.06	.01	Nil	Nil	Nil	Nil	Nil		25
26	1.08	.05	.04	.30	.06	.01	.15	Nil	Nil	Nil	.01	Nil		26
27	.75	.04	trace	.06	.26	Nil	.05	trace	Nil	Nil	Nil	Nil		27
28	.55	.03	.02	.02	.11	Nil	Nil	Nil	Nil	Nil	Nil	Nil		28
29	.04	.15	.03	.05	.06	Nil	trace	Nil	Nil	.01	Nil	.30		29
30	.03	✕	Nil	.17	Nil	Nil	Nil	Nil	Nil	.12	Nil	.03		30
31	.02	✕	Nil	✕	Nil	✕	Nil	Nil	✕	.52	✕	.02		31
TOTAL	2.85	2.27	2.34	1.97	1.40	.70	2.99	.04	.93	2.88	6.41	1.38	Year's Total 26.16	
* Days with .01 in. or more.	12	22	16	18	15	7	21	2	11	21	20	19	184	
* Days with .04 in. or more.	8	14	10	12	9	3	12	Nil	9	16	14	10	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

REGISTER OF

Kept at *Donnington* *ABINGDON*
in the County of *Berks*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft.
,, Ground ,, Sea Level *199*

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.04	-	.07	.01	.03	-	✓	.15	.01	-	-	I
2	.04	.05	-	.63	-	-	-	-	.95	.02	.02	.05	2
3	.01	.07	.09	.23	-	-	-	.20	.61	-	.39	.14	3
4	-	.03	-	.06	-	-	.24	1.01	.52	.02	.30	.01	4
5	-	.02	-	.17	.09	1.03	.02	-	.01	-	.06	.18	5
6	-	.09	-	.18	-	-	.05	-	-	.26	.23	-	6
7	-	-	-	-	.16	.10	.05	.11	-	.14	.17	.06	7
8	.02	.08	-	.07	.01	.13	-	.30	-	-	.22	-	8
9	-	.17	-	.02	-	.15	.06	-	-	-	.22	-	9
10	-	.01	-	-	-	.05	.31	.15	.01	-	.20	-	10
11	.14	.10	-	-	-	.03	-	-	.10	-	.10	-	11
12	-	-	-	-	-	-	.24	.08	.33	-	-	-	12
13	-	-	-	-	-	-	.15	.27	-	-	-	-	13
14	-	.08	-	-	.03	.27	.69	.17	-	-	-	-	14
15	.01	.01	-	.07	.17	-	.12	.10	-	-	.01	.05	15
16	-	.13	-	.14	.14	.23	-	.17	.15	-	-	-	16
17	-	.31	-	.16	.17	-	.17	-	.03	-	-	-	17
18	.05	.05	.07	.22	-	.24	-	.52	-	-	.34	-	18
19	.03	-	-	.34	-	.09	.40	.04	-	-	.01	-	19
20	-	.03	.02	.04	-	-	-	.08	-	-	.01	.01	20
21	.02	-	-	-	.36	-	-	-	-	-	-	-	21
22	.09	-	-	.03	-	-	-	-	-	-	-	-	22
23	.10	.04	-	.02	.53	.29	-	-	.02	-	.12	.09	23
24	-	-	-	.10	.22	.05	-	-	-	-	-	-	24
25	.05	.02	-	.26	.08	-	.69	-	-	-	.10	.01	25
26	-	.04	-	.05	-	-	.57	-	-	-	.26	-	26
27	.09	.39	-	.09	.79	-	.24	-	-	.02	.15	-	27
28	.16	.12	-	.06	.16	-	-	-	-	.05	.01	.10	28
29	.03	-	-	-	.29	-	.08	-	-	.18	.04	.03	29
30	.10	X	-	-	-	-	-	.02	.02	-	-	-	30
31	.11	X	-	X	.17	X	-	-	X	-	X	.02	31
TOTAL	1.05	1.81	.18	3.01	3.38	2.69	4.08	3.12	2.88	.68	2.96	.75	YEAR'S TOTAL
*Days with or in. or more.	16	20	2	21	16	13	16	14	11	7	20	12	26.59
*Days with .04 in. or more.	10	14	1	18	13	11	15	13	7	4	15	7	128

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Donnington ABINGDON
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.04	-	.07	.01	.03	-	-	.15	.01	-	-	I
2	.04	.05	-	.63	-	-	-	-	.95	.02	.02	.05	2
3	.01	.09	.09	.23	-	-	-	.20	.61	-	.39	.14	3
4	-	.03	-	.06	-	-	.24	1.01	.52	.02	.30	.01	4
5	-	.02	-	.17	.09	1.03	.02	-	.01	-	.06	.18	5
6	-	.09	-	.18	-	-	.05	-	-	.26	.23	-	6
7	-	-	-	-	.16	.10	.05	.11	-	.14	.17	.06	7
8	.02	.08	-	.07	.01	.13	-	.20	-	-	.22	-	8
9	-	.17	-	.02	-	.15	.06	-	-	-	.22	-	9
10	-	.01	-	-	-	.05	.31	.15	.01	-	.20	-	10
11	.14	.10	-	-	-	.03	-	-	.10	-	.10	-	11
12	-	-	-	-	-	-	.24	.08	.33	-	-	-	12
13	-	-	-	-	-	-	.15	.27	-	-	-	-	13
14	-	.08	-	-	.03	.27	.69	.14	-	-	-	-	14
15	.01	.01	-	.07	.17	-	.12	.10	-	-	.01	.05	15
16	-	.13	-	.14	.14	.23	-	.17	.15	-	-	-	16
17	-	.31	-	.16	.17	-	.17	-	.03	-	-	-	17
18	.05	.05	.07	.22	-	.24	-	.52	-	-	.34	-	18
19	.03	-	-	.34	-	.09	.40	.04	-	-	.01	-	19
20	-	.03	.02	.04	-	-	-	.08	-	-	.01	.01	20
21	.02	-	-	-	.36	-	-	-	-	-	-	-	21
22	.09	-	-	.03	-	-	-	-	-	-	-	-	22
23	.10	.04	-	.02	.53	.29	-	-	.02	-	.12	.09	23
24	-	-	-	.10	.22	.05	-	-	-	-	-	-	24
25	.05	.02	-	.26	.08	-	.69	-	-	-	.10	.01	25
26	-	.04	-	.05	-	-	.57	-	-	-	.26	-	26
27	.09	.39	-	.09	.79	-	.24	-	-	.02	.15	-	27
28	.16	.12	-	.06	.16	-	-	-	-	.05	.01	.10	28
29	.03	-	-	-	.29	-	.08	-	-	.18	.04	.03	29
30	.10	X	-	-	-	-	-	.02	.02	-	-	-	30
31	.11	X	-	X	.17	X	-	-	X	-	X	.02	31
TOTAL	1.05	1.81	.18	3.01	3.38	2.69	4.08	3.12	2.88	.68	2.96	.75	26.59
*Days with or in. or more.	16	20	2	21	16	13	16	14	11	7	20	12	168
*Days with .04 in. or more.	10	14	1	18	13	11	15	13	7	4	15	7	128

40-9999

2.86 3.04 6.03 9.43 12.12 16.20 19.32 22.20 27.88 23.84 16.39
36 38 59 75 88 108 129 136 156 168

*See Instruction 2 (1) on other side.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1932.

Kept at "Donnington" ABINGDON, Berks,
in the County of Berks.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	-	1.80	-	.06	.40	.02	.19	-	-	1
2	.01	-	-	.13	.11	-	-	.04	.30	.09	-	.13	2
3	-	-	-	.31	.09	-	.01	-	.17	.10	-	-	3
4	-	-	-	.02	-	-	-	-	-	-	.15	-	4
5	.18	-	.01	-	-	.01	.03	-	.03	-	-	-	5
6	.57	-	-	.14	-	-	-	-	.12	-	-	-	6
7	.05	-	.11	.10	.01	-	-	-	.02	.08	-	-	7
8	-	.01	.13	.06	.02	-	-	-	.18	.10	-	-	8
9	.10	.06	-	.04	.10	-	-	-	.03	-	-	-	9
10	.16	-	.02	.17	.07	.02	-	-	-	.09	.02	-	10
11	.04	-	-	.04	.02	-	.63	-	.02	.11	.05	.05	11
12	.13	-	-	-	.21	-	-	-	.04	.28	.04	-	12
13	.04	-	-	.11	-	-	-	-	.02	.14	.05	.04	13
14	.26	-	-	.03	-	-	.16	.08	-	-	.04	-	14
15	.23	-	-	.03	.20	-	.15	-	-	.07	.01	-	15
16	.27	-	-	.24	.21	-	.22	-	-	-	-	-	16
17	-	-	-	-	-	-	.16	-	-	.08	-	-	17
18	-	-	-	-	.01	-	-	-	.42	-	.18	-	18
19	-	-	-	-	-	-	-	-	.03	.16	.02	-	19
20	-	-	-	.06	.49	-	-	.96	-	.86	.09	-	20
21	.01	-	.10	.19	1.28	-	-	.15	-	.75	-	.03	21
22	.01	-	.18	.01	-	-	.06	-	.36	.18	.25	-	22
23	-	.03	-	-	.40	-	-	-	.09	.65	.05	.04	23
24	-	.02	-	-	.01	-	1.31	-	.03	.03	.01	-	24
25	-	.03	-	-	.02	.13	.12	-	.04	.21	.03	-	25
26	-	-	.13	.22	.05	-	.09	-	.01	.06	-	.01	26
27	-	-	.29	.12	.31	-	.13	-	-	.10	-	-	27
28	-	-	.18	.07	.29	-	.04	-	-	.06	-	.01	28
29	-	-	.20	.09	.63	.15	.01	.04	.12	.25	-	.01	29
30	-	×	.25	.37	.04	.37	-	.01	.16	.03	.22	.30	30
31	-	×	.01	×	.01	×	-	-	×	m-	×	.06	31
TOTAL	2.10	.15	1.61	2.55	6.38	.68	3.18	1.68	2.21	4.67	1.21	.68	YEAR'S TOTAL
*Days with or in. or more.	15	5	12	21	23	4	15	7	20	23	15	10	27-10
*Days with or in. or more.	12	1	9	17	17	2	12	6	11	21	11	6	12-5

40-9999

2.25 3.86 6.41 12.79 13.47 16.65 18.35 20.54 25.21 26.42 27.10

*See Instruction 2 (f) on other side.

P.T.O.

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

896544/29

Station No. **827**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Donnington, Park Crescent.
in the County of ABINGDON, Berks.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.14	.03	-	.01	-	-	-	-	-	.04	-	1
2	.20	-	.29	-	.27	-	-	-	-	-	.03	-	2
3	-	.22	.18	-	.03	-	-	-	-	-	.03	-	3
4	.17	.03	-	-	.37	-	-	-	-	-	-	-	4
5	.01	.01	.12	-	.01	-	-	-	-	-	.04	-	5
6	-	.15	.08	-	.15	-	-	-	-	.57	.03	-	6
7	.10	.05	.09	-	.07	-	-	-	-	.07	.01	.01	7
8	.02	-	.06	-	.08	-	.32	-	-	.02	-	-	8
9	.01	-	-	-	.03	-	.15	-	-	.08	.14	-	9
10	.03	.05	-	-	-	-	.76	-	-	.28	-	-	10
11	.20	-	-	-	.01	-	.28	.21	-	.01	.01	.01	11
12	.02	-	-	-	.02	.07	.08	-	.67	-	-	-	12
13	.05	-	-	-	.16	.02	.37	-	-	-	.06	-	13
14	.01	-	-	-	-	-	.01	.01	-	.08	.38	-	14
15	.23	-	.10	-	-	-	.03	.10	-	.01	.03	-	15
16	-	.01	.67	-	-	.10	.10	-	.12	-	-	-	16
17	.05	.06	.34	-	-	.08	-	-	.02	-	.01	-	17
18	.05	.05	.16	-	-	.08	-	-	-	-	.01	-	18
19	-	.01	.31	.01	-	-	-	-	.12	-	-	.04	19
20	-	-	.11	-	-	.19	-	.04	.01	-	.01	.01	20
21	-	.03	-	-	.05	.06	-	.17	.13	.01	-	-	21
22	-	-	-	-	.31	.06	-	.10	-	.20	-	-	22
23	-	-	-	.14	-	-	-	-	.61	.15	-	-	23
24	-	1.09	-	.18	.02	.15	-	-	.32	.03	-	-	24
25	-	1.42	-	.30	.02	.07	-	-	.25	.01	-	.07	25
26	-	.64	-	.13	.47	.10	-	-	.18	.05	-	.01	26
27	-	.01	-	-	-	-	.03	-	.02	.11	-	.05	27
28	-	-	-	.20	-	-	-	-	-	.09	-	.08	28
29	.12	-	-	.34	-	-	.12	-	-	.03	-	.03	29
30	.11	×	.03	-	-	-	.04	-	.08	-	-	.14	30
31	.16	×	.05	×	-	×	-	.10	×	.06	×	-	31
TOTAL	1.63	3.97	2.62	1.30	2.08	.92	2.29	.73	2.53	1.86	.83	.45	YEAR'S TOTAL 21.21
*Days with ".01 in. or more.	18	16	15	7	17	11	12	7	12	18	14	10	157
*Days with ".04 in. or more.	12	10	13	6	9	9	9	6	9	11	5	5	104

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. Langford.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

827

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Donnington" Park Crescent
in the County of ABINGDON.
Berks.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	-	-	-	-	-	-	.07	.01	.02	.04	.40	1
2	.28	-	.06	-	-	-	-	-	.63	.01	.02	.21	2
3	.01	.07	-	.14	-	-	-	-	-	.30	-	.05	3
4	.05	.01	.03	.27	.06	-	-	-	.11	.32	.05	.21	4
5	.01	-	-	-	.02	-	-	.14	-	-	.04	.32	5
6	-	-	.18	.02	.32	.04	-	.03	-	.19	-	.35	6
7	.01	-	-	-	-	-	-	.36	-	.08	-	.20	7
8	-	-	-	-	.09	-	-	.01	-	-	.14	.05	8
9	-	-	.03	-	-	-	-	-	-	-	.83	.35	9
10	.04	-	.11	.13	-	-	-	.04	-	-	.02	.02	10
11	.32	-	.26	.48	-	-	.03	.03	-	-	-	.10	11
12	.01	-	.01	.01	-	-	.01	.07	-	-	-	.05	12
13	.30	-	.30	.02	.01	-	.11	.03	-	-	.08	.55	13
14	.09	-	.24	-	.03	-	-	-	-	.01	.27	.30	14
15	.02	-	.05	-	-	-	-	-	.06	.16	.14	.06	15
16	.14	-	.13	-	-	-	-	-	-	.01	.01	.01	16
17	.05	-	-	-	-	.03	-	-	.17	.03	.04	.16	17
18	-	-	.01	.23	-	-	.02	-	.02	-	-	.12	18
19	-	-	.27	-	.01	-	-	-	.13	.02	-	.06	19
20	-	-	.08	.02	-	-	.02	-	.02	-	.01	-	20
21	-	-	.01	-	.03	.12	.12	.08	-	.10	-	-	21
22	-	-	-	-	.01	-	-	.11	.23	.01	-	.10	22
23	-	-	-	.18	-	.39	-	-	.01	-	-	.03	23
24	-	.05	.10	.03	-	.02	.46	-	.05	-	.02	.06	24
25	.22	-	-	.11	-	.06	-	-	-	.09	-	.36	25
26	.02	-	-	.68	-	.04	-	-	.01	.02	-	.16	26
27	.01	-	-	-	-	.08	-	-	-	.03	-	.30	27
28	-	-	-	.14	-	.11	.07	.36	-	-	-	.25	28
29	-	-	-	-	-	-	-	.04	.33	-	-	-	29
30	.07	X	-	-	-	-	-	.02	.06	.03	-	.07	30
31	.02	X	-	X	-	X	.01	-	X	.08	X	.02	31
TOTAL	1.74	.13	1.87	2.46	.58	.89	.85	1.39	1.84	1.51	1.71	4.92	19.89
*Days with ".01 in. or more.	19	3	16	14	9	9	9	14	14	18	14	28	167
*Days with ".04 in. or more.	11	2	11	9	3	7	4	9	9	8	9	24	106

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Maugford

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

827

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... ABINGDON (DONNINGTON)

in the County of ... Berks.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 6 in.

,, Ground ,, Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	-	-	.02									1
2	-	-	-	-	-									2
3	-	.05	-	-	+									3
4	-	.50	.02	.24	-									4
5	-	-	.13	.02	-									5
6	.01	.02	-	.26	-									6
7	-	-	-	.53	-									7
8	-	.01	-	.29	-									8
9	-	-	-	.27	-									9
10	-	-	-	.12	-									10
11	.25	-	-	-	-									11
12	-	.05	-	-	-									12
13	-	.10	-	.08	.17									13
14	.09	-	-	.02	.06									14
15	-	.08	-	.37	.02									15
16	-	.05	.06	.11	-									16
17	-	-	.01	.05	-									17
18	-	-	-	.40	-									18
19	-	-	-	.10	.18									19
20	.01	.10	-	.05	.38									20
21	-	.32	.03	.01	-									21
22	-	.02	.09	.11	-									22
23	-	-	.03	-	-									23
24	.02	.25	-	-	-									24
25	.15	.12	-	.23	-									25
26	-	.20	-	-	-									26
27	-	.12	-	-	.03									27
28	-	.03	-	-	.18									28
29	-	-	.03	-	.10									29
30	-	X	-	.11	.10									30
31	.03	X	-	X	.03	X			X		X			31
TOTAL	.60	2.02	.40	3.37	1.27								Year's Total	
* Days with .01 in. or more.	8	16	8	19	11									
* Days with .04 in. or more.	4	12	3	16	7									

4/1/1939

ABINGDON (RADLEY ROAD) COPY

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

FORM 1090

REGISTER

Kept at 141 Radley Road, Abingdon

in the County of Berks/5

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.

Ground Sea Level

THE MORNING MEASUREMENT SHEET

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Not yet allotted.

Station No. 827/5
ORGANIZATION

File No. 743939/38

827/5
ABINGDON
1 RADLEY RD
1938-1940

780203

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tz	Tz	—	—	—	.08	.16	—	.01	.07	—	—		1
2	Tz	—	—	.01	.04	.01	—	—	—	.34	—	.05		2
3	.04	—	—	—	.18	—	.02	—	.02	.42	.06	.01		3
4	—	—	—	—	—	—	.02	.10	—	.20	—	.03		4
5	—	—	—	—	—	.01	.09	—	—	.15	—	.02		5
6	.02	—	.01	—	—	—	.02	—	.13	.15	—	—		6
7	—	—	—	—	—	.02	.24	.89	.06	.06	—	.06		7
8	.09	—	—	—	—	.03	.01	.11	—	.06	—	—		8
9	.02	Tz	—	—	—	.01	.02	.14	—	Tz	—	.56		9
10	.17	.01	—	—	—	.01	.03	—	—	—	.09	.06		10
11	.21	—	.01 ^F	—	—	—	—	.01	—	—	.01	.02		11
12	.19	.02	—	—	.02	—	—	.25	—	.21	.05	—		12
13	—	.02 ^S	—	—	Tz	.01 ^D	—	.01	.01 ^D	.01	—	.18		13
14	.17	—	—	—	.04	—	.21	—	.06	—	.02	—		14
15	.05	—	—	—	.01	—	.31	—	—	.04	.01	.22		15
16	.28	—	—	—	.10	—	.01	.01	—	.02	—	.02		16
17	—	—	—	—	.03	—	—	—	.01	.07	—	—		17
18	.02	.02	—	—	—	—	—	.02	.25 ^H	.01	.12	—		18
19	Tz	—	—	—	.03	—	—	.03	.07	—	—	—		19
20	—	—	—	—	—	—	—	—	.03	—	.04	.01 ^S		20
21	.01	—	Tz	—	—	—	—	.06	—	—	.01	.65 ^S		21
22	—	—	—	Tz	—	.02	—	.14	.01	—	.13	.4		22
23	—	—	—	.01	—	—	—	—	—	—	.01	—		23
24	—	—	.10	—	.01	—	—	.01	—	—	.02	—		24
25	.05	.07	.05	Tz	.27	—	.01	.07	—	.03	.48	.15 ^S		25
26	.21	.22	.08	—	.03	Tz	—	—	.48 ^H	.09	—	.17		26
27	.04	.03	—	—	.35	.20	.13	.02	.25 ^H	—	.30	—		27
28	.13	—	—	—	.32	.02	Tz	.76	.02	—	.02	.07		28
29	.11	X	—	—	.31	—	—	—	—	.05	.17 ^H	.12		29
30	—	X	—	Tz	.02	.02	—	—	.18	.04	.4	.03		30
31	.10	X	—	X	.07	X	—	—	X	—	X	.13		31
TOTAL	1.91	.39	.25	.02	1.83	.44	1.28	2.63	1.34	2.02	2.54	2.56	Year's Total 17.21	3/4/39
* Days with .01 in. or more.	18	7	5	2	16	12	14	16	15 ^H	18	17 ^H	20 ^H	15 ^H	160
* Days with .04 in. or more.	13 ^H	2	3	—	9	2	6	9	9 ^H	14	10 ^H	13 ^H	9 ^H	91

J.L. WEST ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J.L. West

[P.T.O.]

S = Snow F = Fog D = Dew

* 18^H marked. 25^H or 27^H possibly. Away.

4/1/1939

ABINGDON (RADLEY ROAD) COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

827/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

File No. 743939/38

Kept at 141 Radley Road Abingdon

in the County of Berks/5

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tz	Tz	—	—	—	.08	.16	—	.01	.07	—	—		1
2	Tz	—	—	.01	.04	.01	—	—	—	.34	—	.05		2
3	.04	—	—	—	.18	—	.02	—	.02	.42	.06	.01		3
4	—	—	—	—	—	—	.02	.10	—	.20	—	.03		4
5	—	—	—	—	—	.01	.09	—	—	.15	—	.02		5
6	.02	—	.01	—	—	—	.02	—	.13	.15	—	—		6
7	—	—	—	—	—	.02	.24	.89	.06	.06	—	.06		7
8	.09	—	—	—	—	.03	.01	.11	—	.06	—	—		8
9	.02	Tz	—	—	—	.01	.02	.14	—	Tz	—	.56		9
10	.17	.01	—	—	—	.01	.03	—	—	—	.09	.06		10
11	.21	—	.01 ^F	—	—	—	—	.01	—	—	.01	.02		11
12	.19	.02	—	—	.02	—	—	.25	—	.21	.05	—		12
13	—	.02 ^S	—	—	Tz	.01 ^D	—	.01	.01 ^D	.01	—	.18		13
14	.17	—	—	—	.04	—	.21	—	.06	—	.02	—		14
15	.05	—	—	—	.01	—	.31	—	—	.04	.01	.22		15
16	.28	—	—	—	.10	—	.01	.01	—	.02	—	.02		16
17	—	—	—	—	.03	—	—	—	.01	.07	—	—		17
18	.02	.02	—	—	—	—	—	.02	.25 [*]	.01	.12	—		18
19	Tz	—	—	—	.03	—	—	.03	.07	—	—	—		19
20	—	—	—	—	—	—	—	—	.03	—	.04	.01 ^S		20
21	.01	—	Tz	—	—	—	—	.06	—	—	.01	.65 ^S		21
22	—	—	—	Tz	—	.02	—	.14	.01	—	.13	.4		22
23	—	—	—	.01	—	—	—	—	—	—	.01	—		23
24	—	—	.10	—	.01	—	—	.01	—	—	.02	—		24
25	.05	.07	.05	Tz	.27	—	.01	.07	—	.03	.48	.15 ^S		25
26	.21	.22	.08	—	.03	Tz	—	—	.48 [*]	.09	—	.17		26
27	.04	.03	—	—	.35	.20	.13	.02	.13 [*]	—	.30	—		27
28	.13	—	—	—	.32	.02	Tz	.76	.02	—	.02	.07		28
29	.11	X	—	—	.31	—	—	—	—	.05	.17 [*]	.12		29
30	—	X	—	Tz	.02	.02	—	—	.18	.04	.4	.03		30
31	.10	X	—	X	.07	X	—	—	X	—	X	.13		31
TOTAL	1.91	.39	.25	.02	1.83	.44	1.28	2.63	1.34	2.02	2.54	2.56	Year's Total 17.21	3/4/39
* Days with .01 in. or more.	18	7	5	2	16	12	14	16	15+4	18	17	20	159	160
* Days with .04 in. or more.	12+4	2	3	—	9	2	6	9	9+8	14	10	13	170	91

J. L. WEST ESQ.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

S = Snow F = Fog D = Dew.

(Signed) J. L. West [P.T.O.]

*. 18th marked. 25th & 27th possibly. Away.

Section

A

for the entry of Daily Observations

Station No. 827/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 141 Radley Rd. Alington

in the County of Berks (changed July 26)

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 6.....in.

,, Ground ,, Sea Level app. 198.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	-	.01	.43	.40	-	-	.04	.02	-	-	-		1
2	.04	-	-	.01	-	-	-	.36	.25	-	.02	.03		2
3	.34	-	-	.21	-	-	-	.21	-	.01	.21	.20		3
4	.03	-	.14	.24	-	-	.11	.28	-	.35	.02	.03		4
5	.05	-	-	.48	.36	-	.04	.15	-	.10	.23	.12		5
6	.33	-	-	.03	.02	-	.17	.02	-	-	.23	-		6
7	.01	.08	-	-	-	-	.02	-	-	-	.09	-		7
8	Tr	.06	.14	-	-	-	.03	.30	.01	.37	.08	.21		8
9	.01	.01	-	-	-	-	-	.07	-	.10	-	-		9
10	.25	.01	.07	-	-	.24	-	.03	.01	-	.01	-		10
11	.01	-	.21	-	-	-	-	-	-	-	-	-		11
12	-	.01	.01	-	.01	.02	-	-	-	-	.02	-		12
13	-	-	-	-	-	-	.09	-	.03	.67	-	-		13
14	.46	-	-	-	.09	.05	-	.01	-	.03	.09	-		14
15	.17	-	-	Tr	.19	.37	.13	-	.06	-	.29	-		15
16	.13	-	.12	-	.05	.27	.01	-	-	-	.30	-		16
17	.15	.01	.01	-	.02	-	.02	-	-	2.06	-	-		17
18	.16	.01	.03	-	-	.11	.31	-	-	-	.34	-		18
19	.15	-	-	-	-	-	1.03	-	-	-	-	-		19
20	.37	-	.01	-	-	.06	.28	.03	-	-	-	.01		20
21	.01	.08	.17	-	-	.02	.95	-	.02	-	-	-		21
22	.20	.13	.06	.02	-	-	.04	-	-	-	.05	-		22
23	.03	-	-	.03	-	.07	.38	-	-	-	.41	.03		23
24	.35	-	.02	.20	-	-	-	-	-	.07	-	-		24
25	.61	.07	.23	.01	-	-	.65	-	-	-	.12	-		25
26	.20	.01	.01	-	-	-	-	.02	-	.03	.23	.01		26
27	.01	.08	.08	-	-	-	.05	.05	-	-	.01	-		27
28	.01	.09	.09	-	-	.01	.01	-	-	-	.26	.075		28
29	-	X	-	.34	-	-	.18	-	-	-	-	-		29
30	-	X	-	.69	Tr	-	-	-	-	-	.11	.06		30
31	-	X	-	X	-	X	.21	.03	X	.06	X	-		31
TOTAL	4.10 3.69	.65	1.41	2.69	1.14	1.22	4.71	1.60	.40	3.85	3.03	.86	Year's Total 25.25 25.66	up 100 25.66
* Days with .01 in. or more.	23	13	17	12	8	11	21	14	7	11	21	11	169	
* Days with .04 in. or more.	14	7	10	7	5	7	16	8	2	8	16	6	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

R. Wood

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

827/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at 16 NORMAN AVENUE, ABINGDON.....

in the County of BERKS.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. in. P.T.O.

,, Ground ,, Sea Level 198' 3" ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01		.06	.01						.13			1
2				.07			.14			.03	.67			2
3		.16		.02			.01			.08	1.03	.01		3
4		.14		.09			.01			.17	.13			4
5		.01			.02		.05			.01	.30	.06		5
6	.14	.07					.07			.08	.03			6
7	.08	.15					.31							7
8		T ₂								.09	.03	.23		8
9						.03		.01	.03	.05	.06			9
10			.01				1.06	T ₂				.09		10
11		T ₂		.04		.01	.01				.47			11
12		T ₂	.02				.09		.07					12
13		.05	.40	.01							.77			13
14			.09	.05	.02				.06	.22		.17		14
15			.02	.01	.02		.08		.06	.33	.30			15
16	.01		.31				.23		.23	.46	.62			16
17		.14	.37				.01				.10			17
18		.30	.23	.32				.04		.07	.07			18
19		.12	.01	.29					.07		.07			19
20			.03	.03						.18				20
21	.03				.16		.20				.43			21
22			.20		.43	.30			.14		.01			22
23		.23	.01	.03	.11	.26						.12		23
24							.18							24
25	.03		.18		.01		.01							25
26	.90	.02	.01	.27	.04		.12				.01			26
27	.48	.01		.02	.32		.03							27
28	.45	.02		.01										28
29	.01	.10	.02	.02	.01									29
30	.01	X		.18						.50		.27		30
31		X		X		X			X		X			31
TOTAL	2.14	1.53	1.91	1.52	1.15	.60	2.61	.05	.66	2.27	5.23	.95	Year's Total	
* Days with .01 in. or more.	10	15	15	17	12	4	17	2	8	14	18	7	139	
* Days with .04 in. or more.	5	10	7	9	6	2	11	1	6	12	14	6	89	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. L. West.

[P.T.O.]

Section **A** for

FORM 1090.

Kept at **ABINGDON**

in the County of ...

Diameter of Funnel

Height of top of Ga

Ground
THE MORNING

828/2

ABINGDON
(FRILFORD HEATH)

1935-1940

780203

USE.

Station No. 828/2

BRITISH RAINFALL ORGANIZATION

ALL IN 1935.

Derby/S

PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions on leaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.03	.35	-	.06	.04	.07	.01		1
2						.04	-	-	.08	.10	-	.01		2
3						.13	-	-	.40	.40	.12	.03		3
4						.07	-	-	.28	.45	-	-		4
5						.80	-	-	.45	.13	.03	.02		5
6						.30	-	-	-	.18	-	-		6
7						.06	-	-	-	.03	.30	.10		7
8						-	-	-	-	.40	.06	.02		8
9						.56	-	-	-	1.01	.45	-		9
10						.02	-	-	-	.03	.06	-		10
11						.08	.03	-	-	-	.22	.01		11
12						.21	-	-	-	-	.03	-		12
13						.05	-	-	-	-	-	-		13
14						.14	-	-	-	-	.29	.18		14
15						.80	-	-	.31	-	.25	.09		15
16						.21	.03	-	.20	-	.52	.07		16
17						.19	.03	-	.08	-	.29	-		17
18						.03	.40	-	.04	.02	-	.02		18
19						.06	.07	-	-	.03	.30	.34		19
20						.09	.12	-	.05	-	.52	-		20
21						-	-	-	.50	.02	.03	-		21
22						-	-	.10	.29	-	-	-		22
23						-	-	.32	.09	-	-	-		23
24						-	-	.34	.57	-	-	.31		24
25						.98	-	.02	-	-	-	.17		25
26						.01	-	.08	.08	-	-	.47		26
27						-	-	-	.08	.10	.09	.71		27
28						-	-	.02	.40	-	.02	.09		28
29						-	-	-	.18	-	.04	.14		29
30						-	-	.84	.05	-	.39	.26		30
31						X	-	.07	X	.92	X	.25		31
TOTAL						4.86	1.03	1.79	4.14	3.86	4.08	3.31	Year's Total	
* Days with .01 in. or more.						21	7	8	19	15	20	20	30.78	
* Days with .04 in. or more.						17	4	6	19	10	16	13	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

X R. W. LANGFORD Esq X

Section **A** for the entry of Daily Observations.

Station No. 828/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **ABINGDON (FRILFORD HEATH)**in the County of **BERKS.**

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level ...240.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions on leaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.03	.35	-	.06	.04	.07	.01		1
2						.04	-	-	.08	.10	-	.01		2
3						.13	-	-	.40	.40	.12	.03		3
4						.07	-	-	.28	.45	-	-		4
5						.80	-	-	.45	.13	.03	.02		5
6						.30	-	-	-	.18	-	-		6
7						.06	-	-	-	.03	.30	.10		7
8						-	-	-	-	.40	.06	.02		8
9						.56	-	-	-	1.01	.45	-		9
10						.02	-	-	-	.03	.06	-		10
11						.08	.03	-	-	-	.22	.01		11
12						.21	-	-	-	-	.03	-		12
13						.05	-	-	-	-	-	-		13
14						.14	-	-	-	-	.29	.18		14
15						.80	-	-	.31	-	.25	.09		15
16						.21	.03	-	.20	-	.52	.07		16
17						.19	.03	-	.08	-	.29	-		17
18						.03	.40	-	.04	.02	-	.02		18
19						.06	.07	-	-	.03	.30	.34		19
20						.09	.12	-	.05	-	.52	-		20
21						-	-	-	.50	.02	.03	-		21
22						-	-	.10	.29	-	-	-		22
23						-	-	.32	.09	-	-	-		23
24						-	-	.34	.57	-	-	.31		24
25						.98	-	.02	-	-	-	.17		25
26						.01	-	.08	.08	-	-	.47		26
27						-	-	-	.08	.10	.09	.71		27
28						-	-	.02	.40	-	.02	.09		28
29						-	-	-	.13	-	.04	.14		29
30		X				-	-	.84	.05	-	.39	.26		30
31		X		X		X	-	.07	X	.92	X	.25		31
TOTAL						4.86	1.03	1.79	4.14	3.86	4.08	3.31	Year's Total.	
* Days with .01 in. or more.						21	7	8	19	15	20	20	30.73	
* Days with .04 in. or more.						17	4	6	19	10	16	13	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

X R. W. LANGFORD ESQ X

Section



for the entry of Daily Observations.

Station No.

828/2

828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Abington, Heathcote, Trilford Heath
in the County of Berk.Diameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 240 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.05	.02	.32		.03	.22	.02	-	-	.11	.04		1
2	.09		.03			.39	.48	.12	-	-	.07	-		2
3				.08		.20	.11		.17	-	.36	.04		3
4	.02		.30			.08			.21	-	.07	.05		4
5	.18		.03		.04			.02	.09	-	.01	.08		5
6	.10				.02	.22	.28	.07	.06	-	.10	.01		6
7	.28		.10			.01			.01	-	.04	.01		7
8	.13		.32						.01	-	.70	.16		8
9	.35		.08				.16		.08	.03	-	.02		9
10	.20						.08	.50	.06	-	.01	-		10
11				.04			.04		.25	-	.44	-		11
12				.01		.30	.30		.21	-	.10	.14		12
13				.03		.20				.02	.10	.35		13
14		.05		.01		.03	.52		.06	.07	-	.35		14
15		.02					.18		.17	-	.01	.10		15
16	.13	.03								-	.45	.06		16
17	.18	.47					.03			.03	.13	.13		17
18		.03				.11	.07	.01		.06	.01	.08		18
19	.34	.07	.10	.03		.24		.03		-	-	-		19
20	.06	.06	.05	.25		.39			1.45	-	-	.01		20
21				.37		.24	.03		.27	-	-	-		21
22	.07	.63	.02	.03	.08		.25			-	-	-		22
23	.08	.01	.93	.06	.08		.03			.05	-	.17		23
24	.09	.06					.12		.15	.23	-	-		24
25	.03		.05	.10		.02	.05		.42	.06	-	-		25
26	.02	.10	.21	.01					.03	.15	-	-		26
27	.08		.02						.08	.09	-	-		27
28	.71		.12				.56			-	-	.17		28
29	.04	.08	.01			.40	.02			.01	.22	.02		29
30	.10	~~X~~			.20	.27	.04			.33	-	-		30
31	.28	~~X~~	.27	~~X~~		~~X~~	.10		~~X~~	.54	~~X~~	.23		31
TOTAL	3.63	1.66	2.66	1.34	.42	3.13	3.67	.77	3.78	1.67	2.93	2.22	27.88	
* Days with .01 in. or more.	23	13	17	13	5	16	21	7	18	13	17	20	183	
* Days with .04 in. or more.	20	9	11	7	4	12	17	3	15	9	13	15	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) R. WILKINSON Esq. [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. 828/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Abingdon, Fillingford Heathin the County of Berkshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.01		.02	—	—	—	—	.01	—	.21	.36		1
2	.01	.01		.26	—	—	—	—	.03	.03	—	.22		2
3	.03	.44	.01		.42	—	—	—	—	—	.01	.01		3
4	—	.40		.05	.02	—	—	—	—	—	—	.36		4
5	.19	.01	.18		—	—	.08	—	—	—	—	—		5
6	.08	.01	.22	.05	.14	—	.25	—	.01	.04	.02	—		6
7	—	.75		.27	—	—	—	—	—	—	—	—		7
8	.01	.03			.04	—	—	—	—	—	.08	.03		8
9	—	.05		.04	.24	—	.10	—	.32	—	—	.15		9
10	—	—	.49	.59	—	.25	—	—	—	—	—	.12		10
11	—	—	.05		.33	.01	.03	—	—	—	—	—		11
12	.16	.32	.10	.03	.23	.35	—	—	.10	—	—	.09		12
13	.11	.08	.40		—	.12	—	—	.03	—	—	—		13
14	—	.02	.40	.25	—	—	—	.56	.01	—	—	—		14
15	.16	.08		.10	—	—	.72	—	.05	—	—	.05		15
16	.02	.05	.47	.60	—	.03	—	—	.57	—	—	—		16
17	—	.01	.34	.05	—	—	.02	.06	.37	—	—	—		17
18	.19	.06	.05		—	.30	—	—	—	—	.19	.16		18
19	.41	.09	.11	.07	.04	.22	—	—	.09	—	.03	—		19
20	.35	.02	.01	.37	.34	.02	—	—	—	—	—	—		20
21	.18	.50	.08	.11	.06	—	—	—	—	.03	.01	.06		21
22	.12	.07	.10		.06	.19	.08	—	—	.58	.26	—		22
23	.37	.03			.25	—	.17	—	—	.47	.09	—		23
24	.27	.66	.04		.02	—	—	—	.15	.26	—	—		24
25	.12	.17	.11		.91	—	—	—	.02	.65	—	.02		25
26	—	.74	.01		.14	—	—	—	—	.03	—	—		26
27	.02	.10		.20	—	—	—	—	—	1.04	—	—		27
28	—	.01			—	—	—	—	—	.07	—	.01		28
29	.04	—			—	.05	—	—	—	.07	.02	.03		29
30	.25	~~X~~			—	—	—	—	—	.09	.21	—		30
31	.20	~~X~~		~~X~~	—	~~X~~	—	—	~~X~~	.07	~~X~~	.05		31
TOTAL	3.42	4.72	3.17	3.06	3.24	1.54	1.45	.62	1.76	3.43	1.13	1.72	Year's Total	29.26
* Days with .01 in. or more.	22	26	18	16	15	10	8	2	13	13	11	15		169
* Days with .04 in. or more.	17	16	15	14	13	7	6	2	7	10	6	16		123

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 828/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1000

REGISTER OF RAINFALL IN 1938

Kept at Abingdon, Trilford Heath.

in the County of Berkshire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level.....240.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—				.13	—	—	—	.01	—	.07		1
2	.01	—		.01	.03		—	—	.01	.45	—	.03		2
3	—	—			.21		.03	—	—	.63	—	—		3
4	.07	—					.07	.04	—	.32	—	.08		4
5	—	—					.19	—	—	.26	—	—		5
6	.03	—					.05	—	.12	.05	—	.06		6
7	.01	—				.04	.19	.80	.16	.25	—	—		7
8	.12	—				.18	.05	.84	.02	.07	—	.03		8
9	.01	—					.03	.11	—	—	—	.62		9
10	.18	—				.09	—	.41	—	—	—	.08		10
11	.25	—					—	—	—	—	.12	.04		11
12	.29	—			.02		—	.17	—	.23	.02	.01		12
13	.01	.02			.03		—	—	—	.03	.04	.29		13
14	.23	—			.04		.25	—	.07	—	—	.04		14
15	.10	—			.01		.30	—	—	.03	—	.12		15
16	.39	.02			.02		.01	.02	—	.02	.02	.03		16
17	—	.07			.08		—	—	.03	.13	—	—		17
18	.04	—			.01		—	.03	.36	—	.16	—		18
19	—	—					—	.05	.09	—	.17	—		19
20	—	—					—	—	.03	—	.80	—		20
21	—	—				.02	—	.04	—	—	.01	.23		21
22	—	—					—	.14	—	—	.16	.23		22
23	—	—					—	—	—	—	.04	.02		23
24	—	—	.14		.01		—	—	.12	—	.01	—		24
25	.09	.10	.03		.20		—	.11	—	.09	.60	—		25
26	.26	.30	.10		.03		—	—	.13	.11	—	.34	✓	26
27	.04	.03		.03	.25	.26	.15	.02	.16	.01	.43	.01		27
28	.21	.05			.74	.04	—	.48	.01	—	.16	.08		28
29	.14	X			.33	.01	—	—	.01	—	.02	.12		29
30	.03	X		.01	.05	.02	—	—	.18	.11	.19	—		30
31	.14	X		X	.12	X	—	—	X	.09	X	.22		31
TOTAL	2.68	.59	.27	.05	.22	.79	1.32	3.76	1.50	2.89	2.95	2.75	21.76	✓
* Days with .01 in. or more.	21	7	3	3	17	9	11	14	15	18	16	21	155	✓
* Days with .04 in. or more.	15	4	2	0	9	6	8	11	9	13	11	15	103	✓

Year's Total

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

R. M. Langford

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 828/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Abingdon, Foulford Heath
in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 270.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.02	—	.01	.29	.54	—	—	—	.01	—	—	—		1	
2	.04	—	—	.03	—	—	—	.33	.57	—	.03	—		2	
3	.23	—	—	.19	—	—	—	.41	—	—	.32	.36		3	
4	.08	—	.16	.50	—	—	.31	.51	—	.56	—	.06		4	
5	—	—	—	.48	.46	—	.06	.29	—	.19	.37	.16		5	
6	.33	—	—	.12	.04	—	.21	.02	—	—	.13	—		6	
7	.03	.09	—	—	—	—	.02	—	—	—	.21	.10		7	
8	—	.09	.22	—	—	—	.12	.23	—	.39	.09	.33		8	
9	—	.04	—	—	—	—	—	.02	—	.62	.04	.18		9	
10	.23	—	.02	—	—	.33	—	.09	.01	.01	.01	.01		10	
11	.01	—	.25	—	—	—	—	—	—	.01	—	.01		11	
12	.01	.02	.04	—	—	.04	—	—	—	—	.03	—		12	
13	—	—	.01	—	—	—	.05	—	—	1.05	—	—		13	
14	.37	—	—	—	.10	.04	.30	—	—	.07	.12	—		14	
15	.17	—	.02	—	.32	.45	.22	—	.04	.86	.04	—		15	
16	.18	—	.11	—	.07	.37	—	—	—	—	.63	—		16	
17	.15	.01	—	—	.18	—	.02	—	—	1.02	.06	—		17	
18	.15	.01	.04	—	—	.20	.28	—	—	—	.39	—		18	
19	.22	—	—	—	—	—	.32	—	—	—	—	—		19	
20	.21	.01	—	—	—	.24	.15	.02	—	—	—	—		20	
21	.15	.08	.28	—	—	.03	.47	—	.01	—	—	.01		21	
22	.25	.21	.07	.02	—	—	.05	—	—	—	.06	.01		22	
23	.07	.01	—	.05	—	.01	.24	—	—	.03	.62	.03		23	
24	.19	.01	.02	.18	—	.06	.15	—	—	.08	—	—		24	
25	.72	.08	.16	.01	—	—	1.25	—	—	—	.15	—		25	
26	.44	—	.01	—	—	—	—	.01	—	.07	.21	.03		26	
27	—	.08	.10	.02	—	—	.02	—	—	—	.02	—		27	
28	.02	.15	.12	.01	—	.01	.03	—	—	—	.30	.10		28	
29	—	—	.01	.35	—	—	.20	—	—	.09	.15	—		29	
30	—	~~X~~	—	.89	—	—	.01	—	—	.01	.04	.10		30	
31	—	~~X~~	—	~~X~~	—	~~X~~	.17	—	~~X~~	—	~~X~~	.01		31	
TOTAL	4.27	.89	1.65	3.14	1.71	1.78	4.65	1.93	.64	5.06	4.02	1.50	Year's Total	31.24	✓
* Days with .01 in. or more.	23	14	18	14	7	11	22	10	5	15	22	15		176	✓
* Days with .04 in. or more.	18	8	12	9	7	6	17	5	2	11	18	8		120	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.V.O.]

Section

A

for the entry of Daily Observations

Station No.

P28/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1890

REGISTER OF RAINFALL IN 1934

Kept at Abingdon (Fairford Heath)
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 240 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.03	.03	-	-	-	-	-	.12	-		1
2	-	.05	-	.11	-	-	.12	-	-	-	1.00	-		2
3	-	.17	-	.04	-	-	.01	-	-	.20	.89	-		3
4	-	.08	-	.16	-	-	-	-	-	.20	.45	.06		4
5	-	.02	-	-	.01	-	.01	-	-	.02	.30	.06		5
6	.16	.15	-	-	.03	-	.05	-	-	.14	.08	-		6
7	.11	.20	-	-	.01	-	.04	-	-	-	-	.02		7
8	-	-	-	-	-	-	-	-	-	.15	.02	.29		8
9	-	-	-	-	-	-	-	.01	.02	.01	.15	.05		9
10	-	-	.01	-	-	-	.77	.01	-	.07	.15	.07		10
11	-	-	-	.03	-	-	.07	-	-	-	.62	.02		11
12	-	-	.05	-	-	-	.14	-	.07	-	.03	-		12
13	-	.06	.48	-	-	-	.02	-	.05	.14	1.03	-		13
14	-	-	.11	.07	.25	-	-	-	.07	.30	-	.18		14
15	-	-	.01	.02	.04	-	.04	-	.02	.58	.32	-		15
16	-	.12	.33	-	-	.02	.26	-	.29	.01	.85	.02		16
17	-	.03	.44	-	-	-	-	-	.01	.12	.02	-		17
18	-	.27	.25	.50	-	-	-	.02	-	.14	.32	.12		18
19	-	.14	.09	.26	-	-	.05	-	.07	-	.14	-		19
20	-	-	.02	.02	-	-	-	-	.01	.05	.03	-		20
21	.04	-	.01	-	.11	-	.25	-	-	.06	.59	-		21
22	-	-	.12	-	.54	.28	-	-	.09	-	-	-		22
23	-	.20	.04	.05	.01	.23	-	-	-	.03	.02	.04		23
24	-	-	-	-	-	-	.19	-	-	-	-	-		24
25	-	-	.14	.01	-	.04	-	-	-	-	-	-		25
26	.97	.03	.07	.68	.05	.01	.17	-	-	-	-	-		26
27	.69	.02	-	.04	-	-	.01	-	-	-	-	-		27
28	.37	-	-	.03	.19	-	-	-	-	-	-	-		28
29	.02	.18	.03	.05	.19	-	-	-	-	-	-	.29		29
30	.02	X	-	.18	.02	-	-	-	-	-	-	.02		30
31	.02	X	-	X	-	X	-	-	X	.49	X	.01		31
TOTAL	2.40	1.72	2.20	2.28	1.48	.58	2.20	.04	.70	2.71	7.13	1.25	24.69	
* Days with .01 in. or more.	89	15	16	17	13	5	16	3	10	17	20	14	155	
* Days with .04 in. or more.	6	11	11	11	7	3	12	-	6	13	15	9	104	
Year's Total														

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

K. W. Langford

Section **A** for the entry of
AIR MINISTR

FORM 1090.

REGIS

Kept at North Court Hse
in the County of Berksh

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

US DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	tr	0.04	—	0.06	tr	0.02	tr	—	0.19	tr	—	—	I
2	(dew) 0.03	.05	—	.65	—	tr	tr	—	.92	tr	tr	0.05	2
3	.01	tr	0.08	.24	tr	—	—	0.20	.53	—	0.35	.11	3
4	.01	.03	tr	.02	tr	—	0.25	.89	.48	0.02	.30	—	4
5	—	.01	—	.15	0.06	.83	.01	tr	.01	tr	.05	.16	5
6	—	.09	—	.16	—	.01	.06	—	—	.26	.19	tr	6
7	tr	tr	tr	tr	.13	.06	.06	.10	—	.12	.13	.05	7
8	(fog (snow) 0.03	.06	(snow) tr	.05	tr	.12	tr	.16	—	tr	.22	tr	8
9	—	.14	(snow) tr	.01	—	.10	.05	tr	—	tr	.20	(dew) tr	9
10	tr	tr	(snow) tr	—	tr	.04	.24	.10	.01	.01	.20	—	10
11	.15	.08	(snow) tr	—	—	.02	.02	.03	.05	(dew) tr	.08	tr	11
12	tr	.12	(snow) —	—	—	—	.25	.02	.33	(dew) —	tr	—	12
13	—	—	—	—	tr	—	.05	.35	tr	—	—	—	13
14	—	.06	—	—	.03	.20	.57	.17	—	—	tr	—	14
15	.01	.01	—	.04	.15	—	.11	.10	—	—	tr	.03	15
16	tr	.17	—	.13	.11	.22	.02	.15	.12	—	—	—	16
17	tr	(snow) .28	—	.17	.17	—	.16	—	.03	—	tr	—	17
18	.04	(rain & snow) .03	.06	.20	—	.22	.23	.52	—	—	.33	tr	18
19	.03	tr	tr	.35	—	.17	.12	.03	—	—	tr	(fog) —	19
20	tr	.02	.02	.03	—	—	—	.09	—	tr	.03	.01	20
21	.02	—	—	—	.37	—	—	tr	—	—	—	—	21
22	.07	—	—	.04	—	—	—	tr	tr	—	tr	—	22
23	.09	.03	—	.02	.54	.26	—	—	.02	—	.10	.09	23
24	tr	—	tr	.16	.19	.04	tr	tr	.01	—	tr	tr	24
25	.04	tr	—	.17	.08	—	.64	—	tr	—	.09	—	25
26	tr	.04	—	.04	—	—	.54	—	—	—	.24	—	26
27	(dew) .08	.38	—	.05	.90	—	.21	—	—	tr	.15	—	27
28	.13	.11	—	.04	.05	—	—	—	—	.03	.01	.10	28
29	.02	(snow & rain)	—	—	.18	—	.06	—	—	.16	.02	tr	29
30	.12	X	—	—	—	—	—	.01	tr	—	tr	tr	30
31	.09	X	—	X	.15	X	—	tr	X	—	X	(snow) .02	31
TOTAL	0.96	1.63	0.16	2.78	3.11	2.31	3.65	2.92	2.70	0.60	2.69	0.62	YEAR'S TOTAL 24.13
*Days with .01 in. or more.	17	18	3	21	14	14	19	15	12	6	17	9	165
*Days with .04 in. or more.	9	12	2	17	13	11	16	11	7	3	14	6	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

M. T. Tatham

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Northcourt House, Abingdon
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 19.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	0.04	—	0.06	tr	0.02	tr	—	0.19	tr	—	—	1
2	(dew) 0.03	.05	—	.65	—	tr	tr	—	.92	tr	tr	0.05	2
3	.01	tr	0.08	.24	tr	—	—	0.20	.53	—	0.35	.11	3
4	.01	.03	tr	.02	tr	—	0.25	.89	.48	0.02	.30	—	4
5	—	.01	—	.15	0.06	.83	.01	tr	.01	tr	.05	.16	5
6	—	.09	—	.16	—	.01	.06	—	—	.26	.19	tr	6
7	tr	tr	tr	tr	.13	.06	.06	.10	—	.12	.13	.05	7
8	(fog) (snow) .02	.06	(snow) tr	.05	tr	.12	tr	.16	—	tr	.22	tr	8
9	—	.14	(snow) tr	.01	—	.10	.05	tr	—	tr	.20	(dew) tr	9
10	tr	tr	(snow) tr	—	tr	.04	.24	.10	.01	.01	.20	—	10
11	.15	.08	(snow) tr	—	—	.02	.02	.03	.05	(dew) tr	.08	tr	11
12	tr	.18	(snow) —	—	—	—	.25	.02	.33	(dew) —	tr	—	12
13	—	—	—	—	tr	—	.05	.35	tr	—	—	—	13
14	—	.06	—	—	.03	.20	.57	.17	—	—	tr	—	14
15	.01	.01	—	.04	.15	—	.11	.10	—	—	tr	.03	15
16	tr	.17	—	.13	.11	.22	.02	.15	.12	—	—	—	16
17	tr	(snow) .28	—	.17	.17	—	.16	—	.03	—	tr	—	17
18	.04	(fog) (snow) .03	.06	.20	—	.22	.23	.52	—	—	.33	tr	18
19	.03	tr	tr	.35	—	.17	.12	.03	—	—	tr	(fog)	19
20	tr	.02	.02	.03	—	—	—	.09	—	tr	.03	.01	20
21	.02	—	—	—	.37	—	—	tr	—	—	—	—	21
22	.07	—	—	.04	—	—	—	tr	tr	—	tr	—	22
23	.09	.03	—	.02	.54	.26	—	—	.02	—	.10	.09	23
24	tr	—	tr	.16	.19	.04	tr	tr	.01	—	tr	tr	24
25	.04	tr	—	.17	.08	—	.64	—	tr	—	.09	—	25
26	tr	.04	—	.04	—	—	.54	—	—	—	.24	—	26
27	(dew) .08	.38	—	.05	.90	—	.21	—	—	tr	.15	—	27
28	.13	.11	—	.04	.05	—	—	—	—	.03	.01	.10	28
29	.02	(snow & rain)	—	—	.18	—	.06	—	—	.16	.02	tr	29
30	.12	×	—	—	—	—	—	.01	tr	—	tr	tr	30
31	.09	×	—	×	.15	×	—	tr	×	—	×	(snow) .02	31
TOTAL	0.96	1.63	0.16	2.78	3.11	2.31	3.65	2.92	2.70	0.60	2.69	0.62	24.13
* Days with or in. or more.	17	18	3	21	14	14	19	15	12	6	17	9	165
* Days with .04 in. or more.	9	12	2	17	13	16	16	11	7	3	14	6	121

Section



for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

FORM 1090

REGISTER

Kept at Radley College, Abingdon
in the County of Berkshire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.

„ Ground „ Sea Level ...24...

THE MORNING MEASUREMENT SHEET

COPY

828/4

Station No. 828/4
ORGANIZATION

ABINGDON

(RADLEY COLLEGE)

1939 - 1940

780203 DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.01	.52	.45	-	-	.02	.01	-	-	Tr		1
2	.05	-	-	.01	Tr	-	-	.36	.37	-	.03	.04		2
3	.33	-	-	.18	-	-	-	.23	-	Tr	.10	.28		3
4	.09	-	.14	.31	.01	-	.09	.36	-	.42	.06	.04		4
5	-	-	-	.55	.33	-	.03	.16	-	.18	.26	.15		5
6	.35	-	-	.07	.01	-	.20	.03	-	-	.08	-		6
7	.02	.09	-	.01	-	-	Tr	Tr	-	-	.22	.12		7
8	Tr	.06	.19	-	-	-	.07	.25	-	.43	.10	.27		8
9	.02	.11	-	-	-	-	-	.03	-	.30	-	.14		9
10	.29	-	.05	-	-	.33	-	.08	.03	-	-	-		10
11	-	Tr	.26	-	-	Tr	-	-	Tr	-	.01	.01		11
12	-	Tr	.01	-	Tr	.03	-	-	-	-	.02	-		12
13	-	-	Tr	.01	-	.01	.03	-	.05	.86	Tr	-		13
14	.57	-	-	Tr	.10	.04	.14	-	.01	.04	.11	-		14
15	.22	-	.03	-	.26	.32	.17	-	.09	.60	.04	-		15
16	.15	Tr	.12	-	.09	.40	.03	-	-	-	.50	-		16
17	.16	Tr	Tr	-	.06	Tr	.01	-	-	1.46	.06	-		17
18	.19	-	.04	-	-	.11	.29	-	-	Tr	.36	Tr		18
19	.21	.01	Tr	-	-	-	.99	-	-	-	-	-		19
20	.31	.01	Tr	-	-	.04	.25	.05	-	-	-	.01		20
21	.04	.01	.25	-	-	.02	.97	.01	.03	.01	Tr	-		21
22	.23	.01	.07	.03	-	Tr	.04	-	Tr	-	.08	.02		22
23	.06	-	-	.02	-	.02	.29	-	Tr	.04	.50	-		23
24	.38	-	Tr	.21	-	.04	.20	-	-	.06	-	-		24
25	.14	.07	.22	-	-	-	.77	-	-	-	.18	.01		25
26	1.22	.01	Tr	.01	-	-	-	.03	-	.03	.28	-		26
27	-	.08	.12	.01	-	-	.02	.06	-	Tr	.02	.01		27
28	-	.13	.11	.10	-	Tr	.05	-	-	Tr	.10	.11		28
29	Tr	X	-	.35	-	-	.17	-	-	.09	.23	-		29
30	-	X	-	.80	-	-	-	-	-	-	.04	.12		30
31	-	X	-	X	-	X	.11	.04	X	-	X	-		31
TOTAL	5.12	0.59	1.62	3.19	1.31	1.36	4.69	1.71	0.59	4.52	3.38	1.33	Year's Total	
* Days with .01 in. or more.	21	11	14	16	8	11	21	14	7	13	22	14	172	n.p. late
* Days with .04 in. or more.	18	6	11	9	6	7	16	9	3	11	18	9	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G.C. Goe

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 828/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Radley College, Abingdon.
in the County of Berkshire.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level ...249.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.01	.52	.45	-	-	.02	.01	-	-	Tr		1
2	.05	-	-	.01	Tr	-	-	.36	.37	-	.03	.04		2
3	.33	-	-	.18	-	-	-	.23	-	Tr	.10	.28		3
4	.09	-	.14	.31	.01	-	.09	.36	-	.42	.06	.04		4
5	-	-	-	.55	.33	-	.03	.16	-	.18	.26	.15		5
6	.35	-	-	.07	.01	-	.20	.03	-	-	.08	-		6
7	.02	.09	-	.01	-	-	Tr	Tr	-	-	.22	.12		7
8	Tr	.06	.19	-	-	-	.07	.25	-	.43	.10	.27		8
9	.02	.11	-	-	-	-	-	.03	-	.30	-	.14		9
10	.29	-	.05	-	-	.33	-	.08	.03	-	-	-		10
11	-	Tr	.26	-	-	Tr	-	-	Tr	-	.01	.01		11
12	-	Tr	.01	-	Tr	.03	-	-	-	-	.02	-		12
13	-	-	Tr	.01	-	.01	.03	-	.05	.86	Tr	-		13
14	.57	-	-	Tr	.10	.04	.14	-	.01	.04	.11	-		14
15	.22	-	.03	-	.26	.32	.17	-	.09	.60	.04	-		15
16	.15	Tr	.12	-	.09	.40	.03	-	-	-	.50	-		16
17	.16	Tr	Tr	-	.06	Tr	.01	-	-	1.46	.06	-		17
18	.19	-	.04	-	-	.11	.29	-	-	Tr	.36	Tr		18
19	.21	.01	Tr	-	-	-	.99	-	-	-	-	-		19
20	.31	.01	Tr	-	-	.04	.23	.05	-	-	-	.01		20
21	.04	.01	.25	-	-	.02	.97	.01	.03	.01	Tr	-		21
22	.23	.01	.07	.03	-	Tr	.04	-	Tr	-	.08	.02		22
23	.06	-	-	.02	-	.02	.29	-	Tr	.04	.50	-		23
24	.38	-	Tr	.21	-	.04	.20	-	-	.06	-	-		24
25	.14	.07	.22	-	-	-	.77	-	-	-	.18	.01		25
26	1.22	.01	Tr	.01	-	-	-	.03	-	.03	.28	-		26
27	-	.08	.12	.01	-	-	.02	.06	-	Tr	.02	.01		27
28	-	.13	.11	.10	-	Tr	.05	-	-	Tr	.10	.11		28
29	Tr	X	-	.35	-	-	.17	-	-	.09	.23	-		29
30	-	X	-	.80	-	-	-	-	-	-	.04	.12		30
31	-	X	-	X	-	X	.11	.04	X	-	X	-		31
TOTAL	5.12	0.59	1.62	3.19	1.31	1.36	4.69	1.71	0.59	4.52	3.38	1.33	Year's Total 29.43	n.p. late
* Days with .01 in. or more.	21	11	14	16	8	11	21	14	7	13	22	14	172	
* Days with .04 in. or more.	18	6	11	9	6	7	16	9	3	11	18	9	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

G.C. Jone.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 828/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Radley College, Abingdon
in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....0.....in.

,, Ground ,, Sea Level 250.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	—	.02	.05	—	—	—	—	—	.16	—		1
2	—	.09	—	.10	—	—	.16	—	—	.07	.87	—		2
3	—	.16	—	.02	—	—	—	—	—	.13	1.21	.01		3
4	—	.12	—	.21	—	—	.03	—	—	.18	.16	.03		4
5	—	.05	—	.01	.01	—	.05	—	—	.02	.48	.05		5
6	.19	.11	—	—	.03	—	.08	—	—	.13	.03	Tr		6
7	.11	.16	—	—	Tr	—	.34	—	—	—	Tr	.02		7
8	Tr	.01	—	—	—	—	—	—	—	.10	.01	.25		8
9	—	—	—	—	—	Tr	.01	Tr	.03	.02	.09	.07		9
10	—	—	.01	—	—	—	1.07	Tr	Tr	.07	.19	.08		10
11	—	Tr	Tr	.05	—	.02	.01	—	—	—	.51	.03		11
12	—	Tr	.03	—	—	—	.15	—	.08	.01	.01	—		12
13	—	.06	.49	.02	—	—	.06	Tr	Tr	Tr	1.02	.01		13
14	—	.01	.15	.09	.04	—	—	—	.08	.18	—	.22		14
15	—	—	.01	.02	.01	Tr	.09	—	.09	.47	.35	.01		15
16	.01	.13	.28	Tr	—	.01	.18	—	.25	.50	.63	.02		16
17	—	—	.58	—	—	—	Tr	—	Tr	.01	.03	—		17
18	—	.36	.23	.55	—	—	—	Tr	—	.10	.14	.13		18
19	—	.16	.09	.28	—	—	Tr	—	Tr	Tr	.12	Tr		19
20	—	.01	.03	.04	—	—	Tr	—	Tr	.14	.01	—		20
21	.03	.01	.04	—	.17	—	.15	—	—	.07	.45	—		21
22	Tr	—	.21	—	.62	.31	—	—	.18	.01	—	—		22
23	—	.20	.02	.07	.02	.38	Tr	—	.01	.03	.01	Tr		23
24	—	—	—	Tr	—	—	.23	—	—	Tr	Tr	—		24
25	.01	—	.17	.01	Tr	.03	.03	—	—	—	Tr	—		25
26	1.04	.04	.15	.24	.04	Tr	.13	—	—	—	Tr	—		26
27	.69	.03	—	.03	.20	—	.10	—	—	Tr	Tr	—		27
28	.49	.02	—	.01	.13	—	Tr	—	—	—	—	Tr		28
29	Tr	.15	.03	.05	.11	Tr	—	—	—	Tr	—	.30		29
30	.01	~~X~~	—	.20	~~X~~	—	—	—	—	.13	—	—		30
31	.04	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.47	~~X~~	.05		31
TOTAL	2.62	1.91	2.52	2.02	1.43	0.75	2.87	Trace	0.72	2.84	6.48	1.28	Year's Total	25.44
* Days with .01 in. or more.	10	20	16	19	13	5	17	0	7	20	20	15		162
* Days with .04 in. or more.	6	13	10	11	9	2	13	0	5	14	14	8		104

* See Instruction 3 (f) on other side.

pare column, no entries required

(Signed)

G.C. Gore.

[P.T.O.]

FORM 1090

Kept at Woolton, Wat.

in the County of ...

Diameter of Funnel ϕ

Height of top of Ga

Ground

THE MORNING

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

USE

Station No. _____

BRITISH RAINFALL ORGANIZATION

LL IN 1938 *see .95 22-13*

Letter to
John W. ...

2. *total* *estimated* *motif*

31 Dec 1960 28

corr. for Dec 19-25 and

TO THE PREVIOUS DAY

Jan. 1, following

• 2.0

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.10	-	-	.01	.14	-	-	-	.13	.07	.16		1
2	-	.01	-	-	-	.09	.02	-	.02	-	-	.05		2
3	-	-	-	-	.03	-	-	-	-	.37	-	.02		3
4	.01	-	-	-	.16	-	.03	-	.02	.51	-	-		4
5	.04	-	-	-	-	-	.05	.03	-	.30	-	.08		5
6	-	-	-	-	-	-	.09	-	-	.25	-	.06		6
7	.03	-	-	-	-	-	.02	-	.06	.10	-	-		7
8	-	-	-	-	-	.01	.19	.82	.12	.16	-	-		8
9	.03	-	-	-	-	.10	.06	.05	.02	.06	-	-		9
10	-	-	-	-	-	-	.02	.09	-	-	-	.55		10
11	.17	-	-	-	-	.07	.01	.26	-	-	-	.07		11
12	.23	-	-	-	-	-	-	.14	-	-	.09	.02		12
13	.25	-	-	-	.03	-	-	.25	-	.20	.01	-		13
14	-	.03	-	-	-	-	-	-	-	.02	.02	.30		14
15	.16	-	-	-	.04	-	.17	-	.11	-	-	.03		15
16	.04	-	-	-	-	-	.27	-	-	.03	-	.08		16
17	.38	.02	-	-	.03	-	.01	.05	-	.01	.01	.06		17
18	-	.06	-	-	.02	-	-	-	.02	.08	-	-		18
19	.03	-	-	-	.02	-	-	.03	.37	-	.13	-		19
20	-	-	-	-	-	-	-	.03	.09	-	.14	-		20
21	-	-	-	-	-	-	-	-	.03	-	.85	-		21
22	-	-	-	-	-	-	-	.01	-	-	-	.15		22
23	-	-	-	-	-	.01	-	.12	-	-	.15	.03		23
24	-	-	-	-	-	-	-	-	-	-	.03	-		24
25	-	-	.16	-	.02	-	-	-	.15	-	.03	-		25
26	.05	.13	.08	.01	.15	-	-	.09	-	.07	.42	-		26
27	.24	.25	.09	-	.03	-	-	-	.10	.09	-	.33		27
28	.04	.03	-	.02	.19	.22	.15	.02	.10	-	.33	-		28
29	.23	X	-	-	.57	.03	-	.78	-	-	.13	.07		29
30	.14	X	-	-	.24	-	-	-	.05	.04	.04	.12		30
31	.02	X	-	X	.14	X	-	-	.13	.05	.16	.01		31
TOTAL	2.13	.63	.33	.03	1.67	.67	1.09	2.77	1.39	2.41	2.54	2.33	17.70	18.05
* Days with .01 in. or more.	18	7	3	3	14	7	13	15	14	17	15	18	9	6
* Days with .04 in. or more.	13	3	3	-	7	4	7	10	10	14	10	14	9	6

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

BOROUGH SURVEYOR

A.P.O.

Section

A

for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wootton Waterworks, Wootton, Abingdon, Berks.

in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....6.....in.

„ Ground „ Sea Level 266.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

20

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.10	-	-	.01	.14	-	-	-	.13	.07	.16		1
2	-	.01	-	-	-	.09	.02	-	.02	-	-	.05		2
3	-	-	-	-	.03	-	-	-	-	.37	-	.02		3
4	.01	-	-	-	.16	-	.03	-	.02	.51	-	-		4
5	.04	-	-	-	-	-	.05	.03	-	.30	-	.08		5
6	-	-	-	-	-	-	.09	-	-	.25	-	.06		6
7	.03	-	-	-	-	-	.02	-	.06	.10	-	-		7
8	-	-	-	-	-	.01	.19	.82	.12	.16	-	-		8
9	.03	-	-	-	-	.10	.06	.05	.02	.06	-	-		9
10	-	-	-	-	-	-	.02	.09	-	-	-	.55		10
11	.17	-	-	-	-	.07	.01	.26	-	-	-	.07		11
12	.23	-	-	-	-	-	-	.14	-	-	.09	.02		12
13	.25	-	-	-	.03	-	-	.25	-	.20	.01	-		13
14	-	.03	-	-	-	-	-	-	-	.02	.02	.30		14
15	.16	-	-	-	.04	-	.17	-	.11	-	-	.03		15
16	.04	-	-	-	-	-	.27	-	-	.03	-	.08		16
17	.38	.02	-	-	.03	-	.01	.05	-	.01	.01	.06		17
18	-	.06	-	-	.02	-	-	-	.02	.08	-	-		18
19	.03	-	-	-	.02	-	-	.03	.37	-	.13	-		19
20	-	-	-	-	-	-	-	.03	.09	-	.14	-		20
21	-	-	-	-	-	-	-	-	.03	-	.85	-		21
22	-	-	-	-	-	-	-	.01	-	-	-	.45		22
23	-	-	-	-	-	.01	-	.12	-	-	.15	.47		23
24	-	-	-	-	-	-	-	-	-	-	.03	.67		24
25	-	-	.16	-	.02	-	-	-	.15	-	.03	-		25
26	.05	.13	.08	.01	.15	-	-	.09	-	.07	.42	.4		26
27	.24	.25	.09	-	.03	-	-	-	.10	.09	-	.33		27
28	.04	.03	-	.02	.19	.22	.15	.02	.10	-	.33	-		28
29	.23	X	-	-	.57	.63	-	.78	-	-	.13	.07		29
30	.14	X	-	-	.24	-	-	-	.05	.04	.04	.12		30
31	.02	X	-	.01	.14	X	-	-	.13	.05	.16	.01		31 18.21
TOTAL	2.13	.63	.33	.03	1.67	.53	1.09	2.77	1.39	2.47	2.54	2.33	17.70	Year's Total
* Days with .01 in. or more.	18	7	8	3	2	14	7	8	13	15	14	17	15	189
* Days with .04 in. or more.	13	3	4	3	-	7	6	4	5	7	10	9	14	95

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

BOROUGH SURVEYOR

pro.

Section

A

for the entry of Daily Observations

Station No. 828/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wootton Waterworks

in the County of Berkshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

Ground Sea Level.....26.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	.46	.40	—	—	—	.04	—	—	—		1
2	.04	—	—	.02	—	—	—	.38	.46	—	—	.04		2
3	.27	—	—	.17	—	—	—	.45	—	.01	.26	.27		3
4	—	—	.13	.89	.04	—	.16	.44	.02	.47	.04	.09		4
5	—	—	—	.45	.34	—	.10	.10	—	.18	.30	.14		5
6	.36	—	—	.10	—	—	.20	.03	—	—	.11	—		6
7	.01	.09	—	—	—	—	.05	—	—	—	.19	.16		7
8	—	.10	.16	—	—	—	.07	.34	—	.57	.10	.30		8
9	.02	.02	—	—	—	—	—	.03	—	.29	—	.15		9
10	.24	—	.05	—	—	.28	—	.08	.02	.01	—	—		10
11	—	—	.21	—	—	—	—	—	—	.01	—	—		11
12	—	.02	.01	—	.01	.04	—	—	—	—	.04	—		12
13	—	—	—	—	—	—	.12	—	.06	.85	—	—		13
14	.37	—	—	—	.07	.04	.10	—	—	.06	.11	—		14
15	.11	—	.01	—	.22	.20	.16	—	.06	.66	.18	—		15
16	.15	—	.12	—	.08	.16	—	—	—	—	.45	—		16
17	.16	—	—	—	.07	—	.02	—	—	1.20	.02	—		17
18	.16	.01	.03	—	—	.17	.51	—	—	—	.35	—		18
19	.22	—	—	—	—	—	.62	—	—	—	—	—		19
20	.40	—	—	—	.01	.16	.20	.02	—	—	—	.01		20
21	.01	.06	.23	.02	—	.02	.19	—	.03	—	—	—		21
22	.22	.19	.05	.01	—	—	.04	—	—	.01	.10	.02		22
23	.03	—	—	.03	—	.03	.20	—	—	.05	.55	—		23
24	.13	—	.01	.14	—	.04	.05	—	—	.05	—	.02		24
25	.87	.09	.14	.02	—	—	.89	—	—	—	.18	—		25
26	.26	.02	—	—	—	—	—	.01	—	.04	.35	.01		26
27	—	.11	.10	—	—	—	.06	.01	—	—	.05	—		27
28	.01	.12	.12	.05	—	.01	—	—	—	—	.28	.08		28
29	—	X	—	.31	—	—	.17	—	—	.09	.10	—		29
30	—	X	—	.78	—	.05	.02	—	—	—	.02	.07		30
31	—	X	—	X	—	X	.12	—	X	—	X	.02		31
TOTAL	4.05	0.83	1.37	2.95	1.24	1.70	4.05	1.89	0.69	4.55	3.78	1.38	28.48	
* Days with .01 in. or more.	21	11	14	14	9	12	21	11	7	16	20	14	170	
* Days with .04 in. or more.	15	7	10	9	7	9	19	6	4	12	18	9	125	

† Spare column, no entries required

(Signed)

S. B. Macquie R.T.O.

* See Instruction 3 (f) on other side.

FORM 1090

REGISTER OF RAINFALL IN 1931

Kept at Woolton Water Works.

in the County of Berkshire.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft....0...in.

Ground Sea Level ... 265 ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

~~P.T.O~~

Section

A

for the entry of
AIR MINISTERS

FORM 1090.

REGIS

Kept at Sherwood, Boars
in the County of Berks.Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

829
FOR OFFICIAL USE.
H RAINFALL ORGANIZATION.
N 1931.Nov 23rd with neighbours

180203

VIOUS DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.02	0.04	—	0.08	tr	0.07	0.02	—	0.20	tr	tr	—	I
2	0.03	0.04	—	0.69	—	tr	—	—	0.90	tr	0.06	—	2
3	0.02	0.05	0.05	0.29	—	tr	—	0.27	0.57	—	0.46	0.12	3
4	0.01	0.03	—	0.01	0.01	—	0.24	0.23	0.65	0.01	0.24	tr	4
5	0.01	0.01	—	0.17	0.04	0.81	—	0.001	0.01	tr	0.12	0.34	5
6	0.01	0.11	—	0.17	—	0.04	0.03	—	0.31	0.21	0.21	—	6
7	—	tr	—	tr	0.08	0.15	0.07	0.12	tr	0.10	0.18	0.05	7
8	0.02	0.09	tr	0.06	tr	0.14	0.03	0.25	tr	tr	—	—	8
9	tr	0.14	—	0.02	—	0.13	0.21	—	—	tr	—	—	9
10	tr	0.02	—	—	tr	0.04	tr	0.12	tr	0.01	—	tr	10
11	0.17	0.11	0.05	tr	—	0.08	—	tr	0.07	tr	0.17	tr	11
12	tr	tr	—	—	—	tr	0.19	tr	0.41	tr	tr	—	12
13	—	—	—	—	—	—	0.04	0.47	tr	tr	—	—	13
14	—	0.07	tr	—	0.15	0.26	0.72	0.20	tr	—	tr	—	14
15	0.01	0.01	tr	0.16	0.08	tr	0.15	0.12	—	—	0.07	0.04	15
16	tr	0.15	tr	0.13	0.72	0.34	0.02	0.27	0.15	tr	tr	—	16
17	tr	0.24	tr	—	0.21	tr	0.20	—	0.03	tr	tr	—	17
18	0.07	0.23	0.08	0.33	—	0.23	0.03	0.49	—	tr	0.41	—	18
19	0.04	tr	—	0.32	—	0.03	0.23	0.01	—	tr	—	—	19
20	tr	0.03	0.08	0.03	—	tr	—	0.14	—	—	0.02	tr	20
21	0.04	tr	—	tr	0.41	—	—	—	—	—	—	—	21
22	0.11	—	—	0.13	tr	—	—	—	—	tr	tr	—	22
23	0.13	tr	—	0.02	0.48	0.34	—	—	0.07	—	0.10	—	23
24	tr	tr	tr	0.14	0.26	0.09	0.005	—	tr	tr	—	tr	24
25	0.06	0.02	—	0.23	0.08	—	0.17	—	tr	tr	—	tr	25
26	tr	0.06	—	0.06	—	—	0.61	—	—	tr	0.24	tr	26
27	0.10	0.43	tr	0.05	0.64	—	0.32	—	—	tr	0.18	tr	27
28	0.12	0.18	—	0.03	—	—	—	—	tr	0.04	tr	0.11	28
29	0.02	×	—	tr	0.36	—	0.05	—	tr	0.19	0.02	tr	29
30	0.10	×	—	—	tr	—	—	tr	0.03	tr	tr	—	30
31	0.09	×	—	×	0.11	×	—	tr	×	tr	×	0.03	31
TOTAL	1.17	1.81	0.20	3.08	3.10	2.80	3.41	4.69	2.97	0.66	2.80	0.86	YEAR'S TOTAL
*Days with or in. or more.	19	19	3	20	14	14	19	12	11	6	14	9	168
*Days with or more.	12	11	2	15	13	13	13	11	7	4	11	7	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. N. Nuttall-Smith
Nov 24. 0.24 in a few minutes clk.

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sherwood, Boat's Hill, Bedford
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 444 ft.

Compare Nov 23rd with neighbours

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.02	0.04	—	0.08	tr	0.07	0.02	—	0.20	tr	tr	—	I
2	0.03	0.04	0.05	0.69	—	tr	—	—	0.90	tr	0.06	—	2
3	0.02	0.05	0.05	0.28	—	tr	—	0.27	0.57	—	0.46	0.12	3
4	0.01	0.03	—	0.01	0.01	—	0.24	0.23	0.65	0.01	0.24	tr	4
5	0.01	0.01	—	0.17	0.04	0.81	—	0.001	0.01	tr	0.12	0.34	5
6	0.01	0.11	—	0.17	—	0.04	0.03	—	tr	0.31	0.21	tr	6
7	—	tr	—	tr	0.08	0.16	0.07	0.12	tr	0.10	0.18	0.05	7
8	0.02	0.09	tr	0.06	tr	0.14	0.03	0.25	tr	tr	—	—	8
9	tr	0.14	—	0.02	—	0.13	0.21	—	—	tr	tr	tr	9
10	tr	0.02	—	—	tr	0.09	tr	0.12	tr	0.01	tr	tr	10
11	0.17	0.11	0.05	tr	—	0.08	—	tr	0.07	tr	0.17	tr	11
12	tr	tr	—	—	—	tr	0.19	tr	0.41	tr	tr	—	12
13	—	—	—	—	—	—	0.04	0.47	tr	tr	—	—	13
14	—	0.07	tr	—	0.15	0.26	0.72	0.20	tr	—	tr	—	14
15	0.01	0.01	tr	0.16	0.18	tr	0.15	0.12	—	—	0.07	0.04	15
16	tr	0.15	tr	0.13	0.72	0.34	0.02	0.27	0.15	tr	tr	—	16
17	tr	0.24	tr	tr	0.21	tr	0.20	—	0.03	tr	tr	—	17
18	0.07	0.03	0.05	0.33	—	0.23	0.03	0.47	—	tr	0.41	tr	18
19	0.04	tr	—	0.32	—	0.03	0.23	0.01	—	tr	tr	0.01	19
20	tr	0.02	0.08	0.03	—	tr	—	0.14	—	—	0.02	tr	20
21	0.04	tr	—	tr	0.41	—	—	—	—	—	tr	—	21
22	0.11	—	—	0.13	tr	—	—	—	—	tr	tr	—	22
23	0.13	tr	—	0.02	0.48	0.34	—	—	0.07	—	0.14	0.10	23
24	tr	tr	tr	0.14	0.26	0.09	0.005	—	tr	tr	—	tr	24
25	0.06	0.02	—	0.25	0.08	—	0.17	—	tr	tr	tr	tr	25
26	tr	0.06	—	0.06	—	—	0.61	—	—	tr	0.24	tr	26
27	0.10	0.43	tr	0.05	0.64	—	0.32	—	—	tr	0.18	tr	27
28	0.12	0.18	—	0.03	—	—	—	—	tr	0.04	tr	0.01	28
29	0.02	tr	—	tr	0.36	—	0.05	—	tr	0.19	0.02	tr	29
30	0.10	tr	—	—	tr	—	—	tr	0.03	tr	tr	tr	30
31	0.09	tr	—	tr	0.11	tr	—	tr	tr	tr	tr	tr	31
TOTAL	1.17	1.81	0.20	3.08	3.10	2.80	3.41	4.69	2.97	0.66	2.80	0.86	YEAR'S TOTAL 27.55
* Days with or in. or more.	19	19	3	20	14	14	19	12	11	6	14	9	168
* Days with or more.	12	11	2	15	13	13	13	11	7	4	11	7	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. N. Nuttall-Smith

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. B 99

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at SHERWOOD, BOARS HILL
in the County of BERKS.

May 1. Thunderstorm yesterday.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 444 ft.

copy

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

0.08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	tr	-	0.02	1.34	0.01	0.05	0.03	0.03	0.17	tr	tr	1
2	tr	-	tr	0.15	0.07	[E. wind]	-	0.04	0.41	0.05	0.01	0.15	2
3	tr	tr	-	0.29	0.09	-	0.01	tr	0.10	0.04	-	-	3
4	0.23	-	-	0.30	-	-	tr	-	tr	-	0.18	-	4
5	0.23	tr	tr	0.02	-	[Thunder storm]	0.01	-	0.10	0.05	tr	-	5
6	0.54	-	-	0.02	tr	-	tr	-	0.35	-	-	tr	6
7	0.04	-	0.09	0.15	0.01	tr	0.01	-	0.01	-	-	0.01	7
8	tr	-	0.10	0.03	tr	-	-	-	0.16	0.07	-	tr	8
9	0.08	-	tr	0.18	0.03	-	-	-	0.03	0.02	-	-	9
10	0.15	0.02	tr	-	0.07	[Heavy dew]	-	-	0.03	0.09	tr	0.01	10
11	0.05	-	-	0.02	0.02	-	0.48	-	tr	0.35	0.04	-	11
12	0.13	tr	-	0.08	0.29	-	-	-	0.05	0.25	0.03	tr	12
13	0.08	-	-	tr	tr	-	0.71	-	0.02	0.08	0.04	0.01	13
14	0.21	-	tr	0.04	0.01	-	tr	0.12	tr	-	0.02	tr	14
15	tr	-	-	0.02	0.14	-	0.13	-	tr	0.04	tr	tr	15
16	0.29	tr	-	0.21	0.27	-	0.21	tr	tr	-	-	-	16
17	tr	tr	tr	tr	-	-	0.18	-	-	0.03	tr	-	17
18	tr	tr	-	-	0.01	-	-	-	0.30	0.18	0.13	tr	18
19	tr	tr	-	-	-	-	-	-	0.02	0.80	(heavy dew)	(heavy dew)	19
20	tr	tr	-	0.07	0.48	-	tr	1.42	0.01	0.70	0.07	0.01	20
21	0.01	tr	-	0.17	1.36	-	-	0.39	tr	0.50	0.04	0.02	21
22	0.02	-	0.13	0.01	tr	[E. day]	0.13	-	0.34	0.49	-	-	22
23	-	0.06	0.17	-	0.47	-	0.01	-	0.09	0.40	0.28	0.05	23
24	-	-	-	-	0.01	-	1.27	[mist]	0.02	0.04	0.01	[fog]	24
25	tr	-	-	-	tr	0.02	0.16	tr	0.05	0.32	0.01	(heavy dew)	25
26	-	-	0.13	0.02	0.10	-	0.03	-	0.13	0.11	0.03	-	26
27	-	-	0.46	0.23	0.29	tr	0.14	-	-	0.04	tr	tr	27
28	-	-	0.26	0.14	0.14	-	0.12	0.07	0.02	0.03	0.02	tr	28
29	-	*	0.21	0.08	0.71	0.17	0.04	0.09	0.14	0.19	-	0.01	29
30	tr	X	0.17	0.23	0.07	-	0.01	0.05	0.14	0.01	0.23	0.35	30
31	tr	X	0.09	X	0.03	X	0.08	-	X	tr	X	0.05	31
TOTAL	1.86	0.08	1.81	2.48	6.01	0.20	3.18	2.21	2.55	5.05	1.13	0.67	YEAR'S TOTAL 27.23
*Days with 0.1 in. or more.	13	2	10	22	22	3	19	8	22	25	15	10	171
*Days with 0.4 in. or more.	10	1	10	14	15	1	13	7	13	21	9	4	118

40-9999* Abs. Feb 22-29 + March 1. 0.06 in Gauge, entered 5 Feb 23

*See Instruction 2 (f) on other side. (as result of enquiries made.)

*Ap 27. Taken at 12.30, after two heavy hail storms, betw. 11.30 + 12.30

July 11. Thunderstorm

(Signed)

G. N. Hall-Smith ch.

Sept 25. 4 P.M. Heavy Hail.

Oct 11. Very heavy Th. storm yesterday

Oct 28 - First frost

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at SHERWOOD - BOAR'S HILL
in the County of BERKSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 444 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.10	0.02	-	-	-	-	-	-	tr	0.04	-	1
2	0.19	0.15	0.34	-	0.29	-	-	-	-	-	0.03	-	2
3	-	0.19	0.18	-	0.20	-	-	-	-	-	0.03	-	3
4	0.16	0.02	tr	-	0.18	-	-	-	-	-	-	tr	4
5	tr	tr	0.05	tr	0.01	-	-	-	tr	tr	0.04	-	5
6	-	0.18	0.08	-	0.06	-	-	-	-	0.30	0.03	-	6
7	0.10	0.06	0.11	-	0.10	-	tr	-	-	0.08	0.05	0.01	7 0.01
8	0.04	tr	0.07	-	0.03	-	0.29	-	tr	tr	-	tr	8
9	-	-	-	tr	0.05	-	0.17	0.06	-	0.11	0.02	-	9
10	0.02	0.09	tr	-	-	tr	0.38	0.29	-	0.25	0.17	-	10
11	0.22	tr	tr	-	0.02	0.01	0.29	-	-	-	tr	tr	11
12	0.02	tr	-	tr	0.04	0.05	0.11	-	0.66	tr	tr	0.02	12
13	0.02	tr	-	-	0.09	0.02	0.54	-	-	tr	0.06	tr	13
14	0.04	-	-	-	tr	-	0.02	-	0.16	0.41	tr	-	14
15	0.21	-	0.09	tr	-	-	0.04	0.11	tr	0.03	0.04	-	15
16	0.01	-	0.72	-	-	0.12	0.01	-	0.10	0.02	tr	-	16
17	0.06	0.01	0.32	-	-	0.02	-	tr	0.03	-	0.01	-	17
18	0.08	0.05	0.09	-	-	0.11	-	-	-	-	tr	-	18
19	tr	tr	0.21	tr	-	0.14	-	-	0.08	-	tr	tr	19
20	tr	tr	0.04	0.02	-	0.38	-	-	0.03	-	tr	-	20
21	tr	0.02	-	-	tr	0.14	-	0.49	0.11	-	tr	tr	21
22	tr	-	-	-	0.56	0.08	-	0.10	-	-	tr	tr	22
23	-	tr	-	0.19	-	tr	-	-	0.58	-	tr	tr	23
24	-	0.76	-	0.18	0.02	0.06	-	-	0.18	0.31	tr	-	24
25	-	1.18	tr	0.31	tr	-	tr	-	0.27	-	0.01	0.07	25
26	-	0.48	-	0.07	-	0.05	-	-	0.20	0.08	tr	tr	26
27	tr	tr	tr	-	0.18	-	0.03	-	0.02	0.09	tr	0.04	27
28	0.09	tr	-	0.21	-	-	-	-	tr	0.06	tr	0.05	28
29	-	tr	tr	0.20	-	-	0.03	tr	-	0.04	tr	0.02	29
30	0.07	×	0.05	-	0.02	-	0.06	-	0.10	-	-	0.10	30
31	-	×	0.02	×	-	×	-	0.11	×	0.01	×	-	31
TOTAL	1.47	3.29	2.39	1.18	1.45	1.17	1.95	1.18	2.36	1.54	0.04	0.31	YEAR'S TOTAL 19.33
* Days with or in. or more.	15	13	15	7	15	11	11	7	12	13	13	7	139
* Days with or in. or more.	11	10	13	6	10	9	8	6	9	10	8	4	104

40-9999

* See Instruction 2 (f) on other side.

(Signed)

G. N. Kuttall-Smith

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

829
B. 99

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SHERWOOD, BOARS HILL.in the County of BERKSHIREDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 444 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	tr	—	—	—	—	—	0.18	0.07	0.02	0.03	0.37		1
2	0.31	—	0.07	—	—	—	—	—	0.63	0.01	tr	0.28		2
3	tr	0.05	tr	0.12	—	—	—	0.01	tr	0.38	tr	0.03		3
4	0.06	tr	0.06	0.33	0.06	—	—	—	0.04	0.30	0.09	0.25		4
5	0.01	—	—	0.02	0.02	—	—	0.16	tr	tr	0.05	0.30		5
6	tr	tr	0.17	0.02	0.35	0.04	—	0.01	—	0.16	tr	0.38		6
7	0.02	—	—	—	tr	—	—	0.32	—	0.07	0.01	0.19		7
8	0.01	tr	tr	—	0.09	tr	—	0.06	—	—	0.10	0.02		8
9	tr	—	0.02	—	tr	—	—	0.05	0.05	—	0.73	0.29		9
10	0.03	tr	0.08	0.10	tr	—	—	0.06	—	—	0.07	0.02		10
11	0.27	tr	0.24	0.40	tr	—	0.02	0.01	—	tr	—	0.16		11
12	—	tr	0.03	0.09	—	—	tr	0.14	—	—	0.05	0.05		12
13	0.27	tr	0.23	0.02	—	—	0.06	0.01	—	tr	tr	0.69		13
14	0.10	tr	0.20	tr	tr	—	—	—	—	tr	0.23	0.27		14
15	0.02	—	0.03	tr	0.01	—	—	0.04	0.20	0.16	0.05	—		15
16	0.18	tr	0.10	—	tr	—	—	—	0.07	0.02	0.01	—		16
17	0.11	tr	—	0.01	—	—	tr	—	0.14	0.05	0.06	0.19		17
18	0.06	—	0.01	0.27	—	—	—	—	0.03	—	tr	0.11		18
19	—	tr	0.25	—	tr	0.05	—	—	0.14	0.01	tr	0.06		19
20	—	—	0.10	0.03	tr	—	0.05	tr	0.03	tr	tr	tr		20
21	tr	tr	—	0.02	0.02	0.16	0.05	0.07	tr	0.17	tr	tr		21
22	tr	tr	—	0.05	—	—	—	0.12	0.26	0.05	tr	0.14		22
23	—	tr	—	0.17	—	0.34	—	tr	tr	tr	0.02	0.03		23
24	tr	0.12	0.10	0.03	—	0.01	0.28	—	0.06	tr	tr	tr		24
25	0.24	0.05	—	0.11	—	0.11	—	—	—	0.07	tr	0.31		25
26	0.01	tr	—	0.32	—	tr	—	—	0.01	tr	tr	0.10		26
27	0.03	tr	—	tr	—	tr	—	—	—	0.02	tr	0.36		27
28	tr	tr	tr	0.17	—	0.36	—	0.53	—	—	tr	0.22		28
29	—	X	tr	tr	—	—	0.09	0.09	0.35	—	tr	tr		29
30	0.05	X	—	tr	—	—	—	0.08	0.06	0.06	—	0.10		30
31	0.01	X	—	X	—	X	0.03	0.02	X	0.04	X	0.02		31
TOTAL	7.84	0.17	1.69	2.26	0.55	1.23	0.83	1.92	2.02	1.62	1.56	5.40	Year's total	
*Days with .01 in. or more.	19	2	15	17	6	9	7	17	14	16	13	27	24.09	
*Days with .04 in. or more.	11	2	11	11	3	8	5	12	11	11	8	21	16.2	

40-9999

*See instruction 2 (f) on other side.

† Spare column, no entries required.

* (Signed)

G. H. Randall-Smith

[B.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

B. 99

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **SHERWOOD, BOARS HILL,**in the County of **BERKSHIRE**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **0** in.,, Ground ,, Sea Level **444** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	—	—	tr	tr	0.04	0.11	—	0.06	0.28	0.05	0.01		1 0.12
2	—	—	—	—	—	0.10	—	—	0.01	0.10	0.02	0.01		2 0.08
3	—	0.06	0.01	—	—	0.26	—	—	0.69	0.49	0.11	0.03		3
4	—	—	tr	0.15	—	0.08	—	—	0.14	0.58	tr	tr		4
5	—	0.67	0.11	0.03	—	0.55	—	—	0.45	0.02	—	0.01		5
6	—	0.01	tr	0.28	—	0.28	—	—	—	0.02	0.03	0.01		6
7	—	0.01	tr	0.54	—	0.01	—	—	—	0.10	0.31	0.13		7
8	—	tr	tr	0.27	—	—	—	—	—	0.35	0.11	0.01		8
9	tr	tr	tr	0.23	0.05	0.51	—	—	—	1.10	0.41	—		9
10	tr	—	tr	0.16	—	0.08	—	tr	—	—	0.12	0.01		10
11	0.24	—	tr	—	—	0.10	0.08	—	—	—	0.21	tr		11
12	tr	0.02	tr	—	—	0.16	—	—	—	—	0.02	tr		12
13	0.07	0.11	—	0.14	0.17	0.04	—	—	—	tr	tr	—		13
14	tr	—	—	—	0.04	0.10	—	—	tr	—	0.26	0.19		14
15	tr	0.11	—	0.44	0.02	0.54	—	—	0.33	tr	0.22	0.14		15
16	—	0.12	0.09	0.12	—	0.15	tr	—	0.13	0.02	0.61	0.08		16
17	tr	—	tr	0.49	tr	0.17	—	tr	0.01	tr	0.24	tr		17
18	—	—	—	0.49	0.05	0.03	0.30	—	0.35	0.43	tr	tr		18
19	—	—	—	0.04	0.50	0.14	0.09	—	0.08	0.02	0.28	0.18		19
20	tr	0.07	—	0.05	x	0.05	0.03	—	0.01	—	0.44	tr		20
21	tr	0.35	0.03	tr	—	—	—	—	0.45	0.03	0.07	tr		21
22	—	0.01	0.06	0.12	—	—	—	0.10	0.76	tr	tr	tr		22
23	—	tr	0.04	tr	tr	—	—	0.41	0.09	0.35	tr	0.08		23
24	0.01	0.22	0.01	—	tr	—	—	0.18	0.63	0.02	tr	0.14		24
25	0.13	0.11	—	0.25	—	1.36	—	0.01	—	—	tr	0.20		25
26	—	0.15	—	—	—	tr	—	0.09	x	tr	tr	0.38		26
27	tr	0.10	—	—	—	—	—	tr	x	tr	0.07	0.66		27
28	—	0.04	—	tr	0.42	—	—	0.03	x	0.01	0.02	tr		28
29	—	x	0.02	—	0.23	—	—	tr	0.78	tr	0.07	0.15		29
30	0.01	x	—	0.11	x	—	—	0.82	x	0.06	0.24	0.26		30
31	—	x	—	x	0.03	x	—	0.05	x	0.81	x	0.18		31
TOTAL	0.51	2.16	0.87	3.42	1.51	4.58	0.61	1.69	4.92	4.39	3.91	2.86	Year's Total.	30.93
* Days with .01 in. or more.	6	16	8	x 24	17	21	19	5	8	20	18	21	20	167
* Days with .04 in. or more.	4	12	4	x 22	16	19	16	4	6	17	10	17	13	126

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. 888700/28

Kept at SHERWOOD, BOARS HILL
in the County of BERKSHIRE.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 2 in.
Ground Sea Level 444 ft.

Since June 10th removed
to Blackthorn Boars Hill
particulars of distance
& direction overleaf
Height above Sea level 410

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	0.04	0.04	0.27	—	0.12	0.09	0.02	—	—	—	—	—	1
2	0.08	tr	0.02	0.01	—	0.39	48	12	—	—	10	14	—	2
3	tr	tr	tr	0.09	—	0.34	13	—	18	—	2	06	—	3
4	tr	tr	0.29	tr	—	0.03	—	—	17	—	—	—	—	4
5	0.15	tr	tr	tr	tr	0.16	—	0.02	18	—	10	0.1	—	5
6	0.17	tr	—	—	tr	0.05	—	0.08	0.08	—	0.04	0.08	—	6
7	0.19	tr	0.06	—	tr	—	18	—	0.02	—	65	0.6	—	7
8	0.14	tr	0.32	—	—	tr	—	—	11	—	—	0.0	—	8
9	0.26	—	0.02	—	—	—	19	—	0.03	0.01	—	—	—	9
10	0.12	—	tr	—	—	—	0.07	47	23	—	—	—	—	10
11	—	0.01	—	0.03	—	—	10	—	0.05	—	36	1.3	—	11
12	tr	tr	—	0.03	—	0.37	32	—	15	—	0.9	—	—	12
13	tr	tr	—	0.11	—	0.24	—	—	—	0.6	—	2.8	—	13
14	tr	0.03	—	0.02	—	0.04	62	—	0.03	—	0.11	2.9	—	14
15	tr	0.02	—	tr	—	—	—	—	28	—	—	1.1	—	15
16	0.17	0.26	—	0.03	—	—	—	—	—	—	1.46	0.9	—	16
17	0.16	0.40	—	—	—	—	0.01	—	—	—	1.0	1.1	—	17
18	tr	0.03	—	—	—	25	0.07	0.02	—	15	—	0.5	—	18
19	0.29	0.07	0.07	0.06	—	15	—	0.05	2	—	—	—	—	19
20	0.05	0.06	0.08	0.19	—	86	—	—	—	—	—	—	—	20
21	tr	tr	—	0.31	—	21	16	—	20	—	—	—	—	21
22	0.07	0.50	0.03	tr	0.29	—	22	—	—	—	—	1.5	—	22
23	0.07	tr	1.32	0.09	—	—	0.02	—	—	0.04	—	—	—	23
24	0.09	0.06	tr	tr	36	—	12	—	14	18	—	—	—	24
25	0.02	tr	0.17	0.10	—	—	10	—	31	0.3	0.6	—	—	25
26	0.01	0.09	0.06	tr	—	0.08	—	—	0.08	14	—	—	—	26
27	0.05	tr	0.05	—	—	—	—	—	—	0.6	—	—	—	27
28	0.57	tr	0.09	tr	—	—	50	—	—	—	—	1.9	—	28
29	0.04	0.08	0.01	—	0.09	22	0.07	—	—	—	2.4	0.3	—	29
30	0.10	×	—	—	0.20	17	0.04	—	—	36	—	0.8	—	30
31	0.30	×	0.32	×	0.03	×	11	—	×	42	×	2.0	—	31
TOTAL	3.16	1.65	2.95	1.37	95	3.68	3.60	78	3.26	1.48	2.71	1.98	Year's Total (27.57)	
* Days with .01 in. or more.	22	13	16	13	5	10	20	7	18	10	14	18	(172)	
* Days with .04 in. or more.	20	9	12	9	4	15	18	4	14	9	14	15	(143)	

Section **A** for the entry of Daily Observations.Station No. **829**
B99

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937..

Kept at **Blackthorn**
in the County of **Bedfordshire**Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. in.
Ground Sea Level **440** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	—	—	.03	—	—	—	—	—	—	.22	.33		1
2	—	.25	—	.28	—	—	—	—	.02	.04	.01	.23		2
3	—	.46	—	—	.72	—	—	—	.04	—	.005	.01		3
4	.04	.44	—	—	—	—	—	—	—	—	Trace	.39		4
5	.14	—	.19	—	—	—	.08	—	—	—	Trace	.01		5
6	.07	.05	.08	—	.20	—	.27	—	—	—	.03	—		6
7	—	.61	.08	—	—	—	—	—	—	.04	—	—		7
8	—	.09	—	.29	—	—	—	—	—	—	.18	.02		8
9	—	—	—	.11	.24	Trace	.13	—	.01	—	Trace	—		9
10	—	—	.45	.35	—	.22	.10	—	.36	—	—	.27		10
11	—	—	.04	—	.25	—	.03	—	—	—	—	—		11
12	.15	.25	.05	—	.19	.40	.02	—	—	—	—	.10		12
13	.14	.07	.22	—	—	.23	—	.21	.10	—	—	.07		13
14	.02	—	.43	.19	—	—	—	—	.04	—	—	—		14
15	.12	.05	.35	.09	—	—	1.04	.29	.01	—	.005	—		15
16	—	.06	—	.58	—	.09	—	—	.06	—	—	—		16
17	.20	—	.39	.04	—	—	.01	.06	.27	—	—	—		17
18	.39	.06	—	—	.06	.15	—	—	.42	—	.20	.18		18
19	.12	.07	.09	.07	—	.20	—	—	.06	—	.045	.03		19
20	.16	.05	—	.385	.31	Trace	—	—	.12	.03	.01	—		20
21	.13	.46	.07	.09	.14	—	.03	—	—	.01	.03	.07		21
22	.16	.03	—	—	.04	.21	.07	—	—	.65	.27	.015		22
23	.27	.02	.05	—	.15	—	.18	—	—	.53	.10	—		23
24	.19	.39	.07	—	.04	—	—	—	—	.25	—	.01		24
25	.11	.19	.11	—	.83	—	—	—	.15	.16	—	.02		25
26	—	.57	—	—	.09	—	—	—	.02	—	—	—		26
27	—	.06	—	.17	—	—	—	—	—	1.2	—	—		27
28	—	.07	—	—	—	—	—	—	—	.04	—	.04		28
29	—	—	—	—	—	.005	—	—	—	.06	.04	.02		29
30	.35	×	—	—	—	—	—	—	—	.06	.22	.01		30
31	.22	×	—	×	—	×	—	—	×	.07	×	—		31
TOTAL	3.10	4.30	2.67	2.675	3.26	1.505	1.96	.56	1.69	3.17	1.365	1.822	28.08	✓
* Days with .01 in. or more.	19	21	15	13	13	7	11	3	14	13	14	18	161	✓
* Days with .04 in. or more.	18	19	15	12	13	7	7	3	10	11	8	10	133.	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. C. Bingham

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1938...

Kept at Blackthorn Boars Hill
in the County of Berkshire.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 410 ft.

Station No. B 99.
829.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	.02	—	—	.08	—	—	.01	.01	—	.06	I
2	—	—	—	—	.04	—	—	—	—	.40	.01	.03	2
3	.05	—	—	.02	.18	—	.02	—	.03	.55	—	h	3
4	.06	—	—	—	—	—	.06	.08	—	.39	—	.12	4
5	—	—	—	—	—	h	.30	—	—	.22	h	.01	5
6	.04	h	—	—	—	—	.03	—	.07	.07	—	h	6
7	—	—	—	—	—	.03	.20	.65	.14	.25	—	.05	7
8	.11	—	—	—	—	.11	.03	.29	.02	.11	—	.04	8
9	—	—	—	—	—	—	.02	.10	—	—	—	.47	9
10	.13	.02	—	—	—	.12	.03	.26	—	—	—	.05	10
II	.28	—	—	—	—	—	—	.47	—	—	.10	.02	II
12	.28	.05	—	—	.04	—	.03	.36	—	.24	.02	.29	12
13	~~.17~~	.03	—	—	—	—	—	—	—	.03	h	—	13
14	~~.17~~	.02	—	—	.05	—	.19	—	.11	—	.01	.02	14
15	~~.08~~	—	—	—	.01	—	.27	—	—	.04	—	.10	15
16	.45	.03	.03	—	.02	—	.02	.11	—	.01	.01	.05	16
17	—	.05	—	—	.10	—	—	—	.07	.12	h	—	17
18	.04	—	—	—	.03	h	—	.04	.39	—	.16	—	18
19	—	—	—	—	—	—	—	.08	.09	—	.18	—	19
20	h	—	—	—	—	—	—	—	.03	—	.80	—	20
21	.01	—	—	—	—	—	—	.03	h	h	—	—	21
22	—	—	—	.01	—	.02	—	.15	h	—	.17	—	22
23	—	—	—	.01	—	—	h	—	—	h	.06	—	23
24	—	—	.22	—	.04	—	—	h	.18	—	.02	—	24
25	.08	.16	.08	—	.12	—	h	.12	h	.06	.45	—	25
26	.26	.25	.11	—	.03	—	—	.02	.12	.11	—	—	26
27	.06	.04	—	.03	.13	.25	.15	.90	.14	h	.38	.17	27
28	.07	.05	—	—	.65	.10	h	—	.01	—	.16	—	28
29	~~.16~~	—	—	—	.25	h	—	—	.05	.06	.02	.20	29
30	~~.03~~	×	—	.01	.02	.01	—	—	.14	.03	.23	.03	30
31	.15	×	—	×	.18	×	—	—	×	.12	×	.19	31
TOTAL	2.51	.71	.46	.08	1.89	.72	1.35	3.66	1.60	2.82	2.78	2.90	YEAR'S TOTAL
Days with or in. or more.	19	11	5	5	16	8	13	15	16	18	16	22	21.48
Days with .04 in. or more.	17	6	3	5	11	5	6	13	11	14	10	17	164

Acting Observer

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 829.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at *Blackthorn Board Mills*in the County of *Berkshire.*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *410* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.01	.58	.43	—	—	Trace	.02	—	—	—		1
2	.05	—	—	.02	—	—	—	.37	.42	—	.03	.03		2
3	.26	—	—	.17	—	—	—	.38	—	.01	.26	.25		3
4	.07	—	.15	.43	.01	—	.12	.44	Trace	.44	.04	.07		4
5	—	—	—	.41	.35	—	.11	.16	—	.18	.32	.15		5
6	.30	—	—	.07	.01	—	.23	.02	—	Trace	.12	Trace		6
7	.04	.11	—	—	—	—	.12	—	—	—	.18	.14		7
8	—	.10	.16	—	—	—	.11	.27	—	.43	.10	.38		8
9	.02	.03	—	—	—	—	—	.04	—	.41	Trace	.16		9
10	.25	—	.07	—	—	.33	—	.09	.03	.01	Trace	—		10
11	—	—	.23	—	Trace	—	—	—	—	Trace	Trace	Trace		11
12	.01	.05	—	—	.01	.03	—	—	—	Trace	.03	Trace		12
13	—	—	.02	—	—	.01	.03	—	.06	.80	Trace	—		13
14	.36	—	—	Trace	.09	.04	.16	—	—	.07	.11	—		14
15	.10	—	.01	—	.26	.54	.24	—	.05	.65	.11	Trace		15
16	.17	—	.12	.01	.07	.41	—	—	—	Trace	.50	—		16
17	.16	Trace	Trace	—	.10	—	.01	—	—	1.30	.04	Trace		17
18	.19	.01	.03	—	—	.21	.30	—	—	—	.36	—		18
19	.24	—	—	—	—	—	1.05	—	—	—	Trace	—		19
20	.37	—	—	—	.01	.16	.18	.01	—	—	—	.01		20
21	.02	.07	.28	.03	—	.03	.27	—	.03	Trace	—	—		21
22	.26	.18	.10	—	—	Trace	.05	—	.01	.01	.10	.02		22
23	.04	—	—	.03	—	.03	.29	—	—	.05	.60	.01		23
24	.12	—	—	.17	—	.04	.04	—	—	.05	.01	Trace		24
25	<i>1.48 snow</i>	.11	.14	.02	—	Trace	.71	—	—	—	.22	Trace		25
26	<i>1.51 snow</i>	.03	.01	Trace	—	Trace	—	.01	—	.04	.22	Trace		26
27	Trace	.10	.10	Trace	—	Trace	.05	Trace	—	Trace	.21	—		27
28	.02	.12	.13	.03	—	.02	.02	—	—	—	.27	.10 snow		28
29	Trace	—	—	.23	—	—	.16	—	—	.09	.12	—		29
30	—	X	—	.88	—	.05	—	—	—	Trace	.04	.08 snow		30
31	—	X	—	X	—	X	.08	Trace	X	—	X	Trace		31
TOTAL	3.89	.91	1.56	3.08	1.34	<i>1.90</i>	4.33	1.79	.62	<i>4.54</i>	3.99	1.40	Year's Total	29.35 ✓
* Days with rain or more	23	11	15	14	10	<i>1.90</i>	21	10	7	<i>4.54</i>	22	12		✓
* Days with snow or more	18	8	10	8	6	8	18	7	3	12	19	8		✓

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at *Blackthorn Farm, Hill.*in the County of *Berkshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.Ground Sea Level *410* ft.*Days*
falls

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	~~.02~~	.03	.02	—	—	—	—	—	.175	—		1
2	—	.13	—	.12	—	—	.10	—	—	—	1.05	—		2
3	<i>haze</i>	.14	—	.02	—	—	—	—	—	.20	.75	—		3
4	—	.08	—	.17	—	—	.03	—	—	.14	.52	.03		4
5	—	.02	—	—	.01	—	.01	—	—	.01	.39	.06		5
6	.21	.13	—	—	.035	—	.05	—	—	—	.06	<i>snow</i> .02		6
7	.09	.15	—	.01	.01	—	.28	—	—	.12	—	.02		7
8	—	—	—	—	—	—	—	—	—	.13	.02	.23		8
9	—	—	—	—	—	—	—	.02	.03	.01	.10	.07		9
10	—	—	—	—	—	—	1.04	.03	—	.06	.25	.08		10
11	—	<i>snow</i> .01	<i>haze</i>	.04	—	—	.03	—	—	—	.61	.03		11
12	—	—	.06	—	—	—	.13	—	.08	.01	<i>haze</i>	<i>haze</i>		12
13	—	—	.55	—	—	—	.03	<i>haze</i>	—	—	.89	<i>haze</i>		13
14	—	<i>snow</i> .02	<i>snow</i> .15	.09	.10	—	—	—	.09	.20	<i>haze</i>	.20		14
15	.02	—	.01	—	.04	—	.06	—	—	.20	.33	—		15
16	<i>snow</i> .01	<i>snow</i> .15	.21	—	<i>haze</i>	.015	.14	—	.31	.57	.62	.02		16
17	—	—	.43	<i>haze</i>	—	—	<i>haze</i>	—	.03	.01	.01	.13		17
18	—	.36	.29	.52	—	—	—	.02	—	.10	.15	<i>haze</i>		18
19	—	.15	.11	.28	—	—	.06	—	.05	<i>haze</i>	.13	.01		19
20	—	.01	.07	.03	—	—	—	.01	.01	.19	.02	—		20
21	<i>snow</i> .04	.01	.01	—	.11	—	.15	—	—	.04	.54	—		21
22	<i>snow</i> <i>haze</i>	—	.15	<i>haze</i>	.66	.30	—	—	.19	—	<i>haze</i>	—		22
23	—	.15	.04	.03	.32	.33	<i>haze</i>	—	.01	.05	.01	.04		23
24	—	—	—	—	—	—	.17	—	—	—	—	—		24
25	<i>haze</i>	—	.16	<i>haze</i>	—	.03	.08	—	—	<i>haze</i>	—	—		25
26	1.06	.04	.08	1.00	.045	—	.11	—	—	<i>haze</i>	—	—		26
27	.75	.02	—	.03	.21	—	.15	—	—	<i>haze</i>	<i>haze</i>	—		27
28	<i>snow</i> .52	.02	—	<i>haze</i>	.21	—	—	—	—	—	—	<i>haze</i>		28
29	<i>snow</i> .02	~~.17~~	.04	.02	.105	—	—	—	—	—	—	.29		29
30	<i>snow</i> .03	~~.17~~	—	.20	.03	—	<i>haze</i>	—	—	.17	—	.02		30
31	.03	~~.17~~	—	~~.17~~	—	~~.17~~	—	—	~~.17~~	.42	~~.17~~	.03		31
TOTAL	2.78	1.76	2.36	2.60	1.90	.67	2.62	.08	.83	2.63	6.62	1.28	Year's Total	26.13
* Days with .01 in. or more.	11	19	15	15	14	4	17	4	9	18	19	16		161
* Days with .04 in. or more.	6	11	13	8	9	2	13	0	5	14	15	8		104

† Spare column, no entries required.

(Signed)

A.C. Pilkington

[P.F.O.]

* See Instruction 3 (f) on other side.

FORM 1090.

REGISTER OF

Kept at KENNINGTON NURSERY (OXFORD)
in the County of BERKSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10
Ground Sea Level 350

THE MORNING MEASUREMENT IS CRE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

830
KENNINGTON NURSERY
OXFORD

1931-1940

780203

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.15		.23			.25				1
2		.05		.75					.88			.10	2
3	.08		.18	.25				.27	.50		.48	.10	3
4				.05			.28	2.36	.70		.23		4
5				.13		.82	.02		.02		.05	.32	5
6		.17		.18		.13	.03			.35	.18		6
7					.18	.04	.14	.12		.10	.11	.05	7
8		.08		.05		.14		.21			.19		8
9		.17				.11	.05				.24		9
10						.09	.23	.12			.18		10
11	.16	.10				.07			.10		.11		11
12							.18		.30				12
13					.01		.20	.62					13
14					.11	.24	.54	.22					14
15				.15	.17		.16	.12				.03	15
16	.03			.10	.11	.30	.01	.18	.14				16
17				.18	.20		.22		.03				17
18		.48				.23		.43			.43		18
19	.09			.52		.05	.18	.01					19
20				.05				.12			.04		20
21	.03				.40								21
22	.08												22
23				.25	.43	.35			.03		.12	.10	23
24				.23	.03								24
25							.30				.13		25
26				.36			.53				.23		26
27		.55		.12	.85		.21				.20		27
28	.40			.04			.05					.05	28
29					.14					.30			29
30		X						.01					30
31	.20	X		X	.32	X			X		X	.15	31
TOTAL	1.07	1.60	.18	3.33	3.15	2.83	3.33	4.79	2.95	.75	2.98	.90	27.80
*Days with .01 in. or more.	28	07	01	016	112	114	817	813	810	03	015	18	134
*Days with .04 in. or more.	6	7	1	16	11	13	14	11	7	3	15	7	111

40-9999

*See Instruction 2 (f) on other side.

(Signed) F. FRANKS

W. G. Lloyd

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at KENNINGTON NURSERY (OXFORD)
in the County of BERKSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 in.
Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				15		23			25				1
2		05		75					88			10	2
3	08		18	25				27	50		48	10	3
4				05			28	2 36	70		23		4
5				13		82	02		02		05	32	5
6		17		18		13	03			35	18		6
7					18	04	14	12		10	11	05	7
8		08		05		14		21			19		8
9		17				11	05				24		9
10						09	23	12			18		10
11	16	10				07			10		11		11
12							18		30				12
13					01		20	62					13
14					11	24	54	22					14
15				15	17		16	12				03	15
16	03			10	11	30	01	18	14				16
17				18	20		22		03				17
18		48				23		43			43		18
19	09			52		05	18	01					19
20				05				12			04		20
21	03				40								21
22	08												22
23				25	43	35			03		12	10	23
24				23	03								24
25							30				13		25
26				36			53				23		26
27		55		12	85		21				20		27
28	40			04			05					05	28
29					14					30			29
30		X						01					30
31	20	X		X	32	X			X		X	15	31
TOTAL	1.07	1.60	18	3.33	3.15	2.83	3.33	4.79	2.95	.75	2.98	.90	27.80
*Days with "or in. or more.	28	07	01	016	112	114	817	813	810	03	015	18	134
*Days with "04 in. or more.	6	7	1	16	11	13	14	11	7	3	15	7	111

Section

A

for the entry of Daily Observations.

Station No.

830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Hennington Nursery (Oxford) by Forest Commission*in the County of *Berkshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *10* ft. in.,, Ground ,, Sea Level *350* ft.

*May 27 altered
to 5.66 as
originally given
+ printed total
95 29.5.48*

B A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.03		.03	1.25		.08	.03	.03	.15			1
2				.13	.07			.02	.48	.04		.15	2
3	.01			.24	.07				.05	.07			3
4											.22		4
5	.23		.01				.02		.14				5
6	.47			.04					.33				6
7	.04		.08	.07					.02	.06			7
8			.10	.05					.20	.06			8
9	.13			.05	.05				.04				9
10	.05			.13	.08				.04	.19			10
11	.05			.03	.03		.22			.50	.04		11
12	.12				.30				.05	.26			12
13	.07			.09			.10		.03	.09	.08	.05	13
14	.21			.04				.15			.02	.01	14
15				.04	.13					.04			15
16	.39			.25	.28		.63						16
17							.14						17
18									.35		.12		18
19									.03	.22			19
20				.05	.50			1.30		.82	.08	.01	20
21	.02		.13	.17	1.35			.52		.71		.02	21
22	.01		.15	.02			.14		.37	.22	.28		22
23		.05			.38				.07	.55	.10	.05	23
24		.01			.01		1.25		.03	.05	.01		24
25		.03		.01			.08		.03	.35	.02		25
26			.12	.22	.10	.03	.05			.10			26
27			.30	.15	.25		.15		.05	.05	.05		27
28			.30	.08	.14		.12	.06		.07			28
29			.20	.09	.58	.18	.04	.10	.11	.21		.03	29
30		X	.19	.17	.05	.36	.02	.05	.22		.24	.37	30
31		X	.10	X	.03	X	.06		X		X	.06	31
TOTAL	1.85	.12	1.68	2.15	5.66	.57	3.10	2.23	2.57	4.81	1.28	.75	26.67
*Days with .01 in. or more.	14	4	11	22	19	3	15	8	20	21	12	9	158
*Days with .04 in. or more.	11	1	10	18	12	2	13	6	14	21	9	5	128

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. G. Gray.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Henington Nursery by Forestry Commission
in the County of Berkshire

File Number
897557/29

BA.

Total + Days

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
Ground Sea Level 150 approx. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.16	.04								.04			1
2	.18		.40		.32						.02			2
3		.18	.21		.04									3
4	.18	.02			.38									4
5	.06	.01	.08								.03			5
6	.01	.20	.05		.15					.29	.02			6
7	.14	.04	.08		.03					.11	.02			7
8	.03		.07		.04		.30							8
9		.01			.04		.17			.11	.11			9
10		.18				.02	.48			.25	.17			10
11	.22				.02		.23	.25						11
12					.05	.10	.23		.67					12
13	.05				.10	.02	.40			.05	.06			13
14	.02							.05		.04	.36	.02		14
15	.23		.13				.27	.09		.14	.05			15
16			.75			.13	.01		.10	.02				16
17	.06		.38			.04			.04		.02			17
18	.10	.11	.10			.14					.02			18
19			.18			.13			.12			.02		19
20			.05			.23								20
21		.02				.10		.58						21
22						.05		.11		.17				22
23				.22					.55	.13				23
24		.10		.44		.10			.21	.01				24
25		.26		.30	.10				.15			.08		25
26		.50		.10		.03			.17	.08				26
27					.18				.03	.07		.04		27
28		.01		.25						.07		.04		28
29	.17			.18						.02		.03		29
30	.22	X	.05				.07		.16			.12		30
31	.11	X	.04	X		X		.11	X		X			31
TOTAL	1.87	3.81	2.61	1.49	1.45	1.09	2.16	1.19	2.20	1.56	.92	.35	20.70	
*Days with .01 in. or more.	16	14	15	6	12	12	9	6	10	15	12	7	134	
*Days with .04 in. or more.	13	9	15	6	10	9	8	6	9	12	6	4	107	

Year's Total

† Spare column, no entries required.

(Signed)

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Winnington nursery, by Forestry Commission
in the County of Berkshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level 350 approx. ft.

B.A.

all found correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							.16	.03	.02		.70		1
2	.27		.08						.65	.02	.03	.30		2
3	.01	.05		.03						.35		.04		3
4	.06		.07	.21	.04				.06	.30	.10	.23		4
5					.01			.14			.05	.30		5
6			.17	.02	.35	.01		.16		.17		.54		6
7	.03					.03		.25		.07		.20		7
8					.10			.05	.01		.15	.02		8
9			.01								.67	.25		9
10	.09		.10	.10				.05				.03		10
11	.20		.21	.46			.01	.02				.20		11
12			.03	.03			.01	.08				.05		12
13	.28		.18	.02			.25	.02				.47		13
14	.11		.22								.25	.26		14
15	.04		.03		.01				.09	.16	.19	.04		15
16	.20		.11		.04					.01	.01			16
17	.10								.14	.03	.05	.21		17
18	.06			.25					.02			.11		18
19			.23			.04			.18	.01		.07		19
20			.09	.05					.06					20
21						.14	.10	.07		.17				21
22					.03			.11	.28	.01		.13		22
23				.17		.35			.02		.03	.03		23
24		.14	.08	.06		.06	.35		.05					24
25	.25			.13		.54				.08		.33		25
26	.02			.21		.06			.02			.10		26
27	.04	.02				.10				.01		.34		27
28				.15		.30	.04	.52			.01	.30		28
29								.12	.32			.01		29
30	.06	X						.03	.08			.10		30
31	.03	X		X		X	.02	.03	X	.05	X	.03		31
TOTAL	1.90	.21	1.61	1.89	.61	1.63	.78	1.81	2.01	1.46	1.54	5.39	20.84	Year's Total.
* Days with .01 in. or more.	18	3	14	14	7	10	7	15	15	15	11	27	156	
† Days with .04 in. or more.	14	2	11	10	4	8	4	11	10	8	7	22	111	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. G. Gray.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Hamington, Nursery, by Forestry Commission*in the County of *Berkshire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....10.....in.

,, Ground ,, Sea Level *350 approx* ft.

File NO 897557/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05					.06	.08		.05	.24	.06			1
2			.04			.05			.03	.10	.02	.01		2
3		.06	.03			.16			.78	.49	.12	.03		3
4				.17		.04			.04	.74				4
5		.55	.01	.03		.23			.43	.02	.02	.01		5
6		.02		.30		.30				.11		.02		6
7		.02		.55		.03				.14	.31	.12		7
8				.30	.01					.32	.12	.02		8
9				.24		.57				1.22	.38			9
10				.11		.02					.19	.01		10
11	.25					.06	.13				.21			11
12		.02				.20					.01			12
13	.05	.12		.09	.16	.03								13
14				.02	.06	.03					.24	.20		14
15		.12		.40	.01	.29			.40		.23	.18		15
16		.12	.10	.10		.19			.15	.03	.56	.12		16
17				.11		.17			.01		.23			17
18				.41		.04	.40	.01	.43	.03		.10		18
19				.06	.16	.07	.05		.10		.24	.10	Snow	19
20		.07		.05	.40	.11	.02		.01		.36			20
21		.38	.03	.03					.33	.04	.07			21
22			.04	.23				.13	.65					22
23			.04					.48	.13	.30		.11		23
24		.26	.02					.10	.55	.03		.24		24
25	.17	.08		.25		1.49		.01				.31		25
26		.19						.10	.09			.30		26
27		.10						.10	.02	.08		.15		27
28		.06			.40			.01	.37	.02	.02			28
29			.01		.41				.16		.07	.12		29
30	.01	~~X~~		.12	.10			.85	.10	.05	.21	.32		30
31		~~X~~		~~X~~	.10	~~X~~		.05	~~X~~	.78	~~X~~	.19		31
TOTAL	.53	2.17	.32	3.57	1.81	4.14	.68	1.74	4.84	4.68	3.75	3.26	31.49	Year's Total
* Days with .01 in. or more.	5	15	9	19	10	20	5	9	20	18	21	20	171	
* Days with .04 in. or more.	4	12	4	16	8	16	4	6	17	12	17	14	130	

Section

A

for the entry of Daily Observations

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at *Kennington Nursery by Forestry Commission*in the County of *Berkshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1.0* ft.Ground Sea Level *350* ft.File No *897557/29*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.04		.31		.04	.17	.02			.12	.03		1
2	.07		.03			.37	.52	.11			.12			2
3				.08		.13	.11		.31		.19	.02		3
4			.35			.03			.10		.07	.05		4
5	.15		.01					.03	.10		.01	.18		5
6	.15					.15		.08	.11		.08			6
7	.28		.05				.10		.03		.05	.04		7
8	.15		.35								.57			8
9	.35		.01				.20		.07					9
10	.10						.06	.23	.01					10
11				<i>snow</i> .08			.07		.29		.39	.03		11
12						.39	.35		.08		.09	.14		12
13				.24		.43				.05	.03	.28		13
14		.04		.02		.03	.70			.02		.28		14
15									.17			.10		15
16	<i>snow</i> .13	.21		.05					.02		.52	.04		16
17	<i>snow</i> .20	.44								.02	.10	.10		17
18		.04				.15	.01	.01		.12	.03	.08		18
19	.31	.06	.07	.10		.28	.05	.06		.01				19
20	.05	.06	.12	.20		.51			1.48					20
21				.36		.15	.10		.03					21
22	.08	.46	.06	.03	.26		.23					.13		22
23	.09		.57	.10			.01			.05		.01		23
24	.12	.06					.17		.13	.20				24
25	.02		.14				.07		.39	.15	.05	.02		25
26	.01	.10	.08			.01				.02				26
27	.06		.06						.02	.08				27
28	.60		.11				.20					.19		28
29	.03	.07	.01		.06	.37	.11			.02	.26	.02		29
30	.12	~~X~~			.15	.21	.06			.46				30
31	.28	~~X~~	.37	~~X~~	.03	~~X~~	.07		~~X~~	.45	~~X~~	.22		31
TOTAL	3.42	1.58	2.39	1.57	.50	3.25	3.36	.54	3.34	1.65	2.68	1.96	Year's Total 26.24	✓
* Days with .01 in. or more.	22	11	16	11	4	15	20	7	16	13	16	19	170	✓
* Days with .04 in. or more.	19	11	12	9	3	12	18	4	11	8	13	13	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. G. Gray [P.T.O.]
For Forestry Commission

Section



for the entry of Daily Observations

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Kennington Nursery by Forestry Commission*
in the County of *Berkshire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....10.....in.

,, Ground ,, Sea Level *350 approx.* ft.

File No 897557/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09			.04					.02	.01	.24	.41		1
2	.01	.27	.01	.32					.05			.20		2
3		.50			.02							.02		3
4	.06	.49			.01							.49		4
5	.14		.18	.03			.05							5
6	.11	.21	.25	.11	.18		.27			.03				6
7		.50		.14					.02					7
8		.11			.13						.20	.07		8
9				.20	.18		.13		.34			.12		9
10	.02		.57	.48	.01	.22	.07					.11		10
11			.01	.01	.20		.04					.02		11
12	.16	.28	.36		.21	.42	.01		.09			.05		12
13	.15	.06	.43	.02		.51		.03	.08					13
14		.03	.25	.17				.24	.01					14
15	.12	.13	.02	.10			.71		.07					15
16		.05	.46	.73		.02		.06	.52					16
17	.43	.02	.36	.03					.47					17
18	.34	.12	.04	.06		.03			.09		.26	.13		18
19	.08	.02	.11	.13	.12	.19			.04		.05			19
20	.21			.35	.30	.21						.02		20
21	.17	.51	.07	.08	.14		.04			.02		.08		21
22	.24	.01	.04		.05	.21	.23			.77	.26			22
23	.22	.04	.01		.17					.14	.11	.03		23
24	.20	.53	.07		.10				.14	.30				24
25	.13	.27	.18		.25				.01	.14				25
26		.38			.07					.15				26
27	.03	.39		.13						1.05				27
28										.05		.05		28
29	.02					.04				.08	.05			29
30	.30	~~X~~								.05	.22			30
31	.27	~~X~~		~~X~~		~~X~~			~~X~~	.06	~~X~~	.04		31
TOTAL	3.50	4.91	3.12	3.13	2.85	1.90	1.55	.33	1.97	2.85	1.39	1.84	29.34	✓
* Days with .01 in. or more.	22	21	18	18	16	9	9	3	14	13	8	15	166	✓
* Days with .04 in. or more.	18	17	14	14	13	8	8	2	10	10	8	11	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. G. Gray

For Forestry Commission

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. **830**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938Kept at *Hennington Nursery by Fawley Commission*
in the County of *Berks*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*10*.....in.

,, Ground

,, Sea Level

*350 ft above**File No 897557/29**T. G. R.***THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01	.04			.10	.01		.08	.31		.06		1
2		.02		.01	.10					.12	.02	.03		2
3	.01				.17		.02		.03	.50	.01			3
4	.05						.04	.13		.33		.10		4
5						.01	.23		.02	.20				5
6		.01					.03		.04	.21	.01			6
7						.04	.26	.94	.09	.11		.07		7
8	.14					.05		.31	.02	.10				8
9		.01					.03	.17		.01		.58		9
10	.21	.03				.07	.03	.18				.08		10
11	.30	.01									.12	.02		11
12	.25	.04			.05			.23		.25	.01			12
13		.08			.01					.03	.04	.21		13
14	.21				.05		.25		.16					14
15	.10	.01					.26			.04	.01	.14		15
16	.37	.03			.03			.09		.02	.02	.16		16
17		.10			.11				.03	.11				17
18	.04				.03	.05		.04	.39	.01	.18			18
19	.01							.05	.10		.58			19
20									Trace		.42			20
21	.01							.06	Trace		.01	<i>snow</i> .50		21
22	Trace			.01		.01		.07	.01		.16	<i>snow</i> .21		22
23														23
24			.23		.02				.12		.10			24
25	.08	.16	.07		.07		.02	.10		.07	.45	<i>snow</i> .23		25
26	.25	.23	.11		.03				.11	.11		<i>snow, sleet</i> .08		26
27		.05		.03	.30	.18	.13	.03	.24	.01	.40	.04		27
28	.21	.06			.38	.05		.76	.01		.11	.08		28
29	.19	~~X~~			.27					.07	.04	.13		29
30	.03	~~X~~		.01	.01	.02			.18	.03	.20	<i>sleet</i> .03		30
31	.14	~~X~~		~~X~~	.21	~~X~~			~~X~~	.12	~~X~~	.21		31
TOTAL	2.60	.85	.45	.06	1.84	.58	1.31	3.16	1.63	2.76	2.89	2.96	21.09	✓✓
* Days with .01 in. or more.	18	15	4	4	16	10	12	14	16	21	19	19	168	✓✓
* Days with .04 in. or more.	14	7	4	0	10	7	6	13	10	15	12	16	114	✓✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

M. L. L. L. L.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at *Hemmington Nursery by Forestry Commission*in the County of *Berks.*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*10*.....in.,, Ground ,, Sea Level *350 approx* ft.*File No. 897557/29.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.02</i>		<i>.01</i>	<i>.50</i>	<i>.33</i>			<i>.07</i>	<i>.01</i>		~~.05~~	<i>TRACE</i>		1
2	<i>Snow.</i> <i>.05</i>			<i>.01</i>	<i>.01</i>			<i>.42</i>	<i>.39</i>		<i>.05</i>	<i>.02</i>		2
3	<i>Snow.</i> <i>.31</i>			<i>.18</i>				<i>.29</i>		<i>.02</i>	~~.04~~	<i>.27</i>		3
4	<i>Snow & Sleet</i> <i>.10</i>		<i>.75</i>	<i>.46</i>	<i>.03</i>		<i>.07</i>	<i>.47</i>		<i>.41</i>	~~.04~~	<i>.10</i>		4
5				<i>.46</i>	<i>.32</i>		<i>.06</i>	<i>.13</i>		<i>.18</i>	~~.04~~	<i>.11</i>		5
6	<i>Snow & Rain</i> <i>.55</i>			<i>.08</i>	<i>.03</i>		<i>.24</i>	<i>.03</i>			~~.06~~			6
7	<i>.03</i>	<i>.11</i>					<i>.12</i>	<i>.01</i>			<i>.21</i>	<i>.21</i>		7
8		<i>.11</i>	<i>.18</i>				<i>.11</i>	<i>.20</i>		<i>.40</i>		<i>.33</i>		8
9	<i>.02</i>	<i>.03</i>						<i>.05</i>		<i>.24</i>	<i>.11</i>	<i>.14</i>		9
10	<i>.32</i>	<i>.02</i>	<i>.07</i>			<i>.47</i>		<i>.08</i>	<i>.02</i>		<i>TRACE</i>			10
11		<i>.03</i>	<i>.19</i>							<i>.01</i>				11
12		<i>TRACE</i>	<i>.01</i>			<i>.04</i>					<i>.06</i>			12
13						<i>.01</i>	<i>.10</i>		<i>.02</i>	<i>.92</i>	<i>.01</i>			13
14	<i>.38</i>				<i>.16</i>	<i>.04</i>	<i>.12</i>			<i>.11</i>	<i>.10</i>			14
15	<i>.13</i>		<i>.04</i>		<i>.24</i>	<i>.75</i>	<i>.16</i>		<i>.07</i>	<i>.64</i>	<i>.25</i>			15
16	<i>.15</i>		<i>.13</i>	<i>.01</i>	<i>.10</i>	<i>.12</i>	<i>.04</i>				<i>.39</i>			16
17	<i>.16</i>		<i>.01</i>		<i>.05</i>		<i>.03</i>			<i>1.38</i>	<i>.03</i>			17
18	<i>.16</i>		<i>.03</i>			<i>.12</i>	<i>.49</i>				<i>.37</i>	<i>TRACE</i>		18
19	<i>.26</i>	<i>.01</i>					<i>.58</i>							19
20	<i>.53</i>				<i>.01</i>	<i>.21</i>	<i>.28</i>	<i>.02</i>				<i>.02</i>		20
21	<i>.02</i>	<i>.10</i>	<i>.20</i>	<i>.04</i>		<i>.03</i>	<i>.32</i>	<i>.02</i>	<i>.02</i>					21
22	<i>.30</i>	<i>.15</i>	<i>.10</i>	<i>.04</i>			<i>.03</i>				<i>.13</i>			22
23	<i>.05</i>	<i>.01</i>		<i>.03</i>		<i>.04</i>	<i>.23</i>			<i>.04</i>	<i>.54</i>			23
24	<i>Snow.</i> <i>.26</i>		<i>.01</i>	<i>.22</i>		<i>.02</i>	<i>.14</i>			<i>.06</i>				24
25	<i>Snow</i> <i>.76</i>	<i>.09</i>	<i>.17</i>				<i>.53</i>			<i>.02</i>	<i>.21</i>			25
26	<i>.23</i>	<i>.03</i>	<i>.02</i>					<i>.06</i>		<i>.03</i>	<i>.41</i>			26
27	<i>Snow.</i> <i>.02</i>	<i>.10</i>	<i>.10</i>				<i>.06</i>				<i>.04</i>			27
28		<i>.15</i>	<i>.09</i>	<i>.06</i>		<i>.03</i>				<i>.03</i>	<i>.28</i>	<i>Snow.</i> <i>.11</i>		28
29				<i>.41</i>			<i>.15</i>			<i>.05</i>	<i>.11</i>			29
30		~~X~~		<i>.71</i>		<i>.02</i>	<i>.01</i>				<i>.05</i>	<i>Snow.</i> <i>.09</i>		30
31		~~X~~		~~X~~		~~X~~	<i>.09</i>	<i>.03</i>	~~X~~	<i>.01</i>	~~X~~			31
TOTAL	<i>4.41</i>	<i>.94</i>	<i>1.51</i>	<i>3.21</i>	<i>1.28</i>	<i>1.90</i>	<i>3.96</i>	<i>1.88</i>	<i>.53</i>	<i>4.85</i>	<i>3.72</i>	<i>1.40</i>	Year's Total <i>29.59</i>	✓
* Days with .01 in. or more.	<i>22</i>	<i>13</i>	<i>17</i>	<i>14</i>	<i>10</i>	<i>13</i>	<i>22</i>	<i>14</i>	<i>6</i>	<i>17</i>	<i>21</i>	<i>10</i>	<i>179</i>	✓
* Days with .04 in. or more.	<i>17</i>	<i>7</i>	<i>11</i>	<i>11</i>	<i>6</i>	<i>8</i>	<i>19</i>	<i>9</i>	<i>2</i>	<i>11</i>	<i>19</i>	<i>8</i>	<i>128</i>	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. A. BOWLER.
For Forestry Commission.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at *Kennington Nursery by Forestry Commission*in the County of *Berks.*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*10*.....ft.,, Ground ,, Sea Level *350 approx.* ft.*File No 897557/29.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.08		.10	.02						.20			1
2		.07		.07			.11			.07	.07			2
3		.24		.02						.13	.08	.02		3
4		.05		.08			.02			.19	.23	.03		4
5					.03		.13			.04	.56	.07		5
6	.21	.13			.04		.11			.10	.03	.02		6
7	.11	.13		.02	.02		.18			.01	.01			7
8	.02									.11	.02	.27		8
9							.02	.04	.04	.01		.05		9
10							.05	.01	.01	.08	.30	.10		10
11				.05			.02				.60	.03		11
12			.05				.15		.09		Trace	.01		12
13			<i>SNOW + RAIN</i> .59	.01			.11	Trace			1.00			13
14			.05	.11	.03					.25	.01	.11		14
15			.01	Trace	.02		.06		.21	.27	.30	.09		15
16	<i>SNOW.</i> .03	<i>SNOW.</i> .28	.46			.02	.14		.17	.52	.62			16
17			.33				.01		.06	.01	.07			17
18		<i>Rain + Snow</i> .40	.24	.42			Trace			.09	.07	.16		18
19		.20	.15	.35			.03		.06		.11	.02		19
20		.02	.06			.01		.02		.18	.02	.01		20
21	<i>SNOW.</i> .06	.02			.45		.13			.02				21
22			.15		.36	.38			.19					22
23		.14	.04	.09		.22				.04	.47	.03		23
24							.18			Trace	.01			24
25	.01		.25			.03	.08							25
26	.11	.05	.01	.50	.05		.17				.01			26
27	.30	.03	Trace	.04	.16		.27				Trace	Trace		27
28	<i>Rain + Snow.</i> .99	.04		.04	.11		.01							28
29		<i>Rain + Snow</i> .14	.04	.23	.08		Trace		Trace			.32		29
30		<i>X</i>		Trace	.05					.19		.03		30
31	.03	<i>X</i>	Trace	<i>X</i>		<i>X</i>			<i>X</i>	.42	<i>X</i>	.03		31
TOTAL	2.87	2.02	2.43	2.13	1.42	0.66	2.98	.07	.83	2.73	6.79	1.40	Year's Total 26.33	
* Days with .01 in. or more.	10	16	14	15	13	5	20	3	8	19	21	18	162	
* Days with .04 in. or more.	6	13	12	12	8	2	14	1	7	15	14	8	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. J. Bosler
For Forestry Commission.

[P.R.O.]

Section **A** for the entry of
AIR MINISTRY
FORM 1090

REGIS

Kept at SWINFORD
in the County of BERKS
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

830/5.

EYNSHAM

SWINFORD P/S.

1935-40.

780203

Station No. 830/5

INFALL ORGANIZATION.

1935. Berks/

1877/36
not to be used
30/6
letter only
436

THE MORNING MEASURE

TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	(.10)	-	.070	.130	x	.380		1
2	-	-	-	-	-	-	-	-	-	.110	-	-		2
3	-	x	-	-	-	.080	-	-	.500	.460	.230	-		3
4	-	-	-	.110	-	.040	-	-	.140	.580	-	-		4
5	-	.520	.110	.030	-	.320	-	-	.380	-	-	-		5
6	-	-	-	.050	-	.300	-	-	-	.080	.150	-		6
7	-	-	-	.350	-	.090	-	-	-	-	.260	.200		7
8	-	-	-	.400	-	-	-	-	-	.360	.060	-		8
9	.010	-	-	.250	-	.400	-	-	-	.860	.730	-		9
10	.050	-	-	.260	-	-	(.10)	-	-	-	.070	-		10
11	.220	-	-	.350	-	.110	-	-	-	-	.250	.020		11
12	-	.050	-	-	-	.250	-	-	-	-	-	-		12
13	.050	.110	-	-	.150	-	-	-	-	-	-	-		13
14	-	-	-	.680	.050	.200	-	-	-	-	.380	.120		14
15	-	.110	-	.450	-	.220	-	-	.300	-	.170	.180		15
16	-	.030	.060	.180	-	.300	-	-	.270	-	.660	.150		16
17	-	-	-	.080	-	.160	-	-	-	-	.210	-		17
18	-	-	-	.080	-	x	.150	.040	.430	-	-	-		18
19	-	-	-	.350	.150	.120	.090	-	.050	-	.230	x		19
20	-	.120	-	.060	.320	.090	.140	-	-	.050	.550	-		20
21	-	.310	.040	.020	-	-	-	-	.420	-	.060	-		21
22	-	.010	x	.090	-	-	-	.130	.520	-	-	-		22
23	-	.030	x	-	-	-	-	.310	x	.350	-	-		23
24	-	.0120	.080	-	-	-	-	.180	.600	x	-	.520		24
25	.160	.110	-	.240	-	.420	-	-	.150	-	-	.200		25
26	-	.120	-	-	-	-	-	.200	-	-	-	.300		26
27	-	.140	-	-	.200	-	-	-	.090	-	-	.780		27
28	-	-	-	-	.630	-	-	-	.150	-	.080	-		28
29	-	-	-	-	-	-	-	-	.310	-	x	.100		29
30	-	x	-	.090	.210	-	-	.950	-	.090	.38	.280		30
31	-	x	-	x	-	x	-	-	x	.230	x	.300		31
TOTAL	.490	1.780	.290	3.620	1.710	3.100	(.58)	1.810	4.380	4.380	4.47	3.15	Year's Total.	29.68
* Days with .01 in. or more.	5	13	4	19	7	15	3	6	15	11	15	13	126	130
* Days with .04 in. or more.	4	10	5	17	7	16	5	6	16	11	18	12	119	128

40-9999

† Spare column, no entries required

* See Instruction 2 on other side

J. F. RICHARDSON ESQ M.A. C.E. X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

830/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1935.

Berkshire

Kept at SWINFORD PUMPING STATION

in the County of BERKSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 203.00 ft.

489877/36

letter reply 436

file not to be used 30/6/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	(.10)	-	.070	.130	-	.380		1
2	-	-	-	-	-	-	-	-	-	.110	-	-		2
3	-	-	-	-	-	.080	-	-	.500	.460	.230	-		3
4	-	-	-	.110	-	.040	-	-	.140	.580	-	-		4
5	-	.520	.110	.030	-	.320	-	-	.380	-	-	-		5
6	-	-	-	.050	-	.300	-	-	-	.080	.150	-		6
7	-	-	-	.350	-	.090	-	-	-	-	.260	.200		7
8	-	-	-	.400	-	-	-	-	-	.360	.060	-		8
9	.010	-	-	.250	-	.400	-	-	-	.860	.730	-		9
10	.050	-	-	.260	-	-	(.10)	-	-	-	.070	-		10
11	.220	-	-	.350	-	.110	-	-	-	-	.250	.020		11
12	-	.050	-	-	-	.250	-	-	-	-	-	-		12
13	.050	.110	-	-	.150	-	-	-	-	-	-	-		13
14	-	-	-	.680	.050	.200	-	-	-	-	.380	.120		14
15	-	.110	-	.450	-	.220	-	-	.300	-	.170	.180		15
16	-	.030	.060	.180	-	.300	-	-	.270	-	.660	.150		16
17	-	-	-	.080	-	.160	-	-	-	-	.210	-		17
18	-	-	-	.080	-	-	.150	.040	.430	-	-	-		18
19	-	-	-	.350	.150	.120	.090	-	.050	-	.230	-		19
20	-	.120	-	.060	.320	.090	.140	-	-	.050	.550	-		20
21	-	.310	.040	.020	-	-	-	-	.420	-	.060	-		21
22	-	.010	-	.090	-	-	-	.130	.520	-	-	-		22
23	-	.030	-	-	-	-	-	.310	-	.350	-	-		23
24	-	.120	.080	-	-	-	-	.180	.600	-	.520	-		24
25	.160	.110	-	.240	-	.420	-	-	.150	-	-	.200		25
26	-	.120	-	-	-	-	-	.200	-	-	-	.300		26
27	-	.140	-	-	.200	-	-	-	.090	-	-	.780		27
28	-	-	-	-	.630	-	-	-	.150	-	.080	-		28
29	-	-	-	-	-	-	-	-	.310	-	-	.100		29
30	-	-	-	.090	.210	-	-	.960	-	.090	.38	.280		30
31	-	-	-	-	-	-	-	-	-	.1230	-	.300		31
TOTAL	.490	1.780	.290	3.620	1.710	3.100	(.58)	1.810	4.380	4.360	4.47	3.15	Year's Total.	29.68
* Days with .01 in. or more.	5	13	4	19	7	15	3	6	15	11	15	13	126	130
* Days with .04 in. or more.	4	10	5	17	7	16	5	6	16	11	10	12	119	128

40-9999

† Spare column, no entries required

* See Instruction 2 on other side

J.F. RICHARDSON

ESQ M.A. (Signed)

C.E. X

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

830/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at SWINFORD PUMPING STATION
in the County of Berkshire
Diameter of Funnel of Gauge.....5" in.
Height of top of Gauge above Ground.....1 ft. 0 in.
,, Ground ,, Sea Level 203.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~	.300	.050	.540	~	~	.220	.080	~	~	.120	~		1
2	.150	~	.100	.030	~	.450	.640	.080	~	~	.100	~		2
3	~	~	~	~	~	.420	.040	~	.260	~	.230	~		3
4	~	~	.320	~	~	.060	~	~	.190	~	.060	~		4
5	.200	~	~	~	~	~	~	~	.070	~	~	.150		5
6	.110	~	~	~	~	~	~	.150	.160	~	.060	~		6
7	.170	~	.060	~	~	~	.300	~	.030	~	~	~		7
8	.180	~	.250	~	~	~	~	~	~	~	.620	.060		8
9	.360	~	.110	~	~	~	.250	~	.150	~	~	~		9
10	.010	~	~	~	~	~	.060	.370	.040	~	~	~		10
11	~	~	~	.060	~	~	.150	~	.330	~	.480	~		11
12	~	~	~	~	~	.300	.400	.040	.160	~	.100	.150		12
13	~	~	~	.460	~	.300	~	~	~	~	~	.400		13
14	~	~	~	~	~	.400	.680	~	.160	~	~	.500		14
15	~	~	~	~	~	.020	~	~	.180	~	~	.100		15
16	~	.250	~	~	~	~	~	~	~	~	.400	~		16
17	~	.420	~	~	~	~	~	~	~	~	.100	.150		17
18	.200	~	~	~	~	.060	.130	~	~	.100	~	~		18
19	.360	~	.080	.100	~	.350	~	.070	~	~	~	~		19
20	.050	~	.090	~	~	.960	~	~	1.100	~	~	~		20
21	~	~	~	.420	~	.200	~	~	.250	~	~	~		21
22	.060	.700	~	~	~	~	.200	~	~	~	~	.120		22
23	~	.140	.600	.120	~	~	.040	~	~	~	~	~		23
24	.120	~	~	~	~	~	.400	~	.180	.200	~	~		24
25	~	~	.160	~	~	~	.050	~	.320	.180	~	~		25
26	~	.100	.120	~	~	.080	~	~	~	~	~	~		26
27	.100	~	~	~	~	~	~	~	.030	.080	~	~		27
28	.750	~	~	~	~	~	.220	~	~	~	~	.170		28
29	~	.050	~	~	~	.540	~	~	~	~	.230	~		29
30	.080	X	~	~	.120	.260	.070	~	~	.400	~	~		30
31	.300	X	~	X	.080	X	.080	~	X	.250	X	.250	"d"	31
TOTAL	3.20	1.96	1.94	1.73	.20	4.40	3.92	.79	3.62	1.21	2.50	2.05	Year's Total	26.82
* Days with .01 in. or more.	16	7	11	7	2	14	17	6	16	6	11	10	123	✓
* Days with .04 in. or more.	15	7	11	6	2	13	17	6	14	6	11	10	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

A. Carstairs
(City Engineer)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

830/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ...SWINFORD PUMPING STATION.....

in the County of ...BERKSHIRE.....

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level ...203.00...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.100	-	-	-	-	-	-	-	.040	-	.180	.300		1
2	-	.170	-	.330	-	-	-	-	.020	-	-	.290		2
3	-	.380	-	-	.430	-	-	-	-	-	-	-		3
4	-	.280	-	-	-	-	-	-	-	-	-	-		4
5	.200	-	.130	-	-	-	-	-	-	-	-	-		5
6	.160	.120	-	.100	.180	-	.190	-	-	.060	-	-		6
7	-	.820	.380	.270	-	-	-	-	-	-	.050	-		7
8	-	-	-	-	-	-	-	-	-	-	.150	-		8
9	-	.080	-	.210	.190	-	.120	-	.400	-	-	.100		9
10	-	-	.600	-	-	.190	.200	-	-	-	-	.120		10
11	-	-	-	.670	.260	-	.050	-	-	-	-	-		11
12	.200	.270	.130	-	.160	.260	-	.280	.070	-	-	.110		12
13	.120	-	.330	-	-	.120	.020	.020	.190	-	-	-		13
14	-	-	.350	.130	-	-	-	.120	.020	-	-	.100		14
15	.190	.140	-	.100	-	-	.660	-	.080	-	-	-		15
16	-	.130	.330	.500	-	-	-	.050	.280	-	-	-		16
17	.190	-	.320	-	-	-	-	-	.290	-	-	-		17
18	.400	.100	.020	-	-	.130	-	-	.180	-	.210	.130		18
19	-	-	.080	.140	-	.250	-	-	.080	-	.100	-		19
20	.220	-	-	.360	.330	-	-	-	-	-	-	-		20
21	.130	.480	-	.080	-	-	.050	-	-	-	-	.080		21
22	.140	-	.100	-	-	.220	.090	-	-	.820	.340	-		22
23	.250	.060	-	-	.130	-	.140	-	-	.280	.050	-		23
24	.310	.530	.100	-	-	-	-	-	.100	.260	-	-		24
25	.110	.250	.100	-	.700	-	-	-	-	.600	-	-		25
26	-	.740	-	-	.170	-	-	-	-	.080	-	-		26
27	-	.130	-	.200	-	-	-	-	-	1.080	-	-		27
28	-	-	-	-	-	-	-	-	-	.060	-	-		28
29	-	X	-	-	-	-	-	-	-	.070	-	-		29
30	.310	X	-	-	-	-	-	-	-	-	.170	-		30
31	.190	X	-	X	-	X	-	-	X	.080	X	.080	2	31
TOTAL	3.220	4.680	2.970	3.090	2.550	1.170	1.520	0.470	1.750	3.390	1.250	1.310	Year's Total 27.400	✓
* Days with .01 in. or more.	16	16	13	12	9	6	9	4	12	10	8	9	124	✓
* Days with .04 in. or more.	16	16	12	12	9	6	8	3	10	10	8	9	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

83015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Swinford Pumping Station.

in the County of BERKSHIRE.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0.....in.

„ Ground „ Sea Level 203.00.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.08	-	-	.18	-	-	-	.10	-	-		1
2	-	-	-	-	-	-	-	-	-	.33	-	.10		2
3	-	-	-	-	.20	-	-	-	-	.62	-	-		3
4	-	-	-	-	-	-	-	-	-	.45	-	.10		4
5	-	-	-	-	-	-	.07	-	-	.10	-	-		5
6	.10	-	-	-	-	-	.05	-	.05	.15	-	-		6
7	-	-	-	-	-	-	.25	1.06	.15	.10	-	.08		7
8	.10	-	-	-	-	.24	-	.23	.03	.10	-	-		8
9	-	-	-	-	-	-	-	.08	-	-	-	.52		9
10	.28	-	-	-	-	.25	-	1.11	-	-	-	.10		10
11	.35	-	-	-	-	-	-	-	-	-	.15	.10		11
12	.18	-	-	-	.10	-	-	1.06	-	.30	-	-		12
13	-	-	-	-	-	-	-	-	-	.20	-	.33		13
14	.23	-	-	-	.05	-	.43	-	.13	-	-	-		14
15	.19	.05	-	-	-	-	.22	-	-	-	.05	.12		15
16	.21	-	-	-	-	-	-	.03	-	-	-	-		16
17	-	.05	-	-	.35	-	-	-	-	.10	-	-		17
18	.03	-	-	-	-	-	-	-	.66	-	.20	-		18
19	-	-	-	-	-	-	-	-	.07	-	.34	-		19
20	-	-	-	-	-	-	-	.30	-	-	.72	-		20
21	.02	-	-	-	-	-	-	-	-	-	-	-		21
22	-	-	-	-	-	-	-	.11	-	-	.22	*.56	(Snow)	22
23	-	-	-	-	-	-	-	-	-	-	.10	-		23
24	-	-	.12	-	-	-	-	-	.10	-	-	-		24
25	-	.22	.05	-	.09	-	-	-	-	.12	.37	-		25
26	.30	.32	.06	-	-	-	-	.03	.14	.11	-	.31		26
27	.05	.05	-	-	.38	.21	.21	.07	.36	-	.32	-		27
28	.26	-	-	-	.41	.21	-	.94	-	-	-	.10		28
29	.25	-	-	-	.28	-	-	-	-	-	-	.10		29
30	-	~~X~~	-	-	-	-	-	-	.32	-	.20	-		30
31	.12	~~X~~	-	~~X~~	.27	~~X~~	-	-	~~X~~	.16	~~X~~	.17		31
TOTAL	2.67	.69	.31	Nil	2.13	1.09	1.23	5.03	2.01	2.94	2.67	2.69	Year's Total	23.46
* Days with .01 in. or more.	15	5	4	-	9	5	6	11	10	14	10	13	102	
* Days with .04 in. or more.	13	5	4	-	9	5	6	9	9	14	10	13	97	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Albanshaw

Section

A

for the entry of Daily Observations

Station No. 83015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Swinford Pumping Station,

in the County of Berkshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 203.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.42	.30	-	-	-	.05	-	-	-		1
2	.05	-	-	.10	-	-	-	.40	.43	-	-	-		2
3	.18	-	-	.15	-	-	-	.41	-	-	.30	.20		3
4	-	-	.25	.48	-	-	.14	.42	-	.48	-	.08		4
5	-	-	-	.63	.60	-	.07	.62	-	.12	.39	.08		5
6	.42	-	-	.06	.10	-	.37	-	-	-	.11	-		6
7	-	.10	-	-	-	-	.07	-	-	-	.22	.17		7
8	-	.10	.20	-	-	-	.06	.15	-	.70	.15	.45		8
9	-	-	-	-	-	-	-	.06	-	.76	-	.15		9
10	.25	-	.10	-	-	.43	-	-	-	-	-	-		10
11	-	-	.21	-	-	-	-	-	-	-	-	-		11
12	-	-	.12	-	-	-	-	-	-	.10	.10	-		12
13	-	-	-	-	-	-	.17	-	-	.92	-	-		13
14	.51	-	-	-	-	.12	.23	-	-	.07	.11	-		14
15	.10	-	-	-	.27	.65	.15	-	-	.80	.13	-		15
16	.25	-	.10	-	-	.37	-	-	-	-	.45	-		16
17	.12	-	-	-	.21	-	-	-	-	1.28	-	-		17
18	.19	-	.05	-	-	.13	.31	-	-	-	.37	-		18
19	.26	-	-	-	-	-	.95	-	-	-	-	-		19
20	.30	-	-	-	-	.15	.13	-	-	-	-	-		20
21	-	.18	.33	-	-	-	.17	-	-	-	-	-		21
22	.26	.15	.05	.10	-	-	.10	-	-	-	.08	-		22
23	-	-	-	-	-	.05	.18	-	-	-	.48	-		23
24	.27	-	-	.20	-	-	.08	-	-	-	-	-		24
25	.81	.10	.20	-	-	-	1.23	-	-	-	.25	-		25
26	.29	-	-	-	-	-	-	.10	-	.15	.40	-		26
27	-	.15	.08	-	-	-	-	-	-	-	-	-		27
28	-	.15	.12	.05	-	.05	-	-	-	-	.33	.10	Snow	28
29	-	-	-	.35	-	-	.10	-	-	.10	.10	-		29
30	-	X	-	.75	-	.15	.05	-	-	-	-	-		30
31	-	X	-	X	-	X	-	-	X	-	X	-		31
TOTAL	4.26	.93	1.81	3.29	1.48	2.10	4.56	2.16	.48	5.48	3.97	1.23	Year's Total	31.75
* Days with .01 in. or more.	15	7	12	11	5	9	18	7	2	11	16	7		120
* Days with .04 in. or more.	15	7	12	11	5	9	18	7	2	11	16	7		120

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Albustain P.T.O.

831

831
ORGANIZATION.

Kept at *Shepperton Lock*
in the County of *N*

SHEPPERTON LOCK.

1931 - 40.

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

780203

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	Nil	'13	'14	Nil	Nil	'05	Nil	'01	'08	Nil	Nil	Nil	I
2	'23	'05	'05	~~'25~~	Nil	Nil	Nil	Nil	'42	'03	Nil	'05	2
3	Nil	Nil	Nil	'66	'51	Nil	Nil	'17	~~'64~~	Nil	'08	'13	3
4	Nil	Nil	Nil	Nil	~~'06~~	Nil	Nil	'01	Nil	Nil	'15	Nil	4
5	Nil	'02	Nil	'22	'02	'30	~~'09~~	'41	Nil	Nil	'01	'08	5
6	Nil	'12	Nil	~~'12~~	Nil	Nil	Nil	Nil	Nil	'30	'38	Nil	6
7	Nil	Nil	Nil	Nil	'09	'16	Nil	~~'17~~	Nil	'05	'17	'03	7
8	Nil	'12	Nil	Nil	Nil	'31	Nil	'17	Nil	Nil	'04	'01	8
9	Nil	'02	'07	Nil	Nil	Nil	Nil	Nil	'23	Nil	'41	Nil	9
10	Nil	'01	Nil	Nil	Nil	'01	Nil	'23	Nil	Nil	'13	'01	10
11	'06	'21	Nil	Nil	Nil	Nil	Nil	Nil	'02	'01	'23	Nil	11
12	'02	Nil	Nil	Nil	Nil	Nil	'03	Nil	'25	Nil	Nil	Nil	12
13	Nil	Nil	Nil	Nil	Nil	Nil	'02	'23	Nil	Nil	Nil	Nil	13
14	Nil	'09	Nil	Nil	Nil	Nil	'83	'79	Nil	Nil	Nil	Nil	14
15	'03	'03	Nil	'14	'09	Nil	'13	'10	Nil	Nil	Nil	'07	15
16	Nil	'05	Nil	'10	~~'18~~	Nil	Nil	'12	'06	Nil	Nil	Nil	16
17	Nil	'02	Nil	'46	Nil	Nil	'25	'63	'10	Nil	Nil	Nil	17
18	'07	'08	Nil	'11	Nil	'07	'06	~~'75~~	Nil	Nil	'50	Nil	18
19	'03	Nil	Nil	'42	Nil	'33	'34	'05	'04	Nil	Nil	Nil	19
20	Nil	'02	Nil	'04	Nil	Nil	'03	'30	Nil	Nil	Nil	Nil	20
21	'02	Nil	Nil	'42	'45	Nil	Nil	Nil	Nil	'01	Nil	Nil	21
22	'12	Nil	Nil	'04	Nil	Nil	Nil	Nil	'01	Nil	'01	Nil	22
23	'15	Nil	Nil	'09	'33	'02	Nil	Nil	'02	Nil	'09	~~'05~~	23
24	Nil	Nil	Nil	~~'27~~	'07	Nil	'13	Nil	Nil	Nil	Nil	Nil	24
25	'03	Nil	Nil	~~'53~~	'07	Nil	~~'86~~	Nil	Nil	Nil	Nil	Nil	25
26	Nil	'09	Nil	'16	Nil	Nil	'33	Nil	Nil	Nil	'19	Nil	26
27	'12	Nil	Nil	'15	'33	Nil	Nil	'01	Nil	Nil	'04	Nil	27
28	'02	'33	Nil	'02	Nil	Nil	Nil	Nil	Nil	'04	Nil	'11	28
29	'10	X	Nil	Nil	Nil	Nil	'11	Nil	Nil	'19	'01	'01	29
30	'02	X	Nil	Nil	Nil	Nil	Nil	'10	Nil	Nil	Nil	Nil	30
31	'07	X	Nil	X	'07	X	Nil	'05	X	Nil	X	Nil	31
TOTAL	1.09	1.39	.29	4.23	2.27	1.25	3.24	4.61	1.87	.63	2.44	55	YEAR'S TOTAL
Days with '01 in. or more.	15	16	3	18	12	8	13	18	11	7	15	10	146
Days with '04 in. or more.	8	10	3	17	11	6	10	14	8	4	12	6	109

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *Shepherd's Top, Shepperton,*
in the County of *Middlesex.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *41* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	Nil	'13	'14	Nil	Nil	'05	Nil	'01	'08	Nil	Nil	Nil	I
2	23	'05	'05	~~25~~	Nil	Nil	Nil	Nil	'42	'03	Nil	'05	2
3	Nil	Nil	Nil	'66	'51	Nil	Nil	'17	~~64~~	Nil	'08	'13	3
4	Nil	Nil	Nil	Nil	~~06~~	Nil	Nil	'01	Nil	Nil	'15	Nil	4
5	Nil	'02	Nil	'22	'02	'30	~~09~~	'41	Nil	Nil	'01	'08	5
6	Nil	'12	Nil	~~12~~	Nil	Nil	Nil	Nil	Nil	'30	'38	Nil	6
7	Nil	Nil	Nil	Nil	'09	'16	Nil	~~18~~	Nil	'05	'17	'03	7
8	Nil	'12	Nil	Nil	Nil	'31	Nil	'17	Nil	Nil	'04	'01	8
9	Nil	'02	'07	Nil	Nil	Nil	Nil	Nil	'23	Nil	'41	Nil	9
10	Nil	'01	Nil	Nil	Nil	'01	Nil	'23	Nil	Nil	'13	'01	10
II	'06	'21	Nil	Nil	Nil	Nil	Nil	Nil	'02	'01	'23	Nil	II
12	'02	Nil	Nil	Nil	Nil	Nil	'03	Nil	'25	Nil	Nil	Nil	12
13	Nil	Nil	Nil	Nil	Nil	Nil	'02	'23	Nil	Nil	Nil	Nil	13
14	Nil	'09	Nil	Nil	Nil	Nil	'83	'79	Nil	Nil	Nil	Nil	14
15	'03	'03	Nil	'14	'09	Nil	'13	'10	Nil	Nil	Nil	'07	15
16	Nil	'05	Nil	'10	~~18~~	Nil	Nil	'12	'06	Nil	Nil	Nil	16
17	Nil	'02	Nil	'46	Nil	Nil	'25	'63	'10	Nil	Nil	Nil	17
18	'07	'08	Nil	'11	Nil	'07	'06	~~075~~	Nil	Nil	'50	Nil	18
19	'03	Nil	Nil	'42	Nil	'33	'34	'05	'04	Nil	Nil	Nil	19
20	Nil	'02	Nil	'04	Nil	Nil	'03	'30	Nil	Nil	Nil	Nil	20
21	'02	Nil	Nil	'42	'45	Nil	Nil	Nil	Nil	'01	Nil	Nil	21
22	'12	Nil	Nil	'04	Nil	Nil	Nil	Nil	'01	Nil	'01	Nil	22
23	'15	Nil	Nil	'09	'33	'02	Nil	Nil	'02	Nil	'09	~~05~~	23
24	Nil	Nil	Nil	~~07~~	'07	Nil	'13	Nil	Nil	Nil	Nil	Nil	24
25	'03	Nil	Nil	~~03~~	'07	Nil	~~86~~	Nil	Nil	Nil	Nil	Nil	25
26	Nil	'09	Nil	'16	Nil	Nil	'33	Nil	Nil	Nil	'19	Nil	26
27	'12	Nil	Nil	'15	'33	Nil	Nil	'01	Nil	Nil	'04	Nil	27
28	'02	'33	Nil	'02	Nil	Nil	Nil	Nil	Nil	'04	Nil	'11	28
29	'10	X	Nil	Nil	Nil	Nil	'11	Nil	Nil	'19	'01	'01	29
30	'02	X	Nil	Nil	Nil	Nil	Nil	'10	Nil	Nil	Nil	Nil	30
31	'07	X	Nil	X	'04	X	Nil	'05	X	Nil	X	Nil	31
TOTAL	1.09.	1.39.	.29.	4.23.	2.27.	1.25.	3.24	4.61	1.87.	.63.	2.44.	55.	YEAR'S TOTAL 23.86
Days with '01 in. or more.	15	16	3	18	12	8	13	18	11	7	15	10	146
Days with '04 in. or more.	8	10	3	17	11	6	10	14	8	4	12	6	109

REGISTER OF RAINFALL IN 1932.

Kept at Shepperton, Bucks
in the County of Middlesex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.01	nil	.03	.50	nil	nil	.20	nil	.09	.04	nil	1
2	.11	nil	nil	.21	.01	nil	nil	.15	.36	.03	.02	.13	2
3	.01	nil	nil	.25	.15	nil	nil	nil	.40	.20	nil	nil	3
4	nil	nil	nil	nil	nil	.19	nil	nil	nil	nil	.08	nil	4
5	.12	nil	nil	nil	nil	nil	.20	nil	.08	nil	nil	nil	5
6	.33	nil	nil	.19	.01	nil	nil	nil	.04	nil	nil	nil	6
7	nil	nil	.03	.19	.10	nil	.28	nil	.10	.03	nil	nil	7
8	nil	nil	.07	.03	.16	nil	nil	nil	.50	.27	nil	nil	8
9	.24	nil	.13	.08	.54	nil	nil	nil	nil	nil	nil	nil	9
10	.48	nil	nil	.14	.09	.04	nil	nil	nil	.17	nil	nil	10
11	.07	.01	nil	.06	nil	nil	.44	.03	nil	.03	.04	nil	11
12	.06	nil	nil	nil	nil	nil	nil	nil	nil	.20	nil	nil	12
13	.06	nil	nil	.09	.02	nil	.03	nil	.02	.47	.02	.03	13
14	.06	.03	nil	.09	nil	nil	nil	nil	nil	nil	.02	nil	14
15	nil	.01	nil	.03	.31	nil	nil	nil	nil	.11	nil	nil	15
16	.14	nil	nil	.17	.05	nil	nil	nil	nil	nil	nil	nil	16
17	.01	nil	nil	.03	nil	nil	.07	nil	nil	.02	nil	nil	17
18	nil	nil	nil	nil	nil	nil	nil	nil	.30	nil	.10	nil	18
19	nil	nil	nil	nil	nil	nil	nil	nil	.03	.20	nil	nil	19
20	.03	nil	nil	.25	.01	nil	nil	.43	.02	.60	.15	nil	20
21	nil	nil	.03	.06	.09	nil	nil	nil	nil	.17	nil	.05	21
22	nil	nil	.15	nil	.09	nil	.10	nil	.20	.28	.31	nil	22
23	nil	.06	.03	nil	.21	nil	nil	nil	.17	1.00	nil	.10	23
24	nil	.03	nil	.03	nil	nil	.30	nil	nil	.10	.08	nil	24
25	nil	nil	nil	nil	nil	nil	.75	nil	.07	.14	.03	nil	25
26	nil	nil	.09	.03	.01	nil	.07	nil	nil	.02	nil	nil	26
27	nil	nil	.15	.12	.42	nil	.25	nil	nil	.70	.10	nil	27
28	nil	nil	.01	nil	.09	nil	.10	nil	nil	.06	nil	nil	28
29	nil	nil	.35	.09	.16	.01	nil	.05	.10	.30	nil	nil	29
30	nil	X	.03	.05	nil	.65	nil	nil	.13	nil	.20	.10	30
31	nil	X	.02	X	nil	X	nil	nil	X	nil	X	.04	31
TOTAL	1.73	.15	1.29	2.22	4.02	.89	2.59	.86	2.07	5.19	1.19	.45	22.65
* Days with .01 in. or more.	13	6	12	21	19	4	11	5	15	22	13	6	147
* Days with .04 in. or more.	10	1	6	15	14	3	10	4	12	17	9	5	106

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SHEPPERDTON
in the County of MIDDLESEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 4.1 ft.

THAMES CONSERVANCY
- 2 JAN. 1934
RECEIVED

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.15	.15	-	.01	-	-	-	-	-	.03	-	1
2	.14	-	.30	-	.40	-	-	-	-	-	-	-	2
3	-	.20	.23	-	-	-	-	-	-	-	-	-	3
4	.20	.02	.04	-	.35	-	-	-	-	-	.07	-	4
5	-	-	.27	-	.10	-	-	-	-	-	-	-	5
6	-	.04	.02	-	.33	-	-	-	-	.10	.07	-	6
7	.11	.05	.02	-	.03	-	-	-	-	.13	-	.02	7
8	.05	.01	-	-	.07	-	.07	-	-	.01	-	-	8
9	-	-	-	-	-	-	.14	-	-	.09	.07	-	9
10	-	.55	-	-	-	.04	.02	-	-	.20	.02	-	10
11	.30	-	-	-	.03	.05	.65	-	.05	.01	-	-	11
12	-	-	-	-	-	.20	.02	-	.93	-	-	-	12
13	.05	-	-	-	.09	-	.23	-	.10	-	.10	-	13
14	-	-	-	-	-	-	-	.01	-	.30	.46	-	14
15	.24	-	.12	-	-	.05	.25	.23	-	-	-	-	15
16	-	-	.60	-	-	.20	.10	-	-	.01	-	-	16
17	-	-	.50	-	-	.13	-	-	.05	-	.08	-	17
18	.10	.04	.23	-	-	.11	-	-	-	-	-	-	18
19	-	.02	.30	-	-	.05	.05	-	.32	-	.03	-	19
20	-	-	.06	.15	-	.03	-	-	-	-	-	.01	20
21	-	.07	-	-	-	.30	-	.04	.21	-	-	-	21
22	-	-	-	-	-	-	-	.17	.01	.21	.03	-	22
23	-	-	-	.10	.95	.01	-	-	.15	-	-	-	23
24	-	1.00	-	.05	-	.58	-	-	.26	-	-	-	24
25	-	.78	-	.30	-	-	-	-	.14	-	-	.03	25
26	-	.50	-	.02	-	.05	-	-	.01	.05	-	.16	26
27	-	.02	-	-	.34	.04	-	-	-	.25	-	.05	27
28	-	-	-	-	.05	-	.06	-	-	.25	-	.05	28
29	.10	X	-	.05	-	-	.02	-	-	.06	-	-	29
30	.12	X	.05	-	-	-	.01	-	.10	.01	-	.16	30
31	.10	X	-	X	-	X	-	.07	X	.05	X	-	31
TOTAL	1.56	3.45	2.89	.67	2.75	1.84	1.62	.52	2.33	1.73	.96	.48	YEAR'S TOTAL
*Days with or in. or more.	12	14	8.14	4.6	8.12	8.14	4.5	8.12	4.15	4.10	3.7	1.33	
*Days with .04 in. or more.	12	10	12	5	9	12	8	11	10	11	6	11	102.3

40-9999

*See Instruction 2 (f) on other side.

(Signed) W.H. Shepherd P.T.O.

20.80

Section

A

for the entry of Daily Observations.

Station No.

831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SHEPPERTON

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	-	-	-	15	01	03	01	43	1
2	06	-	09	-	07	-	-	-	63	23	-	21	2
3	01	02	-	08	-	-	-	-	-	20	-	03	3
4	07	-	07	08	06	-	-	-	-	02	07	39	4
5	01	-	03	-	-	-	-	01	-	-	08	38	5
6	-	-	31	-	20	01	-	21	-	18	-	42	6
7	03	-	-	-	-	-	-	09	-	14	-	19	7
8	-	-	-	-	07	-	-	03	19	-	29	01	8
9	01	-	01	-	-	-	-	-	-	-	72	33	9
10	-	-	11	09	-	-	-	02	-	-	23	02	10
11	28	-	35	06	-	-	03	01	-	-	-	15	11
12	05	-	-	01	-	-	07	44	-	-	-	05	12
13	24	-	26	01	-	-	46	03	-	-	04	12	13
14	06	-	30	-	-	05	-	-	-	16	31	46	14
15	01	-	09	-	08	-	-	-	01	13	09	54	15
16	12	-	14	-	-	-	-	-	-	13	-	-	16
17	01	-	01	03	-	-	-	-	-	04	01	12	17
18	13	-	01	21	-	-	34	-	-	-	-	16	18
19	-	-	25	03	-	-	-	-	07	01	-	14	19
20	-	-	06	-	-	-	29	-	-	-	-	-	20
21	-	-	-	16	-	06	44	03	-	01	-	-	21
22	-	-	-	-	-	-	108	07	18	-	-	09	22
23	-	-	-	21	-	26	-	-	-	-	-	05	23
24	-	01	07	13	-	04	52	-	12	-	01	-	24
25	15	04	-	14	02	52	-	-	-	05	-	29	25
26	01	-	-	45	-	10	-	-	01	-	-	01	26
27	03	-	-	08	-	04	-	-	-	-	-	17	27
28	-	05	-	04	-	12	02	74	-	-	02	17	28
29	-	X	-	-	-	-	01	-	16	-	-	01	29
30	06	X	-	-	-	-	-	07	-	-	-	21	30
31	02	X	-	X	-	X	-	-	X	25	X	05	31
TOTAL	1'36	12	2'16	1'81	50	1'20	3'26	1'90	1'38	1'58	1'88	5'30	312.35
*Days with 01 in. or more.	19	4	16	16	6	9	10	13	9	14	12	27	155
*Days with 04 in. or more.	10	2	12	12	5	8	7	7	6	10	8	22	109

40-9999

Instruction 2 (f) on other side.

(Signed)

W.P. Stevens Lockkeeper P.T.O.

Section **A** for the entry of Daily Observations. Station No. **831**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **SHEPPERTON LOCK**
in the County of **MIDDLESEX.**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft **0** in.
Ground Sea Level **41** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.04	—	.05	.04	.10	1.71	—	.09	.09	.40	—	1
2	.01	—	.03	—	—	—	—	—	.03	.13	.02	—	2
3	—	—	.09	.04	—	.13	—	—	.24	.74	.14	—	3
4	—	.03	—	.19	—	.30	—	—	.14	.09	—	.10	4
5	—	.12	.03	.03	—	.14	—	—	.60	.02	.02	.01	5
6	.03	—	—	.32	—	.31	—	—	—	—	.04	.01	6
7	—	—	—	.46	—	.02	—	—	—	.01	1.03	.14	7
8	—	—	—	.47	—	.03	—	—	—	.21	.23	.01	8
9	—	—	—	.24	—	.53	—	—	—	.40	.15	—	9
10	.02	—	—	.23	—	—	—	—	—	—	.05	.02	10
11	.24	—	—	.10	—	.04	.02	—	—	—	.30	—	11
12	—	.01	—	—	—	.12	—	.11	—	—	.64	—	12
13	.06	.19	—	.13	.04	.11	—	—	—	.01	—	—	13
14	.01	—	—	.01	.15	.06	—	—	.03	—	.06	.04	14
15	—	.20	—	.29	—	.37	—	—	.05	—	.28	.03	15
16	—	.13	—	.13	—	.01	—	—	.29	—	.54	.03	16
17	—	—	—	.01	—	.10	—	.01	.04	—	.21	—	17
18	—	—	—	.14	—	.09	.09	—	.30	.04	.01	—	18
19	—	—	—	—	.26	.04	.08	—	.01	—	.09	.06	19
20	—	.21	—	.12	.35	.06	.09	—	.03	—	.25	—	20
21	—	.30	—	.04	—	—	—	—	—	.05	.01	—	21
22	—	.02	.03	—	—	—	—	.21	.11	—	—	—	22
23	—	—	.12	—	—	—	—	.36	.12	.12	—	.11	23
24	.03	.59	—	—	.12	—	—	.94	.30	—	—	.16	24
25	.15	.11	—	.34	.04	.44	—	—	—	—	—	.10	25
26	.02	.21	—	—	—	—	—	.19	.04	—	—	.27	26
27	.02	.46	—	—	—	—	—	—	.07	—	.11	.22	27
28	—	.02	—	—	.30	—	—	—	.07	.04	—	.17	28
29	—	X	—	—	—	—	—	—	.94	—	—	.23	29
30	.04	X	—	.01	—	—	—	.46	.02	.19	.33	.30	30
31	—	X	—	X	—	X	—	—	X	.35	X	.26	31
TOTAL	.78	2.64	.30	3.38	1.36	3.06	1.99	2.58	3.55	2.79	4.97	2.32	29.72
*Days with .01 in. or more.	12	15	5	20	8	19	8	7	20	15	21	19	166
*Days with .04 in. or more.	5	11	2	16	8	16	4	6	15	12	17	13	125

FORM 1090.

REGISTER OF RAINFALL IN 1936..

Kept at SHEPPERTON LOCK
in the County of MIDDLESEX.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 441 ft.

THAMES CONSERVANCY
- 6 JAN. 1937
RECEIVED

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.04	.02	.08	—	.14	.10	.18	—	—	.03	.02	1
2	—	.01	.01	—	—	.44	.01	.10	—	—	.05	—	2
3	—	—	—	.30	—	.02	.02	—	.16	—	.26	—	3
4	—	—	.09	—	—	.08	—	—	.30	—	.09	.02	4
5	.16	—	.01	—	—	—	—	.01	.20	—	.01	.07	5
6	.29	—	—	—	—	.04	—	.02	.05	—	.27	.06	6
7	.20	—	.01	—	—	.05	—	—	.02	—	.12	.03	7
8	.20	—	.03	—	—	—	.01	—	.01	—	.22	.11	8
9	.47	—	.01	—	—	—	.43	—	.17	—	—	—	9
10	—	—	—	—	—	—	.08	.25	—	—	—	—	10
11	—	—	—	.02	—	—	.15	—	—	—	.81	—	11
12	—	—	—	.08	—	.52	.14	—	.14	—	.25	.12	12
13	—	—	—	.04	—	.20	—	—	—	—	—	.15	13
14	—	.04	—	—	—	.06	.54	—	—	.03	.17	.48	14
15	—	.06	—	—	—	.01	.02	—	.26	—	—	.03	15
16	.29	.09	—	—	—	—	.02	—	.01	—	.38	.02	16
17	.17	.41	—	—	.04	.20	—	—	—	.02	.10	.15	17
18	.10	.06	—	—	—	.49	.07	—	—	—	—	.16	18
19	.15	.04	.02	—	—	.28	.01	.20	—	—	—	—	19
20	.06	.08	.04	.47	—	—	—	—	.44	—	—	—	20
21	—	—	—	.33	.01	.26	.10	—	—	—	—	—	21
22	.10	.42	.08	—	.40	.10	.13	—	—	—	—	.14	22
23	.02	—	.28	.06	.01	—	.09	—	—	.08	—	—	23
24	.03	.14	—	—	—	—	—	—	.01	.48	—	—	24
25	.05	—	.09	.16	—	.01	.03	—	.23	.11	.02	—	25
26	—	.09	.14	.09	—	.04	.10	—	.03	.19	—	.03	26
27	.21	.01	.01	—	—	—	—	—	.11	.08	—	—	27
28	.69	—	.08	—	—	—	.74	—	.02	—	—	.03	28
29	.09	.09	.03	—	—	.17	.10	—	—	—	.15	.03	29
30	.04	X	—	—	.14	.15	.03	—	—	.26	—	—	30
31	.18	X	.26	X	.02	X	.15	—	X	.63	X	.30	31
TOTAL	3.80	1.58	1.21	1.63	.62	3.26	3.07	.76	2.16	1.88	2.93	1.95	YEAR'S TOTAL 24.85
*Days with "or in. or more.	22	14	14	10	6	19	22	6	16	9	15	18	172
*Days with ".04 in. or more.	18	12	8	9	3	16	14	4	10	7	12	10	123

40-9999

*See Instruction 2 (f) on other side.

(Signed) Wm. G. Collins. Lockskeeper [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... *Shepperton Lock* ...
in the County of ... *MIDDLESEX* ...Diameter of Funnel of Gauge.....*4*.....in.Height of top of Gauge above Ground.....*4*.....ft.....*0*.....in.,, Ground ,, Sea Level*4*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.01	—	.07	—	—	—	—	—	—	.60	.72		1
2	—	.17	.03	.79	—	—	—	—	.09	—	—	.48		2
3	—	.15	.01	—	—	—	—	—	—	—	—	.02		3
4	.05	.46	—	—	—	—	—	—	—	—	—	.30		4
5	¹³ .22	.09	.18	—	—	—	.09	.01	—	—	—	—		5
6	.07	.01	.38	—	²⁴ .04	—	.01	—	—	.01	⁰² .02	—		6
7	—	.55	.13	.07	—	—	—	—	.04	—	—	.01		7
8	—	.01	—	—	.07	.05	—	—	—	—	.31	.25		8
9	—	.02	—	.28	.13	.04	.01	.04	.27	—	—	²⁶ .20		9
10	—	—	.43	.09	.01	.30	.01	.20	—	—	—	.38		10
11	—	—	.13	—	.16	—	.05	—	—	—	—	.04		11
12	.13	.20	.08	—	.36	.37	.04	.12	.06	—	—	.15		12
13	.17	.05	.32	—	—	.09	—	.39	.19	—	—	.98		13
14	.02	.09	.27	—	—	.01	—	.74	.03	—	—	.01		14
15	¹⁶ .10	.08	—	.16	—	—	.16	—	.08	—	—	—		15
16	.02	.14	.22	.53	—	—	—	.12	.36	—	—	—		16
17	.37	—	.15	⁰⁸ .08	—	—	—	—	.27	—	—	—		17
18	.31	.05	—	.01	.15	⁶⁸ .48	—	—	—	—	.18	.05		18
19	.01	.09	.03	.12	.01	¹⁵ .15	.14	—	.06	—	—	.10		19
20	.26	—	.03	.17	.68	—	—	—	—	—	—	—		20
21	.44	.60	.03	.06	.01	—	.07	—	—	—	—	.01		21
22	.41	.01	.01	—	.02	.24	.05	—	—	.72	.26	.04		22
23	.25	.01	.01	—	.15	—	.01	—	—	.36	—	—		23
24	.33	.42	.05	—	—	—	—	—	.08	.29	—	—		24
25	.07	.30	.18	—	.27	—	—	—	.07	.21	—	.01		25
26	—	.16	—	—	.05	—	—	—	—	.06	—	—		26
27	.02	.12	—	.16	—	—	—	—	.03	.59	—	—		27
28	—	.10	—	.13	—	—	—	—	—	.08	—	.03		28
29	—	X	—	—	—	.02	—	—	—	.01	.03	.03		29
30	.18	X	—	—	—	.03	—	—	—	.02	.16	—		30
31	.26	X	—	X	—	X	—	—	X	.12	X	.03		31
TOTAL	3.93	3.89	2.67	2.62	2.31	1.98	.64	1.62	1.63	2.47	1.56	3.90	Year's Total 29.22	
* Days with .01 in. or more.	21	24	19	14	14	11	11	7	13	11	7	20	142	
* Days with .04 in. or more.	17	18	12	¹² X	10	8	7	6	11	8	5	12	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

C. A. Lash
Lock Keeper

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SHEPPERTON-LOCKin the County of MIDDLESEXDiameter of Funnel of Gauge.....1 in.Height of top of Gauge above Ground.....0 ft. 0 in.,, Ground ,, Sea Level.....4.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

THAMES CONSERVANCY
- 9 JAN. 1939
RECEIVED

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.04	—	.01	.09	.08	—	.04	.05	—	.01		1
2	.05	—	—	.04	.05	—	.03	—	—	.19	—	.07		2
3	—	—	—	—	.41	—	—	—	—	.42	—	—		3
4	.02	—	—	—	—	.01	.14	—	—	.01	—	.07		4
5	—	—	—	—	—	—	.11	—	.02	.14	—	—		5
6	.04	—	—	—	—	—	.01	—	—	—	—	—		6
7	—	—	—	—	—	—	.16	.24	.02	.14	—	.01		7
8	.18	—	—	—	—	—	.07	.03	.01	.36	—	—		8
9	.07	—	—	—	—	.03	—	.11	—	—	—	.56		9
10	.09	.09	—	—	—	.09	—	.10	—	—	—	.08		10
11	.23	—	—	—	—	—	—	.60	—	—	.15	.05		11
12	.21	.02	—	—	.03	—	—	.27	—	.12	.04	—		12
13	.26	—	—	—	—	—	—	—	—	.01	.11	.10		13
14	.18	—	—	—	.06	—	.01	—	—	—	—	.01		14
15	.05	.01	—	—	—	—	.188	—	—	.30	.03	.16		15
16	.25	—	—	—	—	—	—	—	—	.06	.01	.45		16
17	—	.08	—	—	.01	—	—	—	—	.09	—	—		17
18	.03	—	—	—	.02	—	—	—	.14	.02	.37	—		18
19	—	—	—	—	—	—	—	.06	.08	—	.13	—		19
20	—	—	—	—	—	—	—	—	.01	—	.60	—		20
21	—	—	—	—	—	—	—	.13	.06	—	.04	.36		21
22	—	—	—	—	—	.01	—	—	—	—	.15	.26		22
23	—	—	—	.02	—	—	—	—	—	—	.13	—		23
24	—	—	.09	—	.02	—	—	—	.20	—	.05	—		24
25	.09	—	.13	—	.12	—	.02	—	.02	.05	.88	.07		25
26	.16	.14	.03	—	—	—	—	—	.19	.20	—	.77		26
27	.09	.03	—	—	.02	.20	.26	.04	.39	.05	.27	—		27
28	—	.05	—	—	.72	.04	—	.44	.02	—	—	.11		28
29	.12	—	—	—	.12	—	—	.02	—	—	.04	.19		29
30	—	—	—	—	.03	.15	—	—	.08	.08	.09	—		30
31	.16	—	—	—	.10	—	—	—	—	.10	—	.17		31
TOTAL	2.28	.42	.29	.06	1.72	.62	1.17	2.04	1.28	2.39	3.09	2.90	18.16	
* Days with .01 in. or more.	18	7	4	2	14	8	11	11	14	18	16	18	14	
* Days with .04 in. or more.	16	4	2	1	7	5	7	9	8	15	14	15	10	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

C. A. Lash Lock Keeper

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SHEPPERTON LOCK

in the County of MIDDLESEX

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 4.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	.47	.27	-	-	.02	.06	-	-	-		1
2	.02	-	-	.01	.04	-	.06	.48	.32	-	.04	-		2
3	.29	-	-	.23	-	-	-	.27	-	-	.27	.16		3
4	.14	-	.16	.13	-	-	.06	.84	-	.31	.04	.02		4
5	-	-	-	.20	.01	-	.02	-	-	.22	.23	.06		5
6	.32	-	-	-	.27	-	.27	.02	-	-	.63	.04		6
7	-	.08	-	-	-	-	-	-	-	-	.10	.08		7
8	-	.07	.15	-	-	-	.02	.19	-	.44	.23	.23		8
9	.05	.06	-	-	-	-	-	.03	-	.16	.11	.13		9
10	.20	-	-	-	-	.14	-	.11	-	.12	.01	-		10
11	-	-	.17	-	-	.02	-	-	-	.28	-	-		11
12	-	-	-	-	-	.03	-	-	-	-	-	-		12
13	-	-	-	-	-	.07	-	-	.02	1.50	-	-		13
14	.44	-	.01	.03	.04	.02	.04	-	-	.20	.43	.02		14
15	.31	-	.04	-	.53	.18	.02	-	-	.74	.04	-		15
16	.50	-	.06	.04	.19	.14	-	-	.07	-	.44	-		16
17	.16	.02	.01	.02	.22	-	.17	-	-	-	.05	-		17
18	.21	-	.04	-	-	.22	.07	-	-	.04	.22	-		18
19	.20	-	-	-	-	-	.16	-	-	.14	-	-		19
20	.19	-	-	-	-	.16	.48	.01	-	-	-	.06		20
21	.03	.06	.10	-	-	.03	.67	-	.14	-	-	-		21
22	.08	.22	.03	.04	-	.16	.10	-	-	-	.03	-		22
23	.02	-	-	.25	-	-	.04	.01	-	.04	.61	-		23
24	.22	-	-	.18	-	.02	.03	-	-	.19	-	-		24
25	.60	.25	.03	-	-	-	-	.03	-	-	.40	-		25
26	.04	-	-	-	-	.15	-	-	-	.22	.18	-		26
27	.03	.05	.05	.06	-	-	-	-	-	.04	.18	-		27
28	-	.19	.05	.14	-	.02	-	-	-	.04	.12	-		28
29	-	X	-	.23	-	-	.05	-	-	.05	.04	-		29
30	-	X	-	.53	-	.11	-	-	-	-	.27	-		30
31	-	X	-	X	-	X	.25	-	X	-	X	-		31
TOTAL	4.07	1.00	.89	2.56	1.54	1.47	2.51	2.01	.72	4.73	4.66	.68	26.94	
* Days with .01 in. or more.	21	9	13	15	8	15	17	11	5	11	22	9	162	
* Days with .04 in. or more.	16	8	9	12	7	9	13	5	4	14	20	7	124	
Year's Total														26.94

† Spare column, no entries required.

(Signed)

John Adams

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Shepperton*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>exid</i>	<i>.01</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.18</i>	<i>exid</i>		1
2	<i>exid</i>	<i>.07</i>	<i>exid</i>	<i>.12</i>	<i>exid</i>	<i>exid</i>	<i>.07</i>	<i>exid</i>	<i>exid</i>	<i>.08</i>	<i>.60</i>	<i>exid</i>		2
3	<i>exid</i>	<i>.16</i>	<i>exid</i>	<i>.09</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.10</i>	<i>1.30</i>	<i>.06</i>		3
4	<i>exid</i>	<i>.08</i>	<i>exid</i>	<i>.05</i>	<i>exid</i>	<i>exid</i>	<i>.01</i>	<i>exid</i>	<i>exid</i>	<i>.12</i>	<i>.12</i>	<i>.03</i>		4
5	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>.22</i>	<i>.16</i>		5
6	<i>.25</i>	<i>.15</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.26</i>	<i>exid</i>	<i>exid</i>	<i>.15</i>	<i>exid</i>	<i>exid</i>		6
7	<i>.22</i>	<i>.13</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>exid</i>	<i>.20</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		7
8	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.03</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>exid</i>	<i>.04</i>	<i>.17</i>	<i>.01</i>	<i>.23</i>		8
9	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.01</i>	<i>exid</i>	<i>exid</i>	<i>.02</i>	<i>.22</i>	<i>.12</i>	<i>.07</i>		9
10	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.12</i>	<i>.06</i>	<i>exid</i>	<i>.04</i>	<i>.05</i>	<i>exid</i>		10
11	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.02</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.76</i>	<i>.01</i>		11
12	<i>exid</i>	<i>exid</i>	<i>.09</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.09</i>	<i>exid</i>	<i>.10</i>	<i>exid</i>	<i>.04</i>	<i>exid</i>		12
13	<i>exid</i>	<i>exid</i>	<i>.65</i>	<i>.02</i>	<i>exid</i>	<i>.07</i>	<i>.02</i>	<i>exid</i>	<i>.11</i>	<i>exid</i>	<i>.90</i>	<i>exid</i>		13
14	<i>exid</i>	<i>exid</i>	<i>.21</i>	<i>.09</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.02</i>	<i>.05</i>	<i>exid</i>	<i>.20</i>		14
15	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>.17</i>	<i>exid</i>	<i>.37</i>	<i>exid</i>	<i>.02</i>	<i>exid</i>	<i>.18</i>	<i>.02</i>		15
16	<i>exid</i>	<i>.09</i>	<i>.25</i>	<i>.25</i>	<i>exid</i>	<i>.07</i>	<i>.41</i>	<i>exid</i>	<i>.16</i>	<i>.56</i>	<i>1.00</i>	<i>.02</i>		16
17	<i>exid</i>	<i>exid</i>	<i>.32</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.07</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.51</i>	<i>exid</i>		17
18	<i>exid</i>	<i>.23</i>	<i>.20</i>	<i>.28</i>	<i>exid</i>	<i>exid</i>	<i>.11</i>	<i>exid</i>	<i>exid</i>	<i>.19</i>	<i>.21</i>	<i>.11</i>		18
19	<i>exid</i>	<i>.14</i>	<i>.02</i>	<i>.06</i>	<i>exid</i>	<i>exid</i>	<i>.07</i>	<i>exid</i>	<i>.70</i>	<i>exid</i>	<i>.08</i>	<i>exid</i>		19
20	<i>exid</i>	<i>.01</i>	<i>.01</i>	<i>.02</i>	<i>exid</i>	<i>exid</i>	<i>.13</i>	<i>.02</i>	<i>.05</i>	<i>.03</i>	<i>.12</i>	<i>exid</i>		20
21	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.45</i>	<i>exid</i>	<i>.08</i>	<i>exid</i>	<i>exid</i>	<i>.07</i>	<i>.36</i>	<i>exid</i>		21
22	<i>exid</i>	<i>exid</i>	<i>.05</i>	<i>exid</i>	<i>.57</i>	<i>exid</i>	<i>.44</i>	<i>exid</i>	<i>exid</i>	<i>.07</i>	<i>exid</i>	<i>exid</i>		22
23	<i>exid</i>	<i>.04</i>	<i>.06</i>	<i>.30</i>	<i>.04</i>	<i>.01</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.01</i>	<i>exid</i>		23
24	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.21</i>	<i>exid</i>	<i>exid</i>	<i>.31</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		24
25	<i>exid</i>	<i>exid</i>	<i>.57</i>	<i>exid</i>	<i>.02</i>	<i>exid</i>	<i>.06</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		25
26	<i>.86</i>	<i>.09</i>	<i>.57</i>	<i>.17</i>	<i>.15</i>	<i>.16</i>	<i>.04</i>	<i>.04</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		26
27	<i>.08</i>	<i>.29</i>	<i>exid</i>	<i>.31</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		27
28	<i>.40</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.04</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.02</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>		28
29	<i>.07</i>	<i>.06</i>	<i>.06</i>	<i>.02</i>	<i>.06</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.28</i>		29
30	<i>.12</i>	<i>exid</i>	<i>exid</i>	<i>.21</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.05</i>	<i>exid</i>	<i>.01</i>		30
31	<i>.11</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>exid</i>	<i>.59</i>	<i>exid</i>	<i>.04</i>		31
TOTAL	<i>2.11</i>	<i>1.85</i>	<i>3.05</i>	<i>2.29</i>	<i>1.54</i>	<i>.64</i>	<i>2.50</i>	<i>.08</i>	<i>1.31</i>	<i>2.46</i>	<i>.76</i>	<i>1.23</i>	<i>24.72</i>	<i>25.52</i>
* Days with .01 in. or more.	<i>8</i>	<i>14</i>	<i>13</i>	<i>18</i>	<i>9</i>	<i>6</i>	<i>19</i>	<i>2</i>	<i>11</i>	<i>15</i>	<i>19</i>	<i>13</i>	<i>14</i>	<i>14</i>
* Days with .04 in. or more.	<i>8</i>	<i>12</i>	<i>11</i>	<i>13</i>	<i>8</i>	<i>4</i>	<i>14</i>	<i>1</i>	<i>7</i>	<i>14</i>	<i>17</i>	<i>8</i>	<i>120</i>	<i>120</i>

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Adams

[P.T.O.]

SUNBURY (RIVERDALE)

COPY

Section



for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

FORM 1090

REGISTER

Kept at ... *Riverdale* ... *46. Thoms.*

in the County of ... *Sunderman Thoms.*

Diameter of Funnel of Gauge ... *5* in.

Height of top of Gauge above Ground ... *37* ft.

Ground Sea Level ... *37*

THE MORNING MEASUREMENT SHEET

831/5

SUNBURY
RIVERDALE

1939-1940

780203

Station No. *831/5*
ORGANIZATION

Today ref. into ...
my day Feb 27/40
me 24, Sept 27, 3rd
Dec 31, 5th, 9th, 11th
city this

Jan. 1, following

0.02

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	-	Tr	0.38	0.29	-	-	0.06	-	-	0.01	0.20		1
2	0.01	-	-	-	0.03	-	Tr	0.47	(1.0)	-	-	-		2
3	0.27	-	-	0.23	-	-	-	0.25	(.55)	-	0.04	0.40		3
4	0.12	-	0.15	0.15	-	-	0.07	0.79	-	-	0.23	0.20		4
5	-	-	Tr	0.04	0.01	-	0.02	-	-	0.38	0.04	0.16		5
6	0.32	-	-	0.01	0.43	-	0.22	0.03	-	0.15	0.20	0.03		6
7	0.02	0.07	-	-	-	-	0.01	Tr	-	0.01	0.52	0.03		7
8	Tr	0.08	0.10	-	-	-	Tr	0.14	-	-	0.08	0.03		8
9	0.03	0.03	-	-	-	-	-	0.03	-	0.43	0.25	0.07		9
10	0.20	Tr	-	-	-	0.13	-	0.11	-	0.17	0.07	0.21		10
11	-	-	0.19	-	-	0.06	-	-	0.03	0.10	-	0.01		11
12	-	-	Tr	-	-	-	-	-	-	0.20	-	0.01		12
13	-	-	-	0.01	-	0.01	0.02	-	-	0.01	-	-		13
14	0.37	-	-	-	0.04	-	0.05	-	0.01	1.40	0.20	-		14
15	0.29	-	0.05	0.01	0.61	0.14	-	-	-	0.21	0.26	0.01		15
16	0.48	Tr	0.05	0.04	0.16	-	0.01	-	0.11	0.50	0.43	0.01		16
17	0.14	-	0.01	0.01	-	-	0.37	-	-	0.25	0.40	-		17
18	0.20	Tr	0.04	-	0.20	0.20	0.09	-	-	0.07	0.61	-		18
19	0.17	-	Tr	-	Tr	-	0.14	-	-	0.03	0.21	-		19
20	0.18	-	Tr	-	-	0.57	0.16	0.04	-	0.15	0.20	-		20
21	0.03	0.02	0.09	-	-	0.05	0.36	-	-	-	-	0.03		21
22	0.06	0.22	0.03	-	-	0.17	0.06	-	0.10	-	-	-		22
23	0.01	-	-	0.13	-	Tr	0.03	0.01	-	-	-	-		23
24	0.21	-	Tr	0.13	-	0.01	0.01	Tr	-	0.35	0.30	0.02		24
25	0.72	0.18	0.02	-	-	-	-	-	-	0.18	0.01	0.01		25
26	0.04	Tr	Tr	-	-	0.05	-	-	-	-	0.38	-		26
27	0.02	0.02	0.05	0.05	-	-	0.02	-	-	0.17	0.04	-		27
28	0.01	0.17	0.04	0.14	-	0.01	-	-	-	0.05	0.10	-		28
29	-	-	Tr	0.30	-	-	0.03	-	-	0.03	0.10	0.13		29
30	-	X	-	0.45	-	0.08	-	-	-	0.05	0.20	-		30
31	-	X	-	X	-	X	0.06	-	X	0.01	X	0.02		31
TOTAL	3.91	0.79	0.82	2.08	1.89	1.48	1.79	1.87	9.04	9.34	4.05	8.82	25.39	
* Days with .01 in. or more.	23	8	12	15	8	12	18	9	46	212	212	17	173	
* Days with .04 in. or more.	145	5	9	11	6	9	101	76	34	187	189	95	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

MRS R. I. WOLFFERTAN R. I. Wolffertan

P.T.O.

Section



for the entry of Daily Observations

Station No.

831/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at *Riverdale*, *46, Thames Street*in the County of *Surrey on Thames, Middlesex*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....ft. *1.2*.....in.,, Ground ,, Sea Level *3.7*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

0.02

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	-	<i>Tr</i>	0.38	0.29	-	-	0.06	-	-	0.01	0.20		1
2	0.01	-	-	-	0.03	-	<i>Tr</i>	0.47	(.10)	-	-	-		2
3	0.27	-	-	0.23	-	-	-	0.25	(.55)	-	0.04	<i>0.01</i>		3
4	0.12	-	0.15	0.15	-	-	0.07	0.79	-	-	0.23	0.20		4
5	-	-	<i>Tr</i>	0.04	0.01	-	0.02	-	-	0.38	0.04	<i>0.03</i>		5
6	0.32	-	-	0.01	0.43	-	0.22	0.03	-	0.15	0.20	0.03		6
7	<i>0.02</i>	0.07	-	-	-	-	0.01	<i>Tr</i>	-	0.01	0.52	0.03		7
8	<i>Tr</i>	0.08	0.10	-	-	-	<i>Tr</i>	0.14	-	-	0.08	0.03		8
9	0.03	0.03	-	-	-	-	-	0.03	-	0.43	0.25	<i>0.07</i>		9
10	0.20	<i>Tr</i>	-	-	-	0.13	-	0.11	-	0.17	0.07	0.21		10
11	-	-	0.19	-	-	0.06	-	-	<i>0.03</i>	0.10	-	<i>0.01</i>		11
12	-	-	<i>Tr</i>	-	-	-	-	-	-	0.20	-	0.01		12
13	-	-	-	0.01	-	0.01	0.02	-	-	0.01	-	-		13
14	0.37	-	-	-	0.04	-	0.05	-	0.01	1.40	0.20	-		14
15	0.29	-	0.05	0.01	0.61	0.14	-	-	-	0.21	0.26	0.01		15
16	0.48	<i>Tr</i>	0.05	0.04	0.16	-	0.01	-	0.11	0.50	0.43	0.01		16
17	0.14	-	0.01	0.01	-	-	0.37	-	-	0.25	0.40	-		17
18	0.20	<i>Tr</i>	0.04	-	0.20	0.20	0.09	-	-	0.07	0.01	-		18
19	0.17	-	<i>Tr</i>	-	<i>Tr</i>	-	0.14	-	-	<i>0.03</i>	0.21	-		19
20	0.18	-	<i>Tr</i>	-	-	0.57	0.16	0.04	-	0.15	<i>0.02</i>	-		20
21	<i>0.03</i>	0.02	0.09	-	-	<i>0.05</i>	0.36	-	-	-	-	0.03		21
22	0.06	0.22	0.03	-	-	0.17	0.06	-	0.10	-	-	-		22
23	0.01	-	-	0.13	-	<i>Tr</i>	0.03	0.01	-	-	-	-		23
24	0.21	-	<i>Tr</i>	0.13	-	0.01	0.01	<i>Tr</i>	-	0.35	0.30	0.02		24
25	0.72	0.18	0.02	-	-	-	-	-	-	0.18	0.01	-		25
26	0.04	<i>Tr</i>	<i>Tr</i>	-	-	0.05	-	-	-	-	0.38	-		26
27	0.02	0.02	0.05	0.05	-	-	0.02	-	-	0.17	<i>0.04</i>	-		27
28	0.01	0.17	0.04	0.14	-	0.01	-	-	-	0.05	0.10	-		28
29	-	-	<i>Tr</i>	0.30	-	-	0.03	-	-	0.03	0.10	0.13		29
30	-	<i>X</i>	-	0.45	-	0.08	-	-	-	0.05	<i>0.20</i>	-		30
31	-	<i>X</i>	-	<i>X</i>	-	<i>X</i>	0.06	-	<i>X</i>	<i>0.01</i>	<i>X</i>	<i>0.02</i>		31
TOTAL	<i>3.91</i>	0.79	0.82	2.08	1.89	1.48	1.79	1.87	9.04	4.93	4.05	8.88	25.39	
* Days with .01 in. or more.	23	8	12	15	8	12	18	9	46	212	212	17	173	
* Days with .04 in. or more.	175	5	9	11	6	9	101	76	34	187	189	95	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

MRS R. I. WOLFFERSTADT

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

831/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at SUNBURY ON THAMES

in the County of MIDDLESEX

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 30 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

nil

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date				
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†					
1	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	.19	nil		1				
2	nil	nil	.29	.12	nil	nil	.06	nil	nil	.13	0.45	nil		2				
3	nil	.79	nil	.08	nil	nil	nil	nil	nil	.10	1.21	.05		3				
4	nil	.07	nil	.02	nil	nil	nil	nil	nil	.11	.08	.04		4				
5	nil	.005	nil	nil	nil	nil	nil	nil	nil	.03	.21	.07		5				
6	.22	.10	nil	nil	.005	nil	.16	nil	nil	.14	nil	nil		6				
7	.24	.11	nil	nil	.03	nil	.12	nil	nil	nil	nil	nil		7				
8	nil	nil	nil	.02	nil	nil	.08	nil	.08	.14	.02	.21		8				
9	nil	nil	nil	.01	nil	.05	nil	nil	.02	.12	.12	.03		9				
10	nil	nil	nil	nil	nil	nil	.14	.05	nil	.15	.02	nil		10				
11	nil	nil	nil	.02	nil	nil	.08	nil	nil	nil	.74	nil		11				
12	nil	nil	.08	nil	nil	nil	.07	nil	.08	nil	.02	nil		12				
13	nil	.01	.66	nil	nil	.02	.02	nil	.14	nil	.92	nil		13				
14	nil	nil	.17	nil	nil	nil	nil	nil	.02	.03	nil	.18		14				
15	nil	nil	.04	.05	.08	nil	.37	nil	nil	.04	.17	.02		15				
16	.01	.17	.27	.20	nil	.07	.38	nil	.16	.47	.94	.02		16				
17	nil	nil	.30	nil	nil	nil	.02	nil	nil	nil	.96	nil		17				
18	nil	.25	.21	.25	nil	nil	.36	.02	nil	.16	.29	.11		18				
19	nil	.18	.01	.06	nil	nil	nil	nil	.64	nil	.08	.01		19				
20	nil	.01	.006	.02	nil	nil	.12	.02	nil	.01	.06	nil		20				
21	.02	nil	.02	nil	.24	nil	.11	.02	nil	.04	.31	nil		21				
22	nil	nil	.02	nil	0.5	.35	nil	nil	.09	.005	nil	nil		22				
23	nil	.07	0.2	.28	.005	.005	nil	nil	nil	nil	.01	nil		23				
24	nil	nil	nil	.15	nil	nil	.29	nil	nil	nil	nil	nil		24				
25	nil	nil	0.5	nil	.008	nil	.06	nil	nil	nil	nil	.03		25				
26	.93	.06	1	.15	.23	.005	nil	nil	nil	nil	nil	nil		26				
27	.43	.27	nil	.34	nil	nil	.30	nil	nil	nil	nil	nil		27				
28	nil	nil	nil	.005	.03	nil	nil	nil	nil	nil	nil	nil		28				
29	(9.9) nil	.05	.07	nil	.25	nil	nil	nil	nil	nil	nil	.25		29				
30	nil	×	nil	.18	nil	nil	nil	nil	nil	0.03	nil	nil		30				
31	nil	×	nil	×	nil	×	nil	nil	×	0.5	×	.03		31				
TOTAL	2.75 1.85	5 2.145	7 3.666	1.953	8 1.328	0.5	2.75	0.11	1.23	1.705	6.85	1.05	Year's Total 25.779	25.779				
* Days with .01 in. or more.	88	114	13	16	16	7	9	4	15	17	4	8	15	16	19	19	13	143
* Days with .04 in. or more.	46	11	11	11	5	4	15	1	6	12	15	7	102					

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at Littleton Works
in the County of Middle

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rate should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.09.		0.17.		0.04.		0.02.					1
2	0.15.	0.06.		0.34			0.02.		0.50.	0.03.		0.07.	2
3	0.05.		0.04.	0.44	0.45.			0.15.	0.82.		0.09.	0.14.	3
4					0.03.		0.04.	0.02.			0.12.		4
5		0.03.		0.23.		0.29.	0.03.	0.09.				0.11.	5
6		0.10.		0.10.		0.02.				0.26.	0.35.		6
7					0.12.	0.10.		0.56.	0.02.	0.06.	0.17.	0.03.	7
8		0.08.	0.04.		0.01.	0.30.		0.25.			0.07.	0.01.	8
9		0.08.	0.04.	0.10.							0.45.		9
10	0.01.	0.04.	0.01.			0.01.		0.18.			0.12.		10
11	0.05.	0.19.								0.01.	0.25.		11
12							0.03.		0.30.				12
13		0.08.					0.04.	0.20.					13
14	0.02.	0.02.					0.84.	0.76.					14
15	0.02.	0.27.		0.14.	0.11.		0.14.	0.37.					15
16		0.01.		0.08.	0.18.	0.07.		0.29.	0.11.				16
17	0.04.	0.06.		0.48.			0.22.		0.03.				17
18	0.05.	0.02.	0.05.	0.21.		0.10.		0.86.			0.51.		18
19	0.01.			0.39.		0.20.	0.25.	0.01.	0.06.				19
20				0.03.			0.03.	0.27.			0.01.		20
21	0.02.				0.45.								21
22	0.18.	0.01.		0.06.									22
23	0.15.			0.03.	0.36.	0.03.			0.06.		0.09.	0.04.	23
24				0.34.	0.07.	0.04.	0.14.						24
25	0.02.			0.39.	0.06.		0.56.						25
26		0.06.		0.14.			0.28.				0.14.		26
27	0.12.	0.40.		0.16.	0.37.		0.12.				0.05.		27
28	0.01.	0.15.		0.01.						0.06.		0.11.	28
29	0.09.				0.03.		0.10.			0.22.	0.03.		29
30		X					0.01.	0.06.					30
31	0.11.	X		X	0.06.	X			X		X	0.01.	31
TOTAL	1.10.	1.55.	0.18.	3.84.	2.30.	1.20.	2.85.	4.09.	1.90.	0.64.	2.44.	0.52.	YEAR'S TOTAL
*Days with or in. or more.	17.	18.	5.	19.	13.	11.	16.	15.	8.	6.	14.	8.	150.
*Days with or more.	10.	13.	4.	16.	10.	8.	11.	12.	6.	4.	12.	5.	111.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Littleton Works.
in the County of Middlesex.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.09.		0.17.		0.04.		0.02.					1
2	0.15.	0.06.		0.34			0.02.		0.56.	0.03.		0.07.	2
3	0.05.		0.04.	0.44	0.45.			0.15.	0.82.		0.09.	0.14.	3
4					0.03.		0.04.	0.02.			0.12.		4
5		0.03.		0.23.		0.29.	0.03.	0.09.				0.11.	5
6		0.10.		0.10.		0.02.				0.26.	0.35.		6
7					0.12.	0.10.		0.56.	0.02.	0.06.	0.17.	0.03.	7
8		0.08.	0.04.		0.01.	0.30.		0.25.			0.07.	0.01.	8
9		0.08.	0.04.	0.10.							0.45.		9
10	0.01.	0.04.	0.01.			0.01.		0.18.			0.12.		10
11	0.05.	0.19.								0.01.	0.25.		11
12							0.03.		0.30.				12
13		0.08.					0.04.	0.20.					13
14	0.02.	0.02.					0.84.	0.76.					14
15	0.02.	0.07.		0.14.	0.11.		0.14.	0.37.					15
16		0.01.		0.08.	0.18.	0.07.		0.29.	0.11.				16
17	0.04.	0.06.		0.48.			0.22.		0.03.				17
18	0.05.	0.02.	0.05.	0.21.		0.10.		0.86.			0.57.		18
19	0.01.			0.39.		0.20.	0.25.	0.01.	0.06.				19
20				0.03.			0.03.	0.27.			0.01.		20
21	0.02.				0.45.								21
22	0.18.	0.01.		0.06.									22
23	0.15.			0.03.	0.36.	0.03.			0.06.		0.09.	0.04.	23
24				0.34.	0.07.	0.04.	0.14.						24
25	0.02.			0.39.	0.06.		0.56.						25
26		0.06.		0.14.			0.28.				0.14.		26
27	0.12.	0.40.		0.16.	0.37.		0.12.				0.05.		27
28	0.01.	0.15.		0.01.						0.06.		0.11.	28
29	0.09.				0.03.		0.10.			0.22.	0.02.		29
30		X					0.01.	0.06.					30
31	0.11.	X		X	0.06.	X			X		X	0.01.	31
TOTAL	1.10.	1.55.	0.18.	3.84.	2.30.	1.20.	2.85.	4.09.	1.90.	0.64.	2.44.	0.52.	YEAR'S TOTAL 22.61.
*Days with "or in. or more.	17.	18.	5.	19.	13.	11.	16.	15.	8.	6.	14.	8.	150.
*Days with "04 in. or more.	10.	13.	4.	16.	10.	8.	11.	12.	6.	4.	12.	5.	111.

Kept at Littleton Works
in the County of Middlesex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13.			0.08.	0.59.			0.25.	0.01.	0.10.	0.02.		1
2				0.24.	0.01.	0.11.		0.01.	0.35.	0.05.	0.02.	0.12.	2
3				0.29.	0.12.				0.23.	0.13.			3
4	0.02.					0.16.		0.01.			0.09.		4
5	0.12.						0.20.		0.05.				5
6	0.38.		0.02.	0.15.					0.07.				6
7			0.09.	0.06.	0.34.		0.37.		0.06.	0.04.			7
8			0.11.	0.09.	0.24.				0.04.	0.18.			8
9	0.18.			0.10.	0.44.					0.08.	0.02.		9
10	0.48.		0.04.	0.14.	0.14.	0.02.				0.17.	0.04.		10
11	0.06.			0.06.			0.65.			0.02.	0.02.	0.02.	11
12	0.07.							0.03.	0.01.	0.11.			12
13	0.07.			0.10.	0.02.		0.08.			0.40.	0.03.	0.01.	13
14	0.07.	0.05.		0.08.	0.01.					0.20.	0.02.		14
15		0.02.		0.03.	0.26.					0.07.			15
16	0.11.			0.13.	0.05.								16
17				0.02.			0.08.			0.01.			17
18									0.60.		0.12.		18
19									0.15.	0.20.			19
20				0.21.				0.46.	0.25.	0.67.	0.14.		20
21	0.02.		0.03.	0.08.	1.03.					0.17.		0.04.	21
22			0.25.		0.24.		0.07.		0.19.	0.26.	0.31.		22
23		0.05.	0.05.	0.03.	0.12.				0.11.	0.92.		0.10.	23
24		0.04.		0.01.			0.43.		0.06.	0.07.	0.08.		24
25							0.74.		0.06.	0.10.			25
26			0.09.	0.07.	0.05.		0.01.			0.10.	0.01.		26
27			0.22.	0.13.	0.42.		0.14.			0.59.	0.10.	0.01.	27
28					0.18.		0.09.			0.08.			28
29			0.34.	0.08.	0.17.	0.04.	0.02.	0.09.	0.11.	0.33.			29
30		X	0.03.	0.08.	0.04.	0.54.		0.02.	0.15.		0.24.	0.09.	30
31		X	0.01.	X		X	0.12.		X		X	0.04.	31
TOTAL	1.71.	0.16.	1.28.	2.36.	4.47.	0.87.	3.00.	0.87.	2.50.	5.05.	1.24.	0.43.	YEAR'S TOTAL 23.84.
*Days with "or in. or more.	12.	4.	12.	22.	19.	5.	13.	7.	17.	22.	15.	8.	158.
*Days with ".04 in. or more.	10.	3.	8.	18.	16.	4.	11.	3.	15.	22.	8.	5.	123.

Section

A

for the entry of Daily Observations.

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at LITTLETON WORKS.in the County of MIDDLESEX.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06.	0.10.	0.16.		0.03.						0.02.			1
2	0.16.		0.31.		0.39.									2
3		0.14.	0.18.											3
4	0.30.	0.02.			0.40.						0.04.			4
5	0.01.		0.25.		0.01.									5
6		0.06.	0.02.		0.29.					0.07.	0.06.			6
7	0.13.	0.07.	0.01.		0.01.							0.03.		7
8	0.02.		0.01.		0.06.		0.09.			0.12.				8
9					0.01.		0.14.			0.02.	0.06.			9
10		0.30.				0.03.	0.06.			0.06.	0.02.			10
11	0.24.				0.03.	0.18.	0.26.	0.09.	0.12.	0.16.	0.02.			11
12					0.02.	0.19.	0.05.		0.82.					12
13	0.07.				0.05.		0.20.		0.07.		0.07.			13
14								0.02.		0.16.	0.44.	0.02.		14
15	0.25.		0.13.			0.17.	0.26.	0.19.						15
16			0.60.			0.20.	0.13.		0.01.	0.01.				16
17	0.01.		0.48.			0.10.			0.07.		0.07.			17
18	0.11.	0.03.	0.25.			0.09.								18
19	0.01.		0.05.			0.07.	0.06.		0.35.		0.02.	0.02.		19
20		0.05.	0.05.	0.06.		0.26.		0.01.						20
21		0.03.			0.02.	0.04.		0.03.	0.20.					21
22								0.15.		0.20.	0.02.			22
23				0.10.	0.79.	0.02.			0.13.	0.01.				23
24		0.76.		0.06.	0.02.	0.26.			0.39.		0.01.			24
25		0.68.		0.30.					0.09.			0.04.		25
26		0.43.		0.04.		0.06.			0.01.	0.08.	0.02.	0.13.		26
27					0.50.	0.04.			0.10.	0.21.		0.05.		27
28					0.05.		0.05.		0.01.	0.33.		0.06.		28
29	0.06.			0.04.			0.02.			0.08.				29
30	0.12.	X	0.03.	0.02.			0.02.		0.07.			0.16.		30
31	0.11.	X		X		X		0.08.	X	0.04.	X			31
TOTAL	1.66.	2.87.	2.53.	0.62.	2.68.	1.71.	1.33.	0.57.	2.44.	1.55.	0.87.	0.51.	19.34.	
*Days with "or in. or more.	15.	12.	14.	7.	16.	14.	12.	7.	14.	14.	13.	8.	146.	
*Days with ".04 in. or more.	11.	9.	10.	6.	8.	12.	10.	4.	11.	11.	6.	5.	163.	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at M.W.B. LITTLETON PUMPING STATIONin the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. r, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02							0.12		0.01		0.44		1
2	0.06		0.08		0.11			0.02	0.56	0.20		0.20		2
3	0.02	0.02		0.07						0.20		0.01		3
4	0.07		0.07	0.09	0.06					0.04	0.08	0.33		4
5	0.01		0.04		0.02						0.06	0.38		5
6			0.30		0.22	0.01		0.20		0.16		0.45		6
7	0.05							0.08		0.14		0.19		7
8					0.07			0.04	0.17		0.35	0.02		8
9	0.01		0.01								0.78	0.40		9
10	0.01		0.24	0.13				0.03			0.20	0.02		10
11	0.31		0.29	0.06			0.02	0.02				0.12		11
12	0.05		0.01				0.20	0.28				0.07		12
13	0.27		0.17	0.01			0.73	0.03			0.04	0.12		13
14	0.04		0.29			0.02				0.03	0.23	0.46		14
15			0.11		0.06				0.01	0.13	0.08	0.46		15
16	0.14		0.16		0.07					0.13				16
17			0.01	0.04						0.03	0.02	0.13		17
18	0.16		0.01	0.16			0.56					0.11		18
19			0.25						0.05	0.02	0.01	0.14		19
20			0.08			0.01	0.29					0.01		20
21				0.14		0.11	0.39	0.04		0.01				21
22							0.73	0.09	0.17			0.06		22
23				0.23		0.29						0.09		23
24		0.03	0.07	0.09			0.59		0.12					24
25	0.13	0.04		0.10		0.17				0.05		0.36		25
26	0.01			0.23		0.09			0.02			0.02		26
27	0.01			0.10		0.12						0.30		27
28		0.06		0.02		0.07	0.04	0.84			0.02	0.15		28
29							0.02	0.09	0.18			0.02		29
30	0.06	X						0.03	0.02			0.20		30
31	0.05	X		X		X	0.01		X	0.23	X	0.05		31
TOTAL	1.48	0.15	2.19	1.47	0.61	0.89	3.58	1.91	1.30	1.38	1.87	5.31	22.14	
* Days with .01 in. or more.	19	4	17	14	7	9	11	14	9	14	11	28	157	
* Days with .04 in. or more.	12	2	13	12	6	6	8	9	6	9	8	22	113	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at M.W.B. WORKS - LITTLETON

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.14	0.05		0.06	0.04	0.07	1.67		0.01	0.01	0.25	0.01		1
2			0.02							0.14	0.03			2
3		0.01	0.06	0.04		0.34			0.32	0.90	0.16	0.02		3
4		0.01		0.17		0.24			0.07	0.06		0.08		4
5		0.14	0.02	0.01		0.11			0.46		0.01	0.02		5
6	0.05			0.34		0.34					0.06			6
7	0.01			0.44						0.03	0.95	0.15		7
8				0.33						0.18	0.29	0.01		8
9				0.22		0.54				0.51	0.15			9
10				0.01							0.07	0.02		10
11	0.25			0.07		0.04	0.02				0.31			11
12						0.10		0.08			0.70			12
13	0.07	0.19		0.13	0.09	0.02								13
14				0.02	0.12	0.06			0.03		0.06	0.10		14
15		0.21		0.30		0.05			0.04		0.24	0.05		15
16		0.10	0.01	0.09		0.30			0.52		0.69	0.02		16
17				0.05		0.12		0.02	0.04		0.21			17
18				0.13		0.02	0.21		0.25	0.03	0.01	0.03		18
19				0.06	0.17	0.04	0.07		0.03		0.08	0.06		19
20		0.23		0.07	0.65	0.06	0.12				0.22			20
21	0.01	0.28		0.02					0.01	0.06	0.01			21
22		0.02	0.03	0.01				0.30	0.08					22
23		0.25	0.12					0.40	0.07	0.11		0.17		23
24	0.07	0.26			0.08			0.55	0.38			0.16		24
25	0.20	0.15		0.29	0.02	0.44						0.09		25
26	0.02	0.23						0.20	0.04			0.26		26
27		0.39							0.11		0.10	0.23		27
28		0.01			0.11				0.19	0.03		0.16		28
29								0.01	0.68			0.19		29
30	0.06	X		0.02				0.67	0.04	0.21	0.30	0.34		30
31		X		X		X			X	0.32	X	0.26		31
TOTAL	0.88	2.53	0.26	2.88	1.28	2.89	2.09	2.23	3.37	2.59	4.90	2.43	28.33	
* Days with .01 in. or more.	10	16	6	22	8	17	5	8	19	13	21	21	166	
* Days with .04 in. or more.	7	12	2	16	7	15	4	6	15	9	17	14	124	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... LITTLETON (M.W.B. WORKS) ...

in the County of ... MIDDLESEX ...

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.30	0.03	0.02	0.10		0.21	0.14	0.09			0.04	0.03		1
2	0.01	0.01	0.02			0.27	0.01	0.12			0.08			2
3				0.27		0.04	0.01		0.27		0.28			3
4			0.09			0.11			0.20		0.07	0.03		4
5	0.29		0.01					0.01	0.12	0.01		0.08		5
6	0.32					0.04		0.09	0.04		0.24			6
7	0.18		0.01			0.05			0.04		0.10	0.03		7
8	0.18		0.04				0.03				0.24	0.13		8
9	0.56		0.01				0.41		0.19					9
10							0.08	0.18			0.02			10
11				0.02			0.10				0.80			11
12				0.11		0.57	0.19		0.17		0.21	0.11		12
13				0.01		0.17				0.02	0.01	0.16		13
14		0.07				0.07	0.58		0.01		0.15	0.42		14
15		0.07					0.01		0.35			0.04		15
16	0.21	0.12		0.02			0.03		0.03		0.39	0.08		16
17	0.24	0.39			0.02	0.32			0.03	0.15	0.12	0.12		17
18	0.05	0.09				0.19	0.09			0.01	0.02	0.08		18
19	0.19	0.02	0.02			0.13	0.11	0.08		0.02				19
20	0.06	0.09	0.05	0.43			0.01		0.56					20
21				0.27	0.01	0.25	0.04		0.04					21
22	0.10	0.41	0.07		0.43	0.10	0.15					0.05		22
23	0.02	0.01	0.28	0.06			0.02			0.09				23
24	0.05	0.12								0.40				24
25	0.04		0.10	0.14		0.05	0.16		0.19	0.14	0.03			25
26	0.01	0.07	0.12	0.12		0.03	0.05		0.04	0.13		0.03		26
27	0.21		0.03				0.02		0.15	0.07				27
28	0.72		0.10				0.36					0.05		28
29	0.07	0.10	0.04			0.17	0.07			0.01	0.14	0.03		29
30	0.05		0.03		0.12	0.18	0.07			0.28				30
31	0.25		0.27				0.14			0.45		0.34		31
TOTAL	4.11	1.60	1.29	1.58	0.58	2.95	2.91	0.57	2.43	1.48	2.94	1.44	Year's Total	24.48
* Days with .01 in. or more.	22	14	18	11	4	18	24	6	16	13	14	14		180
* Days with .04 in. or more.	19	10	10	8	2	14	16	5	13	8	13	11		132

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *M.W.B. PUMPING STATION LITTLETON*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.39			0.07							0.60	0.79		1
2		0.17	0.02	0.64					0.10			0.58		2
3	0.01	0.23			0.03							0.02		3
4	0.05	0.44										0.26		4
5	0.13	0.06	0.17				0.09							5
6	0.04		0.40		0.21		0.01			0.02	0.02			6
7		0.55	0.32	0.11					0.02			0.02		7
8		0.01			0.06	0.04					0.06	0.26		8
9		0.07		0.24	0.15	0.04	0.04	0.02	0.25			0.09		9
10			0.48	0.06	0.06	0.30	0.03	0.20				0.38		10
11			0.15		0.14		0.06							11
12	0.14	0.23	0.17		0.25	0.35	0.04	0.17	0.06			0.13		12
13	0.16	0.07	0.33			0.11		0.38	0.40			0.88		13
14	0.02	0.05	0.24			0.01		1.00	0.02			0.02		14
15	0.17	0.09		0.16			0.19		0.09					15
16	0.02	0.14	0.26	0.36		0.01		0.13	0.33			0.01		16
17	0.34		0.11	0.09					0.31		0.01			17
18	0.21	0.06		0.02	0.17	0.86					0.18	0.05		18
19	0.02	0.09	0.04	0.12		0.15	0.04		0.04	0.01				19
20	0.26		0.03	0.17	0.67									20
21	0.41	0.67	0.03	0.05			0.06					0.12		21
22	0.40	0.02	0.01		0.02	0.38	0.06			0.82	0.27	0.04		22
23	0.23	0.01	0.01		0.27					0.32				23
24	0.31	0.48	0.13						0.10	0.27				24
25	0.08	0.27	0.16		0.35				0.05	0.30		0.02		25
26		0.24	0.01		0.18					0.08				26
27	0.02	0.13		0.14						0.64				27
28		0.11		0.02						0.08		0.03		28
29	0.03					0.02				0.02	0.02	0.03		29
30	0.24	~~X~~								0.01	0.18			30
31	0.26	~~X~~		~~X~~		~~X~~			~~X~~	0.14	~~X~~	0.02		31
TOTAL	3.94	4.19	3.07	2.25	2.56	2.27	0.62	1.90	1.77	2.71	1.34	3.75	Year's Total	30.37
* Days with .01 in. or more.	23	22	19	14	13	11	10	6	12	12	8	19		169
* Days with .04 in. or more.	17	19	13	12	11	8	8	5	10	8	5	11		127

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at M.W.B. WORKS, LITTLETON

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0.01		0.02	0.09	0.04		0.03			0.01		1
2	0.05			0.04	0.10		0.03			0.16		0.04		2
3					0.30					0.43				3
4	0.03						0.05	0.01		0.04		0.05		4
5							0.02		0.02	0.11				5
6	0.06						0.02							6
7							0.18	0.61	0.05	0.15		0.02		7
8	0.13						0.04	0.03		0.32				8
9	0.12					0.01		0.15				0.57		9
10	0.12	0.05				0.03		0.10				0.10		10
11	0.24							1.36			0.18	0.04		11
12	0.24	0.02			0.02		0.01	0.26		0.11	0.01			12
13	0.24									0.04	0.10	0.11		13
14	0.14				0.05		0.02				0.01			14
15	0.07	0.02					0.17			0.23	0.03	0.17		15
16	0.26							0.03		0.01	0.02	0.58		16
17		0.09								0.09				17
18	0.03				0.02				0.08	0.02	0.27			18
19								0.35	0.16		0.14	0.01		19
20									0.02		0.52			20
21									0.07		0.03	0.44		21
22						0.01					0.16	0.25		22
23									0.04		0.05	0.01		23
24			0.07		0.01				0.21		0.06			24
25	0.10	0.01	0.14	0.01	0.18		0.02		0.02	0.03	0.86	0.06		25
26	0.14	0.14	0.04			0.17			0.19	0.18		0.23		26
27	0.07	0.02			0.04		0.23	0.07	0.38	0.06	0.27			27
28		0.03			0.73	0.02		0.40	0.02			0.12		28
29	0.15				0.12				0.01	0.05	0.06	0.18		29
30		X			0.04	0.10			0.06	0.11	0.10	0.01		30
31	0.14	X		X	0.09	X			X		X	0.21		31
TOTAL	2.33	0.38	0.26	0.05	1.72	0.43	0.83	3.37	1.36	2.14	2.87	3.21	Year's Total	18.95
* Days with .01 in. or more.	18	8	4	2	13	7	12	11	15	17	17	20		144
* Days with .04 in. or more.	16	3	3	1	9	3	6	8	9	14	12	15		99

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Littleport Works.....

in the County of Middlesex.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Littleton

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	0.50	0.33	/	/	0.38	0.35	/	/	/		1
2	0.02	/	/	0.02	0.02	/	/	0.58	0.43	/	0.03	0.02		2
3	0.31	/	/	0.21	/	/	/	0.29	/	/	0.26	0.15		3
4	0.08	/	0.17	0.19	/	/	0.06	0.52	/	0.40	0.05	0.01		4
5	/	/	/	0.22	0.04	/	/	0.02	/	0.22	0.26	0.05		5
6	0.36	/	/	/	0.25	/	0.22	/	/	/	0.67	0.01		6
7	/	0.07	/	/	/	/	/	0.01	/	0.01	0.20	0.13		7
8	/	0.07	0.13	/	/	/	0.02	0.07	/	0.50	0.22	0.25		8
9	0.04	0.05	/	/	/	/	/	0.02	/	0.20	0.03	0.14		9
10	0.24	/	/	/	/	0.12	/	0.11	0.04	0.06	0.01	/		10
11	/	/	0.17	/	/	0.05	/	/	/	0.29	/	/		11
12	/	/	/	/	/	/	/	/	/	/	/	/		12
13	/	/	/	0.01	/	0.03	0.01	/	/	1.30	/	/		13
14	0.49	/	0.01	0.01	0.04	0.01	0.01	/	/	0.22	0.38	0.02		14
15	0.27	/	0.05	/	0.58	0.29	/	/	0.11	0.58	0.18	0.01		15
16	0.47	/	0.06	0.05	0.14	0.10	0.07	/	0.04	0.01	0.32	/		16
17	0.17	0.02	0.02	0.02	0.09	/	0.10	/	/	/	0.04	/		17
18	0.21	/	0.03	/	/	0.10	0.90	/	/	0.06	0.21	/		18
19	0.20	/	0.01	/	/	/	0.16	/	/	0.08	0.01	/		19
20	0.21	/	/	/	/	0.28	0.41	0.05	/	/	/	0.03		20
21	0.06	0.07	0.12	/	/	0.04	1.00	/	0.09	/	/	/		21
22	0.12	0.21	0.03	0.04	/	0.16	0.80	/	/	/	0.04	/		22
23	0.01	/	0.01	0.17	/	0.01	0.04	0.01	/	0.05	0.60	/		23
24	0.25	/	/	0.02	/	0.02	0.04	/	/	0.21	/	/		24
25	0.73	0.16	0.06	/	/	/	/	0.01	/	0.05	0.39	0.02		25
26	0.07	/	0.02	/	/	0.07	/	/	/	0.17	0.19	0.02		26
27	0.02	0.04	0.05	0.05	/	/	0.02	/	/	0.04	0.24	/		27
28	/	0.13	0.04	0.06	/	0.04	0.07	/	/	0.03	0.12	0.12		28
29	/	X	/	0.23	/	/	0.01	/	/	0.05	0.03	/		29
30	/	X	/	0.51	/	0.04	/	/	/	/	0.20	/		30
31	/	X	/	X	/	X	0.18	/	X	0.01	X	0.01		31
TOTAL	4.33	0.82	0.98	2.31	1.49	1.36	4.12	2.07	1.06	4.54	4.68	0.99	Year's Total	
* Days with .01 in. or more.	20	9	16	16	8	15	18	12	6	21	23	15		179
* Days with .04 in. or more.	17	8	9	11	7	11	13	7	6	17	18	6		130

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **832**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 19340

Kept at **M.W.B. WORKS—LITTLETON—**in the County of **MIDDLESEX**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	0.05		0.01							0.23			1
2		0.16		0.09			0.06			0.16	0.57			2
3		0.16		0.10						0.09	1.20	0.04		3
4		0.08		0.03						0.12	0.06	0.03		4
5							0.03			0.05	0.24	0.06		5
6	0.20	0.17			0.02		0.44			0.16				6
7	0.20	0.13			0.04		0.24		0.10					7
8				0.03			0.22		0.01	0.22	0.01	0.23		8
9								0.04	0.01	0.21	0.12	0.04		9
10							0.11	0.01		0.06	0.05			10
11				0.02			0.12				0.86			11
12			0.15				0.11		0.13		0.01			12
13		0.01	0.68			0.10			0.11		0.86			13
14			0.14	0.11	0.01				0.01	0.08		0.19		14
15			0.02	0.05	0.09		0.40		0.05		0.29	0.01		15
16	0.01	0.21	0.35	0.13		0.03	0.46		0.13	0.65	1.00	0.02		16
17			0.43				0.04				0.48			17
18		0.29	0.05	0.29			0.05		0.03	0.19	0.27	0.10		18
19		0.16	0.01	0.05			0.09		0.62		0.13			19
20			0.02	0.02			0.08	0.02		0.06	0.03			20
21	0.03				0.75		0.11			0.05	0.39			21
22			0.02		0.32	0.44			0.01	0.01				22
23		0.04	0.03	0.28	0.03									23
24				0.21			0.74				0.01			24
25			0.65				0.05							25
26	0.93	0.08	0.41	0.26	0.21	0.01								26
27	0.53	0.19		0.19			0.12							27
28	0.36				0.03									28
29	0.09	0.10	0.08		0.03					0.07		0.27		29
30	0.14	~~X~~		0.18						0.65		0.03		30
31	0.25	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~			31
TOTAL	2.75	1.83	3.04	2.05	1.53	0.58	2.97	0.07	1.21	2.83	6.78	1.02	26.66	Year's Total
* Days with .01 in. or more.	11	14	14	17	10	4	18	3	11	16	19	11	148	
* Days with .04 in. or more.	8	13	9	12	5	2	17	1	6	15	15	7	110	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **Mel. water Bol.** [P.T.O.]

Kept at Hampton
in the County of M

Diameter of Funnel of Gauge...
Height of top of Gauge above Ground...
Se

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

PREVIOUS DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05		0.21		0.01		0.01	0.06				1
2	0.16	0.08		0.33				0.01	0.42	0.04		0.08	2
3	0.06		0.04	0.43	0.53			0.13	0.92		0.05	0.13	3
4					0.04			0.04	0.11		0.13		4
5		0.01		0.26		0.45	0.06	0.66				0.07	5
6		0.11		0.08		0.02				0.30	0.44		6
7		0.01			0.09	0.13		0.48		0.06	0.15	0.03	7
8	0.02	0.10			0.02	0.32		0.12			0.04	0.01	8
9		0.02	0.11	0.01					0.06		0.37	0.01	9
10	0.02	0.12	0.03			0.01		0.16	0.01		0.13		10
11	0.07	0.20							0.03		0.23		11
12	0.02							0.04	0.17				12
13								0.25					13
14		0.10					0.57	0.90					14
15	0.02	0.01		0.16	0.09		0.16	0.11			0.01	0.06	15
16		0.05		0.07	0.19	0.07		0.20	0.10				16
17	0.09	0.02		0.42	0.01		0.19		0.03				17
18	0.04	0.09		0.12		0.05	0.01	0.76			0.45		18
19	0.02			0.41		0.26	0.26	0.11	0.05				19
20		0.02		0.03			0.18	0.20					20
21	0.02				0.46								21
22	0.18		0.01	0.05					0.02				22
23	0.15			0.08	0.45	0.01			0.11		0.09	0.03	23
24				0.29	0.08	0.06	0.09						24
25	0.02			0.41	0.06		0.95						25
26		0.05		0.15			0.36				0.17		26
27	0.10	0.35		0.09	0.35		0.05				0.04		27
28	0.02	0.15		0.01								0.10	28
29	0.08				0.04		0.10			0.24		0.02	29
30	0.02	X			0.01		0.02	0.13					30
31	0.07	X		X	0.05	X			X		X		31
TOTAL	1.18	1.54	0.19	3.61	2.52	1.38	3.00	4.31	2.09	0.64	2.30	0.54	YEAR'S TOTAL 23.30
*Days with or in. or more.	19.	18.	4.	19.	15.	11.	13.	17.	13.	4.	13.	10.	156.
*Days with or in. or more.	10.	12.	2.	16.	12.	7.	11.	15.	9.	4.	12.	5.	115.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hampton Works.
in the County of Middlesex

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
Ground „ Sea Level..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05		0.21		0.01		0.01	0.06				1
2	0.16	0.08		0.33				0.01	0.42	0.04		0.08	2
3	0.06		0.04	0.43	0.58			0.13	0.92		0.05	0.13	3
4					0.04			0.04	0.11		0.13		4
5		0.01		0.26		0.45	0.06	0.66				0.07	5
6		0.11		0.08		0.02				0.30	0.44		6
7		0.01			0.09	0.13		0.48		0.06	0.15	0.03	7
8	0.02	0.10			0.02	0.32		0.12			0.04	0.01	8
9		0.02	0.11	0.01					0.06		0.37	0.01	9
10	0.02	0.12	0.03			0.01		0.16	0.01		0.13		10
11	0.07	0.20							0.03		0.23		11
12	0.02							0.04	0.17				12
13								0.25					13
14		0.10					0.57	0.90					14
15	0.02	0.01		0.16	0.09		0.16	0.11			0.01	0.06	15
16		0.05		0.07	0.19	0.07		0.20	0.10				16
17	0.09	0.03		0.42	0.01		0.19		0.03				17
18	0.04	0.09		0.12		0.05	0.01	0.76			0.45		18
19	0.02			0.41		0.26	0.26	0.11	0.05				19
20		0.02		0.03			0.18	0.20					20
21	0.02				0.46								21
22	0.18		0.01	0.05					0.02				22
23	0.15			0.08	0.45	0.01			0.11		0.09	0.03	23
24				0.29	0.08	0.06	0.09						24
25	0.02			0.41	0.06		0.95						25
26		0.05		0.15			0.36				0.17		26
27	0.10	0.35		0.09	0.35		0.05				0.04		27
28	0.02	0.15		0.01								0.10	28
29	0.08				0.04		0.10			0.24		0.02	29
30	0.02	X			0.01		0.02	0.13					30
31	0.07	X		X	0.05	X			X		X		31
TOTAL	1.18	1.54	0.19	3.61	2.52	1.38	3.00	4.31	2.09	0.64	2.30	0.54	YEAR'S TOTAL
*Days with or in. or more.	19.	18.	4.	19.	15.	11.	13.	17.	13.	14.	13.	10.	156.
*Days with or more.	10.	12.	2.	16.	12.	7.	11.	15.	9.	4.	12.	5.	115.

Section

A

for the entry of Daily Observations.

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Hampton Works.in the County of Middlesex.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10.			0.05.	0.57.			0.29.		0.09.	0.23.	0.01.	1
2				0.23.	0.02.			0.18.	0.24.	0.04.	0.03.	0.12.	2
3	0.01.			0.28.	0.15.				0.41.	0.09.			3
4						0.20.			0.05.		0.06.		4
5	0.11.				0.04.		0.20.		0.04.				5
6	0.32.			0.14.	0.01.				0.28.				6
7			0.08.	0.03.	0.21.		0.19.		0.04.	0.04.			7
8			0.11.	0.07.	0.23.					0.30.			8
9	0.16.			0.08.	0.82.					0.04.			9
10	0.41.	0.01.	0.06.	0.13.	0.15.					0.17.	0.03.		10
11	0.08.			0.04.		0.03.				0.02.	0.08.	0.01.	11
12	0.08.						0.05.			0.22.			12
13	0.04.			0.09.	0.02.				0.01.	0.39.	0.02.		13
14	0.07.			0.39.	0.02.		0.04.				0.01.	0.03.	14
15				0.05.	0.86.								15
16	0.10.			0.12.	0.21.					0.09.			16
17				0.03.						0.02.			17
18							0.11.		0.45.		0.16.		18
19									0.02.	0.16.	0.01.		19
20				0.27.	0.07.			0.25.	0.03.	0.60.	0.13.		20
21	0.04.			0.09.	0.95.					0.16.		0.07.	21
22			0.27.		0.20.		0.17.		0.13.	0.27.	0.30.		22
23		0.10.	0.04.	0.03.	0.03.				0.17.	0.95.	0.03.	0.11.	23
24		0.04.					0.33.		0.04.	0.05.	0.06.		24
25							0.66.		0.04.	0.09.		0.01.	25
26			0.07.	0.03.	0.04.		0.02.			0.07.	0.01.		26
27			0.29.	0.10.	0.44.		0.25.			0.64.	0.09.		27
28			0.29.		0.11.		0.07.			0.08.			28
29				0.05.	0.16.	0.03.		0.10.	0.09.	0.22.			29
30		×	0.03.	0.05.	0.06.	0.70.			0.09.		0.18.	0.09.	30
31		×	0.02.	×		×	0.02.		×		×	0.04.	31
TOTAL	1.52.	0.15.	1.26.	2.35.	4.87.	0.96.	2.11.	0.82.	2.13.	4.80.	1.18.	0.47.	YEAR'S TOTAL 22.62.
*Days with 0.1 in. or more.	12.	8.	10.	21.	22.	4.	12.	4.	16.	23.	16.	9.	152.
*Days with 0.4 in. or more.	11.	2.	8.	17.	17.	2.	10.	4.	13.	21.	7.	5.	117.

Section

A

for the entry of Daily Observations.

Station No. **833**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Hampden Works.in the County of Middlesex.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.13	0.18							0.02				1
2	0.11		0.23		0.38									2
3		0.11	0.13											3
4	0.12	0.02	0.03		0.25									4
5	0.01		0.19		0.06									5
6		0.06	0.01		0.34					0.10	0.07			6
7	0.14	0.08	0.02		0.03					0.11		0.03		7
8	0.03				0.05		0.03			0.02				8
9					0.01		0.06			0.06	0.09			9
10		0.76				0.03	0.12			0.11				10
11	0.24				0.07	0.02	0.46	0.04	0.02	0.02	0.01			11
12						0.15			0.89					12
13	0.06			0.04	0.07		0.22		0.06		0.09			13
14										0.18	0.35			14
15	0.21		0.11			0.10	0.43	0.25			0.01			15
16			0.34			0.25	0.63		0.01		0.02			16
17			0.48			0.02			0.06		0.05			17
18	0.08	0.02	0.32			0.11								18
19	0.02		0.10			0.12	0.04		0.44		0.03			19
20		0.05	0.08			0.06		0.01			0.01			20
21		0.04				0.27		0.03	0.21					21
22								0.13		0.21	0.04			22
23				0.10	0.26	0.02			0.20	0.01				23
24		0.58		0.10	0.01	0.14			0.29					24
25		0.53		0.23					0.04			0.04		25
26		0.30		0.03		0.04			0.03	0.03		0.07		26
27					0.50		0.02			0.14		0.02		27
28					0.04		0.04			0.22		0.15		28
29	0.05			0.03			0.04			0.07				29
30	0.08	X	0.03		0.03				0.06	0.01				30
31	0.10	X		X		X		0.09	X	0.04	X	0.14		31
TOTAL	1.29	2.70	2.45	0.53	2.10	1.33	2.09	0.55	2.31	1.35	0.77	0.45	17.92	
*Days with "or in. or more.	14.	12.	14.	6.	14.	13.	11.	6.	12.	16.	11.	6.	135.	
*Days with ".04 in. or more.	11.	10.	10.	4.	10.	9.	9.	4.	9.	10.	6.	4.	96	

Year's Total

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at M.W.B. HAMPTON WORKS

in the County of MIDDLESEX.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01							0.07		0.02		0.29		1
2	0.07		0.10						0.58	0.18		0.19		2
3	0.01	0.02		0.16						0.13		0.01		3
4	0.07		0.05	0.05	0.05					0.02	0.05	0.40		4
5			0.04							0.01	0.06	0.25		5
6			0.31		0.23	0.01		0.11		0.15		0.37		6
7	0.05							0.14		0.14		0.14		7
8					0.06			0.04	0.14		0.29			8
9											0.78	0.22		9
10			0.10	0.11				0.03			0.20	0.01		10
11	0.27		0.32	0.06								0.10		11
12	0.06		0.12				0.06	0.33			0.01	0.06		12
13	0.18		0.19	0.01			0.76	0.02				0.08		13
14	0.04		0.30		0.02					0.03	0.36	0.32		14
15	0.01		0.09		0.06				0.10	0.06	0.07	0.46		15
16	0.11		0.11		0.05					0.08				16
17				0.03						0.02		0.11		17
18	0.10			0.14			0.26					0.11		18
19			0.19	0.02					0.06			0.11		19
20		0.01	0.06				0.22			0.01		0.01		20
21				0.14		0.05	0.04	0.04						21
22							0.47	0.09	0.13		0.01	0.07		22
23				0.18		0.27						0.04		23
24		0.02	0.06	0.08		0.02	0.57		0.08		0.02			24
25	0.14	0.04		0.11		0.09				0.04		0.26		25
26	0.01			0.24		0.09			0.01					26
27		0.01		0.36		0.01						0.17		27
28	0.05	0.10		0.18		0.12	0.02	0.75			0.01	0.18		28
29								0.28	0.17			0.01		29
30	0.07	X						0.01	0.02			0.15		30
31	0.03	X		X		X			X	0.12	X	0.05		31
TOTAL	1.28	0.20	2.04	1.87	0.47	0.66	2.40	1.91	1.29	1.01	1.86	4.17	19.16	Year's Total.
* Days with .01 in. or more.	17	6	14	15	6	8	8	12	9	14	11	26	146	
* Days with .04 in. or more.	12	2	13	12	5	5	7	9	7	8	7	22	109	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No. 833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at M. W. B. WORKS. HAMPTON

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	0.04		0.04	0.06	0.16	1.00		0.07	0.01	0.19			1
2	0.01		0.01						0.03	0.15				2
3		0.01	0.04	0.03		0.08			0.23	0.48	0.15			3
4		0.01		0.16		0.44			0.11	0.11		0.10		4
5		0.14	0.02			0.02			0.53		0.02			5
6	0.02			0.27		0.27								6
7	0.02			0.36		0.01				0.03	1.07	0.16		7
8				0.36						0.21	0.25	0.06		8
9				0.13		0.49				0.56	0.12			9
10	0.02			0.11							0.08	0.03		10
11	0.13			0.07		0.06	0.26				0.27			11
12						0.11		0.11			0.49			12
13	0.09	0.17		0.13	0.10	0.10								13
14				0.01	0.17	0.04					0.03	0.09		14
15		0.17		0.22	0.01	0.16			0.05		0.36	0.02		15
16		0.09	0.02	0.04		0.07			0.20	0.01	0.57			16
17				0.01		0.10		0.03	0.05		0.20			17
18				0.18	0.02	0.01	0.21		0.24	0.03	0.02			18
19					0.23	0.02	0.05		0.02		0.08	0.05		19
20		0.12		0.07	0.48	0.05	0.17				0.12			20
21	0.01	0.18								0.05	0.01			21
22		0.07	0.02					0.43	0.13					22
23			0.13					0.40	0.07	0.10		0.11		23
24	0.04	0.46			0.12			0.51	0.33			0.18		24
25	0.21	0.16		0.35	0.02	0.94						0.09		25
26	0.08	0.17						0.17	0.03			0.28		26
27	0.02	0.25							0.10		0.09	0.18		27
28		0.04			0.07				0.18	0.04		0.16		28
29									0.75			0.16		29
30	0.07	~~X~~		0.06				0.72	0.03	0.17	0.28	0.28		30
31		~~X~~		~~X~~		~~X~~			~~X~~	0.35	~~X~~	0.26		31
TOTAL	0.84	2.08	0.24	2.60	1.28	3.13	1.69	2.37	3.15	2.30	4.40	2.21	26.29	
* Days with .01 in. or more.	13	15	6	18	10	18	5	7	18	14	19	16	159	
* Days with .04 in. or more.	7	13	2	15	7	14	5	6	14	10	15	14	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at HAMPTON (M.W.B. WORKS).....

in the County of MIDDLESEX.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.35	0.04	0.04	0.08		0.23	0.11	0.13			0.03	0.04		1
2	0.02	0.06		0.01		0.39	0.01	0.12			0.05			2
3				0.30		0.06	0.02		0.20		0.29			3
4			0.09			0.10			0.27		0.04	0.02		4
5	0.12		0.01				0.01	0.01	0.23	0.02	0.02	0.04		5
6	0.26					0.08		0.05	0.03		0.26			6
7	0.13					0.05			0.02		0.11	0.07		7
8	0.17		0.04				0.02				0.20	0.17		8
9	0.42		0.01				0.57		0.21			0.01		9
10							0.13	0.07						10
11				0.03			0.10				0.71			11
12				0.07		0.55	0.16		0.10		0.19	0.11		12
13				0.06		0.14				0.01		0.11		13
14		0.04				0.07	0.51			0.02	0.17	0.45		14
15		0.04							0.07			0.01		15
16	0.40	0.13					0.03		0.03		0.35	0.03		16
17	0.15	0.37			0.11	0.33				0.02	0.10	0.13		17
18	0.08	0.09				0.25	0.05				0.02	0.15		18
19	0.15	0.02		0.03		0.11	0.15	0.08		0.03				19
20	0.08	0.08	0.05	0.41			0.01		0.62					20
21				0.29		0.25	0.05		0.02					21
22	0.11	0.39	0.07		0.36	0.10	0.15					0.06		22
23			0.12	0.05			0.02			0.10				23
24	0.07	0.17								0.46				24
25	0.06		0.09	0.16		0.05	0.04		0.15	0.11	0.02			25
26		0.08	0.15	0.16		0.08	0.05		0.02	0.14		0.03		26
27	0.18		0.01				0.01		0.18	0.13				27
28	0.68		0.07			0.10	0.19		0.02			0.03		28
29	0.08	0.11	0.05			0.29	0.02				0.16	0.03		29
30	0.04	~~X~~			0.12	0.10	0.06			0.24				30
31	0.22	~~X~~	0.22	~~X~~		~~X~~	0.12		~~X~~	0.60	~~X~~	0.24		31
TOTAL	3.77	1.62	1.02	1.65	0.59	3.33	2.59	0.46	2.17	1.87	2.42	1.73	Year's Total	23.52
* Days with .01 in. or more.	20	13	14	12	3	19	24	6	15	12	16	18		172
* Days with .04 in. or more.	19	12	11	9	3	19	15	5	9	7	12	11		132

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at METROPOLITAN WATER BOARD, HAMPTON

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.37	0.01		0.06							0.54	1.04		1
2	0.01	0.17	0.05	0.48					0.11			0.50		2
3		0.14			0.06							0.01		3
4	0.05	0.46										0.30		4
5	0.13	0.09	0.24								0.02			5
6	0.02		0.41		0.24		0.10			0.03	0.01			6
7		0.51	0.37	0.08					0.03					7
8					0.04	0.07					0.12	0.39		8
9		0.02		0.29	0.13	0.03		0.02	0.23			0.04		9
10			0.28	0.05		0.35	0.07	0.31				0.42		10
11			0.12		0.12	0.01	0.04					0.05		11
12	0.12	0.21	0.09		0.46	0.46	0.03	0.07	0.06			0.15		12
13	0.15	0.04	0.23			0.09		1.31	0.19			0.94		13
14	0.01	0.08	0.19			0.01		0.60	0.02					14
15	0.10	0.08		0.12		0.01	0.27		0.06			0.02		15
16	0.03	0.10	0.26	0.28				0.13	0.26					16
17	0.33		0.11	0.06					0.22					17
18	0.30	0.04			0.12	0.88					0.16	0.06		18
19	0.01	0.09	0.01	0.08	0.05	0.14	0.06		0.08			0.12		19
20	0.28		0.04	0.13	0.59				0.06					20
21	0.39	0.67	0.03	0.06			0.07					0.01		21
22	0.31	0.05			0.01	0.21	0.05			0.69	0.37	0.04		22
23	0.19		0.02		0.10					0.33				23
24	0.31	0.43	0.05						0.09	0.23				24
25	0.02	0.17	0.19		0.22				0.06	0.22		0.02		25
26		0.11	0.11		0.01					0.04				26
27	0.03	0.09		0.15						0.53				27
28		0.05								0.08		0.03		28
29	0.04					0.08				0.02	0.03	0.02		29
30	0.15	X				0.01					0.13			30
31	0.25	X		X		X			X	0.21	X	0.03		31
TOTAL	3.60	3.61	2.80	1.84	2.15	2.35	0.69	2.44	1.47	2.38	1.38	4.19	Year's Total	28.90
* Days with .01 in. or more.	23	21	18	12	13	13	8	6	13	10	8	19		164
* Days with .04 in. or more.	16	19	15	12	11	8	7	5	11	8	5	12		129

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *M. W. B. WORKS, HAMPTON*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0.10	0.02		0.03	0.01				1
2	0.10			0.04	0.05		0.14			0.19		0.06		2
3					0.30					0.35				3
4	0.02						0.22	0.10		0.05		0.03		4
5							0.05			0.11				5
6	0.04						0.01		0.02					6
7							0.08	0.66	0.04	0.05		0.01		7
8	0.12					0.02	0.09	0.05	0.02	0.19		0.02		8
9	0.05							0.17				0.44		9
10	0.10					0.03		0.08		0.01		0.04		10
11	0.22							0.11			0.10	0.06		11
12	0.21	0.02						0.21		0.09				12
13	0.24									0.01	0.06	0.10		13
14	0.22				0.05									14
15	0.08						0.21			0.27	0.03	0.12		15
16	0.23									0.04	0.02	0.69		16
17		0.09			0.01					0.08				17
18	0.03				0.02				0.28	0.02	0.28			18
19								0.05	0.09		0.13			19
20									0.01		0.31			20
21								0.02	0.06		0.04	0.48		21
22						0.01		0.01			0.10	0.25		22
23				0.01							0.05			23
24			0.06						0.46		0.04			24
25	0.08		0.15		0.15		0.01	0.01	0.01	0.03	0.85	0.18		25
26	0.16	0.13	0.03						0.21	0.23				26
27	0.06	0.02			0.03	0.19	0.27	0.06	0.66	0.05	0.24			27
28		0.04			0.51	0.03		0.35	0.02		0.01	0.08		28
29	0.13				0.10						0.04	0.10		29
30		X			0.03	0.12			0.12	0.10	0.05			30
31	0.10	X		X	0.08	X			X	0.08	X	0.02		31
TOTAL	2.19	0.30	0.24	0.05	1.33	0.50	1.10	1.88	2.03	1.96	2.35	2.65	Year's Total	16.58
* Days with .01 in. or more.	18	5	3	2	11	7	10	13	14	19	16	16		134
* Days with .01 in. or more.	16	3	2	1	7	3	7	10	8	14	13	12		96

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hampton Works in the County of Middlesex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

Hampton

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	/	/	0.33	0.21	/	/	0.13	0.06	/	/	/		1
2	/	/	/	0.02	0.03	/	/	0.42	0.65	/	0.04	/		2
3	0.20	/	/	0.13	/	/	/	0.30	/	/	0.20	0.16		3
4	0.10	/	0.13	0.11	/	/	0.06	0.71	/	0.33	0.02	0.01		4
5	/	/	/	0.11	/	/	0.01	/	/	0.15	0.16	0.01		5
6	0.33	/	/	/	0.17	/	/	0.02	/	/	0.70	0.01		6
7	/	0.06	/	/	/	/	0.04	0.01	/	/	0.05	0.07		7
8	/	0.06	0.11	/	/	/	/	0.12	/	0.45	0.41	0.17		8
9	0.02	0.03	/	/	/	/	/	0.01	/	0.12	0.01	0.12		9
10	0.15	/	/	/	/	0.12	/	0.08	0.02	0.06	/	/		10
11	/	/	0.17	/	/	0.13	/	/	/	0.31	/	/		11
12	/	/	/	/	/	/	/	/	/	/	/	/		12
13	/	/	/	0.02	/	/	0.06	/	/	1.26	0.01	/		13
14	0.24	/	/	/	0.03	/	/	/	/	0.20	0.33	0.01		14
15	0.28	/	0.07	0.01	0.60	0.14	0.05	/	0.12	0.76	0.14	0.01		15
16	0.43	/	0.06	0.01	0.17	0.09	/	/	/	/	0.30	/		16
17	0.15	/	/	0.02	0.16	/	0.19	/	/	/	0.03	/		17
18	0.13	/	0.02	/	/	0.14	0.12	/	/	0.06	0.17	/		18
19	0.17	/	/	/	/	/	0.06	/	/	0.11	0.01	/		19
20	0.21	/	/	/	/	0.38	0.43	0.06	/	/	/	0.02		20
21	0.03	0.01	0.05	/	/	0.05	0.25	/	0.09	/	/	/		21
22	0.05	0.19	0.02	/	/	0.15	0.09	/	/	0.02	0.03	/		22
23	/	/	/	0.15	/	/	0.03	0.01	/	0.18	0.53	/		23
24	0.20	/	/	/	/	/	0.01	/	/	/	/	/		24
25	0.55	0.13	/	/	/	/	/	/	/	/	0.34	/		25
26	0.03	/	0.02	/	/	/	/	/	/	0.16	0.12	0.06		26
27	0.01	0.02	0.05	0.06	/	/	/	/	/	0.06	0.26	/		27
28	/	0.11	0.03	0.20	/	/	0.01	/	/	0.03	0.09	0.11		28
29	/	X	/	0.23	/	/	0.02	/	/	0.04	0.01	/		29
30	/	X	/	0.39	/	0.02	/	/	/	/	0.18	/		30
31	/	X	/	X	/	X	0.17	/	X	0.01	X	0.02		31
TOTAL	3.33	0.61	0.73	1.79	1.37	1.22	1.60	1.87	0.94	4.31	4.14	0.78	Year's Total	22.69
* Days with .01 in. or more.	19	8	11	14	7	9	16	11	5	18	23	13		154
* Days with .04 in. or more.	15	5	7	9	5	8	11	7	4	15	16	6		108

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 833

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340Kept at M.W.B. WORKS — HAMPTON—in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.19			1
2				0.06			0.06			0.11	0.44			2
3		0.15		0.05						0.06	0.94	0.05		3
4		0.06		0.01						0.09	0.07			4
5											0.16	0.04		5
6	0.18	0.08			0.01		0.14			0.12				6
7	0.24	0.04		0.01	0.03		0.06		0.05					7
8				0.05					0.03	0.06	0.02	0.19		8
9				0.01		0.13			0.02	0.18	0.10	0.03		9
10							0.13	0.04		0.02				10
11				0.02			0.05				0.83			11
12			0.07				0.08		0.07					12
13			0.53			0.07	0.02		0.13		0.46			13
14			0.11	0.05								0.09		14
15			0.03	0.02	0.08		0.36		0.05	0.05	0.17			15
16			0.30	0.14		0.05	0.49		0.06	0.46	0.71			16
17		0.01	0.35				0.03				0.52	0.01		17
18		0.25		0.20			0.25	0.03	0.02	0.07	0.27	0.07		18
19		0.15		0.03			0.05		0.67		0.10			19
20			0.01	0.01			0.05	0.02		0.04	0.02			20
21			0.02		0.36		0.08			0.03	0.18			21
22					0.27	0.26			0.03					22
23		0.04		0.23										23
24			0.01	0.12			0.25							24
25			0.42				0.06							25
26	0.75	0.03	0.28	0.15	0.15									26
27	0.09	0.24		0.17			0.02							27
28	(0.46)				0.03									28
29			0.05		0.21					0.03		0.10		29
30	0.08	X		0.16						0.18				30
31	(1.10)	X		X		X			X		X	0.03		31
TOTAL	1.90	1.05	2.18	1.49	1.14	0.51	2.18	0.09	1.13	1.80	5.18	0.61	18.86	19.26
* Days with .01 in. or more.	67	10	12	18	8	4	17	3	10	14	16	9	127	
* Days with .04 in. or more.	67	8	8	11	5	4	14	1	6	11	14	6	94	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

REGISTER

Kept at Manor House
in the County of Middlesex

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		6.8	4.1										1
2				6.0					3.7				2
3		2.4		9.1					12.2				3
4	7.0			11.1	13.9			3.3	26.2			6.2	4
5									2.4		2.6		5
6				6.6		14.7		16.0			1.7	1.6	6
7		2.8		2.1						7.1	10.0		7
8					2.0	3.3		12.5			3.7		8
9		1.9				8.0		3.0					9
10		2.5							4.5		9.1	1.1	10
11			3.7					3.6			5.2		11
12	2.0								2.2		5.1		12
13									6.7				13
14								10.0					14
15							15.1	25.3					15
16	1.2			4.2			3.0	2.7					16
17								4.5					17
18	2.6	8.2		12.2			4.7						18
19		2.2		2.7		4.9		18.4			11.4		19
20	1.1			10.1		4.3	6.2		4.1				20
21					7.0		4.5	7.4					21
22					10.0								22
23	5.0												23
24	2.3				12.5				2.5		1.8		24
25				9.0	1.5	2.0							25
26				10.0	1.5		26.9						26
27				3.1			9.5				4.0		27
28		9.7	7.7	2.1	9.8		1.7						28
29													29
30		X					2.4			7.7			30
31		X		X		X			X		X		31
TOTAL	21.2	36.5	7.8	88.3	38.2	37.2	83.10	106.7	64.5	14.8	54.6	8.9	3122.90
Days with 0.2 mm. or more.	37	8	3	13	8	6	9	11	9	2	10	3	YEAR'S TOTAL
Days with 1.0 mm. or more.	27	48	3	13	28	6	19	11	9	2	10	3	582.7

John Hughes

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931

Kept at Manor House, Hampton
in the County of Middlesex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Corrected days
Jan 2nd low
No. 48, 5/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
I		6.8	4.1										I
2				6.0					3.7				2
3		2.4		9.1					12.2				3
4	7.0			11.1	13.9			3.3	26.2			6.2	4
5									2.4		2.6		5
6				6.6		14.7		16.0			1.7	1.6	6
7		2.8		2.1						7.1	10.0		7
8					2.0	3.3		12.5			3.7		8
9		1.9				8.0		3.0					9
10		2.5							4.5		9.1	1.1	10
11			3.7					3.6			5.2		11
12	2.0								2.2		5.1		12
13									6.7				13
14								10.0					14
15							15.1	25.3					15
16	1.2			4.2			3.0	2.7					16
17								4.5					17
18	2.6	8.2		12.2			4.7						18
19		2.2		2.7		4.9		18.4			11.4		19
20	1.1			10.1		4.3	6.2		4.1				20
21					7.0		4.5	7.4					21
22					10.0								22
23	5.0												23
24	2.3				12.5				2.5		1.8		24
25				9.0	1.5	2.0							25
26				10.0	1.5		26.9						26
27				3.1			9.5				4.0		27
28		9.7	7.7	2.1	9.8		1.7						28
29													29
30		X					2.4			7.7			30
31		X		X		X			X		X		31
TOTAL	21.2	36.5	7.8	88.3	38.2	37.2	83.10	106.7	64.5	14.8	54.6	8.9	3122.90
Days with 0.2 mm. or more.	37	8	3	13	8	6	9	11	9	2	10	3	YEAR'S TOTAL
Days with 1.0 mm. or more.	27	18	3	13	28	6	19	11	9	2	10	3	

John Hughes

834



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1932.

Wtd

Diameter of Funnel of Gauge 5 1/2 in.
Height of top of Gauge above Ground 2 ft. 2 1/2 in.
,, Ground ,, Sea Level ft.

~~Conver~~

June 10
1890.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
I					1-7		17-8					4-5	I
2	7.4				16-1			2-5		4.3	1-0		2
3				7-3	1-0			1-2	5-8	1-5		2-7	3
4				8-7	3-8				9-7				4
5						5-0					2-4		5
6	2.6						5-2						6
7	7.7				1-3				1-8				7
8				3-4	4-6		2-7			3-2			8
9		5-6	5-6						6-2	8-0			9
10	4-3			3-3	26-6								10
11	11-0			3-4	3-3			6-2		4-5			11
12							1-5			1-8	1-2		12
13	2-8									5-6			13
14				4-0			1-3			9-1			14
15				5-0									15
16				1-3	10-3					2-3			16
17	4-0			3-0	3-9								17
18							3-0						18
19									11-5		4-3		19
20										4-2			20
21				7-2	1-1				1-4	16-1	3-5		21
22	1-0				23-5				3-3	4-1			22
23			6-8		4-9		4-0			7-5			23
24		4-2		3-5						25-8			24
25							5-1			1-7	8-8		25
26							20-0		2-0	2-6			26
27			3-4				1-0						27
28			6-7	3-7	12-4		6-8			17-1	2-1		28
29				1-1	2-8		4-0			2-1			29
30		X	7-0		4-0			2-8	2-4	7-5		6-0	30
31		X		X		X			X		X		31
TOTAL	40-8	4-2	29-5	48-0	47-8	8-0	48-3	19-7	44-1	129-0	23-3	13-2	555-2
Days with 0.2 mm. or more.	1-61	1-17	1-16	2-23	4-71	2-28	8-28	7-8	1-74	5-08	1-09	3-34	21-88
Days with 1.0 mm. or more.	1			2		4	4	1	2	3	2		

(144W)

40-9999

(Signed)

H.R.O.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		8-5							2-3	1-9			1
2	3-0		4-3							2-1	1-3		2
3			6-4		11-4								3
4		5-9	4-9										4
5	5-0				3-0								5
6			5-4										6
7	3-7				10-2					2-4	2-0		7
8		3-2								5-2			8
9													9
10							3-1			1-9	2-2		10
11		20-0											11
12						1-1	12-3						12
13						3-7			25-0				13
14	8-0				1-5		5-4				2-5		14
15					3-0						9-0		15
16	5-3					3-6	12-6	6-1					16
17			16-1			6-5	13-7						17
18			11-0										18
19			7-4			2-2							19
20			2-6			3-8			14-8		2-6		20
21													21
22						6-3			5-9				22
23								3-6					23
24				4-2	9-6				6-0				24
25		20-1		1-5		6-3			7-5	6-3			25
26		10-6		5-6					4-6				26
27		9-8								5-1			27
28					10-10								28
29										11-0		7-1	29
30		X								2-1		3-3	30
31	8-5	X		X		X		2-3	X-9		X		31
TOTAL	33-5 25-0	6-96 78-1	58-1	11-3	49-7	33-5	47-1	10-2	65-7	33-7	19-6	10-4	YEAR'S TOTAL 448-2
*Days with 0.2 mm. or more.	6	6	8	3	7	8	5	2	7	7	6	2	68
*Days with 1.0 mm. or more.	6	6	8	3	7	X8	5	3	7	7	6	2	68
(T44W)	1-32	2-74	2-29	0-44	1-96	1-32	1-85	0-39	2-59	1-33	0-77	0-41	P.H.O. 17-41

REGISTER

Kept at Kempton Works.
in the County of Middlesex

Diameter of Funnel of Gauge.....in
Height of top of Gauge above Ground.....
Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.19.		0.03.		0.01.	0.02.				1
2	0.20.	0.06.		0.28.				0.03.	0.51.	0.03.			2
3	0.05.		0.04.	0.41.				0.12.	0.68.		0.05.	0.21.	3
4		0.06.			0.56.		0.01.	0.05.	0.10.		0.14.		4
5				0.26.	0.05.	0.39.	0.09.	0.40.	0.01.			0.09.	5
6		0.11.		0.09.	0.03.				0.01.	0.25.	0.38.	0.03.	6
7					0.08.	0.08.		0.53.		0.05.	0.14.		7
8		0.06.				0.32.					0.04.	0.02.	8
9		0.01.		0.01.							0.33.		9
10		0.10.	0.06.					0.14.			0.17.	0.02.	10
11	0.06.	0.16.							0.08.		0.18.		11
12	0.01.							0.02.	0.16.				12
13							0.04.	0.47.					13
14							0.64.	(.90)					14
15	0.02.			0.13.			0.21.	0.14.				0.06.	15
16				0.06.	0.21.	0.05.		0.19.					16
17	0.08.	0.02.		0.41.	0.02.		0.17.		0.12.				17
18	0.03.	0.18.	0.01.	0.13.		0.09.		0.81.			0.47.		18
19				0.37.		0.22.	0.20.	0.02.	0.05.				19
20	0.02.	0.01.		0.04.			0.08.	0.20.			0.02.		20
21	0.02.				0.44.								21
22	0.13.		0.02.	0.10.					0.01.				22
23					0.46.	0.01.			0.04.		0.07.	0.04.	23
24				0.22.	0.06.								24
25	0.02.			0.46.	0.05.		0.91.						25
26				0.10.			0.26.				0.52.		26
27	0.08.	0.41.		0.10.	0.40.		0.05.				0.04.		27
28	0.03.	0.13.		0.01.						0.03.		0.07.	28
29	0.07.						0.09.		0.01.	0.24.			29
30		×			0.02.		0.01.	0.07.					30
31	0.06.	×		×	0.06.	×			×		×		31
TOTAL	0.88.	1.31.	0.13.	3.37.	2.44.	1.19.	2.76.	(4.10)	1.80.	0.60.	2.35.	0.54.	31.21.47
*Days with or in. or more.	15.	12.	4.	18.	13.	8.	13.	15.16	13.	5.	13.	8.	138
*Days with or in. or more.	8.	9.	2.	16.	10.	6.	11.	4.12	8.	3.	12.	5.	102

REGISTER OF RAINFALL IN 1931.

Kept at Kempsey Works.
in the County of Middlesex.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

906 sent re Aug. 14th 8/4/32, suggesting 90 on August 14th
Observed agrees 11/4/32. Stuck.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.19.		0.03.		0.01.	0.02.				1
2	0.20.	0.06.		0.28.				0.03.	0.51.	0.03.			2
3	0.05.		0.04.	0.41.				0.12.	0.68.		0.05.	0.21.	3
4		0.06.			0.56.		0.01.	0.05.	0.10.		0.14.		4
5				0.26.	0.05.	0.39.	0.09.	0.40.	0.01.			0.09.	5
6		0.11.		0.09.	0.03.				0.01.	0.25.	0.38.	0.03.	6
7					0.08.	0.08.		0.53.		0.06.	0.14.		7
8		0.06.				0.32.					0.04.	0.02.	8
9		0.01.		0.01.							0.33.		9
10		0.10.	0.06.					0.14.			0.17.	0.02.	10
11	0.06.	0.16.							0.08.		0.28.		11
12	0.01.							0.02.	0.16.				12
13							0.04.	0.47.					13
14							0.64.	(.90)					14
15	0.02.			0.13.			0.21.	0.14.				0.06.	15
16				0.06.	0.21.	0.05.		0.19.					16
17	0.08.	0.02.		0.41.	0.02.		0.17.		0.12.				17
18	0.03.	0.18.	0.01.	0.13.		0.09.		0.81.			0.47.		18
19				0.37.		0.22.	0.20.	0.02.	0.05.				19
20	0.02.	0.01.		0.04.			0.08.	0.20.			0.02.		20
21	0.02.				0.44.								21
22	0.13.		0.02.	0.10.					0.01.				22
23					0.46.	0.01.			0.04.		0.07.	0.04.	23
24				0.22.	0.06.								24
25	0.02.			0.46.	0.05.		0.91.						25
26				0.10.			0.26.				0.52.		26
27	0.08.	0.41.		0.10.	0.40.		0.05.				0.04.		27
28	0.03.	0.13.		0.01.						0.03.		0.07.	28
29	0.07.						0.09.		0.01.	0.24.			29
30		X			0.02.		0.01.	0.07.					30
31	0.06.	X		X	0.06.	X			X		X		31
TOTAL	0.88.	1.31.	0.13.	3.37.	2.44.	1.19.	2.76.	(4.10)	1.80.	0.60.	2.35.	0.54.	3121.47
*Days with of in. or more.	15.	12.	4.	18.	13.	8.	13.	15 16	13.	5.	13.	8.	138
*Days with of in. or more.	8.	9.	2.	16.	10.	6.	11.	4.12	8.	3.	12.	5.	102

Section

A

for the entry of Daily Observations.

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hampton Park Works.in the County of Middlesex.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10.			0.05.	0.62.			0.54.		0.08.	0.02.		1
2				0.21.	0.02.			0.02.	0.31.	0.06.		0.11.	2
3				0.12.	0.14.				0.24.	0.11.			3
4					0.02.	0.17.					0.08.		4
5	0.10.						0.17.		0.05.				5
6	0.32.		0.07.	0.13.					0.01.				6
7			0.09.	0.03.	0.31.		0.27.		0.08.	0.01.			7
8				0.04.	0.15.				0.02.	0.33.			8
9	0.19.			0.08.	0.85.					0.07.			9
10	0.36.			0.19.	0.15.				0.01.	0.16.	0.02.		10
11	0.05.			0.05.	0.01.		0.39.			0.05.	0.01.		11
12	0.05.							0.04.	0.02.	0.13.			12
13	0.06.			0.08.			0.05.			0.37.	0.02.		13
14	0.06.	0.04.		0.18.	0.15.					0.01.		0.03.	14
15	0.01.	0.01.		0.03.	0.24.					0.07.			15
16	0.08.			0.14.	0.15.								16
17				0.02.						0.02.			17
18							0.07.		0.70.		0.13.		18
19									0.04.	0.17.	0.01.		19
20				0.19.	0.03.			0.65.		0.61.	0.14.		20
21	0.04.			0.09.	1.03.					0.15.		0.05.	21
22			0.35.		0.33.		0.16.		0.11.	0.27.	0.26.		22
23		0.06.	0.04.		0.05.				0.12.	1.00.			23
24		0.03.					0.37.		0.05.	0.06.	0.06.		24
25							0.65.		0.05.	0.09.	0.01.		25
26			0.09.	0.11.						0.11.			26
27			0.22.	0.10.	0.50.		0.15.			0.60.			27
28					0.11.		0.10.			0.07.	0.10.		28
29			0.29.	0.06.	0.11.	0.03.		0.09.	0.12.	0.28.	0.05.		29
30		X	0.03.	0.03.		0.82.		0.01.	0.09.		0.21.	0.19.	30
31		X	0.02.	X		X	0.15.		X		X	0.03.	31
TOTAL	1.42.	0.14.	1.20.	1.93.	4.97.	1.02.	2.53.	1.35.	2.02.	4.88.	1.72.	0.41.	YEAR'S TOTAL
*Days with or in. or more.	12.	4.	9.	20.	19.	3.	11.	6.	16.	24.	14.	5.	143.
*Days with .04 in. or more.	11.	2.	7.	16.	15.	2.	11.	4.	12.	21.	8.	3.	112.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hempton Park Works.

in the County of Middlesex.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0.18.											1
2	0.16.		0.24.		0.55.									2
3		0.06.	0.16.											3
4	0.24.	0.02.			0.33.						0.07.			4
5			0.14.		0.02.									5
6		0.05.	0.11.		0.30.					0.16.	0.07.			6
7	0.16.	0.07.	0.03.							0.11.				7
8	0.01.		0.02.		0.11.		0.06.			0.01.				8
9					0.03.		0.12.				0.08.			9
10		0.68.				0.02.	0.03.			0.17.	0.01.			10
11	0.22.				0.08.	0.02.	0.41.	0.05.			0.01.			11
12						0.11.			0.97.					12
13	0.06.				0.05.		0.24.		0.09.		0.09.			13
14					0.01.			0.01.		0.20.	0.35.			14
15			0.07.			0.21.	0.42.	0.19.						15
16			0.58.			0.21.	0.42.		0.01.					16
17			0.41.			0.03.			0.06.		0.06.			17
18	0.25.	0.04.	0.11.			0.07.								18
19		0.06.	0.19.			0.11.	0.05.		0.44.		0.02.	0.05.		19
20			0.09.	0.08.		0.19.								20
21						0.19.			0.21.					21
22								0.14.		0.19.	0.05.			22
23				0.09.	0.21.				0.19.	0.02.				23
24		0.54.		0.08.	0.02.	0.07.			0.44.		0.02.			24
25		0.56.		0.24.					0.01.	0.01.		0.05.		25
26		0.44.		0.02.		0.04.			0.03.	0.03.		0.12.		26
27					0.27.					0.24.		0.03.		27
28					0.04.					0.26.		0.14.		28
29	0.05.			0.08.						0.04.				29
30		X	0.03.				0.05.		0.03.	0.03.		0.13.		30
31	0.16.	X		X		X		0.09.	X	0.03.	X	0.04.		31
TOTAL	1.31.	2.52.	2.36.	0.59.	2.02.	1.27.	1.80.	0.48.	2.48.	1.50.	0.83.	0.56.	17.72.	
*Days with "or in. or more.	9.	10.	14.	6.	13.	12.	9.	5.	11.	14.	11.	7.	121.	
*Days with ".04 in. or more.	8.	9.	11.	5.	9.	9.	8.	4.	7.	8.	7.	6.	91.	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at M.W.B. KEMPTON PARK PUMPING STATION, SLEBURY

in the County of MIDDLESEX

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02							0.11				0.43		1
2	0.05								0.62	0.22		0.22		2
3	0.01	0.01		0.18						0.10		0.02		3
4	0.05		0.05	0.05						0.02	0.07	0.33		4
5			0.03					0.01			0.06	0.32		5
6	0.01		0.27		0.25			0.19		0.16		0.38		6
7	0.04							0.06		0.16		0.16		7
8								0.05	0.15		0.26			8
9			0.01		0.05						0.71	0.25		9
10			0.10	0.13				0.03			0.20	0.01		10
11	0.32		0.32	0.05								0.11		11
12	0.04		0.10				0.06	0.46				0.04		12
13	0.25		0.24				0.92	0.02			0.01	0.09		13
14	0.05		0.26							0.03	0.28	0.43		14
15	0.04		0.06		0.04				0.03	0.05	0.08	0.50		15
16	0.14		0.14		0.05					0.13	0.03			16
17										0.01		0.11		17
18				0.14			0.48					0.20		18
19			0.19						0.05	0.02		0.06		19
20			0.09				0.20							20
21				0.13		0.12	0.02	0.03						21
22							0.44	0.05	0.12					22
23				0.22		0.24								23
24		0.02	0.07	0.08		0.03	0.66		0.16					24
25	0.13	0.05		0.11		0.13				0.04		0.41		25
26	0.01			0.35		0.06			0.01					26
27	0.02			0.31		0.03						0.18		27
28		0.09		0.09		0.11	0.01	0.74				0.18		28
29							0.05	0.05	0.13			0.02		29
30	0.06	X						0.04				0.16		30
31	0.01	X		X		X			X	0.13	X	0.03		31
TOTAL	1.25	0.17	1.93	1.84	0.39	0.72	2.84	1.84	1.27	1.07	1.70	4.64	19.66	
* Days with .01 in. or more.	17	4	14	12	4	7	9	13	8	12	9	23	132	
* Days with .04 in. or more.	11	2	12	12	4	5	7	9	6	8	7	19	102	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *M.W.B. WORKS, KEMPTON PARK (SUNBURY)*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.11			0.03	0.05	0.10	1.43		0.16		0.32	0.01		1
2										0.13	0.04			2
3				0.04		0.20			0.28	0.57	0.14			3
4				0.14		0.46			0.11	0.10		0.08		4
5		0.23	0.01	0.01		0.05			0.46					5
6				0.27		0.29					0.05	0.01		6
7				0.37		0.01					0.94			7
8				0.34						0.19	0.25	0.06		8
9				0.15		0.46				0.50	0.04			9
10				0.09		0.01					0.02	0.03		10
11	0.21			0.03		0.06	0.10							11
12						0.11		0.01			0.60			12
13	0.08			0.16	0.10	0.07								13
14				0.05	0.16	0.05					0.03	0.00		14
15		0.15		0.24	0.02	0.22					0.22	0.02		15
16		0.01		0.12		0.02			0.28		0.50			16
17		0.22				0.13		0.06	0.02		0.16			17
18				0.13	0.01		0.14		0.20		0.01			18
19				0.02	0.21	0.04	0.05		0.02		0.12			19
20		0.14		0.04	0.49	0.04	0.18				0.13			20
21				0.01						0.05	0.03			21
22			0.04					0.34	0.09					22
23			0.09					0.39	0.07	0.10		0.02		23
24	0.06	0.66			0.10			0.49	0.30			0.23		24
25		0.27		0.30		0.87								25
26	0.06	0.19						0.19	0.03	0.01		0.09		26
27		0.33							0.07		0.08	0.26		27
28		0.03			0.06				0.08			0.10		28
29									0.55			0.19		29
30	0.06	X		0.05				0.69	0.04	0.18	0.24	0.30		30
31		X		X		X			X	0.31	X	0.21		31
TOTAL	0.58	2.23	0.14	2.59	1.20	3.19	1.90	2.17	2.76	2.14	3.92	1.70	24.52	
* Days with .01 in. or more.	6	10	3	20	9	18	5	7	16	10	19	15	138	
* Days with .04 in. or more.	6	8	2	15	7	15	5	6	13	9	15	10	111	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **83415**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **KEMPTON PARK (M.W.B. WORKS)**in the County of **MIDDLESEX**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.23	0.03	0.03	0.06		0.16	0.09	0.17			0.04	0.04		1
2		0.05	0.01	0.02		0.36		0.11			0.04			2
3				0.20		0.08			0.16		0.30			3
4			0.09			0.12			0.20		0.05	0.02		4
5	0.17		0.02			0.04			0.18		0.02	0.06		5
6	0.20							0.09	0.02		0.24			6
7	0.17					0.04			0.01		0.07			7
8	0.17		0.03				0.01				0.23	0.18		8
9	0.37		0.01				0.47		0.29					9
10							0.06	0.04						10
11				0.01			0.15				0.85			11
12				0.10		0.50	0.15		0.07		0.17	0.13		12
13				0.02		0.18					0.14	0.10		13
14						0.08	0.52					0.40		14
15									0.30					15
16		0.21					0.02		0.03		0.33	0.02		16
17	0.30	0.40			0.08	0.12			0.02		0.09	0.13		17
18	0.40	0.01				0.29	0.05					0.09		18
19	0.15	0.01	0.01			0.12	0.08	0.04						19
20	0.04	0.06		0.42						0.64				20
21				0.25	0.01	0.25	0.01							21
22		0.38	0.08		0.32	0.09	0.20					0.05		22
23	0.04	0.01	0.10	0.05	0.01					0.15				23
24	0.02	0.14								0.37				24
25	0.16		0.10	0.16		0.05	0.01		0.15	0.17				25
26	0.02	0.06	0.14	0.17						0.11				26
27	0.17		0.03						0.17	0.13				27
28	0.67		0.09				0.33					0.06		28
29	0.11	0.11	0.04			0.34	0.14			0.01	0.19			29
30	0.04	~~X~~			0.11	0.12	0.01			0.29				30
31	0.23	~~X~~	0.23	~~X~~		~~X~~			~~X~~	0.42	~~X~~	0.30	d	31
TOTAL	3.66	1.47	1.01	1.46	0.53	2.97	2.30	0.45	2.24	1.65	2.76	1.58	Year's Total	
* Days with .01 in. or more.	19	12	15	11	5	17	16	5	13	8	14	13	22.08	
* Days with .04 in. or more.	17	8	8	8	3	17	11	5	9	7	13	11	117	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1937

Kept at M.W.B. WORKS, KENYON PARK, SUNBURYin the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.42		0.02	0.05							0.56	0.76		1
2		0.11		0.55					0.07			0.60		2
3		0.18			0.03							0.02		3
4		0.44	0.01									0.28		4
5	0.05	0.07	0.21				0.09				0.02			5
6	0.12		0.66		0.22					0.01	0.01			6
7		0.49	0.11	0.10					0.03					7
8					0.04	0.04					0.15	0.24		8
9				0.27	0.13	0.02	0.02		0.21			0.13		9
10			0.30	0.06	0.09	0.35	0.03	0.17				0.35		10
11			0.14		0.08		0.03					0.07		11
12	0.11	0.26	0.13		0.41	0.32	0.05		0.04			0.13		12
13	0.15	0.05	0.27			0.07			0.16			0.97		13
14		0.07	0.17			0.01		1.71	0.02					14
15		0.08		0.13			0.12	0.48	0.04					15
16		0.19	0.23	0.32					0.34			0.02		16
17	0.46		0.12	0.05				0.13	0.45					17
18	0.34	0.07			0.18	0.79					0.13			18
19			0.03		0.02	0.13	0.01		0.03			0.15		19
20	0.23		0.03	0.14	0.64				0.04					20
21	0.37	0.72	0.01	0.05			0.04					0.01		21
22	0.37	0.06			0.01	0.21	0.04			0.74	0.29	0.02		22
23	0.21		0.02		0.10					0.30				23
24	0.30	0.45	0.02						0.09	0.23				24
25	0.04	0.23	0.20		0.33				0.04	0.19				25
26		0.16	0.01		0.05					0.08				26
27		0.22		0.15					0.01	0.52				27
28		0.02		0.02						0.08		0.04		28
29						0.03				0.03	0.02	0.02		29
30		~~X~~								0.01	0.13			30
31	0.23	~~X~~		~~X~~		~~X~~			~~X~~	0.23	~~X~~			31
TOTAL	3.40	3.87	2.75	1.89	2.33	1.97	0.43	2.49	1.57	2.42	1.31	3.81	Year's Total	28.24
* Days with .01 in. or more.	14	18	19	12	14	10	9	4	14	11	8	16		149
* Days with .04 in. or more.	14	17	11	11	11	7	5	4	10	8	5	11		114

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *M.W.B. KEMPTON PARK WORKS*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0.10	0.03		0.03					1
2	0.07			0.03	0.10					0.17		0.04		2
3					0.25					0.36				3
4	0.02						0.05	0.15		0.04		0.03		4
5							0.02		0.01	0.10				5
6	0.04													6
7							0.15		0.08	0.14		0.01		7
8	0.13						0.05	0.65		0.26				8
9	0.07					0.01		0.20		0.01		0.54		9
10	0.10	0.01						0.10				0.06		10
11	0.21							0.18				0.04		11
12	0.20							0.29		0.11	0.03			12
13	0.25									0.01	0.07	0.12		13
14	0.16	0.01												14
15	0.08	0.01					0.21			0.25	0.03	0.17		15
16	0.22							0.01		0.01	0.01	0.55		16
17		0.09								0.10				17
18	0.02								0.12	0.03	0.28			18
19								0.03	0.11					19
20									0.01		0.68			20
21									0.04		0.03	0.29		21
22											0.14	0.26		22
23											0.03			23
24			0.07				0.01		0.36		0.05			24
25	0.09	0.01	0.11		0.27			0.01	0.02	0.03	0.81			25
26	0.16		0.03						0.22	0.21				26
27	0.05	0.14			0.05	0.14	0.25	0.06	0.57	0.08	0.28			27
28		0.04			0.53	0.02		0.35	0.01			0.26		28
29	0.11				0.07						0.07	0.30		29
30		X			0.02	0.05			0.07	0.07	0.07			30
31	0.10	X		X	0.07	X			X	0.10	X	0.19		31
TOTAL	2.08	0.31	0.21	0.03	1.36	0.32	0.77	2.03	1.65	2.08	2.58	2.86	Year's Total	
* Days with .01 in. or more.	18	7	3	1	10	5	8	11	13	18	15	14	123	
* Days with .04 in. or more.	16	3	3	-	8	3	5	8	8	13	10	12	89	

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.Kept at Kemplog Park Worksin the County of Middlesex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Kempton**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	0.43	0.30	/	/	0.48	0.11	/	/	/		1
2	/	/	/	0.02	0.03	/	/	0.49	0.52	/	0.03	/		2
3	0.28	/	/	0.24	/	/	/	0.22	/	/	0.13	0.15		3
4	0.08	/	0.15	0.22	/	/	0.06	0.79	/	0.35	/	0.02		4
5	/	/	/	0.25	/	/	0.01	/	/	0.14	0.14	0.02		5
6	0.36	/	/	0.01	0.38	/	0.12	0.02	/	/	0.75	0.02		6
7	0.01	0.09	/	/	/	/	/	/	/	/	0.07	0.09		7
8	/	0.05	0.07	/	/	/	/	0.02	/	0.48	0.15	0.18		8
9	0.03	0.04	/	/	/	/	/	/	/	0.15	0.04	0.08		9
10	0.21	/	/	/	/	0.15	/	0.09	0.04	0.05	0.03	/		10
11	/	/	0.18	/	/	0.09	/	/	/	0.24	/	/		11
12	/	/	/	/	/	/	/	/	/	/	/	/		12
13	/	/	/	0.01	/	/	0.03	/	/	0.89	/	/		13
14	Rainfall not taken	/	/	/	0.03	0.03	0.04	/	/	0.16	0.35	0.01		14
15	14 0.72	/	0.07	/	0.56	0.16	/	/	0.16	0.44	0.12	/		15
16	0.48	/	0.05	0.03	0.17	0.09	/	/	/	/	0.28	/		16
17	0.18	0.01	0.01	0.01	0.13	/	0.08	/	/	/	0.03	/		17
18	0.16	/	0.04	/	/	0.11	0.08	/	/	/	0.16	/		18
19	0.18	/	0.01	/	/	/	0.08	/	/	0.10	0.01	/		19
20	0.22	/	/	/	/	0.50	0.58	0.05	/	/	/	0.03		20
21	0.04	0.02	0.11	/	/	0.04	0.34	/	0.11	/	/	/		21
22	0.07	0.22	0.05	/	/	0.14	0.16	/	/	/	0.03	/		22
23	/	/	/	0.17	/	/	0.03	/	/	0.03	0.42	/		23
24	0.17	/	/	0.02	/	/	0.02	/	/	0.16	/	/		24
25	0.59	0.16	/	/	/	/	/	0.06	/	/	0.20	/		25
26	0.06	/	0.01	0.01	/	0.02	/	/	/	0.10	0.18	0.06		26
27	0.01	0.03	0.05	0.07	/	/	/	/	/	0.08	0.19	/		27
28	/	0.19	0.03	0.11	/	0.01	0.01	/	/	/	0.08	0.11		28
29	/	X	/	0.24	/	/	0.01	/	/	0.07	0.03	/		29
30	/	X	/	0.46	/	0.10	/	/	/	/	0.10	/		30
31	/	X	/	X	/	X	0.19	/	X	0.02	X	/		31
TOTAL	3.85	0.81	0.83	2.30	1.60	1.44	1.84	2.22	0.94	3.46	3.52	0.77	Year's Total	23.58
* Days with .01 in. or more.	19	9	13	16	7	12	16	9	5	16	22	11		155
* Days with .04 in. or more.	16	6	9	9	5	9	10	7	5	14	16	6		112

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

834/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 19340

Kept at

M.W.B. WORKS - KEMPTON -

in the County of

MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „

Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.17			1
2				0.05			0.05			0.12	0.50			2
3		0.14		0.06						0.08	1.15	0.05		3
4		0.10		0.01							0.04			4
5											0.14	0.04		5
6	0.15	0.11			0.02		0.85			0.13				6
7	0.22	0.06			0.02		0.08		0.05					7
8				0.02					0.05	0.11		0.20		8
9						0.03			0.01	0.14	0.05	0.03		9
10							0.12			0.03				10
11				0.01			0.16				0.44			11
12			0.09				0.05		0.12					12
13			0.64			0.02			0.05		0.85			13
14			0.09	0.06					0.01	0.01		0.17		14
15			0.04	0.02	0.05		0.22		0.09	0.01	0.11	0.01		15
16		0.06	0.33	0.15		0.04	0.43		0.05	0.38	0.81			16
17			0.33				0.02				0.52			17
18		0.20	0.03	0.22			0.02	0.02		0.07	0.22	0.10		18
19		0.20		0.05			0.02		0.45		0.10			19
20		0.01	0.01	0.01				0.01		0.01	0.03			20
21					0.44		0.13			0.02	0.33			21
22			0.62		0.27	0.20			0.05					22
23		0.04		0.21										23
24			0.03	0.13			0.29							24
25			0.72				0.04							25
26	0.88	0.05	0.22	0.31	0.19									26
27	0.03	0.23		0.11										27
28	0.46				0.02									28
29		0.04	0.04		0.42					0.03		0.22		29
30	0.08	X		0.16						0.45				30
31	0.01	X		X		X			X		X	0.01		31
TOTAL	1.83	1.24	2.57	1.48	1.43	0.39	1.78	0.03	0.93	1.59	5.46	0.83	19.56	Year's Total
* Days with .01 in. or more.	7	12	12	16	8	4	14	2	10	14	15	9	123	
* Days with .04 in. or more.	5	11	9	11	5	2	11	-	8	8	14	6	90	

Section **A** for the entry of D
AIR MINISTRY.

FORM 1090.

REGIST

Kept at **HAMPTON** (Glow)
in the County of **MIDDLE**

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

Ground Sea Lev

THE MORNING MEASUR

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1932.

- 214776/32

1932 - 1939.

32.

OK found

780203

US DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	-	-	.06	.63	-	Trace	.33	.01	.09	.04	0.01	1
2	.01	-	-	.22	.04	-	-	.05	-	.07	.04	0.12	2
3	-	-	-	.33	.15	-	-	Trace	.61	.09	-	-	3
4	-	-	-	-	-	.19	-	-	-	-	.07	-	4
5	.08	-	Trace	-	.04	-	.21	-	.05	-	-	-	5
6	.55	-	Trace	.14	.02	-	-	-	.04	-	-	-	6
7	-	-	.09	.03	.21	Trace	.10	-	.21	.03	-	-	7
8	-	-	.11	.06	.14	-	-	-	.04	.32	-	-	8
9	.15	Trace	-	.09	.91	-	-	-	-	.04	-	-	9
* Milled Sofow 10	.41	.02	.06	.15	.14	.06	-	-	Trace	.11	.02	-	10
11	.07	Trace	-	.03	.01	-	.10	Trace	Trace	.14	.03	0.02	11
12	.05	Trace	-	-	.01	-	-	.02	Trace	.23	.01	Trace	12
13	.07	-	-	.08	.04	-	.06	-	.01	.26	.02	Trace	13
14	.07	.03	-	.28	.01	-	-	-	-	.11	.02	Trace	14
15	.01	.01	-	.03	.44	-	-	-	-	.09	-	Trace	15
16	.08	-	-	.15	.16	-	-	-	-	-	-	-	16
17	-	-	-	.03	-	-	.02	-	-	.02	-	-	17
18	-	-	-	-	Trace	-	.12	-	.42	-	.14	Trace	18
19	-	-	-	-	-	-	-	-	Trace	.17	.01	Trace	19
20	-	-	-	.27	.06	-	Trace	.22	.05	.61	.13	Trace	20
21	.03	-	-	.09	.93	-	-	.02	-	.17	-	.06	21
22	Trace	Trace	.29	Trace	.21	-	.16	-	.12	.28	.30	-	22
23	-	.10	.09	.09	.04	-	-	-	.18	1.00	.02	.10	23
24	-	.04	-	.02	-	-	.19	-	-	.07	.06	-	24
25	-	-	-	Trace	-	-	.80	-	.09	.10	.01	Trace	25
26	-	-	.08	.05	-	-	.05	-	-	.04	.01	Trace	26
27	-	-	.30	.10	.48	-	.25	-	Trace	.66	.07	-	27
28	-	-	Trace	.01	.12	-	.07	-	-	.09	-	-	28
29	-	-	.28	.06	.17	-	.04	.09	.09	.29	Trace	Trace	29
30	-	X	.05	.06	.02	.81	-	.04	.09	.01	.20	.09	30
31	-	X	.02	X	-	X	.05	Trace	X	-	X	.04	31
TOTAL	1.70	.20	1.37	2.43	4.98	1.06	2.22	.77	2.01	5.09	1.20	0.45	23.48
* Days with or in. or more.	13	5	10	23	23	3	14	7	14	25	18	8	163
* Days with or in. or more.	10	2	9	17	18	3	13	5	12	22	9	5	125

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

N.B. PALMER

FORM 1090.

Kept at **HAMPTON (Gloucester Road)**
in the County of **MIDDLESEX.**

REGISTER OF RAINFALL IN 1932.
File Number:- 214776/32
C 1932
OK print

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft **—** in.
Ground Sea Level **50** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	—	.06	.63	—	Trace	.33	.01	.09	.04	0.01	1
2	.01	—	—	.22	.04	—	—	.05	—	.07	.04	0.12	2
3	—	—	—	.33	.15	—	—	Trace	.61	.09	—	—	3
4	—	—	—	—	—	.19	—	—	—	—	.07	—	4
5	.08	—	Trace	—	.04	—	.21	—	.05	—	—	—	5
6	.55	—	Trace	.14	.02	—	—	—	.04	—	—	—	6
7	—	—	.09	.03	.21	Trace	.10	—	.21	.03	—	—	7
8	—	—	.11	.06	.14	—	—	—	.04	.32	—	—	8
9	.15	Trace	—	.09	.91	—	—	—	—	.04	—	—	9
10	.41	.02	.06	.15	.14	.06	—	—	Trace	.11	.02	—	10
11	.07	Trace	—	.03	.01	—	.10	Trace	Trace	.14	.03	0.02	11
12	.05	Trace	—	—	.01	—	—	.02	Trace	.23	.01	Trace	12
13	.07	—	—	.08	.04	—	.06	—	.01	.26	.02	Trace	13
14	.07	.03	—	.28	.01	—	—	—	—	.11	.02	Trace	14
15	.01	.01	—	.03	.44	—	—	—	—	.09	—	Trace	15
16	.08	—	—	.15	.16	—	—	—	—	—	—	—	16
17	—	—	—	.03	—	—	.02	—	—	.02	—	—	17
18	—	—	—	—	Trace	—	.12	—	.42	—	.14	Trace	18
19	—	—	—	—	—	—	—	—	Trace	.17	.01	Trace	19
20	—	—	—	.27	.06	—	Trace	.22	.05	.61	.13	Trace	20
21	.03	—	—	.09	.93	—	—	.02	—	.17	—	.06	21
22	Trace	Trace	.29	Trace	.21	—	.16	—	.12	.28	.30	—	22
23	—	.10	.09	.09	.04	—	—	—	.18	1.00	.02	.10	23
24	—	.04	—	.02	—	—	.19	—	—	.07	.06	—	24
25	—	—	—	Trace	—	—	.80	—	.09	.10	.01	Trace	25
26	—	—	.08	.05	—	—	.05	—	—	.04	.01	Trace	26
27	—	—	.30	.10	.48	—	.25	—	Trace	.66	.07	—	27
28	—	—	Trace	.01	.12	—	.07	—	—	.09	—	—	28
29	—	—	.28	.06	.17	—	.04	.09	.09	.29	Trace	Trace	29
30	—	×	.05	.06	.02	.81	—	.04	.09	.01	.20	.09	30
31	—	×	.02	×	—	×	.05	Trace	×	—	×	.04	31
TOTAL	1.70	.20	1.37	2.43	4.98	1.06	2.22	.77	2.01	5.09	1.20	0.45	23.48
*Days with or in. or more.	13	5	10	23	23	3	14	7	14	25	18	8	163
*Days with .04 in. or more.	10	2	9	17	18	3	13	5	12	22	9	5	125

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

N.B. PALMER ESQ

Section **A** for the entry of Daily Observations.Station No. 834/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 54 Gloucester Road, HAMPTON, E
in the County of MIDDLESEX.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.17	.18	✓	.01	-	-	-	-	.01	.01	-		1
2	.09	-	.25	-	.41	-	-	-	-	-	Trace	-		2
3	Trace	.12	.18	-	.02	-	-	-	-	-	Trace	-		3
4	.11	.02	.04	-	.12	-	-	-	-	-	.01	-		4
5	.03	Trace	.12	-	.19	-	-	-	-	-	-	-		5
6	-	.06	.10	-	.31	-	-	-	-	.10	.07	-		6
7	.15	.05	.03	-	.07	-	-	-	-	.11	Trace	.03		7
8	.04	.02	-	-	.07	-	.06	-	-	Trace	-	Trace		8
9	-	-	-	Trace	.04	-	.12	-	-	.08	.08	-		9
10	-	.83	-	-	Trace	.03	.04	-	-	.12	.01	-		10
11	.23	-	-	-	.06	.07	.49	.05	-	.02	Trace	Trace		11
12	-	-	-	.03	-	.14	Trace	-	.82	Trace	Trace	Trace		12
13	.07	-	-	-	.08	Trace	.23	-	.17	Trace	.10	Trace		13
14	-	-	-	-	Trace	-	Trace	-	-	.19	.35	Trace		14
15	.22	-	.04	-	-	.10	.47	.24	-	-	.02	-		15
16	.02	Trace	.58	-	-	.26	.56	-	.01	.05	-	-		16
17	Trace	Trace	.45	-	-	.05	-	Trace	.06	-	.08	-		17
18	.07	.09	.20	-	-	.07	-	-	-	-	.01	-		18
19	.02	.02	.22	Trace	-	.16	.05	-	.50	-	.02	.01		19
20	-	.01	.08	.08	-	.05	-	.04	.01	-	-	-		20
21	-	.03	-	-	Trace	.28	-	.04	.22	Trace	~~.04~~	-		21
22	-	Trace	-	-	Trace	-	-	.13	-	.22	~~.04~~	-		22
23	-	-	-	.10	.32	.03	-	-	.26	.01	Trace	-		23
24	-	.53	-	.09	.02	.22	-	-	.30	Trace	Trace	-		24
25	-	.59	-	.22	-	-	-	-	.16	Trace	Trace	.04		25
26	-	.36	-	.03	Trace	.05	~~.03~~	-	.03	Trace	Trace	.07		26
27	-	Trace	-	.01	.41	-	.02	-	.01	.26	-	.02		27
28	-	-	-	Trace	.02	-	.02	-	Trace	.26	-	.11		28
29	.06	✕	-	.04	-	-	.05	-	-	.02	-	-		29
30	.11	✕	.02	Trace	.02	-	Trace	-	.06	.06	-	.14		30
31	.06	✕	Trace	✕	-	✕	Trace	.11	✕	.04	✕	-		31
TOTAL	1.32	2.90	2.49	0.60	2.17	1.51	2.12	0.61	2.61	1.55	0.80	0.42	Year's Total	19.20 (19.10)
*Days with .01 in. or more.	15	14	14	8	16	13	11	6	13	15	12	7		144
*Days with .04 in. or more.	12	9	12	5	11	11	9	6	9	11	6	4		105

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W.B. Palmer.

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No.

83417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at 54, Gloucester Road, Hampton
in the County of Middlesex.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.,, Ground ,, Sea Level 60 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	—	—	—	—	—	—	.07	—	.03		.42	1
2	.08	—	.10	—	Trace	—	—	Trace	.63	.18		.20	2
3	.01	.03	—	.21	—	—	—	Trace	—	.13		Trace	3
4	.07	Trace	.05	.09	—	—	—	—	—	.04		.38	4
5	—	—	.05	—	.05	—	—	Trace	—	.02		.35	5
6	Trace	—	.30	Trace	.23	.03	—	Trace	—	.16	.07	.40	6
7	.13	—	—	—	—	Trace	—	.21	—	.15	.06	.14	7
8	—	Trace	—	—	.07	—	—	.04	.14	—		.02	8
9	—	—	Trace	—	—	—	—	Trace	.01	—	.30	.26	9
10	—	Trace	.14	.15	—	—	—	.04	—	Trace	.80		10
11	.27	—	.37	.07	—	—	—	Trace	—	—	.20	.10	11
12	.08	—	.12	Trace	—	—	.07	.61	—	—	Trace	.08	12
13	.28	—	.19	Trace	—	—	.95	.03	—	—	.37	.08	13
14	.04	—	.29	.01	.02	Trace	—	—	—	.04	.08	.49	14
15	.04	—	.08	—	.06	—	—	—	.12	.06		.46	15
16	.15	—	.12	—	.03	—	—	—	—	.12			16
17	Trace	—	.01	—	Trace	—	—	—	—	.03		.13	17
18	.11	—	Trace	.15	—	—	.29	—	Trace	—		.13	18
19	—	—	.18	.01	Trace	Trace	—	—	.06	—		.14	19
20	—	—	.07	—	—	.01	.21	—	Trace	.025		.02	20
21	—	—	Trace	.16	—	.09	.05	.05	—	Trace			21
22	—	—	—	—	—	—	.79	.10	.14	—		.09	22
23	—	—	—	.23	—	.22	—	Trace	—	—		.02	23
24	—	.01	.06	.13	—	.04	.74	—	.16	—			24
25	.09	.08	—	.13	Trace	.13	—	—	—	.05		.27	25
26	.07	Trace	—	.21	—	.10	—	—	.01	—			26
27	.08	—	—	.40	—	.03	—	—	—	—		.17	27
28	—	.12	—	.17	—	.13	.02	.79	—	Trace		.18	28
29	—	X	Trace	—	—	—	.03	.17	.17	—		.02	29
30	.06	X	—	—	—	—	—	.01	—	—	.02	.19	30
31	.02	X	—	X	—	X	Trace	—	X	.11	X		31
TOTAL	1.58	0.24	2.13	2.12	0.46	0.78	3.15	2.12	1.44	1.14	1.90	4.74	YEAR'S TOTAL 21.80
* Days with ".01 in. or more.	16	4	15	14	6	9	9	11	9	14	8	24	139
* Days with ".04 in. or more.	14	2	14	12	4	6	7	9	7	10	7	20	112

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 834/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

file number

214776/32

Kept at

Hampshire

in the County of

Hampshire

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.16	.05		.05	.10	.15	.90		.08	.03	.21			1
2	0.02		.02	here		here				.14				2
3		here	.02	.04		.07			.16	.47	.19	here		3
4				.14		.33			.20	.14	here	.10		4
5		.15	.02	.01		.10	here		.47	here	.03			5
6				.28		.30						.02		6
7	.04			.42		.01				.04	1.07	.15		7
8			here	.33		here				.22	.23	.06		8
9				.20		9" 0.48 " 0.06				.55	.14			9
10	.02			.18		.11					.06	.03		10
11	.21	here		.10		13" 10 14" 05	.39				.28	here		11
12						14" 05		.08			.50			12
13	.09			.12	.10	15" 20			here					13
14				.05	.19	16" 08			here		.03	.08		14
15				here	here	17" 13			.05	here	.34	.03		15
16		.17		.28		18" 05			.21	.02	.55			16
17				.08		19" 03		.03	.04		.24			17
18				.02	.03	20" 09	.14		.24		.02			18
19		here		here	.23		.06		.03		.10	.05		19
20	here	.17		.05	.52		.08				.09			20
21	.01	.27		here						.07	here			21
22		.07	here											22
23		.45	.15					.46	.05			.11		23
24	.04	.45			.10			.79	.39	.10		Sum .20		24
25	.23	.37		.34	.04							.08		25
26	Sum .10	.18			here	.64		.18	.03			.34		26
27		.32			here				.09			.22		27
28		.04			.06				.13	.05	.10	.15		28
29									.75		here	.10		29
30	.09	X		.04	here			.71	.03	.17	.30	.30		30
31		X		X		X			X	.35	X	.22		31
TOTAL	1.01	2.69	0.21	2.73	1.37	2.98	1.57	2.25	2.95	2.35	4.51	2.24	Year's Total 26.86	
* Days with .01 in. or more.	11	12	4	18	9	18	5	6	16	13	18	17	147	
* Days with .04 in. or more.	8	12	1	16	8	16	5	5	13	11	15	14	124	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

B. J. P. Chenev

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

834/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *54, Housley Rd. Hampton*in the County of *Middlesex*Diameter of Funnel of Gauge... *4 1/2* in. *5*Height of top of Gauge above Ground... *1* ft. in.,, Ground ,, Sea Level ... *61* ft.*Nov & Dec. std. from surr. stns. see**clear above and of year*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.06	.05	.07			0.12	.09						1
2	.05	.11		.02		.22	0.03	.04						2
3				.34		.38								3
4						.05	0.14		.05					4
5	.16		.02			.10			.47					5
6	.23							.06	.19					6
7	.10								.03					7
8	.18		.03			.05								8
9	.41					.08	0.93							9
10							0.12	.08	.15					10
11				.03			.10		.08					11
12				.08			.20							12
13				.07			.44		.08					13
14						.53	.07		.06					14
15		.10				.15	.02		.07					15
16	<i>SNOW</i> .37	.10				.06								16
17	<i>SNOW</i> .30	.36			.13		.05		.02					17
18		.08					.13			.02				18
19	.16	.03				.50		.04		.06				19
20		.07	.09	.46		.10	.05		.45					20
21				.25		.12	.15							21
22	.12	.38	.08		.37		.02			.10				22
23				.05	.01	.25								23
24	.09		.12			.07				.45				24
25	.06	.17	.11				.04		.16	.14				25
26	.06		.16	.16		.08	.06			.13				26
27	.06			.17						.10				27
28	.06		.11				.22							28
29	.11	.11							.08	.02				29
30	.05	~~X~~			.11		.09		.10	.25				30
31	.24	~~X~~	.23	~~X~~		~~X~~			~~X~~	.47	~~X~~			31 d
TOTAL	3.88	1.57	1.00	1.70	.62	2.74	2.98	0.31	1.93	1.80	(2.70)	(1.80)	(2.77)	(23.03)
* Days with .01 in. or more.	19	10	8	11	4	15	19	5	13	11	(16)	(18)	(44)	..
* Days with .04 in. or more.	19	9	6	9	3	15	16	5	11	9	(12)	(11)	(25)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 8347

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 34, from Cedar Road, Hampton

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 17 ft. 17 in.

Eleva in.

Ground Sea Level 90.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.80	.02	trace	.06					trace		.52	.91		1
2	trace	.16		.47					.10			.53		2
3		.15									trace	.01		3
4	.06	.44												4
5	.13	.12	.30				.11							5
6	.02	.05	.91		.25		trace			.03	.03			6
7		.48		.08										7
8		trace			.04	.07			.04			.30		8
9		.06		.30	.13	.03		.01	.24			.12		9
10			.33	.05	.12	.30	.03	.33				.41		10
11			.15		.11	trace	.04					.04		11
12	.11		.12		.36	.48	.03		.07	trace		.17		12
13	.15		.28	drizzle		.10		1.64	.20			.93		13
14	.02		.21					.71	.03					14
15	.12	.08		.13		.03	.39		.04			.03		15
16	.01	.10	.26	.32		trace		.14	.29			trace		16
17	.32	trace	.12	.07					.27					17
18	.31	.05	trace		.12	.86					.17			18
19		.07	.02	.07	.06	.13	.07		.10			.10		19
20	.29	trace	.04	.14	.66				.03			.08		20
21	.38	.70	.03	.08			.11					trace		21
22	.38	.03	trace		.02	.22				.79	.38	.04		22
23	.13		.01		.11					.29				23
24	.33	.46	.03		trace				.10	.22				24
25		.22	.19		.26				.06	.23				25
26	trace	.13	.02							.11		.01		26
27	.05	.17		.13					trace	.48				27
28	.02	.09		.01						.08	.03	.05		28
29	.01					.04				.02		.02		29
30	.20										.12			30
31	.25									.23		trace		31
TOTAL	4.09	3.58	3.04	1.91	2.24	2.26	0.78	2.83	1.57	2.48	1.25	3.75	Year's Total	
* Days with .01 in. or more.	21	19	16	13	12	10	7	5	13	10	6	16	148	
* Days with .04 in. or more.	17	17	11	12	11	8	5	4	11	8	4	12	120	

† Spare column, no entries required

(Signed)

B. J. Palmer

P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 834/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 54, Grosvenor Rd. Hampton - Indexin the County of MiddlesexDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....ft. 9 in.,, Ground ,, Sea Level 52 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	Trace	—	—	.01	.10	.01	—	.03	.02	—	.01		1
2	.14	—	—	.05	.10	—	.11	—	—	.18	—	.06		2
3	Trace	—	—	—	.28	—	—	—	—	.37	Trace	—		3
4	—	—	—	Trace	—	—	.19	.03	—	.05	—	.05		4
5	—	—	—	Trace	—	—	.03	—	Trace	.12	—	—		5
6	.05	—	—	—	—	—	Trace	—	.02	—	—	.01		6
7	.12	—	—	—	—	—	.05	.42	.02	.14	—	.02		7
8	—	—	—	—	—	—	.12	Trace	—	.29	—	.03		8
9	.04	Trace	—	—	—	.02	Trace	.28	—	—	—	.51		9
10	.11	.05	—	—	—	.05	—	.09	—	—	—	.06		10
11	.22	—	—	—	—	—	Trace	.12	—	—	.17	.08		11
12	.21	Trace	—	—	.01	—	.01	.21	—	.12	.03	—		12
13	.26	—	—	—	Trace	—	—	Trace	—	.03	.10	.12		13
14	.26	Trace	—	—	.04	—	—	—	Trace	—	—	—		14
15	.16	Trace	—	—	—	—	.20	—	—	.27	.04	.18		15
16	.15	Trace	—	—	—	—	—	.01	—	.05	—	.81		16
17	Trace	.10	Trace	—	.01	—	—	—	—	.08	.03	—		17
18	Trace	—	—	—	.03	—	Trace	—	.23	.02	.31	—		18
19	.03	—	—	—	—	—	—	.05	.07	—	.14	.01		19
20	—	—	—	—	—	—	—	Trace	.01	—	.45	Trace		20
21	Trace	—	—	—	—	—	—	.02	.05	—	.05	.42		21
22	—	—	—	—	—	Trace	—	.01	—	—	.14	.21		22
23	—	—	—	Trace	—	—	—	—	Trace	—	.09	.20		23
24	—	—	—	.02	.01	—	—	—	.45	—	.05	.02		24
25	.10	—	.10	Trace	.19	—	.02	.03	.02	.04	.93	—		25
26	.19	.12	.16	—	—	—	—	—	.20	.26	—	.26		26
27	.07	Trace	—	Trace	.05	.17	.27	.05	.80	—	.27	—		27
28	—	.06	—	—	.05	.03	—	.34	.02	—	Trace	.09		28
29	.14	—	—	Trace	.08	—	—	—	Trace	—	.09	.22		29
30	—	~~X~~	—	—	.03	.07	—	—	.10	.09	.06	—		30
31	.12	~~X~~	~~0.02~~	~~X~~	.08	~~X~~	—	—	~~X~~	.11	~~X~~	.17		31
TOTAL	2.37	0.33	0.26	0.07	0.97	0.44	1.01	1.96	2.02	2.24	2.95	3.54	18.16	Year's Total
* Days with .01 in. or more.	17	4	2	2	14	6	10	13	13	17	16	21	135	
* Days with .04 in. or more.	16	4	2	1	8	4	6	8	7	14	14	15	99	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 834/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939Kept at St. Andrews Rd., HAMPTONin the County of HampshireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 10.....in.,, Ground ,, Sea Level 50.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		trace	.40	.31		trace	.23	.07			trace		1
2	trace			.02	.04			.45	.65		.05			2
3	.25			.18				.34			.21	.17		3
4	.12		.16	.13	trace		.06	.80		.34	.03			4
5				.17	"		.01	trace		.18	.20	.04		5
6	.36			.02	.10		.14			trace	.74	.02		6
7	trace	.10					trace	.02		.01	.04	.08		7
8		.06	.12				.01	.10		.44	.34	.25		8
9		.05						.03	.05	.18	.08	.15		9
10	.03	.03				.16		.11		.07	trace			10
11	.20		.20			.07				.33		.01		11
12														12
13				.02			.04		trace	1-47				13
14	.37			.01	.04	.01	.02		"	.23	.39	.02		14
15	.33		.06		.63	.13	.13		.12	.83	.09			15
16	.45		.07		.18	.12	.04		trace		.38			16
17	.18	.02	.02		.22		.20				.04			17
18	.19	trace	.04			.19	.10			.07	.22			18
19	.18		trace				.13			.15	trace	.04		19
20	.28					.40	.56	.05				.04		20
21	.03	.01	.11			.05	.31		.10					21
22	.09	.19	.04			.15	.12		trace		.07			22
23	trace		trace	.21		.01	.03	trace						23
24	.13		"	.01		.01	.02			.20	.59			24
25	.86	.16	.01				trace				.40			25
26	.05	trace	.02			trace				.21	.18	.08		26
27	trace	.03	.06	.05						.08	.24	.13		27
28	.01	.20	.04	.22						.04	.10			28
29				.26		.04	.03			.07	.10			29
30		~~X~~		.51		.28				trace	.18			30
31		~~X~~		~~X~~		~~X~~	.20		~~X~~	.02	~~X~~			31
TOTAL	4.14	.85	.95	2.21	1.52	1.62	2.25	2.13	.99	4.92	4.79	1.03	Year's Total	27.40
* Days with .01 in. or more.	19	10	13	14	7	13	18	9	5	18	21	12	159	
* Days with .04 in. or more.	16	6	10	9	7	10	12	8	5	16	20	9	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) B. Palmer [P.T.O.]

835

TEDDINGTON
HOLMESDALE.

1931-1933

78 02 03

7/28. 835
FOR OFFICIAL USE.
ISH RAINFALL ORGANIZATION.
IN 1931.

Kept at Holmesdale
in the County of Mus
Diameter of Funnel of Gaug
Height of top of Gauge above
Ground

THE MORNING M

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.11		.27		.07		.02		.02			1
2		.06		.38				.03	1.61	.05			2
3	.06	.02	.09	.48	.54			.12	2.02		.03	.19	3
4								.04	.09		.08		4
5				.26		.53	.14	.99				.08	5
6		.11					.03			.30	.38		6
7						.09		.56		.02	.14	.03	7
8		.08	.04	.04	.04	.29		.14	.05	.05		.02	8
9		t				.02				.09	.32		9
10		.13						.20			.20		10
11	.08	.21							.03		.23		11
12								.01	.29				12
13							.01						13
14	t						.74	.91					14
15	.03	.11		.19	.10		.19	.11				.06	15
16				.10		.06		.30					16
17				.39	.09		.02		.12				17
18	.03			.11			.60	.56		.02			18
19	.01			.44		.43	.19	.21	.05				19
20		t					.20	.23					20
21					.43								21
22			.02	.07									22
23	.19			.10	.44	.01		.03		.09	.05		23
24				.73	.06	.08	.02	.05					24
25	.02			.20	.05		.85						25
26		.07		.19			.44				.17		26
27	.11	.34		.07	.39		.09						27
28	.02	.04			.08					.04	.02	.05	28
29	.01				.09		.11			.25		.03	29
30	.03	x			.02			.17					30
31	.06	x		x		x			x		x		31
TOTAL	.82	1.28	.15	3.78	2.33	1.58	3.82	4.60	4.27	.45	1.66	.51	15.55
* Days with or in. or more.	13	11	3	15	12	9	14	16	9	8	10	8	128
* Days with .04 in. or more.	5	9	2	15	9	7	11	13	7	5	8	5	96

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. H. Allard

P.T.O.

REGISTER OF RAINFALL IN 1931

Kept at Holmesdale, Teddington
in the County of Middlesex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft 2 in.
Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

906 sent 19/2/32
suggesting .61 for Sept 2nd
+ 1.02 for Sept 3rd
Blanch
See Sept.
and Sept.
6 Dec 1931
confirms original 17/2/32
Blanch
Footnote for Sept
6th "On the 2nd
3rd the entries were
1.61 + 2.02 in.
respectively were
apparently the
observer, although
they may be his
Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.11		.27		.07		.02		.02			1
2		.06		.38				.03	1.61	.05			2
3	.06	.02	.09	.48	.54			.12	2.02		.03	.19	3
4								.04	.09		.08		4
5				.26		.53	.14	.99				.08	5
6		.11					.03			.30	.38		6
7						.09		.56		.02	.14	.03	7
8		.08	.04		.04	.29		.14	.05	.05		.02	8
9		t				.02				.09	.32		9
10		.13						.20			.20		10
11	.08	.21							.03		.23		11
12								.01	.29				12
13							.01						13
14	t						.74	.91					14
15	.03	.11		.19	.10		.19	.11				.06	15
16				.10		.06		.30					16
17				.39	.09		.21		.12				17
18	.03			.11			.60	.56		.02			18
19	.01			.44		.43	.19	.21	.05				19
20		t					.20	.23					20
21					.43								21
22			.02	.07									22
23	.19			.10	.44	.01		.03		.09	.05		23
24				.73	.06	.08	.02	.05					24
25	.02			.50	.05		.85						25
26		.07		.19			.44			.17			26
27	.11	.34		.07	.39		.09						27
28	.02	.04			.08					.04	.02	.05	28
29	.01				.09		.11			.25		.03	29
30	.03	x			.02			.17					30
31	.06	x		x		x			x		x		31
TOTAL	.82	1.28	.15	3.78	2.33	1.58	3.82	4.60	4.27	.45	1.66	.51	15.55
* Days with "or in. or more.	13	11	3	15	12	9	14	16	9	8	10	8	128
* Days with ".04 in. or more.	5	9	2	15	9	7	11	13	7	5	8	5	96

REGISTER OF RAINFALL IN 1932.

Kept at Holmesdale Teddingle
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 2 in.
Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.05	.65		.52		.09	.05	.01		1
2	.0			.31	.02		.03		.07		.13		2
3				.21					.01	.06			3
4					.08	.21			.71		.07		4
5	.11						.14		.06				5
6	.32			.14					.03				6
7			.07	.05	.09		.15		.22				7
8			.14	.04	.08				.06	.31			8
9	.11			.08	.34					.01			9
10	.42				.20	.01				.18	.01		10
11	.18			.04				.28		.24	.01		11
12										.27			12
13	.05				.04					.32	.01		13
14	.06	.05		.21									14
15				.05	.37					.17			15
16	.09			.14	.11								16
17				.04			.07			.01			17
18					.04		.15		.47		.09		18
19										.18			19
20				.19	.11			.17	.07	.59	.11		20
21				.09	.81			.14		.19			21
22	.04		.31	.05	.20		.19		.17	.30	.27	.07	22
23		.06			.02					.97	.02	.07	23
24		.05		.03			.22		.20	.08	.07		24
25							.82		.13	.12			25
26			.09				.07			.03			26
27			.25	.08	.55		.22			.61	.08		27
28					.09		.09	.15		.09			28
29			.27	.02	.11				.11	.29			29
30		X	.05			.64		.02	.09		.13	.07	30
31		X		X		X	.09		X		X		31
TOTAL	1.46	.16	1.18	1.85	4.81	.86	2.26	1.31	2.33	5.18	.97	.35	YEAR'S TOTAL
*Days with .01 in. or more.	10	3	7	16	18	3	11	7	13	22	16	9	227
*Days with .04 in. or more.	12	3	7	17	16	2	11	5	11	19	7	10	112

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holmesdale, Teddington
in the County of MiddlesexDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.E. J. Allcard died 11/33 no
further records will be kept
says his sister (Miss E. J. Allcard)
6/2/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05												1
2	.08												2
3		.27											3
4	.09	.01											4
5	.02												5
6	.18												6
7													7
8													8
9													9
10													10
11	.20												11
12													12
13	.08												13
14													14
15	.20												15
16	t												16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29	.06												29
30		x											30
31	.14	x		x		x			x		x		31
TOTAL	1.10												YEAR'S TOTAL
*Days with .01 in. or more.													
*Days with .04 in. or more.													

REGISTRATION

Kept at **STAINES.**
in the County of **Middlesex**

Diameter of Funnel of Gauge.....5"
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

836
COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.

931.

supported by very
near water (Board 379)
station (No case
against this
District 19/2/52

DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.15	.14	.16	-	.80	-		.05	-	-	-	1
2	.15	.05	-	-		-	.04		.55	.01	-	.09	2
3		.02	.04	.70	.39	-	-	.17	.47	-	.07	.11	3
4	.04	-	-	-	.02	-	-	.21	.05	-	.14	.01	4
5	-	.05	-	-	.04	.34	.05	.01	-	-	.01		5
6	-	.11	-	.34	-		.04	-	-	.28	.30	.11	6
7	-			-	.12	.04	-	.50	.06	.05		.04	7
8	-	.07	.04	.02	.03	.22	-		-	-	.23	.03	8
9	-	.03	.06	.02	-	-	-	.30	.02	-	.41	-	9
10	-	.10	-	-	-	.03	.09	.14	-	-	.12	-	10
11	.07	.21	-	-	-	-	-	-	.02	.01	.12	-	11
12	-	-	-	-	-	-	-	-	-	-	-	-	12
13	.01	-	-	-	-	-	.02	.18	.27	.05	-	-	13
14	.02						.98	.98	-	-	-	-	14
15	.02	.10	-	.13	.21	-	.19		-	-	-	.06	15
16	-	.06	-	.08		.06	-	.52	.05	-	-	-	16
17		.03	-	.45	.20	.01	.19	-	.09	-	-	-	17
18	.09	.04	.04		-	.12		.83	-	.05	.50	-	18
19	.02	-	-	.40	-	.49	.22	.21	-	-	-	-	19
20	.01	.02	-	.04	-	-	.05	.19	.06	-	-	-	20
21	.03	-	-	-	.44	-	-	-	.05	-	-	-	21
22	.20	-	.02	.08	-	-	-	-	.05	-	-	-	22
23	.21	-	-	.02		.02	-	-	.06	-	.10	.05	23
24				.26		.07	.07	-	-	-	-	-	24
25	.04	-	-		.66	-		-	-	-	.02	-	25
26	-	.05	-	.49	-	-	.90	-	-	-	.16	-	26
27	.12	.42	-	.15	.40	-	.03	-	-	-	.06	-	27
28	.02	-	-	.03	-	-	-	-	-	-		.05	28
29	.06	-	-	-	.03	-	.10		-	.02	.02	.02	29
30	.02	X	-	-		-	.05	.06	.05	.22	-	-	30
31	-	X	-	X	.06	X	-	-	X	-	X	.01	31
TOTAL	1.13	1.50	.34	3.37	2.60	2.20	3.02	4.30	1.90	0.69	2.26	0.58	YEAR'S TOTAL 23.89
*Days with or in. or more.	17	16	6	16	12	11	15	13	15	8	14	11	154
*Days with .04 in. or more.	9	12	5	12	9	8	13	12	13	5	11	7	116

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at **STAINES.** (West)
in the County of **Middlesex**
Diameter of Funnel of Gauge.....5" in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

supported by my
near water Board
station (No case
against this
19/2/32

See June
1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.15	.14	.16	-	.80	-		.05	-	-	-	1
2	.15	.05	-	-		-	.04		.58	.01	-	.09	2
3		.02	.04	.70	.39	-	-	.17	.47	-	.07	.11	3
4	.04	-	-	-	.02	-	-	.21	.05	-	.14	.01	4
5	-	.05	-	-	.04	.34	.05	.01	-	-	.01		5
6	-	.11	-	.34	-		.04	-	-	.28	.30	.11	6
7	-			-	.12	.04	-	.50	.06	.05		.04	7
8	-	.07	.04	.02	.03	.22	-		-	-	.23	.03	8
9	-	.03	.06	.02	-	-	-	.30	.02	-	.41	-	9
10	-	.10	-	-	-	.03	.09	.14	-	-	.12	-	10
11	.07	.21	-	-	-	-	-	-	.02	.01	.12	-	11
12	-	-	-	-	-	-	-	-	-	-	-	-	12
13	.01	-	-	-	-	-	.02	.18	.27	.05	-	-	13
14	.02						.98	.98	-	-	-	-	14
15	.02	.10	-	.13	.21	-	.19		-	-	-	.06	15
16	-	.06	-	.08		.06	-	.52	.05	-	-	-	16
17		.02	-	.45	.20	.01	.19	-	.09	-	-	-	17
18	.09	.04	.04		-	.12		.83	-	.05	.50	-	18
19	.02	-	-	.40	-	.49	.22	.21	-	-	-	-	19
20	.01	.02	-	.04	-	-	.05	.19	.06	-	-	-	20
21	.03	-	-	-	.44	-	-	-	.05	-	-	-	21
22	.20	-	.02	.08	-	-	-	-	.05	-	-	-	22
23	.21	-	-	.02		.02	-	-	.06	-	.10	.05	23
24		-	-	.26		.07	.07	-	-	-	-	-	24
25	.04	-	-		.66	-		-	-	-	.02	-	25
26	-	.05	-	.49	-	-	.90	-	-	-	.16	-	26
27	.12	.42	-	.15	.40	-	.03	-	-	-	.06	-	27
28	.02	-	-	.03	-	-	-	-	-	-		.05	28
29	.06	-	-	-	.03	-	.10		-	.02	.02	.02	29
30	.02	X	-	-		-	.05	.06	.05	.22	-	-	30
31	-	X	-	X	.06	X	-	-	X	-	X	.01	31
TOTAL	1.13	1.50	.34	3.37	2.60	2.20	3.02	4.30	1.90	0.69	2.26	0.58	YEAR'S TOTAL 23.89
*Days with ".01 in. or more.	17	16	6	16	12	11	15	13	15	8	14	11	154
*Days with ".04 in. or more.	9	12	5	12	9	8	13	12	13	5	11	7	116

Section

A

for the entry of Daily Observations.

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at STAINES WEST.
in the County of.....Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	-	-	.05	.66	-	-	.54	-	-	.02	-	1
2	-	-	-	-	.02	-	-	.01	.19	.16	.03	.11	2
3	.02	-	-	.46	.09	-	-	-	-	.12	-	-	3
4	.01	-	-	-	-	-	-	-	.32	-	.07	-	4
5	.11	-	-	-	-	.19	-	-	.07	-	-	-	5
6	.51	-	.01	.16	-	-	.20	-	.07	-	-	-	6
7	-	-	.08	.05	-	-	-	-	.08	.01	-	-	7
8	-	-	.09	.04	.27	-	.04	-	.09	.24	-	-	8
9	-	-	-	-	.48	-	-	-	-	-	-	-	9
10	.83	.01	.04	.22	.14	.02	-	-	-	.14	.05	-	10
11	.04	-	.01	.06	-	-	-	.02	.01	.05	.02	-	11
12	.07	-	-	-	-	-	.19	.04	-	.09	-	-	12
13	.13	-	-	.10	-	-	-	-	-	.35	.04	.02	13
14	.12	-	-	.18	-	-	.06	-	-	.02	.04	-	14
15	-	.01	-	.02	-	-	-	-	-	-	-	-	15
16	-	-	-	-	.38	-	-	-	-	.07	-	-	16
17	.16	-	-	.13	-	-	-	-	-	.01	-	-	17
18	-	-	-	-	-	-	.06	-	.55	-	.14	-	18
19	-	-	-	-	-	-	-	-	.01	.22	-	-	19
20	-	-	-	.13	-	-	-	-	.09	.67	.16	-	20
21	.02	-	.03	.15	-	-	-	.43	-	.16	-	.04	21
22	-	-	.26	-	1.09	-	.16	-	.18	-	.29	-	22
23	-	.03	.03	-	.12	-	-	-	.06	.98	-	.10	23
24	-	-	-	.03	-	-	.28	-	-	.04	.08	-	24
25	-	.02	-	-	-	-	.83	-	.12	.12	-	-	25
26	-	-	-	.05	.04	-	.05	-	-	.02	-	-	26
27	-	-	-	.14	.37	-	.08	-	-	.47	.09	.01	27
28	-	-	.30	-	-	-	.04	-	-	.05	-	-	28
29	-	-	.33	.08	.50	.03	.02	.06	.11	-	.01	.01	29
30	-	X	.03	-	-	.46	-	.01	.18	.35	.25	.10	30
31	-	X	.04	X	-	X	-	-	X	-	X	-	31
TOTAL	2.11	0.07	1.25	2.05	4.11	0.70	2.01	1.11	2.14	4.34	1.29	0.39	YEAR'S TOTAL 21.57
*Days with or in. or more.	12	4	12	17	12	4	12	7	15	21	14	7	137
*Days with .04 in. or more.	9	-	7	15	11	2	11	4	13	17	10	4	103

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at STAINES. (West).

in the County of Middlesex

Diameter of Funnel of Gauge. 5" in.

Height of top of Gauge above Ground. ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	'10	'17	-	'08	-	-	-	-	'05	-	-		1
2	'10	-	27	-	'51	-	-	-	-	-	-	-		2
3	'14	'15	20	-	'02	-	-	-	-	-	-	-		3
4	'51	-	-	-	'31	-	-	-	-	-	-	-		4
5	'01	'03	29	-	'19	-	-	-	-	-	'05	-		5
6	-	06	'03	-	-	-	-	-	-	'05	'05	-		6
7	-	05	-	-	'27	-	-	-	-	-	-	-		7
8	'15	-	'01	-	'07	-	-	-	-	'10	-	-		8
9	-	-	-	-	'02	-	'19	-	-	'08	'07	-		9
10	-	60	-	-	-	-	'08	-	-	'18	'01	-		10
11	'33	-	-	-	'03	24	'06	-	'06	'01	-	-		11
12	-	-	-	-	-	'18	-	-	'72	-	'01	-		12
13	07	-	-	-	-	'01	'20	-	'11	-	'06	-		13
14	26	-	-	-	'07	-	'01	'01	-	-	'53	'01		14
15	-	-	'11	-	-	'13	-	'16	-	'18	'02	-		15
16	-	-	'56	-	-	'20	30	-	-	'01	-	-		16
17	-	-	'54	-	-	-	-	-	'08	-	'10	-		17
18	20	-	27	-	-	'10	-	-	-	-	-	-		18
19	-	'08	'21	-	-	'10	'01	-	'55	-	'03	'03		19
20	-	'02	06	'09	-	'23	-	'02	'03	-	-	-		20
21	-	'02	-	-	-	'03	-	'02	'18	-	-	-		21
22	-	-	-	-	-	-	-	'16	-	28	'02	-		22
23	-	-	-	12	'01	'01	-	-	'22	'01	-	-		23
24	-	'65	-	'07	'40	-	-	-	'34	-	'01	-		24
25	-	-	-	'32	'01	'09	-	-	'01	-	-	-		25
26	-	1'02	-	'04	-	06	-	-	'01	'02	'01	'15		26
27	-	-	-	-	-	'05	-	-	-	'25	-	'03		27
28	-	-	'01	-	'20	-	'03	-	-	-	-	'04		28
29	'07	-	'03	-	-	-	-	-	-	'36	-	-		29
30	'08	X	-	07	-	-	'01	-	-	'02	-	-		30
31	'11	X	-	X	-	X	-	-	X	'04	X	15		31
TOTAL	2'03	2'78	2'49	0'71	2'19	1'43	0'89	0'37	2'31	1'64	0'97	0'41	Year's Total	18'22
*Days with '01 in. or more.	12	11	13	6	14	13	9	5	11	15	13	6		128
*Days with '04 in. or more.	11	8	9	6	9	10	5	2	8	10	6	3		87

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at **STAINES.** (West)in the County of *Middle*Diameter of Funnel of Gauge *5"* in.Height of top of Gauge above Ground ft. in.,, Ground ,, Sea Level ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02													1
2	.05		.07		.16			.01	.56	.01		.60		2
3	.01		.08	.05						.21				3
4	.05	.01		.10	.01					.22	.08	.38		4
5			.02		.28			.02		.05	.03	.38		5
6			.30					.12		.07	.01	.40		6
7	.06							.06				.16		7
8					.06			.06	.18	.25	.30			8
9	.02		.01								.82	.35		9
10	.01			.11				.02			.20	.02		10
11	.29		.48	.08			.15					.10		11
12	.04		.04				.85	.45				.08		12
13			.17	.01				.03			.03	.12		13
14	.29		.29			.05				.02	.28	.38		14
15	.05		.14		.07				.03	.14	.07			15
16	.14		.17		.01					.13		.37		16
17	.01			.03						.03	.02	.10		17
18	.08			.15			.02					.16		18
19			.23				.39		.03	.01		.01		19
20			.10				.12				.02			20
21								.06		.02				21
22				.14		.27	1.06	.41	.17			.10		22
23				.22		.02								23
24				.08			.95		.37					24
25	.10	.04	.07	.09		.10				.02				25
26	.06		.01	.18		.08			.01			.41		26
27				.26		.12	.01				.05	.17		27
28		.04				.10		.96				.20		28
29				.03			.01	.05						29
30	.03	×						.21	.20			.20		30
31	.04	×		×		×	.15		×	.27	×	.02		31
TOTAL	1.35	0.09	2.18	1.53	0.59	0.24	3.71	2.46	1.55	1.45	1.91	4.71	22.27	
* Days with .01 in. or more.	18	3	15	14	6	7	10	13	8	14	12	21	141	
* Days with .04 in. or more.	12	2	12	11	4	6	7	9	5	8	7	18	104	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... STAINES RES' (WEST SIDE.)

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.02		0.05	0.05	0.06	0.51		0.01		0.13	0.01		1
2										0.13	0.10			2
3		0.01	0.08	0.04		0.15			0.13	0.29	0.15			3
4		0.01		0.15		0.20			0.18	0.05		0.06		4
5		0.11	0.01	0.02		0.17			0.40	0.01	0.01			5
6	0.05		0.01	0.33		0.38					0.03	0.02		6
7	0.01			0.54		0.06					0.96	0.16		7
8				0.32						0.25	0.22	0.01		8
9				0.18		0.46				0.53	0.18			9
10				0.02		0.02					0.09	0.02		10
11	0.22			0.09		0.05	0.46				0.39			11
12						0.09		0.05	0.01		0.68			12
13	0.07	0.16		0.13	0.05						0.01			13
14				0.03	0.19	0.04			0.02		0.05	0.10		14
15		0.18		0.32		0.45			0.11		0.21	0.02		15
16				0.07	0.01	0.18			0.29		0.45	0.01		16
17	0.01	0.06	0.02	0.01		0.17		0.02	0.06		0.19			17
18				0.16		0.01	0.25		0.24	0.02	0.02			18
19				0.04	0.20	0.06	0.03		0.02		0.09	0.08		19
20		0.19		0.02	0.57	0.06					0.19			20
21	0.01	0.25	0.02	0.08			0.07		0.02	0.03	0.01			21
22		0.01	0.03					0.14	0.10					22
23								0.59	0.01	0.11		0.10		23
24	0.05	0.49	0.14		0.06			0.44	0.40			0.22		24
25	0.19	0.36		0.27	0.01	1.50						0.12		25
26		0.10						0.26	0.05			0.27		26
27	0.02	0.46							0.22		0.10	0.27		27
28		0.06			0.06				0.01	0.04		0.12		28
29									0.78			0.19		29
30	0.03	X						0.60	0.17	0.32	0.26	0.30		30
31		X		X		X			X	0.31	X	0.31		31
TOTAL	0.81	2.47	0.31	2.87	1.20	4.11	1.32	2.10	3.23	2.59	4.42	2.39	27.82	✓
* Days with .01 in. or more.	11	15	7	20	9	18	5	7	20	12	22	19	165	✓
* Days with .04 in. or more.	6	11	2	15	7	16	4	6	13	9	17	13	119	✓

Section



for the entry of Daily Observations.

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Stannis Bay, Guernsey (West)*

in the County of *Guernsey*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.38	0.02	0.03	0.18		0.06	0.08	0.08			0.03	0.03		1
2	0.02	0.03		0.02		0.33	0.10	0.10			0.03			2
3				0.27		0.30			0.09		0.34			3
4			0.11			0.13	0.01		0.48			0.03		4
5	0.21		0.01					0.02	0.13		0.05	0.05		5
6	0.42					0.05		0.05	0.03		0.18	0.06		6
7	0.22		0.02			0.06			0.02		0.10	0.02		7
8	0.20		0.04				0.02		0.01		0.26	0.14		8
9	0.55		0.01				0.40		0.16			0.01		9
10							0.15	0.25	0.02		0.01			10
11				0.01			0.11				0.70			11
12				0.11		0.45	0.23		0.15		0.30	0.13		12
13				0.03		0.21				0.01	0.01	0.14		13
14		0.10				0.06	0.62		0.04	0.02	0.15	0.36		14
15		0.07							0.44			0.02		15
16	0.31	0.16		0.05			0.02		0.03		0.29	0.06		16
17	0.15	0.42			0.05	0.04				0.01	0.10	0.13		17
18	0.07	0.09				0.78	0.07				0.01	0.08		18
19	0.23	0.03	0.01			0.14	0.26	0.06		0.08				19
20	0.02	0.04	0.03	0.42			0.02		0.50					20
21				0.22	0.02	0.23	0.03		0.02					21
22	0.10	0.37	0.05		0.31	0.11	0.13					0.05		22
23	0.02	0.05	0.10	0.05	0.02		0.05			0.07				23
24	0.07	0.08							0.01	0.35				24
25	0.03		0.09	0.18		0.04	0.23		0.15	0.09	0.03			25
26		0.09	0.15	0.15		0.05	0.02		0.05	0.22		0.03		26
27	0.18	0.02	0.01						0.18	0.16				27
28	0.76		0.02				0.26		0.03			0.04		28
29	0.08	0.05	0.11			0.13	0.19			0.01	0.14	0.02		29
30	0.05	~~X~~			0.09	0.41				0.18				30
31	0.30	~~X~~	0.25	~~X~~		~~X~~	0.16		~~X~~	0.62	~~X~~	0.20		31
TOTAL	4.37	1.62	1.05	1.69	0.49	3.58	3.16	0.56	2.54	1.82	2.82	1.60	25.30	✓
* Days with .01 in. or more.	21	15	16	12	5	18	21	6	19	12	17	19	181	✓
* Days with .04 in. or more.	17	11	9	9	3	18	15	5	11	8	11	12	129	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

23.70

Section



for the entry of Daily Observations

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at *Staines (West)*

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.53.			0.06.					0.01.		0.57.	0.64.		1
2	0.01.	0.14.	0.03.	0.70.					0.11.			0.53.		2
3		0.23.			0.01.							0.03.		3
4	0.04.	0.41.										0.25.		4
5	0.11.	0.09.	0.20.				0.09.				0.01.			5
6	0.04.		0.40.		0.22.		0.01.			0.04.	0.04.			6
7		0.65.	0.27.	0.11.					0.03.	0.01.				7
8		0.02.			0.04.	0.02.					0.06.	0.18.		8
9		0.04.		0.23.	0.16.	0.04.	0.07.		0.23.			0.10.		9
10			0.45.	0.08.	0.02.	0.30.	0.08.	0.15.				0.36.		10
11			0.15.		0.23.		0.05.					0.05.		11
12	0.16.	0.24.	0.13.		0.27.	0.25.	0.03.		0.04.			0.09.		12
13	0.13.	0.10.	0.34.		0.03.	0.21.		0.34.	0.65.			0.90.		13
14	0.03.	0.01.	0.28.			0.02.		0.82.	0.02.					14
15	0.13.	0.09.		0.15.			0.17.		0.04.					15
16	0.06.	0.12.	0.31.	0.34.		0.05.		0.18.	0.28.			0.02.		16
17	0.31.		0.16.	0.12.					0.39.					17
18	0.22.	0.05.		0.01.	0.19.	0.73.					0.17.			18
19	0.03.	0.09.	0.06.	0.11.		0.15.	0.16.		0.06.			0.17.		19
20	0.33.		0.03.	0.19.	0.64.	0.02.			0.01.					20
21	0.32.	0.69.	0.03.	0.06.	0.05.		0.07.					0.01.		21
22	0.37.	0.04.	0.01.		0.04.	0.18.	0.04.			0.66.	0.29.	0.01.		22
23	0.25.	0.02.	0.02.		0.18.		0.03.			0.35.				23
24	0.42.	0.54.	0.09.						0.09.	0.34.		0.01.		24
25	0.12.	0.38.	0.15.		0.40.				0.06.	0.37.		0.02.		25
26	0.01.	0.22.	0.01.		0.21.					0.06.				26
27	0.02.	0.11.		0.13.						0.63.				27
28		0.12.								0.08.		0.01.		28
29	0.02.					0.04.				0.01.	0.03.	0.03.		29
30	0.25.	~~X~~				0.01.				0.03.	0.16.			30
31	0.27.	~~X~~		~~X~~		~~X~~			~~X~~	0.15.	~~X~~	0.02.		31
TOTAL	4.18.	4.40.	3.12.	2.29.	2.69.	2.02.	0.80.	1.49.	2.03.	2.73.	1.33.	3.44.	Year's Total	30.52
* Days with .01 in. or more.	23	22	19	13	15	13	11	4	14	11	8	19	172	
* Days with .04 in. or more.	18	19	13	12	12	9	8	4	10	9	6	10	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *M.W.B. STAINES WEST RESERVOIR*in the County of ... *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01				0.02	0.08			0.03	0.03		0.04		1
2	0.04			0.04			0.02			0.16		0.03		2
3					0.29					0.49				3
4	0.03					0.02		0.12		0.06		0.03		4
5							0.10		0.01	0.10				5
6	0.04						0.04			0.01				6
7							0.12	0.65	0.05	0.11		0.01		7
8	0.10						0.16	0.05		0.36				8
9	0.11							0.16		0.02		0.55		9
10	0.11	0.04				0.01		0.12				0.08		10
11	0.22							1.31			0.14	0.03		11
12	0.22	0.02			0.02			0.33		0.13	0.09			12
13	0.20									0.03	0.04	0.08		13
14	0.26				0.04		0.01					0.01		14
15	0.03	0.01					0.18			0.27	0.01	0.10		15
16	0.29	0.01									0.01	0.48		16
17		0.07			0.01					0.07				17
18	0.02				0.02				0.17		0.22			18
19								0.05	0.13		0.13			19
20									0.01		0.49			20
21									0.05		0.04	0.39		21
22											0.14	0.22		22
23				0.02					0.02		0.01			23
24			0.05						0.16		0.07		94	24
25	0.10	0.01	0.08	0.02	0.17		0.01		0.04	0.04	0.95	0.11		25
26	0.16	0.13	0.03						0.22	0.16		0.12		26
27	0.07	0.01			0.03	0.18	0.19	0.04	0.36	0.08	0.27			27
28		0.04			0.85	0.02		0.40	0.03			0.10		28
29	0.13				0.06				0.03		0.09	0.20		29
30		~~X~~			0.03	0.06			0.04	0.03	0.13			30
31	0.14	~~X~~		~~X~~	0.08	~~X~~			~~X~~	0.12	~~X~~	0.19		31
TOTAL	2.28	0.34	0.16	0.08	1.62	0.37	0.83	3.23	1.35	2.27	2.83	2.77	Year's Total	18.13
* Days with .01 in. or more.	19	9	3	3	12	6	9	10	15	18	16	18		138
* Days with .04 in. or more.	15	4	2	1	6	3	6	10	9	13	13	13		95

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at STAINES WEST

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Staines W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	0.47	0.27	/	/	0.45	0.18	/	/	/		1
2	0.01	/	/	0.01	0.01	/	/	0.61	0.40	/	0.03	0.02		2
3	0.33	/	/	0.25	/	/	/	0.31	/	/	0.28	0.17		3
4	0.08	/	0.20	0.12	/	/	0.04	0.50	/	0.42	0.05	0.01		4
5	/	/	/	0.33	0.04	/	0.01	0.05	/	0.21	0.26	0.05		5
6	0.36	/	/	0.01	0.44	/	0.29	0.01	/	/	0.57	0.06		6
7	0.02	0.07	/	/	/	/	/	/	/	0.03	0.17	0.08		7
8	/	0.04	0.13	/	/	/	0.02	0.09	/	0.51	0.12	0.31		8
9	0.02	0.04	/	/	/	/	/	/	/	0.16	0.06	0.13		9
10	0.26	/	/	/	/	0.16	/	0.13	0.04	0.09	0.01	/		10
11	/	/	0.20	/	/	0.06	/	/	/	0.18	/	/		11
12	/	/	/	/	/	/	/	/	/	0.02	/	/		12
13	/	/	/	/	/	0.01	/	/	/	1.28	/	/		13
14	0.50	/	/	/	0.02	0.02	0.02	/	/	0.15	0.34	/		14
15	0.27	/	/	/	0.52	0.24	/	/	0.13	0.71	0.19	0.02		15
16	0.45	/	0.06	0.02	0.05	0.12	0.05	/	0.04	0.02	0.28	/		16
17	0.15	0.01	/	0.02	0.14	/	0.17	/	/	/	0.06	/		17
18	0.20	/	0.04	/	/	0.12	0.08	/	/	0.08	0.20	/		18
19	0.21	0.01	/	/	/	/	0.17	/	/	0.05	0.01	/		19
20	0.20	/	/	/	/	0.37	0.44	0.07	/	/	/	0.05		20
21	0.06	0.04	0.14	/	/	0.05	1.31	/	0.08	/	/	/		21
22	0.11	0.34	0.08	0.04	/	0.06	0.12	/	/	/	0.04	/		22
23	0.01	/	/	0.06	/	/	0.04	/	/	0.02	0.59	0.02		23
24	0.31	/	/	0.07	/	0.01	0.08	/	/	0.14	/	/		24
25	1.00	0.16	0.05	/	/	/	/	/	/	0.04	0.04	0.02		25
26	0.07	/	/	/	/	0.02	/	0.01	/	0.19	0.22	0.01		26
27	/	0.02	0.04	/	/	/	/	/	/	0.06	0.25	/		27
28	0.01	0.14	0.04	0.03	/	0.01	0.03	/	/	0.05	0.12	0.12		28
29	/	X	/	0.20	/	/	0.09	/	/	0.06	0.04	/		29
30	/	X	/	0.45	/	0.01	/	/	/	/	0.19	/		30
31	/	X	/	X	/	X	0.04	0.01	X	/	X	/		31
TOTAL	4.63	0.87	0.98	2.08	1.49	1.26	3.00	2.24	0.87	4.47	4.12	1.07	Year's Total 27.08	
* Days with .01 in. or more.	21	10	10	14	8	14	17	11	6	21	23	14	169	
* Days with .04 in. or more.	16	7	10	9	6	8	13	8	6	17	20	8	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 1940

Kept at M.W.B. Works — STAINES — W

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

Mar. corr'd. for Part W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.01									0.15			1
2		0.10		0.17			0.06			0.13	0.57			2
3		0.16		0.08						0.06	1.21			3
4		0.09		0.03						0.11	0.09	0.03		4
5		0.02					0.03			0.04	0.22	0.05		5
6	0.35	0.13			0.03		0.26			0.14	0.03			6
7	0.19	0.12			0.03		0.08		0.01					7
8				0.04					0.04	0.15	0.01	0.24		8
9								0.01	0.01	0.14	0.09	0.03		9
10							0.14	0.01		0.06	0.04			10
11			0.11	0.02			0.04				0.88			11
12		0.01	0.87				0.09		0.14					12
13			0.16			0.23			0.26		0.90			13
14			0.01	0.10	0.02					0.08		0.12		14
15			0.30	0.02	0.06		0.36		0.05		0.26	0.06		15
16	0.03	0.17	0.38	0.06		0.02	0.29		0.16	0.75	0.90	0.03		16
17			0.16				0.04				0.54			17
18		0.28	0.01	0.34			0.10	0.01		0.19	0.20	0.09		18
19		0.17		0.10			0.03		0.62		0.07			19
20		0.01		0.02			0.15			0.06	0.09			20
21	0.01				0.72		0.14			0.05	0.28			21
22			0.02		0.22	0.45			0.04					22
23		0.10	0.04	0.26	0.01	0.02				0.01		0.01		23
24				0.20			0.16	0.02						24
25			0.58				0.05							25
26	0.96	0.08	0.46	0.27	0.20									26
27	0.42	0.21		0.22	0.02		0.15							27
28	0.36				0.01									28
29	0.04	0.10	0.06		0.05					0.06		0.26		29
30	0.16	X		0.18						0.55				30
31	0.06	X		X		X			X		X	0.02		31
TOTAL	2.48	1.76	3.16	2.11	1.37	0.72	2.27	0.05	1.33	2.58	6.53	0.94	Year's Total	
* Days with .01 in. or more.	10	16	13	16	11	4	17	4	9	16	18	14		45
* Days with .04 in. or more.	8	12	10	12	5	2	15	-	7	15	16	6		108

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

REGISTER

Kept at STAINES PUMPING STATION
in the County of Middlesex

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
„ Ground „ Sea Level.....

835/5
STAINES P.S.
1933-1940

Station No. 835/5
INFALL ORGANIZATION.
933. Middlesex 11

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0.10.				0.09.					1
2					0.14.						0.02.			2
3				0.01.	0.39.									3
4					0.05.									4
5					0.35.					0.06.	0.03.			5
6											0.05.			6
7														7
8					0.31.					0.11.				8
9					0.11.					0.08.	0.06.			9
10					0.02.		0.18.			0.15.	0.03.			10
11							0.06.	0.09.		0.02.				11
12					0.07.	0.54.	0.08.		0.07.		0.02.			12
13					0.01.	0.20.			0.73.		0.07.			13
14						0.02.	0.21.	0.01.	0.07.		0.37.	0.03.		14
15					0.04.			0.16.		0.15.	0.01.			15
16						0.13.				0.01.				16
17						0.19.	0.39.		0.01.		0.10.			17
18									0.07.					18
19						0.14.					0.02.	0.03.		19
20						0.15.		0.02.	0.58.					20
21				0.09.		0.20.		0.05.	0.01.					21
22						0.02.		0.16.	0.19.	0.25.				22
23				0.02.						0.02.	0.03.			23
24				0.13.	0.37.				0.20.					24
25				0.08.	0.03.				0.33.		0.05.			25
26				0.32.		0.10.			0.02.	0.03.		0.14.		26
27				0.04.		0.07.			0.02.	0.26.	0.01.	0.03.		27
28						0.05.						0.03.		28
29					0.22.					0.36.				29
30		X					0.05.			0.01.		0.15.		30
31		X		X	0.02.	X		0.09.	X	0.05.	X			31
TOTAL					0.67.	2.45.	1.81.	0.07.	0.58.	2.39.	1.56.	1.00.	0.40.	9 Months
*Days with or in. or more.					6.	16.	12.	6.	7.	13.	14.	14.	6.	14.53
*Days with .04 in. or more.					5.	11.	10.	6.	5.	9.	9.	6.	2.	68

Section

A

for the entry of Daily Observations.

Station No.

835/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Middlesex / 1

Kept at STAINES PUMPING STATION.

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level c 55 ft.

c 1933.

Snowdon later
Excellent exposure

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0.10.				0.09.					1
2					0.14.						0.02.			2
3				0.01.	0.39.									3
4					0.05.									4
5					0.33.					0.06.	0.03.			5
6											0.05.			6
7														7
8					0.31.					0.11.				8
9					0.11.					0.08.	0.06.			9
10					0.02.		0.18.			0.15.	0.02.			10
11							0.06.	0.09.		0.02.				11
12					0.07.	0.54.	0.08.		0.07.		0.02.			12
13					0.01.	0.20.			0.73.		0.07.			13
14						0.02.	0.21.	0.01.	0.07.		0.07.	0.02.		14
15					0.04.			0.16.		0.15.	0.01.			15
16						0.13.				0.01.				16
17						0.19.	0.39.		0.01.		0.10.			17
18									0.07.					18
19						0.14.					0.02.	0.03.		19
20						0.15.		0.02.	0.58.					20
21				0.09.		0.20.		0.05.	0.01.					21
22						0.02.		0.16.	0.19.	0.25.				22
23				0.02.						0.02.	0.03.			23
24				0.13.	0.57.				0.20.					24
25				0.08.	0.03.				0.33.		0.05.			25
26				0.32.		0.10.			0.02.	0.03.		0.14.		26
27				0.04.		0.07.			0.02.	0.26.	0.01.	0.03.		27
28						0.05.						0.03.		28
29					0.22.					0.36.				29
30		X					0.05.			0.01.		0.15.		30
31		X		X	0.02.	X		0.09.	X	0.05.	X			31
TOTAL				0.67.	2.45.	1.81.	0.97.	0.58.	2.39.	1.56.	1.00.	0.40.	9 Months	imp
*Days with or in. or more.				6.	16.	12.	6.	7.	13.	14.	14.	6.	94	=
*Days with .04 in. or more.				5.	11.	10.	6.	5.	9.	9.	6.	2.	68	=

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) M. et. Water Board. X P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at M.W.B. STAINES PUMPING STATION

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 55 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02							0.14		0.02	0.02	✓		1
2	0.05		0.07	0.01	0.14			0.01	0.55	0.19		0.58		2
3	0.02	0.02		0.05						0.23				3
4	0.05		0.07	0.11	0.02					0.06	0.08	0.37		4
5			0.02					0.02		0.06	0.03	0.38		5
6			0.29		0.27	0.01		0.17		0.15	0.02	0.41		6
7	0.06							0.09		0.11		0.17		7
8					0.06			0.04	0.20		0.33	✓		8
9	0.01		0.01								0.77	0.37		9
10	0.01		✓	0.12				0.03			0.19	0.02		10
11	0.31		0.48	0.09								0.11		11
12	0.04		0.01				0.16	0.37				0.08		12
13	✓		0.16	0.01			0.90	0.02			0.04	0.13		13
14	0.33		0.31			0.05				0.02	0.25	0.37		14
15	0.03		0.12		0.10				0.02	0.14	0.08	0.35		15
16	0.13		0.17		0.01					0.14				16
17	0.01			0.03					0.01	0.04	0.02	0.12		17
18	0.08			0.13			0.02					0.11		18
19			0.24						0.04	0.02		0.13		19
20			0.09				0.30					0.02		20
21				0.13		0.12	0.20	0.06			0.01			21
22				0.25			0.81	0.25	0.19			✓		22
23				0.23		0.26				0.02		0.11		23
24		0.04	✓	0.06		0.02	0.50		0.22					24
25	0.14		0.07	0.10		0.10				0.03		✓		25
26	0.02			0.21		0.10			0.01			0.42		26
27				0.25		0.17						0.18		27
28		0.04		0.03		0.06	0.01	0.97			0.05	0.16		28
29								0.09	0.19			✓		29 P
30	0.04	×						0.18	0.02			0.21		30
31	0.04	×		×		×			×	0.25	×	0.04		31
TOTAL	1.39	0.10	2.11	1.55	0.60	0.89	2.90	2.44	1.45	1.48	1.89	4.84	21.64	
* Days with .01 in. or more.	19	3	15	15	6	9	8	14	10	15	13	22	147	(154)
* Days with .04 in. or more.	12	2	12	11	4	7	6	10	6	10	8	20	106	(112)

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

MET. WATER BOARD

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 835/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at M.W.B. WORKS- STAINES

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.15	0.04		0.06	0.04	0.07	0.35		0.02		0.15	0.01		1
2										0.13	0.10			2
3		0.01	0.07	0.07		0.14			0.15	0.75	0.16			3
4		0.02		0.16		0.20			0.17	0.05		0.08		4
5		0.13	0.02	0.01		0.18			0.44		0.02			5
6	0.06		0.01	0.33		0.37					0.06	0.03		6
7	0.01			0.58		0.06					0.92	0.15		7
8				0.32						0.24	0.21	0.01		8
9				0.15		0.44				0.57	0.16			9
10				0.01		0.02					0.10	0.02		10
11	0.23			0.10		0.04	0.19				0.29			11
12						0.09		0.06			0.69			12
13	0.07	0.18		0.13	0.08						0.01			13
14				0.04	0.15	0.04			0.02		0.05	0.11		14
15		0.18		0.31	0.02	0.45			0.12		0.22	0.02		15
16			0.01	0.10		0.09			0.34		0.45	0.02		16
17	0.01	0.07		0.02		0.16		0.02	0.03		0.20			17
18				0.05		0.01	0.23		0.21	0.02	0.02			18
19				0.03	0.18	0.05	0.04		0.01		0.08	0.08		19
20		0.19			0.51	0.05					0.22			20
21	0.01	0.26		0.02					0.02	0.04	0.01			21
22		0.02	0.03	0.07				0.28	0.10					22
23		0.49	0.13					0.57	0.04	0.11		0.12		23
24	0.05	0.32			0.07			0.36	0.36			0.20		24
25	0.20	0.12		0.30	0.02	0.88						0.10		25
26		0.43						0.27	0.05			0.25		26
27	0.03	0.07							0.18		0.09	0.27		27
28					0.07				0.01	0.03		0.15		28
29									0.81			0.19		29
30	0.04	X		0.02				0.63	0.08	0.26	0.25	0.33		30
31		X		X		X			X	0.32	X	0.28		31
TOTAL	0.86	2.53	0.27	2.88	1.14	3.34	0.81	2.19	3.16	2.52	4.45	2.42	26.54	
* Days with .01 in. or more.	11	15	6	21	9	18	4	7	19	11	22	19	162	
* Days with .04 in. or more.	7	12	2	15	7	16	4	6	13	9	18	13	122	

Section

A

for the entry of Daily Observations.

Station No.

83575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at STAINES (M.W.B. WORKS)

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.36	0.05	0.02	0.17		0.09	0.09	0.07			0.03	0.03		1
2	0.03	0.01		0.02		0.31	0.10	0.12			0.03			2
3				0.24		0.10			0.12		0.32			3
4			0.11			0.12	0.02		0.32		0.02	0.02		4
5	0.23		0.01					0.02	0.17		0.03	0.05		5
6	0.38					0.03		0.10	0.04		0.19	0.05		6
7	0.20		0.02			0.06			0.02		0.10	0.03		7
8	0.15		0.04				0.04		0.01		0.24	0.10		8
9	0.52		0.01				0.38		0.16			0.01		9
10						0.01	0.11	0.24	0.02		0.03			10
11				0.01			0.10				0.70			11
12				0.11		0.47	0.23		0.16		0.26	0.12		12
13				0.02		0.20				0.02	0.02	0.15		13
14		0.09				0.05	0.62		0.03	0.01	0.15	0.34		14
15		0.07					0.01		0.47		0.01	0.02		15
16	0.35	0.16		0.04			0.01		0.03		0.39	0.05		16
17	0.18	0.40			0.02	0.04				0.01	0.10	0.17		17
18	0.07	0.09				0.57	0.10				0.01	0.06		18
19	0.20	0.02	0.02			0.13	0.21	0.07		0.05				19
20	0.03	0.04	0.02	0.42			0.01		0.52					20
21				0.22	0.02	0.24	0.03		0.03					21
22	0.10	0.37	0.05		0.33	0.12	0.12					0.05		22
23	0.02	0.02	0.12	0.05	0.01		0.04			0.07				23
24	0.06	0.07							0.01	0.35				24
25	0.04		0.09	0.17		0.05	0.30		0.15	0.11	0.02			25
26		0.09	0.13	0.17		0.04	0.02		0.05	0.17		0.03		26
27	0.20	0.01	0.01						0.15	0.11				27
28	0.76		0.03				0.32		0.06			0.04		28
29	0.09	0.06	0.10			0.08	0.20			0.01	0.13	0.02		29
30	0.05	X			0.10	0.40				0.20				30
31	0.31	X	0.27	X		X	0.16		X	0.55	X	0.23		31
TOTAL	4.32	1.55	1.05	1.64	0.48	3.11	3.22	0.62	2.52	1.66	2.78	1.57	24.52	✓
* Days with .01 in. or more.	21	16	16	12	5	19	22	6	19	12	19	19	185	✓
* Days with .04 in. or more.	18	11	8	9	2	17	16	5	12	8	10	12	128	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

835/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MET. WATER BOARD WORKS STAINES

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.45			0.05					0.01		0.61	0.64		1
2	0.02	0.14	0.02	0.70					0.08			0.54		2
3		0.20			0.01							0.02		3
4	0.05	0.43										0.25		4
5	0.10	0.08	0.20				0.10				0.01			5
6	0.03		0.40		0.21		0.01			0.03	0.04			6
7		0.61	0.37	0.10					0.04	0.01				7
8		0.02			0.04	0.02					0.06	0.18		8
9		0.03		0.21	0.18	0.04	0.07		0.23			0.11		9
10			0.45	0.07	0.02	0.28	0.12	0.17				0.33		10
11			0.13		0.20		0.07					0.05		11
12	0.15	0.23	0.13		0.27	0.25	0.03		0.04			0.10		12
13	0.14	0.10	0.32		0.01	0.22		0.29	0.50			0.91		13
14	0.02	0.05	0.26			0.02		0.90	0.02					14
15	0.15	0.09		0.16			0.18		0.05					15
16	0.05	0.15	0.29	0.32		0.02		0.15	0.29			0.02		16
17	0.30		0.17	0.11					0.41					17
18	0.21	0.05		0.01	0.23	0.72					0.16			18
19	0.03	0.09	0.05	0.11		0.15	0.11		0.06			0.15		19
20	0.33		0.04	0.19	0.65	0.01			0.05					20
21	0.32	0.64	0.04	0.05	0.01		0.07					0.01		21
22	0.35	0.02	0.02		0.04	0.26	0.04			0.68	0.27	0.02		22
23	0.25	0.02	0.02		0.17		0.01			0.35				23
24	0.27	0.53	0.07						0.09	0.25		0.01		24
25	0.12	0.35	0.15		0.31				0.06	0.33		0.02		25
26		0.22	0.01		0.19					0.06				26
27	0.02	0.11		0.12						0.61				27
28		0.12		0.02						0.08		0.02		28
29	0.02					0.04				0.01	0.02	0.02		29
30	0.25					0.01				0.03	0.17			30
31	0.27									0.14		0.02		31
TOTAL	3.90	4.28	3.14	2.22	2.54	2.04	0.81	1.51	1.93	2.58	1.34	3.42	Year's Total	
* Days with .01 in. or more.	23	22	19	14	15	13	11	4	14	12	8	19	174	
* Days with .04 in. or more.	17	18	15	12	11	8	8	4	12	8	6	10	129	

† Spare column, no entry

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

835/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *M.W.B. STAINES PUMPING STATION*.....in the County of *MIDDLESEX*.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01				0.01	0.07			0.02	0.03		0.02		1
2	0.04			0.05			0.04			0.16		0.03		2
3					0.32					0.52				3
4	0.02					0.04		0.06		0.07		0.03		4
5							0.11		0.01	0.11				5
6	0.04						0.03			0.01				6
7							0.13	0.58	0.05	0.13		0.01		7
8	0.10						0.16	0.03		0.36				8
9	0.11							0.16		0.01		0.59		9
10	0.11	0.03				0.04		0.12				0.09		10
11	0.22							1.42			0.14	0.04		11
12	0.23	0.03			0.02			0.16		0.13	0.09			12
13	0.29									0.04	0.07	0.09		13
14	0.19				0.03		0.02					0.01		14
15	0.03	0.01					0.18			0.27	0.02	0.12		15
16	0.24	0.01								0.01	0.03	0.56		16
17		0.08								0.08				17
18	0.02				0.02				0.17		0.23			18
19								0.05	0.15		0.13			19
20									0.01		0.53			20
21									0.05		0.05	0.39		21
22											0.14	0.21		22
23				0.02					0.03		0.01			23
24			0.06						0.16		0.09		86	24
25	0.10	0.01	0.08	0.02	0.15		0.01		0.04	0.03	0.91	0.11		25
26	0.16	0.15	0.03						0.22	0.17		0.15		26
27	0.08	0.01			0.02	0.19	0.17	0.04	0.34	0.08	0.27			27
28		0.03			0.85	0.02		0.39	0.03			0.11		28
29	0.15				0.10				0.01		0.08	0.18		29
30		X			0.02	0.07			0.04	0.03	0.13			30
31	0.14	X		X	0.09	X			X	0.13	X	0.20		31
TOTAL	2.28	0.36	0.17	0.09	1.63	0.43	0.85	3.01	1.33	2.37	2.92	2.94	18.38	✓
* Days with .01 in. or more.	10	9	3	3	11	6	9	10	15	19	16	18	138	✓
* Days with .04 in. or more.	15	2	2	1	5	5	6	9	9	13	13	13	93	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 83578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at ... Staines Pumping Station in the County of ... Middlesex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	0.50	0.28	/	/	0.32	0.16	/	/	/		1
2	0.02	/	/	0.01	0.02	/	/	0.64	0.45	/	0.03	0.02		2
3	0.33	/	/	0.26	/	/	/	0.31	/	/	0.30	0.17		3
4	0.08	/	0.18	0.11	/	/	0.05	0.47	/	0.37	0.05	0.01		4
5	/	/	/	0.34	0.04	/	0.01	0.05	/	0.21	0.26	0.06		5
6	0.38	/	/	0.02	0.36	/	0.33	0.01	/	/	0.54	0.06		6
7	0.02	0.07	/	/	/	/	/	/	/	0.03	0.20	0.08		7
8	/	0.05	0.09	/	/	/	0.03	0.11	/	0.50	0.13	0.30		8
9	0.02	0.04	/	/	/	/	/	0.01	/	0.15	0.06	0.15		9
10	0.26	/	/	/	/	0.16	/	0.13	0.04	0.07	0.01	/		10
11	/	/	0.18	/	/	0.06	/	/	/	0.18	/	/		11
12	/	/	/	/	/	/	/	/	/	/	/	/		12
13	/	/	/	/	/	0.01	/	/	/	1.23	/	/		13
14	0.50	/	/	/	0.02	/	0.02	/	/	0.13	0.35	/		14
15	0.27	/	0.03	/	0.52	0.26	/	/	0.14	0.69	0.18	0.02		15
16	0.47	/	0.04	0.04	0.06	0.12	0.03	/	0.03	0.01	0.29	/		16
17	0.16	0.01	/	0.01	0.14	/	0.25	/	/	/	0.06	/		17
18	0.23	/	0.04	/	/	0.12	0.09	/	/	0.08	0.21	/		18
19	0.22	0.01	/	/	/	/	0.15	/	/	0.04	0.01	/		19
20	0.20	/	/	/	/	0.36	0.45	0.07	/	/	/	0.05		20
21	0.06	0.04	0.14	/	/	0.04	1.26	/	0.06	/	/	/		21
22	0.11	0.28	0.05	0.04	/	0.11	0.12	/	/	/	0.04	/		22
23	0.01	/	/	0.12	/	/	0.02	/	/	0.02	0.59	0.02		23
24	0.21	/	/	0.08	/	0.02	0.10	/	/	0.20	/	/		24
25	0.84	0.20	0.04	/	/	/	/	/	/	0.04	0.04	0.02		25
26	0.08	/	/	/	/	0.03	/	0.01	/	0.20	0.25	0.01		26
27	/	0.02	0.04	/	/	/	/	/	/	0.06	0.29	/		27
28	0.04	0.16	0.04	0.03	/	0.01	0.03	/	/	0.05	0.12	0.13		28
29	/	X	/	0.20	/	/	0.12	/	/	0.06	0.04	/		29
30	/	X	/	0.51	/	0.02	/	/	/	/	0.19	/		30
31	/	X	/	X	/	X	0.06	0.01	X	/	X	/		31
TOTAL	4.51	0.88	0.87	2.27	1.44	1.32	3.12	2.14	0.88	4.32	4.24	1.10	Year's Total	27.09
* Days with .01 in. or more.	21	10	11	14	8	13	17	12	6	20	23	14		169
* Days with .04 in. or more.	17	7	10	10	6	8	11	8	5	17	20	8		127

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 835/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 193 1940

Kept at M.W.B Works — STAINES — PS.

in the County of MIDDLESEX

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.01									0.16			1
2		0.10		0.15			0.06			0.14	0.57			2
3		0.15		0.08						0.06	1.23			3
4		0.11		0.03						0.11	0.07	0.03		4
5		0.02					0.03			0.04	0.22	0.05		5
6	0.25	0.14			0.03		0.26			0.14	0.02			6
7	0.21	0.12			0.03		0.09		0.01					7
8				0.03					0.04	0.16	0.01	0.24		8
9								0.01	0.01	0.15	0.09	0.03		9
10							0.14	0.01		0.10	0.04			10
11				0.02			0.03				0.87			11
12		0.01	0.12				0.09		0.14					12
13			0.73			0.25			0.26		0.90			13
14			0.16	0.10	0.03					0.08		0.12		14
15			0.01	0.02	0.07		0.39		0.05		0.29	0.06		15
16	0.03	0.17	0.30	0.09		0.02	0.42		0.14	0.78	0.90	0.03		16
17			0.39				0.03				0.51			17
18		0.28	0.12	0.28			0.08			0.19	0.22	0.08		18
19		0.15	0.01	0.10			0.04		0.60		0.12			19
20		0.01		0.02			0.15			0.06	0.06			20
21	0.01				0.75		0.15			0.06	0.28			21
22			0.02		0.29	0.45			0.04					22
23		0.09	0.04	0.23	0.01	0.02		0.02		0.01		0.01		23
24				0.21			0.17							24
25			0.60				0.05							25
26	0.95	0.08	0.35	0.30	0.21									26
27	0.42	0.21		0.22	0.02		0.10							27
28	0.35				0.01									28
29	0.04	0.11	0.07		0.02					0.06		0.26		29
30	0.16	X		0.19						0.55				30
31	0.05	X		X		X			X		X	0.03		31
TOTAL	2.47	1.76	2.92	2.07	1.47	0.74	2.28	0.04	1.29	2.69	6.56	0.94	25.23	
* Days with .01 in. or more.	10	16	13	16	11	4	17	3	9	16	18	11	144	
* Days with .04 in. or more.	8	12	10	11	4	2	14	-	7	15	16	6	105	

† Spare column, no entries required.

(Signed) P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry
AIR MINIS

FORM 1090.

REGI
STAINES.

Kept at
in the County of *India*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
Ground .. Sea

THE MORNING MEAS

837
STAINES EAST.

1931-1940

780203

837
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931.

IOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.14	.13	.16	-	.73	-		.01	-	-	-	1
2	.15	.05	-	-		-	.04		.61	.01	-	.05	2
3	-	.02	.04	.70	.42	-	-	.17	.60	-	.04	.15	3
4	.04	-	-	-	.02	-	-	.08	.05	-	.16	.01	4
5	-	.03	-	-	.04	.36	.05	.04	-	-	.01		5
6	-	.11	-	.34	-		.02	.05	-	.28	.31	.11	6
7	-			-	.12	.04	-	.53	.07	.03		.04	7
8	-	.06	.04	.02	.03	.22	-		-	.02	.21	.03	8
9	-	.03	.06	.02	-	-	-	.28	.04	-	.44	-	9
10	-	.11	-	-	-	.03	.08	.17	-	-	.14	-	10
11	.07	.20	-	-	-	-	-	-	.02	.01	.12	-	11
12	-	-	-	-	-	-	-	-	-	-	-	-	12
13	.01	-	-	-	-	-	.02	.20	.28	.05	-	-	13
14	.02						.98	.93	.05	-	-	-	14
15	.02	.10	-	.11	.20	-	.35		-	-	-	.06	15
16	-	.05	-	.08	-	.06	-	.36	.05	-	-	-	16
17		.02	-	.44	.20	.01	.19	.05	.09	-	-	-	17
18	.09	.04	.04		-	.11		.70	-	.05	.50	-	18
19	.02	-	-	.46	-	.29	.18	.37	-	-	-	-	19
20	.01	.02	-	.04	-	-	.03	.20	.08	-	-	-	20
21	.03	-	-	-	.44	-	-	-	.05	-	-	-	21
22	.15	-	.02	.07	-	-	-	-	.05	-	-	-	22
23	.24	-	-	.02	-	.02	-	-	.05	-	.10	.05	23
24				.23		.07	.05	-	-	-	-	-	24
25	.04	-	-		.60	-	-	-	-	-	.02	-	25
26	-	.05	-	.49	-	-	.92	-	-	-	.16	-	26
27	.12	.42	-	.11	.41	-	.03	-	-	-	.06	-	27
28	.02	-	-	.03	-	-	-	-	-	-		.05	28
29	.06	-	-	-	.03	-	.10		-	.01	.02	.02	29
30	.02	X	-	-		-	.05	.08	.05	.23	-	-	30
31	-	X	-	X	.06	X	-	-	X	-	X	.01	31
TOTAL	1.11	1.45	.33	3.32	2.57	1.94	3.09	4.21	2.15	0.69	2.29	0.58	YEAR'S TOTAL
*Days with or in. or more.	17	16	6	16	12	11	15	15	16	9	14	11	23-73
*Days with or in. or more.	9	11	5	12	9	8	11	15	14	4	11	7	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P. 10]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at **STAINES.** (East)

in the County of **Middx.**

Diameter of Funnel of Gauge **5"** in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

Supported by
Museum g. 1936
No case against
this. **19/2/32.**

See **June**
6/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.14	.13	.16	-	.73	-		.01	-	-	-	1
2	.15	.05	-	-		-	.04		.61	.01	-	.05	2
3	-	.02	.04	.70	.42	-	-	.17	.60	-	.04	.15	3
4	.04	-	-	-	.02	-	-	.08	.05	-	.16	.01	4
5	-	.03	-	-	.04	.36	.05	.04	-	-	.01		5
6	-	.11	-	.34	-		.02	.05	-	.28	.31	.11	6
7	-			-	.12	.04	-	.53	.07	.03		.04	7
8	-	.06	.04	.02	.03	.22	-		-	.02	.21	.03	8
9	-	.03	.06	.02	-	-	-	.28	.04	-	.44	-	9
10	-	.11	-	-	-	.03	.08	.17	-	-	.14	-	10
11	.07	.20	-	-	-	-	-	-	.02	.01	.12	-	11
12	-	-	-	-	-	-	-	-	-	-	-	-	12
13	.01	-	-	-	-	-	.02	.20	.28	.05	-	-	13
14	.02						.98	.93	.05	-	-	-	14
15	.02	.10	-	.11	.20	-	.35		-	-	-	.06	15
16	-	.05	-	.08	-	.06	-	.36	.05	-	-	-	16
17		.02	-	.44	.20	.01	.19	.05	.09	-	-	-	17
18	.09	.04	.04		-	.11		.70	-	.05	.50	-	18
19	.02	-	-	.46	-	.29	.18	.37	-	-	-	-	19
20	.01	.02	-	.04	-	-	.03	.20	.08	-	-	-	20
21	.03	-	-	-	.44	-	-	-	.05	-	-	-	21
22	.15	-	.02	.07	-	-	-	-	.05	-	-	-	22
23	.24	-	-	.02	-	.02	-	-	.05	-	.10	.05	23
24				.23		.07	.05	-	-	-	-	-	24
25	.04	-	-		.60	-		-	-	-	.02	-	25
26	-	.05	-	.49	-	-	.92	-	-	-	.16	-	26
27	.12	.42	-	.11	.41	-	.03	-	-	-	.06	-	27
28	.02	-	-	.03	-	-	-	-	-	-		.05	28
29	.06	-	-	-	.03	-	.10		-	.01	.02	.02	29
30	.02	X	-	-		-	.05	.08	.05	.23	-	-	30
31	-	X	-	X	.06	X	-	-	X	-	X	.01	31
TOTAL	1.11	1.45	.33	3.32	2.57	1.94	3.09	4.21	2.15	0.69	2.29	0.58	YEAR'S TOTAL 23.73
*Days with "or in. or more.	17	16	6	16	12	11	15	15	16	9	14	11	158
*Days with ".04 in. or more.	9	11	5	12	9	8	11	15	14	4	11	7	116

Section

A

for the entry of Daily Observations.

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at STAINES, EAST.

in the County of MIDD.

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	-	-	05	70	-	-	64	-	-	02	-	1
2	-	-	-	-	02	-	-	01	05	20	04	11	2
3	02	-	-	45	11	-	-	-	-	12	-	-	3
4	01	-	-	-	-	-	-	-	49	-	07	-	4
5	10	-	-	-	-	19	-	-	07	-	-	-	5
6	52	-	01	16	-	-	20	-	07	-	-	-	6
7	-	-	05	05	-	-	-	-	08	01	-	-	7
8	-	-	12	04	21	-	02	-	06	-	-	-	8
9	-	-	-	-	58	-	-	-	-	24	-	-	9
10	72	01	04	22	10	01	-	-	-	12	05	-	10
11	07	-	01	06	-	-	-	02	01	05	02	-	11
12	06	-	-	-	-	01	34	04	-	10	-	-	12
13	13	-	-	09	-	-	-	-	-	32	04	02	13
14	11	-	-	18	-	-	08	-	-	04	04	-	14
15	-	01	-	02	-	-	-	-	-	-	-	-	15
16	-	-	-	-	45	-	-	-	-	07	-	-	16
17	16	-	-	13	-	-	-	-	-	01	-	-	17
18	-	-	-	-	-	-	04	-	55	-	14	-	18
19	-	-	-	-	-	-	-	-	01	22	-	-	19
20	-	-	-	13	-	-	-	-	09	67	16	-	20
21	02	-	03	15	-	-	-	43	-	16	-	04	21
22	-	-	26	-	110	-	12	-	19	-	30	-	22
23	-	03	03	-	15	-	-	-	06	99	-	10	23
24	-	-	-	03	-	-	24	-	-	04	08	-	24
25	-	02	-	-	-	-	86	-	12	11	-	-	25
26	-	-	-	05	02	-	06	-	-	02	-	-	26
27	-	-	-	14	40	-	07	-	-	47	09	01	27
28	-	-	27	-	-	-	04	-	-	06	-	-	28
29	-	-	32	08	41	02	02	06	10	-	01	01	29
30	-	X	03	-	-	54	-	01	17	35	25	10	30
31	-	X	04	X	-	X	-	-	X	-	X	-	31
TOTAL	2.01	0.07	1.21	2.03	4.25	0.77	2.09	1.21	2.12	4.37	1.31	0.39	YEAR'S TOTAL 21.83
*Days with 0.1 in. or more.	12	4	12	17	12	5	12	7	15	21	14	7	138
*Days with 0.4 in. or more.	9	-	7	15	10	2	10	4	13	18	11	4	103

40-9999

*See Instruction 2 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **STAINES. (East)**in the County of *Middlesex.*Diameter of Funnel of Gauge *5*" in.

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.13	.13	-	.07	-	-	-	-	.04	-	-		1
2	.10	-	.26	-	.28	-	-	-	-	-	-	-		2
3	.13	.14	.19	-	.06	-	-	-	-	-	-	-		3
4	.49			-	.21	-	-	-	-	-		-		4
5	.01	.03	.22	-	.20	-	-	-	-	-	.04	-		5
6	-	.05	.08	-		-	-	-	-	.05	.03	-		6
7		.06	-	-	.28	-	-	-	-		-	-		7
8	.15	-	.03	-	.07	-		-	-	.11	-	-		8
9	-	-	-	-	.02	-	.18	-	-	.09	.06	-		9
10	-	.67	-	-	-		.08	-	-	.15	.02	-		10
11	.33	-	-	-	.03	.20	.06	-	.05	.01		-		11
12	-	-	-	-	-	.16	-	-	.75	-	.02	-		12
13	.07	-	-	-		.01	.20	-	.08	-	.07	-		13
14	.26	-	-	-	.07	-	.01	.01	-		.48	.01		14
15	-	-	.05	-	-	.15		.15	-	.17	.05	-		15
16	-	-	.63	-	-	.17	.30	-		.01	-	-		16
17	-	-	.55	-	-		-	-	.07	-	.10	-		17
18	.20			-	-	.09	-	-	-	-		-		18
19	-	.09	.22	-	-	.10	.01		.57	-	.03	.04		19
20	-	.02	.08	.09	-	.20	-	.02	.01	-	-	-		20
21	-	.02	-	-	-	.03	-	.01	.18		-	-		21
22	-	-	-		-	-	-	.14	-	.30	.02	-		22
23	-	-	-	.11	.01	.01	-	-	.22	.02	-	-		23
24	-	.48	-	.08	.28		-	-	.33	-	.01	-		24
25	-		-	.30	.01	.09	-	-	.02	-		-		25
26	-	1.00	-	.04	-	.06	-	-	.02	.03	.01	.16		26
27	-	-	-	-		.01	-	-	-	.26	-	.04		27
28	-	-	.01	-	.20	-	.03	-	-		-	.04		28
29	.07		.03		-	-		-	-	.34	-	-		29
30	.08	X	-	.07	-	-	.02	-	-	.03	-			30
31	.07	X	-	X	-	X	-	-	X	.04	X	.14		31
TOTAL	1.96	2.69	2.48	0.69	2.29	1.28	0.89	0.33	2.30	1.65	0.94	0.43	17.93	
*Days with or in. or more.	12	11	13	6	14	13	9	5	11	15	13	6	128	
*Days with .04 in. or more.	11	8	10	6	10	9	5	2	8	10	6	5	90	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P. T. O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. **837**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934..Kept at **STAINES.** (East)in the County of **Middlesex**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground ft. in.,, Ground ,, Sea Level ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02									.01				1
2	.05		.08		.21			.01	.55	.21		.62		2
3	.02		.08	.05						.23				3
4	.05	.02		.08	.01					.06	.08	.38		4
5	-		.02		.29			.02		.05	.03	.37		5
6			.31					.14			.01	.41		6
7	.07							.64		.26		.17		7
8	-				.07			.04	.17		.24			8
9	.01		.01								.85	.39		9
10	.01			.12				.03			.21	.02		10
11	.24		.49	.07			.14	.79				.10		11
12	.04		.04				.69	.03				.07		12
13			.18	.01							.03	.11		13
14	.27		.28			.07				.02	.27	.37		14
15	.06		.13		.04				.07	.15	.07			15
16	.13		.17		.03					.14		.39		16
17	.01			.03						.03	.02	.10		17
18	.07			.11			.02					.16		18
19	-		.22				.28		.06	.01		.02		19
20			.10				.10				.02			20
21								.06		.02				21
22				.13		.28	.81	.38	.16			.09		22
23				.21		.03								23
24				.06			.77		.38					24
25	.08	.05	.07	.09		.10				.03				25
26	.08		.01	.18		.08			.01			.40		26
27				.34		.15	.01				.04	.16		27
28		.04				.14		.97				.20		28
29				.02			.01	.05						29
30	.04	X						.20	.21			.20		30
31	.05	X		X		X	.14		X	.28	X	.03		31
TOTAL	1.30	0.10	2.19	1.50	0.65	0.85	2.97	2.76	1.61	1.50	1.87	4.76	22.06	Year's Total.
* Days with .01 in. or more.	18	3	15	14	6	7	10	13	8	14	12	21	141	
* Days with .04 in. or more.	13	2	12	11	4	6	7	9	7	8	7	18	104	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at STAINES RES' (East Side)

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.16	0.02		0.04	0.07	0.07	0.74		0.01	0.01	0.15	0.01		1
2										0.14	0.10			2
3		0.01	0.06	0.05		0.13			0.14	0.92	0.16			3
4		0.01		0.14		0.17			0.16	0.07		0.07		4
5		0.12	0.01	0.01		0.19			0.38		0.01			5
6	0.04		0.02	0.33		0.38					0.04	0.02		6
7	0.01			0.53		0.06					1.00	0.19		7
8				0.38						0.26	0.21	0.01		8
9				0.15		0.54				0.52	0.18			9
10				0.02		0.02				0.01	0.09	0.02		10
11	0.23			0.07		0.05	0.42				0.28			11
12						0.09		0.06			0.66			12
13	0.07	0.15		0.13	0.05						0.01			13
14				0.04	0.20	0.05			0.02		0.06	0.11		14
15		0.16		0.32		0.45			0.11		0.20	0.02		15
16				0.06	0.01	0.16			0.30		0.45	0.01		16
17	0.01	0.06	0.01	0.01		0.19		0.02	0.05		0.18			17
18				0.15		0.02	0.20		0.23	0.02	0.03			18
19				0.03	0.20	0.07	0.03		0.02		0.10	0.09		19
20		0.20		0.02	0.50	0.07					0.15			20
21	0.01	0.24	0.04	0.06			0.08		0.02	0.03	0.01			21
22		0.01	0.04					0.08	0.09					22
23								0.48	0.02	0.11		0.09		23
24	0.04	0.42	0.13		0.05			0.45	0.39			0.22		24
25	0.19	0.40		0.28	0.02	1.14						0.10		25
26		0.10						0.34	0.05			0.28		26
27	0.02	0.52							0.20		0.09	0.28		27
28		0.06			0.06				0.01	0.05		0.11		28
29									0.72			0.20		29
30	0.03	X						0.58	0.20	0.33	0.24	0.28		30
31		X		X		X			X	0.32	X	0.50		31
TOTAL	0.81	2.48	0.31	2.82	1.16	3.85	1.47	1.91	3.12	2.79	4.40	2.41	27.53	✓
* Days with .01 in. or more.	11	15	7	20	9	18	5	7	19	13	22	19	165	✓
* Days with .04 in. or more.	6	11	4	15	7	16	4	6	13	9	18	13	122	✓

Year's Total

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations.

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Staines Reservoir (East)*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.32	0.25	0.03	0.19		0.05	0.10	0.09			0.04	0.04		1
2	0.01	0.05		0.02		0.35	0.10	0.13			0.01			2
3				0.25		0.25			0.08		0.35			3
4			0.12			0.12	0.01		0.47			0.02		4
5	0.20		0.02					0.03	0.17		0.06	0.05		5
6	0.38					0.06		0.05	0.04		0.19	0.05		6
7	0.31		0.02			0.06					0.09	0.02		7
8	0.19		0.04				0.03		0.03		0.24	0.15		8
9	0.54		0.02				0.43		0.17		0.01	0.01		9
10							0.18	0.30	0.04		0.01			10
11				0.01			0.10				0.67			11
12				0.10	0.01	0.40	0.20		0.13		0.31	0.12		12
13				0.04		0.22				0.02	0.01	0.12		13
14		0.10				0.06	0.60		0.03	0.03	0.16	0.37		14
15		0.06							0.30			0.01		15
16	0.35	0.15		0.05			0.02		0.03		0.41	0.06		16
17	0.12	0.41			0.04	0.02					0.10	0.12		17
18	0.07	0.08				1.01	0.09				0.02	0.08		18
19	0.22	0.04	0.02			0.23	0.27	0.07		0.07				19
20	0.03	0.05	0.02	0.41			0.01		0.64					20
21				0.21	0.01	0.26	0.01		0.03					21
22	0.10	0.37	0.04		0.38	0.10	0.14					0.05		22
23	0.01	0.05	0.12	0.05	0.04		0.05			0.08				23
24	0.06	0.08								0.02	0.35			24
25	0.02		0.08	0.17		0.07	0.30		0.13	0.08	0.03			25
26		0.09	0.17	0.14		0.08	0.04		0.05	0.21		0.02		26
27	0.18	0.01	0.02				0.02		0.15	0.16				27
28	0.73		0.03				0.30		0.02			0.04		28
29	0.07	0.06	0.10			0.20	0.12			0.02	0.13	0.02		29
30	0.06	~~X~~			0.09	0.24				0.16				30
31	0.28	~~X~~	0.23	~~X~~		~~X~~	0.15		~~X~~	0.63	~~X~~	0.15		31
TOTAL	4.15	1.65	1.08	1.64	0.57	3.78	3.39	0.67	2.53	1.81	2.84	1.51	25.62	✓
* Days with .01 in. or more.	21	15	16	12	6	18	22	6	18	11	18	19	182	✓
* Days with .04 in. or more.	17	14	8	10	4	16	16	5	2	8	12	13	135	✓

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

24.11.✓

COPY FOR OFFICIAL USE

Section **A**

for the entry of Daily Observations

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *STAINES (EAST)*

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.59			0.05					0.01		0.56	0.64		1
2	0.01	0.14	0.02	0.71					0.12			0.62		2
3		0.22			0.01							0.03		3
4	0.05	0.41										0.28		4
5	0.11	0.10	0.20				0.09				0.01			5
6	0.05		0.40		0.23		0.01			0.05	0.04			6
7		0.66	0.27	0.11					0.03	0.01				7
8		0.02			0.05	0.03					0.06	0.18		8
9		0.03		0.22	0.14	0.04	0.06		0.23			0.09		9
10			0.45	0.09	0.02	0.28	0.06	0.17				0.36		10
11			0.15		0.20		0.04					0.05		11
12	0.15	0.24	0.11		0.27	0.25	0.02		0.03			0.07		12
13	0.13	0.10	0.35		0.03	0.20		0.33	0.83			0.84		13
14	0.03	0.01	0.31			0.02		0.65	0.02					14
15	0.10	0.09		0.15			0.18		0.07					15
16	0.06	0.12	0.29	0.34		0.04		0.18	0.34			0.01		16
17	0.32		0.16	0.11					0.34					17
18	0.22	0.04		0.01	0.19	0.79					0.15			18
19	0.03	0.09	0.06	0.11		0.16	0.16		0.05			0.15		19
20	0.33		0.02	0.19	0.65	0.01			0.01					20
21	0.34	0.69	0.03	0.06	0.06		0.07					0.01		21
22	0.35	0.04	0.01		0.04	0.16	0.03			0.67	0.20	0.02		22
23	0.26	0.02	0.03		0.19		0.03			0.35				23
24	0.43	0.53	0.07						0.09	0.36		0.01		24
25	0.12	0.38	0.15		0.38				0.09	0.34		0.02		25
26	0.01	0.21	0.01		0.26					0.05				26
27	0.02	0.11		0.13						0.62				27
28		0.12								0.08		0.01		28
29	0.02					0.04				0.01	0.03	0.03		29
30	0.23	~~X~~				0.01				0.02	0.16			30
31	0.26	~~X~~		~~X~~		~~X~~			~~X~~	0.17	~~X~~	0.02		31
TOTAL	4.24	4.39	3.08	2.28	2.72	2.03	0.75	1.33	2.26	2.74	1.21	3.44	Year's Total	30.45
* Days with .01 in. or more.	24	22	19	13	15	13	11	4	14	12	8	19		174
* Days with .04 in. or more.	18	18	13	12	12	9	7	4	9	9	6	10		127

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section



for the entry of Daily Observations

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *M.W.B. STAINES EAST RESERVOIR*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01				0.02	0.09			0.03	0.03		0.03		1
2	0.04			0.04			0.03			0.14		0.03		2
3					0.29					0.49				3
4	0.03					0.02		0.10		0.06		0.04		4
5							0.14		0.01	0.09				5
6	0.04						0.07			0.01				6
7							0.16	0.64	0.07	0.11		0.01		7
8	0.10						0.14	0.04		0.36				8
9	0.12							0.16		0.01		0.55		9
10	0.12	0.03				0.03		0.10				0.08		10
11	0.22							1.02			0.14	0.04		11
12	0.22	0.03			0.02			0.29		0.12	0.09			12
13	0.19									0.05	0.04	0.07		13
14	0.23				0.04		0.01					0.01		14
15	0.03	0.01					0.17			0.27	0.01	0.10		15
16	0.30	0.01									0.02	0.149		16
17		0.06			0.02					0.08				17
18	0.03				0.03				0.18		0.21			18
19								0.05	0.18		0.13			19
20									0.01		0.51			20
21									0.06		0.04	0.39		21
22											0.14	0.21		22
23				0.02					0.03		0.01			23
24			0.05						0.16		0.07		83	24
25	0.09	0.01	0.09	0.02	0.18		0.01		0.07	0.04	0.90	0.10		25
26	0.16	0.13	0.03						0.23	0.17		0.13		26
27	0.06	0.01			0.05	0.19	0.19	0.04	0.38	0.08	0.27			27
28		0.04			0.83	0.03		0.41	0.04			0.10		28
29	0.14								0.01		0.08	0.21		29
30		X			0.03	0.06			0.04	0.02	0.12			30
31	0.13	X		X	0.09	X			X	0.12	X	0.19		31
TOTAL	2.26	0.33	0.17	0.08	1.60	0.42	0.92	2.85	1.50	2.25	2.78	2.78	Year's Total	17.94
* Days with .01 in. or more.	19	9	3	3	11	6	9	10	15	18	16	18		137
* Days with .04 in. or more.	15	3	2	1	6	3	6	10	10	14	13	14		97

† Spare column, no entries required.

(Signed) [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at ... STAINES EAST.

in the County of ... Middlesex.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Staines E

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	0.45	0.28	/	/	0.56	0.18	/	/	/		1
2	0.01	/	/	0.01	0.01	/	/	0.60	0.43	/	0.03	0.02		2
3	0.33	/	/	0.26	/	/	/	0.31	/	/	0.27	0.18		3
4	0.07	/	0.18	0.12	/	/	0.04	0.56	/	0.41	0.05	0.01		4
5	/	/	/	0.32	0.05	/	0.02	0.05	/	0.21	0.27	0.05		5
6	0.36	/	/	0.01	0.47	/	0.26	0.01	/	/	0.52	0.06		6
7	0.01	0.08	/	/	/	/	/	/	/	0.03	0.18	0.08		7
8	/	0.04	0.09	/	/	/	0.02	0.13	/	0.52	0.12	0.31		8
9	0.02	0.05	/	/	/	/	/	0.01	/	0.19	0.06	0.14		9
10	0.25	/	/	/	/	0.16	/	0.15	0.05	0.08	0.01	/		10
11	/	/	0.17	/	/	0.04	/	/	/	0.24	/	/		11
12	/	/	/	/	/	/	/	/	/	0.02	/	/		12
13	/	/	/	/	/	0.02	/	/	/	1.24	/	/		13
14	0.50	/	/	/	0.02	0.02	0.02	/	/	0.11	0.34	/		14
15	0.27	/	0.03	/	0.52	0.25	/	/	0.13	0.67	0.21	0.02		15
16	0.46	/	0.06	0.02	0.04	0.12	0.04	/	0.03	0.02	0.30	/		16
17	0.16	0.01	/	0.02	0.15	/	0.13	/	/	/	0.04	/		17
18	0.20	/	0.04	/	/	0.18	0.08	/	/	0.07	0.20	/		18
19	0.21	0.01	/	/	/	/	0.13	/	/	0.05	0.01	/		19
20	0.20	/	/	/	/	0.40	0.40	0.07	/	/	/	0.05		20
21	0.05	0.04	0.14	/	/	0.05	1.25	/	0.07	/	/	/		21
22	0.12	0.28	0.05	0.04	/	0.05	0.12	/	/	/	0.04	/		22
23	0.01	/	/	0.08	/	/	0.05	/	/	0.02	0.63	0.02		23
24	0.31	/	/	0.04	/	0.02	0.07	/	/	0.16	/	/		24
25	1.00	0.16	0.04	/	/	/	/	/	/	0.04	0.04	0.02		25
26	0.08	/	/	/	/	0.02	/	0.01	/	0.15	0.20	0.01		26
27	/	0.02	0.04	/	/	0.02	/	/	/	0.06	0.24	/		27
28	0.02	0.14	0.04	0.03	/	0.01	0.03	/	/	0.05	0.12	0.12		28
29	/	X	/	0.20	/	/	0.08	/	/	0.05	0.04	/		29
30	/	X	/	0.47	/	0.01	/	/	/	/	0.19	/		30
31	/	X	/	X	/	X	0.04	0.01	X	/	X	/		31
TOTAL	4.64	0.83	0.88	2.07	1.54	1.37	2.78	2.47	0.89	4.39	4.11	1.09	27.06	Year's Total
* Days with .01 in. or more.	21	10	11	14	8	15	17	12	6	21	23	14	172	
* Days with .04 in. or more.	16	7	10	9	6	8	13	8	5	17	20	8	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 193 1940Kept at *M.W.B. Works — STAINES — E.*in the County of *MIDDLESEX*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.01									0.15			1
2		0.10		0.16			0.06			0.13	0.57			2
3		0.16		0.08						0.06	1.19			3
4		0.10		0.03						0.12	0.10	0.03		4
5		0.02					0.03			0.04	0.21	0.04		5
6	0.25	0.16			0.03		0.26			0.15	0.03			6
7	0.19	0.11			0.03		0.09		0.01					7
8				0.04					0.04	0.17	0.02	0.24		8
9								0.01	0.01	0.14	0.09	0.03		9
10							0.14	0.01		0.07	0.04			10
11				0.02			0.02				0.88			11
12		0.01	0.11				0.09		0.14					12
13			0.85			0.18			0.29		0.87			13
14			0.17	0.10	0.02					0.09		0.12		14
15			0.01	0.02	0.06		0.37		0.05		0.28	0.08		15
16	0.02	0.17	0.30	0.05		0.02	0.38		0.15	0.65	0.90	0.03		16
17			0.35				0.04				0.56			17
18		0.27	0.16	0.31			0.11	0.01		0.19	0.19	0.10		18
19		0.19	0.01	0.10			0.04		0.65		0.05			19
20		0.01		0.02			0.15			0.06	0.13			20
21	0.01				0.68		0.18			0.05	0.29			21
22			0.02		0.25	0.42			0.04					22
23		0.12	0.04	0.25	0.02	0.02		0.02		0.01		0.01		23
24				0.19			0.15							24
25			0.58				0.05							25
26	0.98	0.08	0.40	0.25	0.18									26
27	0.40	0.22		0.29	0.02		0.17							27
28	0.36				0.01									28
29	0.04	0.10	0.06		0.09					0.07		0.26		29
30	0.15	~~X~~		0.19						0.56				30
31	0.06	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	0.02		31
TOTAL	2.46	1.83	3.06	2.09	1.39	0.64	2.33	0.05	1.38	2.56	6.55	0.96	Year's Total	
* Days with .01 in. or more.	10	16	13	16	11	4	17	4	9	16	18	11	145	
* Days with .04 in. or more.	8	12	10	12	5	2	15	-	7	15	16	6	108	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

838

Kept at **Twickenham**
in the County of **M**

TWICKENHAM. S.W.

1931-1940

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING

460203

PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.09	0	.26	0	.04	0	.02	.06	0	0	0	1
2	.15	.05	0	.36	0	0	0	0	.48	.02	0	.06	2
3	.04	0	.03	.39	.48	0	0	.10	.84	0	.03	.13	3
4	0	0	0	0	.01	0	0	.07	.05	0	.11	0	4
5	0	0	0	.25	.02	.52	.06	.83	.01	0	0	.10	5
6	0	.09	0	.07	0	0	0	0	0	.27	.46	0	6
7	<i>snos.</i> .01	0	0	0	.08	.17	0	.46	0	.04	.11	.01	7
8	0	.07	<i>snos.</i> .05	0	.02	.28	0	.18	0	0	.06	.01	8
9	0	.01	<i>snos.</i> .08	0	0	0	0	0	0	0	.32	.01	9
10	0	.09	<i>snos.</i> .01	0	0	.01	0	.16	.06	0	.15	0	10
11	.08	.17	0	0	0	0	0	0	.03	.01	.25	0	11
12	0	0	0	0	0	0	0	0	.33	0	0	0	12
13	0	0	0	0	0	0	0	.13	0	0	0	0	13
14	0	.08	0	0	0	0	.84	.98	0	0	0	0	14
15	.02	0	0	.12	.08	0	.16	.06	0	0	0	.05	15
16	0	.08	0	.08	.17	.04	0	.16	.02	0	0	0	16
17	.10	.02	0	.40	.02	.02	.16	0	.08	0	0	0	17
18	.03	.07	0	.10	0	.06	0	.76	0	0	.43	0	18
19	.01	0	0	.40	0	.29	.17	.03	.05	.05	0	0	19
20	0	0	0	.04	0	0	.05	.24	0	0	0	0	20
21	.01	0	0	0	.42	0	0	0	.02	0	0	0	21
22	.13	0	.01	.02	0	0	0	0	.02	0	0	0	22
23	.14	.01	0	.12	.42	0	0	0	.11	0	.08	.02	23
24	0	0	.01	.18	.06	.08	.02	0	0	0	0	0	24
25	.02	0	0	.44	.05	0	1.05	0	0	0	.01	0	25
26	0	.05	0	.18	0	0	.30	0	0	0	.15	0	26
27	.11	.37	0	.05	.27	0	.01	0	0	0	.04	0	27
28	.02	<i>snos.</i> .14	0	.03	0	0	0	0	0	.03	0	.06	28
29	.07	0	0	0	.06	0	.08	0	0	.23	0	.03	29
30	.02	×	0	0	.02	0	.04	.10	0	0	0	0	30
31	.06	×	0	×	.03	×	0	0	×	0	×	.01	31
TOTAL	1.02	1.39	.19	3.49	2.21	1.51	2.94	4.28	2.16	.60	2.20	.49	YEAR'S TOTAL 22.48
*Days with "or in. or more.	17	15	6	18	16	10	12	15	14	6	13	11	153
*Days with "or in. or more.	9	12	2	16	10	8	10	13	9	3	11	5	108

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Gilbert R. King
Borough Surveyor.

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Twickenham Sewage Works
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 37 1/2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.09	0	.26	0	.04	0	.02	.06	0	0	0	1
2	.15	.05	0	.36	0	0	0	0	.48	.02	0	.06	2
3	.04	0	.03	.39	.48	0	0	.10	.84	0	.03	.13	3
4	0	0	0	0	.01	0	0	.07	.05	0	.11	0	4
5	0	0	0	.25	.02	.52	.06	.83	.01	0	0	.10	5
6	0	.09	0	.07	0	0	0	0	0	.27	.46	0	6
7	<i>snos.</i> .01	0	0	0	.08	.17	0	.46	0	.04	.11	.01	7
8	0	.07	<i>snos.</i> .05	0	.02	.28	0	.18	0	0	.06	.01	8
9	0	.01	<i>snos.</i> .08	0	0	0	0	0	0	0	.32	.01	9
10	0	.09	<i>snos.</i> .01	0	0	.01	0	.16	.06	0	.15	0	10
11	.08	.17	0	0	0	0	0	0	.03	.01	.25	0	11
12	0	0	0	0	0	0	0	0	.33	0	0	0	12
13	0	0	0	0	0	0	0	.13	0	0	0	0	13
14	0	.08	0	0	0	0	.84	.98	0	0	0	0	14
15	.02	0	0	.12	.08	0	.16	.06	0	0	0	.05	15
16	0	.08	0	.08	.17	.04	0	.16	.02	0	0	0	16
17	.10	.02	0	.40	.02	.02	.16	0	.08	0	0	0	17
18	.03	.07	0	.10	0	.06	0	.76	0	0	.43	0	18
19	.01	0	0	.40	0	.29	.17	.03	.05	.05	0	0	19
20	0	0	0	.04	0	0	.05	.24	0	0	0	0	20
21	.01	0	0	0	.42	0	0	0	.02	0	0	0	21
22	.13	0	.01	.02	0	0	0	0	.02	0	0	0	22
23	.14	.01	0	.12	.42	0	0	0	.11	0	.08	.02	23
24	0	0	.01	.18	.06	.08	.02	0	0	0	0	0	24
25	.02	0	0	.44	.05	0	1.05	0	0	0	.01	0	25
26	0	.05	0	.18	0	0	.30	0	0	0	.15	0	26
27	.11	.37	0	.05	.27	0	.01	0	0	0	.04	0	27
28	.02	<i>snos.</i> .14	0	.03	0	0	0	0	0	.03	0	.06	28
29	.07	0	0	0	.06	0	.08	0	0	.23	0	.03	29
30	.02	×	0	0	.02	0	.04	.10	0	0	0	0	30
31	.06	×	0	×	.03	×	0	0	×	0	×	.01	31
TOTAL	1.02	1.39	.19	3.49	2.21	1.51	2.94	4.28	2.16	.60	2.20	.49	YEAR'S TOTAL 22.48
*Days with "or in. or more.	17	15	6	18	16	10	12	15	14	6	13	11	153
*Days with ".04 in. or more.	9	12	2	16	10	8	10	13	9	3	11	5	108

Section

A

for the entry of Daily Observations.

Station No.

838
838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Twickenham Sewage Works,

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 37 1/2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	0	0	.06	.50	0	0	.53	.01	.12	.03	0	1
2	0	0	0	.17	.02	0	0	0	.10	.08	.05	.11	2
3	0	0	0	.28	.11	0	0	0	.46	.08	0	0	3
4	0	0	0	0	0	.15	0	0	0	0	.06	0	4
5	.08	0	0	0	0	0	.20	0	.05	0	0	0	5
6	.43	0	0	.13	.02	0	0	0	.02	0	0	0	6
7	0	0	.10	.06	.12	0	.14	0	.08	.01	0	0	7
8	0	0	.12	.05	.17	0	0	0	.03	.32	0	0	8
9	.15	0	0	.07	.81	0	0	0	0	0	0	0	9
10	.37	Snow trace	0	.13	.09	.03	0	0	0	.17	0	0	10
11	.05	0	0	.04	.01	0	.19	.07	0	.24	.01	.01	11
12	.03	0	0	0	.01	0	0	0	0	.16	0	0	12
13	.05	0	0	.09	.01	0	0	0	.01	.31	.01	.01	13
14	.04	.03	0	.28	.01	0	0	0	0	.02	.03	0	14
15	0	.01	0	.04	.57	0	0	0	0	.10	0	0	15
16	.07	0	0	.11	.16	0	0	0	0	0	0	0	16
17	0	0	0	0	0	0	.12	0	.01	.02	0	0	17
18	0	0	0	0	0	0	.01	0	.75	0	.10	0	18
19	0	0	0	0	0	0	0	0	.01	.16	0	0	19
20	0	0	0	.28	.06	0	0	.25	.10	.61	.13	0	20
21	.03	0	0	.09	.82	0	.01	.09	0	.16	0	.05	21
22	0	.01	.24	0	.20	0	.11	0	.10	.27	.25	0	22
23	0	.07	0	.02	.02	0	0	0	.12	1.01	.01	.10	23
24	0	.03	0	0	0	0	.19	0	.05	.04	.05	0	24
25	0	0	0	0	0	0	.72	0	.06	.11	0	0	25
26	0	0	.10	.05	.01	0	.07	0	.0	.03	0	0	26
27	0	0	.26	.11	.26	0	.05	0	0	.56	.06	0	27
28	0	0	.02	0	.07	0	.04	0	0	.09	0	0	28
29	0	0	.25	0	.17	.02	0	.07	.10	.31	0	0	29
30	0	X	.02	.05	0	.64	0	.03	.08	0	.17	.08	30
31	0	X	.01	X	0	X	.03	0	X	0	X	.03	31
TOTAL	1.36	.15	1.12	2.11	4.22	.84	1.88	1.04	2.14	4.98	.96	.39	YEAR'S TOTAL 21.19
*Days with .01 in. or more.	11	5	9	19	22	4	13	6	18	23	13	7	150
*Days with .04 in. or more.	9	1	6	18	14	2	10	5	12	19	8	4	108

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Gilbert R. King
Borough Municipal.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109b.

REGISTER OF RAINFALL IN 1933.

Kept at Twickenham Sewage Works.

in the County of Middlesex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 373 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.11	.19	0	.06	0	0	0	0	0	.04	0		1
2	.08	0	.25	0	.38	0	0	0	0	0	0	0		2
3	0	.11	.14	0	.42	0	0	0	0	0	0	0		3
4	.17	.01	.01	0	.11	0	0	0	0	0	0	0		4
5	.01	0	.16	0	.13	0	0	0	0	0	0	0		5
6	0	.05	.02	0	.47	0	0	0	0	.09	.06	0		6
7	.14	.03	.08	0	.01	0	0	0	0	.10	0	.03		7
8	.02	0	0	0	.05	0	.05	0	0	0	0	0		8
9	0	0	0	0	.01	0	.13	0	0	.03	.08	0		9
10	0	.20	0	0	0	.02	.03	0	0	.13	0	0		10
11	.20	0	0	.04	.02	.02	.25	.05	0	0	0	0		11
12	0	0	0	0	0	.10	0	0	.72	0	0	0		12
13	.06	0	0	0	.07	0	.18	0	.08	0	.10	0		13
14	0	0	0	0	0	0	0	0	0	.21	.36	0		14
15	.25	0	.07	0	0	.56	.52	.20	0	0	0	0		15
16	0	0	.50	0	0	.25	.13	0	.02	0	0	0		16
17	.01	0	.35	0	0	.05	0	0	.05	0	.07	0		17
18	.08	.01	.21	0	0	.08	0	0	0	0	0	0		18
19	0	.04	.08	0	0	.10	.04	0	.47	0	.03	0		19
20	0	.02	.05	.10	0	.09	.01	.01	0	0	0	0		20
21	0	0	0	0	0	.51	0	.03	.22	0	0	0		21
22	0	0	0	0	.01	0	0	.13	0	.19	.03	0		22
23	0	0	0	.10	.42	0	0	0	.26	.01	0	0		23
24	0	.46	0	.08	.01	.08	0	0	.28	0	0	0		24
25	0	.48	0	.19	0	0	0	0	.08	0	0	.03		25
26	0	.27	0	.02	0	.03	0	0	.05	.06	0	.05		26
27	0 X	0	0	0	.23	0	.01	0	0	.19	0	.03		27
28	0	0	0	0	.02	0	.04	0	0	.30	0	.03		28
29	.03		0	.11	0	0	.09	0	0	.04	0	.01		29
30	.05	X	0	0	0	0	0	0	.04	.02	0	.14		30
31	.06	X	0	X	0	X	0	.12	X	.02	X	0		31
TOTAL	1.19	2.79	2.11	.64	2.42	1.89	1.48	.54	2.27	1.39	.77	.32	Year's Total	17.81
*Days with ".01 in. or more.	14	12	13	7	16	12	12	6	11	13	8	7		131
*Days with ".04 in. or more.	9	8	11	6	10	9	9	4	10	9	6	2		93

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Borough Surveyor

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **838**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Wickhamham Sewage Works*
in the County of *Middlesex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *4* in.,, Ground ,, Sea Level *37 1/2* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	0	0	0	0	0	0	.07	0	.02	0	.42		1
2	.06	0	.10	0	0	0	0	0	.57	.17	0	.16		2
3	.01	.01	0	.23	0	0	0	0	0	.08	0	0		3
4	.06	0	.06	0	0	0	0	0	0	.01	.07	.35		4
5	0	0	.04	0	.04	0	0	0	0	0	.03	.30		5
6	0	0	.29	0	.22	0	0	.05	0	.15	0	.38		6
7	.03	0	0	0	0	0	0	.13	0	.13	0	.12		7
8	0	0	0	0	.05	0	0	.06	.12	0	.25	.01		8
9	0	0	0	0	0	0	0	0	0	0	.75	.26		9
10	0	0	.05	.12	0	0	0	.02	0	0	.17	.01		10
11	.23	0	.39	.04	0	0	0	.01	0	0	0	.09		11
12	.05	0	.09	0	0	0	.06	.91	0	0	0	.03		12
13	.21	0	.25	0	0	0	.67	.02	0	0	.01	.06		13
14	.02	0	.23	0	.01	0	0	0	0	0	.27	.43		14
15	.06	0	.09	0	.03	0	0	0	.05	0	.06	.40		15
16	.10	0	.11	0	.01	0	0	0	0	.10	0	.01		16
17	0	0	0	0	0	0	0	0	0	.02	0	.11		17
18	.09	0	0	.08	0	0	.75	0	0	0	0	.08		18
19	0	0	.17	0	0	.03	0	0	.05	.02	0	.12		19
20	0	0	.06	0	0	.05	.18	0	0	0	0	.03		20
21	0	0	0	.12	0	.15	0	.02	0	0	0	0		21
22	0	0	0	0	0	0	1.65	.10	.17	0	.01	.10		22
23	.02	0	0	.20	0	.22	0	0	0	0	0	.02		23
24	.01	0	.06	.10	0	.04	.34	0	.26	0	0	.01		24
25	.06	.09	0	.12	0	.12	0	0	0	.03	0	.27		25
26	0	0	0	.19	0	.07	0	0	0	0	0	.01		26
27	0	0	0	.17	0	.09	0	0	0	0	0	.16		27
28	0	.15	0	.08	0	.14	.02	.77	.0	0	.04	.19		28
29	0	0	0	0	0	0	.01	.05	.17	0	0	.01		29
30	.05	×	0	0	0	0	0	.01	0	0	0	.15		30
31	0	×	0	×	0	×	.01	0	×	.09	×	.03		31
TOTAL	1.08	.25	1.99	1.45	.36	.91	3.69	2.22	1.39	.82	1.66	4.32	Year's Total.	
* Days with .01 in. or more.	16	3	14	11	6	9	9	13	7	11	10	29	138	
* Days with .04 in. or more.	10	2	14	11	3	8	6	8	7	6	7	19	101	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entry required.

(Signed)

William R. King
Borough Sewage Works

P.T.O.

Section



for the entry of Daily Observations.

Station No.

838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Tuckersham Sewage Works

in the County of

Middlesex

Duration

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.05	0	.05	.06	.18	.93	0	.10	0	.29	0		1
2	.01	0	0	.02	0	0	0	0	0	.46	.03	0		2
3	0	.01	.07	.01	0	.10	0	0	.19	.10	.20	0		3
4	0	.02	0	.13	0	.20	0	0	.24	.17	0	.06		4
5	0	.14	.02	.02	0	.23	0	0	.40	0	0	.01		5
6	.01	0	0	.23	0	.26	0	0	0	0	0	.01		6
7	.01	0	0	.40	0	.02	0	0	0	0	1.10	.15		7
8	0	0	0	.31	0	0	0	0	0	.21	.20	.06		8
9	0	0	0	.17	0	.51	0	0	0	.46	.10	0		9
10	0	0	0	.08	0	0	0	0	0	0	.05	.02		10
11	.18	0	0	.05	0	.05	.21	0	0	0	.21	0		11
12	0	0	0	0	0	.09	0	.09	0	0	.44	0		12
13	.08	.14	0	.14	.08	.05	0	0	0	0	0	0		13
14	0	0	0	.09	.19	.06	0	0	.02	0	.02	.08		14
15	0	.13	0	.25	0	.22	0	0	.02	0	.25	.02		15
16	0	.06	0	.07	0	.05	0	0	.19	.01	.52	0		16
17	0	0	0	.02	0	.16	0	.03	.01	0	.19	0		17
18	0	0	0	.15	.03	.01	.36	0	.20	.01	.01	0		18
19	0	.01	0	.01	.23	.05	.07	0	0	0	.08	.04		19
20	0	.17	0	.03	.63	.06	.12	0	.01	0	.11	0		20
21	0	.22	0	0	0	0	0	0	0	.03	0	0		21
22	0	.02	.02	0	0	0	0	.42	.08	0	0	.01		22
23	0	0	.13	0	0	0	0	.31	.01	.07	0	.01		23
24	.04	.43	0	0	.10	0	0	.41	.34	0	0	0		24
25	.24	.34	0	.30	.02	1.44	0	0	0	0	0	.07		25
26	.05	.11	0	0	0	0	0	.21	.02	0	0	.26		26
27	.01	.36	0	0	0	0	0	0	.06	0	.09	.22		27
28	0	.04	0	0	.08	0	0	0	.01	.04	0	.16		28
29	0	---	0	0	0	0	0	0	.44	0	0	.15		29
30	.04	~~X~~	0	.06	0	0	0	.67	.11	.16	.21	.22		30
31	0	~~X~~	0	~~X~~	0	~~X~~	0	0	~~X~~	.32	~~X~~	.27		31
TOTAL	.79	2.25	.24	2.59	1.42	3.74	1.69	2.14	2.45	2.04	4.10	1.82	Year's Total	
* Days with .01 in. or more.	11	16	4	21	9	18	5	7	18	12	18	18	25.27	
* Days with .04 in. or more.	7	12	2	15	7	16	5	6	11	9	15	12	117	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

William R. King
Borough Surveyor

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

D

Kept at Twickenham Sewage Works.....

in the County of Middlesex.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....7.....in.

Ground Sea Level 37.....1.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	.05	.07	.09	0	.22	.09	.04	0	0	.06	.07		1
2	.03	.15	0	.02	0	.32	.02	.10	0	0	.04	0		2
3	0	0	0	.30	0	.05	0	0	.06	0	.26	0		3
4	0	0	.09	0	0	.14	0	0	.29	0	.04	.02		4
5	.06	0	.03	0	0	0	0	.01	.34	0	.01	.07		5
6	.21	0	0	0	0	.05	0	.06	.02	0	.21	0		6
7	.16	0	0	0	0	.08	0	0	.03	0	.09	.03		7
8	.15	0	.02	0	0	0	0	0	0	0	.20	.15		8
9	.43	0	.01	0	0	0	.51	0	.22	0	0	0		9
10	0	0	0	0	0	0	.08	.16	.13	0	0	0		10
11	0	0	0	.02	0	0	.09	0	0	0	.73	0		11
12	0	0	0	.08	0	.48	.17	0	.07	0	.20	.09		12
13	0	0	0	.04	0	.14	0	.01	0	0	0	.07		13
14	0	.04	0	0	0	.07	.50	0	0	.02	.15	.45		14
15	.01	.05	0	0	0	0	.01	0	.10	0	0	.02		15
16	.42	.08	0	0	0	0	.01	0	.03	0	.36	.03		16
17	.15	.33	0	0	.11	.04	0	0	0	.01	.08	.09		17
18	.07	.07	0	0	0	.47	.08	0	0	0	.01	.08		18
19	.18	.01	.01	0	0	.10	.11	.03	0	.05	0	0		19
20	.02	.05	.09	.42	0	0	0	0	.70	0	0	0		20
21	0	0	0	.19	.02	.24	.01	0	.02	0	0	0		21
22	.13	.37	.05	0	.37	.02	.15	0	0	0	0	.03		22
23	.01	0	.07	.05	0	0	.03	0	0	.09	0	0		23
24	.08	.12	0	0	0	0	0	0	0	.33	0	0		24
25	.06	0	.08	.16	0	.10	.03	0	.13	.07	.02	0		25
26	0	.04	.21	.18	0	.08	.01	0	.01	.16	0	.02		26
27	.13	0	0	0	0	0	0	0	.17	.06	0	0		27
28	.62	0	.05	0	0	0	.12	0	.02	0	0	.03		28
29	.05	.06	.06	0	0	.48	.05	0	0	0	.15	.02		29
30	.03	~~0~~	0	0	.08	.8	0	0	0	.20	0	0		30
31	.31	~~0~~	.19	~~0~~	0	~~0~~	.17	0	~~0~~	.56	~~0~~	.19		31
TOTAL	3.61	1.42	1.03	1.55	.58	3.16	2.24	.41	2.34	1.55	2.61	1.46	21.96	
* Days with .01 in. or more.	22	13	14	11	4	18	19	7	16	10	16	17	467	
* Days with .04 in. or more.	17	12	10	9	3	17	12	4	10	8	13	9	424	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Walter R. King
Borough Surveyor.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Twickenham Refuse Disposal Works
in the County of Middlesex.Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft....in.,, Ground ,, Sea Level 37-1/3rd ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.41	0	0	.08	0	0	0	0	0	0	.55	.73		1
2	0	.14	.01	.46	0	0	0	0	.06	0	0	.55		2
3	0	.15	0	0	0	0	0	0	0	0	0	0		3
4	.03	.40	.20	0	0	0	0	0	0	0	0	.26		4
5	.13	.06	.41	0	0	0	.10	0	0	0	0	0		5
6	.12	.01	.25	0	.25	0	0	0	0	.01	0	0		6
7	0	.50	0	.08	0	0	0	0	.01	.01	0	0		7
8	0	.01	0	0	.03	.08	0	0	0	0	.17	.20		8
9	0	.05	0	.20	.14	.03	.03	0	.24	0	0	.07		9
10	0	0	.35	0	0	.39	.04	.10	0	0	0	.35		10
11	0	0	.13	0	.26	0	.03	0	0	0	0	.05		11
12	.11	.26	.14	0	.27	.51	.04	0	.05	0	0	.10		12
13	.13	.04	.26	0	0	.11	0	3.12	.30	0	0	.90		13
14	.02	.06	.13	0	0	.01	0	.46	.02	0	0	0		14
15	.11	.08	0	.16	0	.03	.17	0	.03	0	0	.02		15
16	.02	.19	.21	.24	0	.01	0	.16	.45	0	0	0		16
17	.29	.02	.11	.04	0	0	0	0	.31	0	0	0		17
18	.27	.04	0	0	.07	.60	0	0	0	0	.13	.04		18
19	.01	.10	0	.06	.05	.13	.07	0	.09	0	0	.12		19
20	.25	.01	.03	.15	.58	.02	0	0	0	0	0	0		20
21	.36	.63	.01	.08	.04	0	.06	0	0	0	0	.01		21
22	.30	.01	.03	0	0	.17	.04	0	0	.68	.36	0		22
23	.25	0	.01	0	.07	0	0	0	0	.36	0	0		23
24	.26	.47	.02	0	0	0	0	0	.09	.19	0	0		24
25	.02	.11	.16	0	.28	0	0	0	.04	.21	0	.01		25
26	0	.16	.02	0	.01	0	0	0	0	.03	0	0		26
27	.02	.09	0	.12	0	0	0	0	0	.48	0	0		27
28	0	.12	0	0	0	0	0	0	0	.07	0	.01		28
29	0	X	0	0	0	0	0	0	0	.03	.01	.02		29
30	.22	X	0	0	0	0	0	0	0	0	.13	0		30
31	.24	X	0	X	0	X	0	0	X	.20	X	.01		31
TOTAL	3.57	3.71	2.48	1.67	2.05	2.09	.58	3.84	1.69	2.27	1.35	3.45	Year's Total 28.75	✓
* Days with .01 in. or more.	21	24	18	11	12	12	9	4	12	11	6	17	157	✓
* Days with .04 in. or more.	15	19	11	11	10	7	7	4	9	7	5	11	116	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Borough Surveyor.

P.T.O.

Section

Station No. 838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Swickham

in the County of Middlesex.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	0.10	.01	-	0.3	.03	-	.01		1
2	0.08	-	-	0.06	0.02	-	.04	-	-	.18	-	.03		2
3	-	-	-	-	0.28	-	-	-	-	.34	.01	-		3
4	-	-	-	-	-	-	-	-	-	.04	-	.06		4
5	0.01	-	-	-	-	-	.10	-	-	.10	-	-		5
6	0.06	-	-	-	-	-	.01	-	.01	-	-	-		6
7	-	-	-	-	-	-	.04	.68	.07	.12	-	.03		7
8	0.11	-	0.01	-	-	-	.12	.01	-	.18	-	.03		8
9	0.04	0.01	0.02	-	-	0.01	-	.18	-	-	-	.54		9
10	0.10	0.03	-	-	-	0.07	-	.11	-	-	-	.05		10
11	0.20	-	-	-	-	-	-	.74	-	-	.16	.07		11
12	0.21	0.01	-	-	0.01	-	-	.39	-	.11	.04	-		12
13	0.25	-	-	-	-	-	-	-	-	.03	.07	.11		13
14	0.21	-	-	-	0.02	-	-	-	.01	-	-	-		14
15	0.06	-	-	-	-	-	.17	-	-	.27	.01	.18		15
16	0.20	-	-	-	-	-	-	.01	-	.03	.04	.97		16
17	-	0.08	-	-	0.02	-	-	-	-	.09	-	-		17
18	0.02	-	-	-	0.02	-	.02	-	.16	-	.28	-		18
19	-	-	-	-	-	-	-	.04	.06	-	.15	-		19
20	-	-	-	-	-	-	-	-	.01	-	.43	.02		20
21	-	-	-	-	-	-	-	.02	.04	-	.03	.45		21
22	-	-	-	-	-	-	-	-	-	-	.12	.25		22
23	-	0.02	-	-	-	-	-	-	.02	-	.02	.02		23
24	-	-	0.06	-	-	-	-	-	.42	-	.05	.02		24
25	0.10	-	0.09	-	0.18	-	.01	.20	.01	.03	.84	.10		25
26	0.18	0.13	0.04	-	-	-	-	-	.23	.21	-	.16		26
27	0.05	0.02	-	0.02	0.01	0.16	.29	.04	.93	.05	.29	-		27
28	0.05	0.04	-	-	0.52	0.02	-	.12	.02	-	-	.08		28
29	0.15	X	-	-	0.07	-	-	-	.01	-	.06	.21		29
30	-	X	-	-	0.02	0.03	-	-	.08	.06	.10	-		30
31	0.10	X	-	X	0.08	X	-	-	X	.10	X	.20		31
TOTAL	2.18	0.34	0.22	0.08	1.25	0.39	.81	2.54	2.11	1.97	2.70	3.59	Year's Total	✓
* Days with .01 in. or more.	19	8	5	2	12	6	10	12	16	17	17	21	145	✓
* Days with .04 in. or more.	17	3	3	1	5	3	6	9	8	13	13	14	95	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Station No. _____

838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wickesham*

in the County of Madison

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	.35	.31	-	-	.48	-	-	-	-	-	1
2	-	-	-	.02	.02	-	-	.55	.80	-	.04	-	-	2
3	.26	-	-	.15	-	-	-	.32	-	-	.22	.14	-	3
4	.10	-	.15	.21	-	-	.04	.98	-	.32	.02	-	-	4
5	-	-	-	.30	-	-	-	-	-	.20	.21	-	-	5
6	.35	-	-	-	.03	-	.22	.03	-	-	.71	.02	-	6
7	.02	.11	-	-	-	-	-	.01	-	.05	.05	.07	-	7
8	-	.04	.11	-	-	-	.01	.02	-	.46	.20	.50	-	8
9	.02	.05	-	-	-	-	-	.01	-	.20	.09	.10	-	9
10	.20	-	-	-	-	.16	-	.09	.06	.07	.01	-	-	10
11	-	-	.21	-	-	.04	-	-	-	.45	.01	-	-	11
12	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	-	-	-	.03	-	-	.05	-	-	.36	-	-	-	13
14	.42	-	.01	-	.04	-	.02	-	-	.34	.37	-	-	14
15	.30	-	.02	-	.58	.15	.03	-	.15	.77	.02	.01	-	15
16	.45	-	.05	.03	.14	.10	-	-	-	-	.87	-	-	16
17	.22	.02	.02	.01	.14	-	.17	-	-	-	.03	-	-	17
18	.14	-	.03	-	-	.10	.11	-	-	.02	.21	-	-	18
19	.19	-	-	-	-	-	.10	-	-	.21	-	-	-	19
20	.26	-	-	-	-	.19	.59	.04	-	-	-	.03	-	20
21	.86	.01	.15	-	-	.04	.23	.55	.10	-	-	-	-	21
22	.10	.20	.10	-	-	.04	.15	-	-	-	.07	-	-	22
23	-	-	.02	.13	-	-	.03	-	-	.01	.51	.02	-	23
24	.16	-	-	.10	-	-	.01	-	-	.19	-	-	-	24
25	.84	.22	.02	-	-	-	-	-	-	-	.42	-	-	25
26	.04	-	-	-	-	-	-	-	-	.24	.19	.03	-	26
27	-	.01	.06	.07	-	-	-	-	-	.10	.21	-	-	27
28	-	.20	.05	.16	-	-	-	-	-	.04	.10	.14	-	28
29	-	-	-	.15	-	-	.01	-	-	.08	.06	-	-	29
30	-	~~X~~	-	.45	-	.04	-	-	-	-	.26	-	-	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.13	-	~~X~~	.03	~~X~~	-	-	31
TOTAL	4.16	.86	1.0	2.16	1.31	.91	1.90	3.08	1.11	5.14	4.88	1.06	27.57	
* Days with .01 in. or more.	19	9	14	14	7	9	16	11	4	19	23	10	155	
* Days with .04 in. or more.	16	6	8	10	5	9	10	7	4	16	18	5	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P. D. O.]

Barrett Engineers M.C.C.

Section

A

for the entry of Daily Observations

Station No.

838

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Swickenhamin the County of Middlesex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.20	-		1
2	-	.03	-	.11	-	-	.04	-	-	.11	.17	-		2
3	-	.05	-	.06	-	-	-	-	-	.12	.20	.07		3
4	-	.08	-	.01	-	-	-	-	-	.10	.09	.04		4
5	-	-	-	-	-	-	-	-	-	.03	.20	.05		5
6	.16	.09	-	-	.01	-	.18	-	-	.13	.04	-		6
7	.26	.06	-	-	.02	-	.08	-	-	-	-	-		7
8	-	-	-	.03	-	-	-	-	.11	.16	.02	.22		8
9	-	-	-	-	-	.26	-	-	.03	.15	.09	.03		9
10	-	-	-	-	-	-	.20	.05	-	.09	.02	-		10
11	-	-	-	.04	-	-	.12	-	-	-	.100	-		11
12	-	-	.11	-	-	-	.08	-	.10	-	-	-		12
13	-	-	.83	-	-	.14	.01	-	.20	-	.96	.01		13
14	-	-	.12	.08	-	-	-	-	-	.02	-	.19		14
15	-	-	.08	.03	.10	-	.37	-	-	.09	.22	.01		15
16	-	.13	.29	.11	-	.06	.45	-	.12	.57	.87	.02		16
17	-	-	.30	-	-	-	.03	-	.03	-	.65	-		17
18	-	.33	.26	.27	-	-	.11	-	-	.14	.29	.12		18
19	-	.29	-	.06	-	-	.02	-	.66	-	.07	.01		19
20	-	.02	-	-	-	-	.09	.01	-	-	.08	-		20
21	-	-	.01	-	.24	-	.19	-	-	.08	.37	-		21
22	-	-	.01	-	.44	.31	-	-	.07	.03	-	-		22
23	-	.03	.01	.19	.10	.01	-	-	-	-	-	-		23
24	-	-	-	.15	-	-	.29	-	-	-	-	.02		24
25	-	-	.61	-	-	-	.05	-	-	-	-	-		25
26	~~.16~~	.05	.57	.09	.15	.04	-	-	-	-	-	-		26
27	~~.06~~	.24	-	.02	-	-	-	-	-	-	-	-		27
28	~~.16~~	-	-	.06	.05	-	-	-	-	-	-	-		28
29	~~.16~~	.03	.05	-	.06	-	-	-	-	-	-	.12		29
30	~~.16~~	~~.16~~	-	.26	-	-	-	-	-	.05	-	-		30
31	~~.16~~	~~.16~~	-	~~.16~~	-	~~.16~~	-	-	~~.16~~	.56	~~.16~~	-		31
TOTAL	2.428	1.43	3.25	1.57	1.17	1.32	2.31	.06	1.32	2.43	6.54	.91	Year's Total	24.79
* Days with .01 in. or more.	64	13	13	16	9	6	16	2	8	16	18	13	136	
* Days with .01 in. or more.	64	9	10	12	7	5	13	1	6	11	16	7	103	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

H. D. Morgan

[P.T.O.]

FORM 1090

Kept at **Mogden Purification Works**

in the County of **Middlesex**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **1** ft.

Ground Sea Level **33.5**

THE MORNING MEASUREMENT SHEET

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	Trace	Trace	.07	-	-	-	-	Trace	-	.65	.66		1
2	Trace	.14	.02	.49	-	-	-	-	.12	Trace	-	.62		2
3	-	.15	Trace	-	-	-	-	-	-	-	-	.02		3
4	.04	.44	-	-	Trace	-	-	-	-	-	-	.27		4
5	.16	.07	.23	-	-	-	.09	-	-	Trace	Trace	-		5
6	.02	.01	.51	Trace	.27	-	.01	-	-	.02	.01	-		6
7	-	.56	.13	.09	-	-	-	-	.06	.01	-	-		7
8	-	.01	-	Trace	.02	.07	-	-	-	-	.14	.19		8
9	-	.06	-	.27	.12	.02	.04	Trace	.24	-	-	.04		9
10	Trace	-	.37	.03	.20	.35	.03	.10	-	-	-	.37		10
11	-	Trace	.14	-	.14	-	.02	-	-	Trace	-	.03		11
12	.11	.28	.20	Trace	.27	.53	.01	.03	.04	-	-	.10		12
13	.13	.04	.32	.01	Trace	.08	-	1.94	.51	-	-	.90		13
14	.01	.03	.14	Trace	-	Trace	-	.41	.02	-	-	Trace		14
15	.09	.08	-	.12	-	.09	.14	-	.07	-	-	.03		15
16	.04	.12	.17	.27	-	.08	-	.21	.57	-	-	-		16
17	.25	Trace	.12	.06	-	-	-	-	.24	Trace	Trace	-		17
18	.23	.04	Trace	Trace	.08	.55	-	-	-	-	.13	.05		18
19	.01	.09	.02	.09	.03	.13	.43	-	.06	-	-	.12		19
20	.23	.01	.02	.18	.58	.01	-	-	.01	Trace	-	-		20
21	.33	.68	Trace	.09	Trace	-	.05	-	-	-	.36	Trace		21
22	.29	.01	Trace	-	Trace	.14	.04	-	-	.71	-	.03		22
23	.24	Trace	.01	-	.06	-	-	-	-	.18	-	Trace		23
24	.25	.49	.03	-	-	-	-	-	.10	.16	-	Trace		24
25	.04	.19	.16	-	.20	-	-	-	.02	.20	Trace	.01		25
26	Trace	.23	.02	-	.03	-	-	-	-	.04	Trace	-		26
27	.02	.09	Trace	.12	-	-	-	-	Trace	.61	-	-		27
28	Trace	.01	-	.02	-	Trace	-	-	-	.08	-	.01		28
29	.03	X	-	-	-	.01	-	-	Trace	.01	.03	.02		29
30	.16	X	-	-	-	-	-	-	-	-	.15	Trace		30
31	.25	X	-	X	-	X	-	-	X	.18	X	.01		31
TOTAL	3.35	3.92	2.61	1.91	2.00	2.06	.86	2.69	2.06	2.20	1.47	3.48	28.61	
* Days with .01 in. or more.	22	23	17	14	12	12	10	5	13	11	7	18	164	
* Days with .04 in. or more.	17	18	11	11	9	9	6	4	10	8	5	10	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

C.B. Townsend

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

838/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Mogden Purification Works Isleworth

in the County of Middlesex

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 1 ft. 0 in.

„ Ground „ Sea Level 33.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	Trace	Trace	.07	-	-	-	-	Trace	-	.65	.66		1
2	Trace	.14	.02	.49	-	-	-	-	.12	Trace	-	.62		2
3	-	.15	Trace	-	-	-	-	-	-	-	-	.02		3
4	.04	.44	-	-	Trace	-	-	-	-	-	-	.27		4
5	.16	.07	.23	-	-	-	.09	-	-	Trace	Trace	-		5
6	.02	.01	.51	Trace	.27	-	.01	-	-	.02	.01	-		6
7	-	.56	.13	.09	-	-	-	-	.06	.01	-	-		7
8	-	.01	-	Trace	.02	.07	-	-	-	-	.14	.19		8
9	-	.06	-	.27	.12	.02	.04	Trace	.24	-	-	.04		9
10	Trace	-	.37	.03	.20	.35	.03	.10	-	-	-	.37		10
11	-	Trace	.14	-	.14	-	.02	-	-	Trace	-	.03		11
12	.11	.28	.20	Trace	.27	.53	.01	.03	.04	-	-	.10		12
13	.13	.04	.32	.01	Trace	.08	-	1.94	.51	-	-	.90		13
14	.01	.03	.14	Trace	-	Trace	-	.41	.02	-	-	Trace		14
15	.09	.08	-	.12	-	.09	.14	-	.07	-	-	.03		15
16	.04	.12	.17	.27	-	.08	-	.21	.57	-	-	-		16
17	.25	Trace	.12	.06	-	-	-	-	.24	Trace	Trace	-		17
18	.23	.04	Trace	Trace	.08	.55	-	-	-	-	.13	.05		18
19	.01	.09	.02	.09	.03	.13	.43	-	.06	-	-	.12		19
20	.23	.01	.02	.18	.58	.01	-	-	.01	Trace	-	-		20
21	.33	.68	Trace	.09	Trace	-	.05	-	-	-	.36	Trace		21
22	.29	.01	Trace	-	Trace	.14	.04	-	-	.71	-	.03		22
23	.24	Trace	.01	-	.06	-	-	-	-	.18	-	Trace		23
24	.25	.49	.03	-	-	-	-	-	.10	.16	-	Trace		24
25	.04	.19	.16	-	.20	-	-	-	.02	.20	Trace	.01		25
26	Trace	.23	.02	-	.03	-	-	-	-	.04	Trace	-		26
27	.02	.09	Trace	.12	-	-	-	-	Trace	.61	-	-		27
28	Trace	.01	-	.02	-	Trace	-	-	-	.08	-	.01		28
29	.03	X	-	-	-	.01	-	-	Trace	.01	.03	.02		29
30	.16	X	-	-	-	-	-	-	-	-	.15	Trace		30
31	.25	X	-	X	-	X	-	-	X	.18	X	.01		31
TOTAL	3.35	3.92	2.61	1.91	2.00	2.06	.86	2.69	2.06	2.20	1.47	3.48	28.61	Year's Total
* Days with .01 in. or more.	22	23	17	14	12	12	10	5	13	11	7	18	164	
* Days with .04 in. or more.	17	18	11	11	9	9	6	4	10	8	5	10	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

CB Townsend

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 838/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Mogden Purification Works,
in the County of Middlesex Isleworth

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level 33.50...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	trace	.01	-	.01	.09	trace	-	.02	trace	-	.01		1
2	.09	trace	-	.05	.10	-	.02	-	-	.16	-	.03		2
3	trace	-	-	-	.20	-	-	-	trace	.43	trace			3
4	.01	-	trace	trace	-	-	.06	trace	-	.03	trace	.05		4
5	-	-	-	trace	-	trace	.09	-	trace	.11	-	-		5
6	.04	-	-	-	-	trace	trace	-	.04	trace	trace	-		6
7	trace	-	trace	-	-	trace	.05	.70	.18	.13	trace	.02		7
8	.10	-	-	-	-	-	.11	trace	-	.26	-	trace		8
9	.04	trace	-	-	-	.01	-	.29	-	trace	-	.51		9
10	.10	.06	-	-	-	.02	trace	.08	-	-	-	.03		10
11	.24	trace	-	-	-	-	trace	1.13	-	-	.14	.05		11
12	.23	trace	-	-	.01	-	-	.28	-	.17	.02	-		12
13	.23	trace	-	-	trace	-	-	trace	-	.03	.05	.10		13
14	.17	trace	trace	-	.02	-	trace	-	.02	-	trace	-		14
15	.06	.01	-	-	trace	-	.23	-	-	.25	.02	.18		15
16	.22	trace	trace	-	trace	-	-	trace	-	trace	.02	.89		16
17	trace	.07	-	-	.03	-	-	-	trace	.08	-	-		17
18	.02	-	-	-	.02	-	trace	-	.12	-	.20	trace		18
19	-	-	-	-	trace	-	-	.02	.14	-	.15	trace		19
20	-	trace	-	-	trace	-	-	trace	.01	-	.43	trace		20
21	trace	-	-	-	-	-	-	trace	.04	-	.02	.37		21
22	trace	-	-	trace	-	trace	-	.03	-	-	.11	.25		22
23	-	-	-	.01	trace	-	-	-	.03	-	.01	trace		23
24	-	-	.07	trace	trace	-	-	-	.40	trace	.04	trace		24
25	.10	.01	.09	trace	.12	-	.02	.21	trace	.03	.99	.11		25
26	.15	.12	.04	-	-	-	-	-	.23	.20	-	.18		26
27	.06	.02	-	.01	.03	.16	.27	.04	.77	.06	.28	-		27
28	.07	.04	-	trace	.47	.02	-	.32	.03	-	-	.06		28
29	.17	X	-	trace	.06	-	-	-	trace	-	.06	.22		29
30	trace	X	-	trace	.03	.05	-	-	.08	.06	.11	trace		30
31	.09	X	-	X	.08	X	-	-	X	.10	X	.18		31
TOTAL	2.19	.33	.21	.07	1.18	.35	.85	3.10	2.11	2.10	2.65	3.24	Year's Total 18.38	✓
* Days with .01 in. or more.	19	7	4	3	13	6	8	10	14	15	16	17	132	✓
* Days with .04 in. or more.	17	4	3	1	6	3	6	8	9	12	11	13	93	✓

† Spare column, no entries required.

(Signed)

C. B. Torouev

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 838/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Mogden Sewage Purification Wks,
in the County of Middlesex, Isleworth

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....0.....in.
,, Ground ,, Sea Level 33.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	trace	.43	.31	-	-	.50	.14	-	-	trace		1
2	trace	-	-	.02	.02	-	-	.61	.76	-	.04	-		2
3	.27	-	-	.20	-	-	-	.25	-	trace	.22	.12		3
4	.10	trace	.13	.12	trace	-	.05	.95	-	.31	.02	-		4
5	-	trace	trace	.03	trace	-	trace	trace	-	.17	.19	.02		5
6	.36	-	-	trace	.09	-	.18	.03	-	-	.72	.03		6
7	.01	.08	-	-	-	-	-	.01	-	.03	.06	.08		7
8	trace	.04	.10	-	-	-	.01	.04	-	.47	.17	.27		8
9	.02	.05	-	-	-	-	-	.01	-	.17	.03	.12		9
10	.18	-	-	-	trace	.22	-	.11	.03	.04	.01	-		10
11	-	-	.18	-	trace	.04	-	-	-	.35	.35	-		11
12	-	trace	-	-	trace	trace	-	-	.01	trace	trace	-		12
13	trace	-	-	.02	-	trace	.05	-	.01	1.32	-	-		13
14	.38	-	trace	.01	.03	.02	.01	-	trace	.21	.41	.01		14
15	.29	-	.02	-	.52	.16	.03	-	.09	.78	.14	.01		15
16	.43	-	.06	.02	.15	.09	trace	-	trace	-	.33	-		16
17	.21	.02	.02	.01	.09	trace	.09	-	-	-	.02	-		17
18	.14	-	.02	-	-	.09	.14	-	-	.09	.21	-		18
19	.18	-	trace	-	-	-	.03	-	-	.12	trace	trace		19
20	.23	-	trace	-	-	.14	.59	.07	-	-	-	.03		20
21	.06	.01	.15	-	-	.04	.16	.66	.09	-	-	-		21
22	.09	.18	.09	trace	-	.06	.04	-	-	-	.07	-		22
23	trace	-	.02	.11	-	trace	.02	trace	trace	.03	.55	.01		23
24	.30	-	trace	.04	-	trace	.01	-	-	.12	trace	.01		24
25	.74	.16	.02	trace	trace	-	.02	trace	-	.04	.41	trace		25
26	.04	-	trace	trace	-	-	-	trace	-	.19	.24	trace		26
27	trace	.01	.04	.07	-	trace	-	trace	trace	.09	.15	-		27
28	-	.21	.05	.15	-	.01	.02	-	-	.04	.09	.10		28
29	-	-	-	.22	-	-	.01	-	-	.05	.06	-		29
30	-	X	-	.46	-	.05	-	-	-	trace	.23	.01		30
31	-	X	-	X	-	X	.06	trace	X	.02	X	trace		31
TOTAL	4.04	.76	.90	1.91	1.21	.92	1.52	3.24	1.13	4.64	4.37	.82	Year's Total 25.46	
* Days with .01 in. or more.	19	9	13	15	7	11	18	11	7	20	22	13	165	
* Days with .04 in. or more.	16	6	8	9	5	9	9	8	4	17	18	4	113	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

C. B. Townsend

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 838/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Mogden Purification Works, Isleworth

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	.01	-	-	-	-	-	-	.14	trace		1
2	-	.05	-	.11	-	-	.06	-	-	.14	.45	trace		2
3	-	.18	-	.06	-	-	-	-	-	.05	1.20	.07		3
4	trace	.08	-	trace	-	-	-	-	-	.11	.11	.04		4
5	.01	trace	-	-	-	-	.03	-	-	.04	.24	.06		5
6	.18	.08	-	-	.01	-	.16	-	-	.13	.04	-		6
7	.24	.05	-	.01	.04	-	.12	-	-	-	-	-		7
8	trace	-	-	.02	-	-	trace	-	.04	.14	.01	.23		8
9	-	-	-	.01	-	.71	-	.06	.03	.14	.09	.03		9
10	-	-	trace	-	-	-	.21	-	trace	.02	.03	.01		10
11	-	-	trace	.02	-	-	.27	-	-	-	.99	-		11
12	-	trace	.09	-	-	-	.08	-	.16	-	trace	-		12
13	-	trace	1.11	.01	-	.21	.01	-	.18	-	.90	trace		13
14	-	-	.10	.10	-	-	.01	trace	-	.01	trace	.20		14
15	-	-	.03	.01	.10	-	.26	-	.04	.04	.24	.01		15
16	trace	.04	.37	.12	-	.03	.37	-	.13	.61	.81	.03		16
17	-	-	.34	-	-	-	.06	-	trace	.01	.66	.01		17
18	-	.33	.03	.24	-	-	.08	-	.02	.10	.33	.11		18
19	-	.30	.01	.05	-	-	.03	-	.67	-	.12	.01		19
20	-	.01	.01	.01	-	-	.05	.02	trace	.05	.04	-		20
21	.01	-	-	-	.41	-	.42	-	-	.03	.41	-		21
22	trace	trace	.02	trace	.30	.29	trace	-	.09	.01	-	-		22
23	-	.05	.02	.16	.04	trace	trace	trace	-	trace	-	.01		23
24	-	-	-	.13	-	-	.23	-	-	-	trace	.01		24
25	-	-	.67	-	-	-	.06	-	-	trace	-	-		25
26	1.02	.04	.41	.06	.10	.10	trace	-	-	-	-	-		26
27	.05	.24	-	.07	.01	-	.08	-	-	-	-	-		27
28	.26	-	-	-	.05	-	-	-	-	-	-	.01		28
29	.01	.03	.06	-	.06	-	-	-	-	-	-	.27		29
30	.09	X	-	.29	-	-	-	-	-	.05	-	.01		30
31	.02	X	-	X	-	X	-	-	X	.58	X	.01		31
TOTAL	1.89	1.49	3.27	1.49	1.12	1.34	2.59	.08	1.36	2.26	6.81	1.13	24.83	Year's Total
* Days with .01 in. or more.	10	14	14	19	10	5	19	2	9	18	18	18	156	
* Days with .04 in. or more.	6	11	9	11	8	4	15	1	7	13	16	7	107	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.F.O.]

LONGFORD (PERRY/OAKS DISPO
COP

Section **A** for the entry of Daily Ob
AIR MINISTRY.—MET
FORM 1090

REGISTER

Kept at Perry Oaks Disposal W
in the County of Middlesex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1

Ground Sea Level 77

THE MORNING MEASUREMENT S

838/4
LONGFORD

PERRY/OAKS D.W.

1938-1940

Station No. 838/4
L ORGANIZATION

B.

68366/36

DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.03	-	.01	.09	-	-	.02	.01	-	.01		1
2	.05	-	-	.05	.02	-	-	-	-	.15	-	.02		2
3	-	-	-	-	.27	-	-	-	-	.55	trace	-		3
4	.04	-	-	-	-	-	-	.16	-	.05	-	.13		4
5	-	-	-	-	-	trace	.10	trace	trace	.10	-	-		5
6	.03	-	-	-	-	.01	.06	-	.04	trace	-	-		6
7	-	-	-	-	-	-	.27	.76	.03	.11	-	.01		7
8	-	-	-	-	-	-	.13	-	-	.33	-	-		8
9	.21	.01	-	-	-	trace	trace	.32	-	-	-	.58		9
10	.12	.04	-	-	-	.08	trace	.12	-	-	-	.06		10
11	.23	-	-	-	-	-	-	.06	-	-	.23	.04		11
12	.24	-	-	-	.02	-	-	.56	-	.16	.01	-		12
13	.15	-	-	-	-	-	-	trace	-	.03	.08	.08		13
14	.25	-	-	-	.05	-	.03	-	-	-	trace	.14		14
15	.10	-	-	-	-	-	.13	-	-	.26	.01	-		15
16	.30	-	-	-	-	-	-	trace	-	.01	.01	.47		16
17	-	.07	-	-	-	-	-	-	-	.06	trace	-		17
18	.03	-	-	-	.02	-	-	-	.14	.02	.26	-		18
19	-	-	-	-	-	-	-	.06	.11	-	.13	-		19
20	-	-	-	-	-	-	-	trace	trace	-	.53	.03		20
21	-	-	-	-	-	-	-	.01	.05	-	.05	.38		21
22	-	-	-	-	-	trace	-	-	-	-	.13	.23		22
23	-	-	-	.02	-	-	-	-	.02	-	-	-		23
24	-	-	.09	-	.03	-	-	-	.23	-	.06	-		24
25	.12	-	.08	-	.08	-	.02	.02	.01	.03	1.14	.08		25
26	.15	.12	.03	-	-	-	-	-	.28	.16	-	.13		26
27	.07	-	-	-	.05	.25	.19	.05	.38	.10	.31	-		27
28	.04	.02	-	-	.71	.02	-	.35	.05	-	-	.11		28
29	.18	X	-	-	.14	.07	-	-	.02	-	.10	.19		29
30	-	X	-	.01	.07	trace	-	-	.04	.03	.15	-		30
31	.14	X	-	X	.10	X	-	-	X	.11	X	.19		31
TOTAL	2.45	.26	.23	.08	1.57	.52	.93	2.47	1.42	2.27	3.20	2.88	Year's Total	18.28
* Days with .01 in. or more.	18	5	4	3	13	6	8	11	14	18	15	18	133	✓
* Days with .04 in. or more.	16	3	2	1	8	4	6	9	9	12	12	14	96	✓ 21/3/39

C.B. TOWNEND ESQ., C.E.

* See Instruction 3 (f) on other side.

Spare column, no entries required.

(Signed)

C.B. Townend

[P.T.O.]

Section **A** for the entry of Daily Observations

Station No.

838/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Perry Oaks Disposal Works.....

in the County of Middlesex.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

„ Ground „ Sea Level 77.30.....ft.

5868366/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.03	-	.01	.09	-	-	.02	.01	-	.01		1
2	.05	-	-	.05	.02	-	-	-	-	.15	-	.02		2
3	-	-	-	-	.27	-	-	-	-	.55	trace	-		3
4	.04	-	-	-	-	-	-	.16	-	.05	-	.13		4
5	-	-	-	-	-	trace	.10	trace	trace	.10	-	-		5
6	.03	-	-	-	-	.01	.06	-	.04	trace	-	-		6
7	-	-	-	-	-	-	.27	.76	.03	.11	-	.01		7
8	-	-	-	-	-	-	.13	-	-	.33	-	-		8
9	.21	.01	-	-	-	trace	trace	.32	-	-	-	.58		9
10	.12	.04	-	-	-	.08	trace	.12	-	-	-	.06		10
11	.23	-	-	-	-	-	-	.06	-	-	.23	.04		11
12	.24	-	-	-	.02	-	-	.56	-	.16	.01	-		12
13	.15	-	-	-	-	-	-	trace	-	.03	.08	.08		13
14	.25	-	-	-	.05	-	.03	-	-	-	trace	.14		14
15	.10	-	-	-	-	-	.13	-	-	.26	.01	-		15
16	.30	-	-	-	-	-	-	trace	-	.01	.01	.47		16
17	-	.07	-	-	-	-	-	-	-	.06	trace	-		17
18	.03	-	-	-	.02	-	-	-	.14	.02	.26	-		18
19	-	-	-	-	-	-	-	.06	.11	-	.13	-		19
20	-	-	-	-	-	-	-	trace	trace	-	.53	.03		20
21	-	-	-	-	-	-	-	.01	.05	-	.05	.38		21
22	-	-	-	-	-	trace	-	-	-	-	.13	.23		22
23	-	-	-	.02	-	-	-	-	.02	-	-	-		23
24	-	-	.09	-	.03	-	-	-	.23	-	.06	-		24
25	.12	-	.08	-	.08	-	.02	.02	.01	.03	1.14	.08		25
26	.15	.12	.03	-	-	-	-	-	.28	.16	-	.13		26
27	.07	-	-	-	.05	.25	.19	.05	.38	.10	.31	-		27
28	.04	.02	-	-	.71	.02	-	.35	.05	-	-	.11		28
29	.18	X	-	-	.14	.07	-	-	.02	-	.10	.19		29
30	-	X	-	.01	.07	trace	-	-	.04	.03	.15	-		30
31	.14	X	-	X	.10	X	-	-	X	.11	X	.19		31
TOTAL	2.45	.26	.23	.08	1.57	.52	.93	2.47	1.42	2.27	3.20	2.88	Year's Total	18.28
* Days with .01 in. or more.	18	5	4	3	13	6	8	11	14	18	15	18		133
* Days with .04 in. or more.	16	3	2	1	8	4	6	9	9	12	12	14		96

C.B. TOWNEND ESQ., C.E.

* See Instruction 3 (f) on other side.

Spare column, no entries required.

(Signed)

C.B. Townend

[P.T.O.]

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Perry Oaks Sludge Disposal Wks,
in the County of Middlesex
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground....1..ft....0...in.
„ Ground „ Sea Level 77.30.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.47	.25	-	-	.42	-	-	-	trace		1
2	.02	-	-	.02	-	-	-	.77	.54	-	.02	-		2
3	.33	-	-	.23	-	-	-	.25	-	-	.25	.20		3
4	.08	-	.18	.17	-	-	.04	.51	-	.44	.03	trace		4
5	-	-	trace	.39	.08	-	.02	.04	-	.20	.25	.10		5
6	.36	-	-	.02	.29	-	.26	.03	-	-	.58	.03		6
7	.01	.08	-	-	-	-	-	.01	-	trace	.15	.12		7
8	-	.04	.09	-	-	-	trace	.19	-	.53	.15	.28		8
9	.02	.05	-	-	-	-	-	.01	-	.16	.05	.15		9
10	.24	-	-	-	-	.24	-	.20	trace	.10	.03	trace		10
11	-	-	.17	-	trace	.08	-	-	-	.25	.01	trace		11
12	-	trace	-	-	-	-	-	-	-	trace	-	-		12
13	-	-	-	trace	-	-	.01	-	-	1.22	-	-		13
14	.43	-	trace	-	.02	-	.01	-	-	.17	.30	-		14
15	.26	-	.01	-	.49	.30	trace	-	.17	.65	.16	-		15
16	.42	-	.04	.02	.13	.07	.07	-	.08	trace	.31	.02		16
17	.15	.01	trace	.04	.05	-	-	-	-	-	.03	-		17
18	.17	-	.03	-	-	.12	.15	-	-	.06	.20	-		18
19	.20	-	trace	-	-	-	.08	-	-	.05	trace	-		19
20	.18	-	trace	-	-	.15	.53	.05	-	-	-	.02		20
21	.04	.05	.14	-	-	.02	.47	-	.08	-	-	-		21
22	.11	.31	.06	-	-	.07	.07	-	-	-	.05	-		22
23	trace	-	-	.12	-	trace	.03	trace	-	.02	.57	-		23
24	.42	-	trace	-	-	trace	.02	-	-	.17	-	.01		24
25	.72	.14	.04	-	-	-	.08	.01	-	.02	.40	-		25
26	.22	-	trace	trace	-	-	trace	-	-	.19	.27	.02		26
27	-	.02	.05	.01	-	-	.05	-	-	-	.17	-		27
28	trace	.27	.05	-	-	.01	.24	-	trace	.04	.13	.12		28
29	-	-	-	.26	-	-	trace	-	-	.07	.05	-		29
30	-	~~X~~	-	.48	-	.04	-	-	-	-	.20	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	trace	~~X~~	trace	~~X~~	.03		31
TOTAL	4.38	.97	.86	2.23	1.31	1.10	2.13	2.49	.87	4.34	4.36	1.10	Year's Total	26.14
* Days with .01 in. or more.	19	9	11	12	7	10	16	12	4	17	23	12		152
* Days with .04 in. or more.	16	7	9	8	6	8	11	8	4	15	18	6		116

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) C.B. Townsend P.T.O.

Section

A

for the entry of Daily Observations

Station No. 838/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Perry Oaks Sludge Disposal Works

in the County of Middlesex

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level ...77.30...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.12	-		1
2	-	.07	-	.09	-	-	.06	-	-	.10	.50	-		2
3	-	.20	-	.05	-	-	-	-	-	.12	1.26	.04		3
4	-	.08	-	.01	-	-	-	-	-	.14	.08	.04		4
5	-	.05	-	-	-	-	.05	-	-	.06	.25	.06		5
6	.18	.14	-	-	.03	-	.30	-	-	.15	.04	-		6
7	.24	.08	-	-	.04	-	.18	-	-	-	-	-		7
8	trace	-	-	.03	-	-	-	-	.05	.14	-	.22		8
9	-	-	-	-	-	-	-	-	.03	.15	.08	.03		9
10	-	-	-	-	-	-	.12	.04	-	.10	.05	.01		10
11	-	-	-	.03	-	-	.03	-	-	-	.92	-		11
12	-	trace	.09	-	-	.04	.09	-	.12	-	-	-		12
13	-	-	.85	-	-	.22	-	-	.23	-	.92	-		13
14	-	-	.10	.12	.01	-	-	trace	-	.08	-	.20		14
15	-	-	.05	trace	.06	-	.36	-	trace	trace	.27	.02		15
16	.02	.15	.38	.03	-	.02	.31	-	.21	.65	.96	.03		16
17	-	-	.35	-	-	-	.04	-	-	-	.52	-		17
18	-	.31	.20	.28	-	-	.06	.02	-	.16	.20	.10		18
19	-	.20	.06	.09	-	-	-	-	.76	-	.11	-		19
20	-	trace	-	.01	-	-	.10	.02	-	.03	.07	-		20
21	trace	trace	.02	-	.33	-	.09	.02	trace	.05	.32	-		21
22	-	-	.03	-	.43	.44	-	-	.04	-	-	-		22
23	-	.08	.02	.24	.05	.01	-	-	-	-	-	-		23
24	-	-	.03	.17	-	-	.15	-	-	-	-	trace		24
25	-	-	.55	-	-	-	.09	-	-	-	-	-		25
26	1.05	.08	.37	.16	.23	.08	-	-	-	-	-	-		26
27	.04	.20	-	.36	.01	-	.12	-	-	-	-	-		27
28	.58	-	-	trace	.05	-	-	-	-	-	-	-		28
29	trace	.10	.07	-	.44	-	-	-	-	-	-	.25		29
30	.09	X	-	.18	-	-	-	-	-	.07	-	trace		30
31	.05	X	-	X	-	X	-	-	X	.64	X	.01		31
TOTAL	2.25	1.74	3.17	1.85	1.68	.81	2.15	.10	1.44	2.64	6.67	1.01	Year's Total	25.51
* Days with .01 in. or more:	8	13	15	15	11	6	16	4	7	15	17	12		139
* Days with .04 in. or more:	7	13	11	10	8	4	15	1	6	14	17	7		113

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

C. B. Townsend

[P.T.O.]

Section **A** for the entry
AIR MINIS
FORM 1090

838/4/5
HOUNDSLOW
1940 ONLY

Station No. 838/4/5
SH RAINFALL ORGANIZATION
N 19340
Date of 200688/40

REG
Kept at ... Houns
in the County of ... Mid
Diameter of Funnel of Gauge...
Height of top of Gauge above
Ground
THE MORNING MEAS

780203

PREVIOUS DAY

Jan. 1, following

An observer who does not conform to the requirements of this paragraph.

any 1st of the following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											15			1
2							07			06	43			2
3										18	124	08		3
4										13	13	04		4
5							05			04	25	06		5
6							19			14	08			6
7					05		17		02	TRACE				7
8					78					16	02			8
9									03	06	09	23		9
10						30	14			17	04	03		10
11											101	TRACE		11
12							26		16					12
13						08			23		84			13
14										04	TRACE	21		14
15					10		33				18	TRACE		15
16							38		18	62	84	03		16
17									04		69			17
18										12	30	12		18
19							17		73		03	TRACE		19
20							10					01		20
21					11	trace	33			08	48			21
22					50	47			06	01	06			22
23					09	01				TRACE	TRACE	01		23
24							15				TRACE			24
25							07			TRACE				25
26					19	04								26
27					02									27
28					06					TRACE				28
29					08							28		29
30		X								06		TRACE		30
31		X	X			X			X	55	X	02		31
TOTAL	Commenced recording 11/1/1940				120	90	241	04	145	242	686	112		31st 1940
* Days with .01 in. or more.	11/1/1940				9	5	13	0	8	15	18	12	..	up imp.
* Days with .04 in. or more.	11/1/1940				8	4	13	0	6	14	16	7	..	WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ... Miller ... P.T.O.

Section

A

for the entry of Daily Observations

Station No.

838/45

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940Kept at Hounslowin the County of MiddlesexDiameter of Funnel of Gauge 4 in.Height of top of Gauge above Ground 2 ft. in.,, Ground ,, Sea Level ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											15			1
2							07			06	43			2
3										18	124	08		3
4										13	13	04		4
5							05			04	25	06		5
6							19			14	08			6
7					05		17		02	TRACE				7
8					10					16	02			8
9									03	06	09	23		9
10						30	14			17	04	03		10
11											10	1	TRACE	11
12							26		16					12
13						08			23		84			13
14										04	TRACE	21		14
15					10		33				18	TRACE		15
16							38		18	62	84	03		16
17									04		69			17
18										12	30	12		18
19							17		73		03	TRACE		19
20							10					01		20
21					11	trace	33			08	48			21
22					50	47			06	01	06			22
23					09	01				TRACE	TRACE	01		23
24							15				TRACE			24
25							07			TRACE				25
26					19	04								26
27					02									27
28					06					TRACE				28
29					08							28		29
30		X								06		TRACE		30
31		X	X			X			X	55	X	02		31
TOTAL.	Commenced 10/1/40				120	90	241	04	145	242	686	112		31st 1940
* Days with .01 in. or more.	10				9	5	13	0	8	15	18	12	..	up imp.
* Days with .04 in. or more.	10				8	4	13	0	6	14	16	7	..	WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. W. Miller

P.T.O.

838/5
SIPSON
1934 - 1940

Station No. **838/5**
RAINFALL ORGANIZATION.
1934. 11/11 Middlesex
c 1934

Kept at Widley
in the County of Widley

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou.....
,, Ground ,, Sea

THE MORNING MEASUREMENT **OUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02							.17	.58	.02	.02	.41		1
2	.06		.10		.17					.18		.18		2
3	.01	.02		.12						.28		.02		3
4	.06		.09	.07	.02					.06	.08	.34		4
5	.01				.05			.02			.03	.40		5
6			.30		.26			.05		.16		.38		6
7	.04									.11		.17		7
8					.08			.02	.15		.30	.02		8
9	.01		.02								.71	.30		9
10			.20	.12				.02			.22	.02		10
11	.25		.31	.06			.04	.04				.13		11
12	.05		.22				.12	.35				.06		12
13	.26		.21				.67	.05			.02	.11		13
14	.06		.24		.01	.01					.24	.36		14
15	.05		.08		.03					.07	.08	.34		15
16	.12		.15							.11				16
17				.02						.02	.02	.10		17
18	.11			.09			.16					.09		18
19			.20						.09	.02		.11		19
20			.12				.19	.01			.02	.02		20
21				.13		.16		.01		.02				21
22								.48	.18			.06		22
23				.20		.26	1.40	.02				.05		23
24		.02	.07	.12		.07	.29		.30		.02			24
25	.15	.08		.09		.11				.02		.32		25
26	.03			.18		.05			.02			.03		26
27	.09			.30		.21						.24		27
28		.06		.02		.04		.96			.04	.18		28
29									.18			.02		29
30	.04	X						.11				.15		30
31	.06	X		X		X			X	.22	X	.05		31
TOTAL	1.48	.18	2.31	1.52	.62	.91	2.87	2.31	1.50	1.29	1.80	4.66	21.45	
*Days with "or in. or more.	19	4	14	13	7	8	7	14	7	13	13	28	147	
*Days with .04 in. or more.	14	2	13	11	4	7	7	8	6	8	7	22	109	

SIPSON

COPY FOR OFFICIAL USE.

838/5

Section A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Middlesex

Kept at

Sipson

in the County of

Middlesex

Diameter of Funnel of Gauge

5"

in.

Height of top of Gauge above Ground

1

ft.

2

in.

Ground

Sea Level

95

ft.

Labels

Very Good agreement found

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02							.17	.58	.02	.02	.41		1
2	.06		.10		.17					.18		.18		2
3	.01	.02		.12						.28		.02		3
4	.06		.09	.07	.02					.06	.08	.34		4
5	.01				.05			.02			.03	.40		5
6			.30		.26			.05		.16		.38		6
7	.04									.11		.17		7
8					.08			.02	.15		.30	.02		8
9	.01		.02								.71	.30		9
10			.20	.12				.02			.22	.02		10
11	.25		.31	.06			.04	.04				.13		11
12	.05		.22				.12	.35				.06		12
13	.26		.21				.67	.05			.02	.11		13
14	.06		.24		.01	.01					.24	.36		14
15	.05		.08		.03					.07	.08	.34		15
16	.12		.15							.11				16
17				.02						.02	.02	.10		17
18	.11			.09			.16					.09		18
19			.20						.09	.02		.11		19
20			.12				.19	.01			.02	.02		20
21				.13		.16		.01		.02				21
22								.48	.18			.06		22
23				.20		.26	1.40	.02				.05		23
24		.02	.07	.12		.07	.29		.30		.02			24
25	.15	.08		.09		.11				.02		.32		25
26	.03			.18		.05			.02			.03		26
27	.09			.30		.21						.24		27
28		.06		.02		.04		.96			.04	.18		28
29									.18			.02		29
30	.04	X						.11				.15		30
31	.06	X		X		X			X	.22	X	.05		31
TOTAL	1.48	.18	2.31	1.52	.62	.91	2.87	2.31	1.50	1.29	1.80	4.66	21.45	
*Days with or in. or more.	19	4	14	13	7	8	7	14	7	13	13	28	147	
*Days with .04 in. or more.	14	2	13	11	4	7	7	8	6	8	7	22	199	

Section

A

for the entry of Daily Observations.

Station No.

833/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wimbury Siphon.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

Ground Sea Level 95 ft.

Totals.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.05		.03	.08	.08	.88			.06	.16			1
2									.05	.08	.04			2
3		.03	.04	.03		.12			.20	.68	.14			3
4				.13		.20			.31	.06		.06		4
5		.08	.02	.02		.08			.32	.02				5
6	.03			.26		.39				.02	.08	.03		6
7				.50		.06				.03	1.02	.14		7
8				.35						.21	.26	.05		8
9				.18		.57				.57	.16			9
10	.01					.02					.08	.02		10
11	.25			.10		.05	.12				.24			11
12						.07		.05	.01		.67			12
13	.09	.13		.16	.11									13
14				.03	.12	.06					.06	.09		14
15		.17		.31		.37			.11		.20	.05		15
16		.10	.01	.07		.06			.21		.39	.04		16
17						.17		.02	.03		.21			17
18				.18	.02	.09	.06		.21	.01	.02			18
19					.16	.08	.04		.01		.11	.07		19
20		.18		.06	.28	.07	.17		.02		.14			20
21		.26		.05					.03	.03	.01			21
22			.02					.25	.07					22
23			.19	.01				.38	.06	.11		.14		23
24	.07	.48			.05			.23	.07			.26		24
25	.26	.28		.23	.01	.55						.10		25
26	.03	.16						.38	.04			.23		26
27		.05					.01		.26		.09	.25		27
28		.03			.04				.06	.04	.01	.16		28
29									.75			.16		29
30	.05	X		.06	.01				.11	.35	.25	.30		30
31		X		X		X			X	.28	X	.28		31
TOTAL	.91	2.30	.38	2.76	.88	3.09	1.28	1.31	3.23	2.52	4.34	2.43	25.43	✓
* Days with .01 in. or more.	9	13	5	19	10	18	6	6	20	14	21	18	159	✓
* Days with .04 in. or more.	6	11	2	14	7	17	5	5	15	10	18	16	126	✓

Section

A

for the entry of Daily Observations.

Station No.

838/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sipsonin the County of MiddlesexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 2 in.,, Ground ,, Sea Level 9.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.30	.05	.02	.15		.07	.09	.05			.09	.06		1
2		.11	.03	.02		.33	.08	.08			.06			2
3				.19		.34	.02		.16		.27			3
4			.13			.12			.49		.03	.02		4
5	.21		.03					.02	1.84		.01	.04		5
6	.33					.09		.09	.03		.16	.05		6
7	.19		.02			.07			.03		.12	.04		7
8	.16		.04				.02			.01	.29	.14		8
9	.60		.01				.42		.26			.02		9
10						.01	.11	.18	.03			.01		10
11				.04			.08				.72			11
12				.15		.50	.13		.11		.28	.11		12
13				.02		.16	.01			.02	.02	.14		13
14		.10				.05	.41		.02	.04	.12	.34		14
15		.09					.02		.23		.01	.05		15
16	.13	.11					.03		.04		.41	.06		16
17	.20	.37			.05	.06			.01		.08	.13		17
18	.09	.12				.21	.12			.05	.03	.11		18
19	.25	.01	.03			.12	.10	.05						19
20	.01	.07	.06	.36					.90					20
21				.18	.03	.22			.01					21
22	.12	.42	.05		.47	.12	.13					.07		22
23	.02		.06	.07			.04			.08				23
24	.08	.08							.02	.03				24
25	.04		.10	.19		.10	.22		.12	.03	.03			25
26		.09	.19	.16		.12			.03	.03		.03		26
27	.16	.04	.02				.02		.16	.03				27
28	.65		.05				.28		.01			.04		28
29	.08	.07	.08			.12	.21			.02	.16	.01		29
30	.04	~~X~~			.05	.16	.05			.25		.02		30
31	.38	~~X~~	.25	~~X~~		~~X~~	.13		~~X~~	.59	~~X~~	.26		31
TOTAL	4.04	1.73	2.17	1.53	.60	2.97	2.72	0.47	4.50	1.69	2.89	1.75	26.06	1
* Days with .01 in. or more.	20	14	17	11	4	19	22	6	19	12	18	21	183	1
* Days with .04 in. or more.	14	13	10	9	3	18	16	5	11	8	12	15	138	1

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

B. K. P. M.

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. 838/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Suttonin the County of Middlesex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.45	—	0.02	0.05	—	—	—	—	0.02	—	0.60	0.75		1
2	—	0.15	0.02	0.53	—	—	0.01	—	0.06	0.01	—	0.49		2
3	—	0.22	—	—	—	—	—	—	—	—	—	0.04		3
4	0.06	0.36	—	—	—	—	—	—	—	—	—	0.26		4
5	0.16	0.08	0.17	—	—	—	0.07	—	—	—	0.01	—		5
6	0.03	0.04	0.48	—	0.23	—	0.01	—	—	0.07	0.02	—		6
7	—	0.68	0.18	0.10	—	—	—	—	0.05	0.01	—	—		7
8	—	0.03	—	—	0.05	0.03	—	—	—	—	0.03	0.13		8
9	—	0.06	—	0.24	0.15	0.04	0.10	—	0.24	—	—	0.10		9
10	—	—	0.46	0.06	0.01	0.47	0.04	0.17	—	—	—	0.35		10
11	—	—	0.13	—	0.25	—	0.05	—	—	—	—	0.02		11
12	0.14	0.28	0.14	—	0.29	0.31	0.02	—	0.05	—	—	0.09		12
13	0.15	0.08	0.38	—	—	0.15	—	1.12	1.20	—	—	0.74		13
14	0.02	0.03	0.20	—	—	0.01	—	0.42	0.04	—	—	—		14
15	0.15	0.09	—	0.14	—	—	0.14	—	0.02	—	—	0.02		15
16	0.06	0.11	0.26	0.28	—	—	—	0.22	0.53	—	—	0.01		16
17	0.29	—	0.14	0.10	—	—	—	—	0.16	—	—	—		17
18	0.19	0.05	—	0.01	0.12	0.67	—	—	—	—	0.17	—		18
19	0.04	0.10	0.05	0.09	—	0.16	1.12	—	0.06	—	—	0.13		19
20	0.30	0.01	0.06	0.16	0.62	—	—	—	0.02	—	—	0.06		20
21	0.31	0.67	0.02	0.10	0.03	—	0.07	—	—	—	—	0.03		21
22	0.38	0.05	0.01	—	0.02	0.13	0.06	—	—	0.70	—	0.02		22
23	0.26	0.02	0.01	—	0.21	—	0.01	—	—	0.36	0.26	—		23
24	0.32	0.56	0.05	—	—	—	—	—	0.10	0.20	0.01	—		24
25	0.08	0.32	0.12	—	0.60	—	—	—	0.06	0.24	—	—		25
26	0.02	0.20	—	—	0.26	—	—	—	—	0.05	—	—		26
27	0.02	0.11	—	0.16	—	—	—	—	0.01	0.54	—	—		27
28	—	0.12	—	0.02	—	—	—	—	—	0.09	—	0.03		28
29	0.01	~~X~~	—	—	—	0.04	—	—	—	0.03	0.06	0.02		29
30	0.27	~~X~~	—	—	—	0.01	—	—	—	—	0.16	0.01		30
31	0.29	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	0.25	~~X~~	0.01		31
TOTAL	4.00	4.42	2.90	2.04	2.84	2.02	1.70	1.93	2.62	2.55	1.32	3.31	Year's Total	31.65
* Days with .01 in. or more.	23	24	19	14	13	11	12	4	15	12	9	20		176
* Days with .04 in. or more.	18	20	14	12	10	8	8	4	11	9	5	11		130

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 838/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Sipson*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	—	—	—	0.01	—	.01	—	.01	.03	—	.05		1
2	0.03	—	—	0.04	0.01	—	—	—	—	.18	—	.03		2
3	—	—	—	—	0.28	—	—	—	—	.55	—	—		3
4	0.03	—	—	—	—	0.01	—	.03	—	.06	—	.10		4
5	—	—	—	—	—	—	.07	—	—	.11	—	—		5
6	—	—	—	—	—	—	.04	—	.14	—	—	—		6
7	0.02	—	—	—	—	—	.23	.80	.03	.12	—	.02		7
8	0.10	—	—	—	—	—	.12	—	—	.30	—	—		8
9	0.14	—	—	—	—	0.01	.01	.28	—	—	—	.56		9
10	0.13	0.02	—	—	—	—	.01	.16	—	—	—	.08		10
11	0.24	—	—	—	—	—	—	.06	—	—	.19	.03		11
12	0.23	0.03	—	—	0.01	—	—	.18	—	.16	.03	.02		12
13	0.16	—	—	—	—	—	—	—	—	.03	.07	.09		13
14	0.23	—	—	—	0.04	—	.02	—	.02	—	.01	—		14
15	0.05	0.02	—	—	—	—	.13	—	—	.27	.01	.19		15
16	0.30	—	—	—	—	—	—	—	—	.02	.02	.47		16
17	—	0.06	—	—	—	—	—	—	—	.06	—	—		17
18	0.04	—	—	—	0.03	—	—	—	.14	.05	.24	—		18
19	—	—	—	—	—	—	—	.05	.09	—	.14	—		19
20	—	—	—	—	—	—	—	—	.02	—	.52	.11		20
21	—	—	—	—	—	—	—	.02	.06	—	.05	.30		21
22	0.01	—	—	—	—	—	—	.01	—	—	.13	.12		22
23	—	—	—	—	—	—	—	—	.02	—	—	—		23
24	—	—	0.08	—	0.01	—	—	—	.26	—	.07	—		24
25	0.09	—	0.10	0.01	0.05	—	.01	—	.04	—	1.15	.05		25
26	0.16	0.12	0.05	—	—	—	—	—	.26	.20	—	.25		26
27	0.07	0.02	—	—	0.03	0.23	.18	.06	.50	.08	.29	—		27
28	0.06	0.02	—	—	0.77	0.02	—	.32	.04	—	—	.15		28
29	0.17	X	—	—	0.13	—	—	—	.03	—	.12	.22		29
30	—	X	—	—	0.07	0.06	—	—	.04	.04	.16	—		30
31	0.13	X	—	X	0.08	X	—	—	X	—	X	.20		31
TOTAL	2.41	0.29	0.23	0.05	1.53	0.33	0.83	1.97	1.70	2.26	3.20	3.04	Year's Total 12.83	✓
* Days with .01 in. or more.	21	7	3	2	13	5	11	11	16	16	16	19	140	✓
* Days with .04 in. or more.	16	5	3	1	7	2	6	8	10	13	12	15	98	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

B. H. Morgan
Barometer Engineer [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

P38/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Sipson*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	.53	.28	—	—	.45	.25	—	—	—		1
2	—	—	—	.02	.02	—	—	.77	.42	—	.03	—		2
3	.30	—	—	.23	—	—	—	.25	—	—	.26	.18		3
4	.10	—	.19	.16	—	—	.03	.60	—	.30	.03	—		4
5	—	—	—	.48	.05	—	.01	.06	—	.28	.23	.08		5
6	.40	—	—	.02	.28	—	.26	.03	—	—	.63	.06		6
7	.02	.07	—	—	—	—	—	.02	—	.03	.15	.10		7
8	—	.04	.11	—	—	—	.03	.19	—	.50	.13	.30		8
9	.01	.06	—	—	—	—	—	.02	—	.23	.07	.15		9
10	.22	—	—	—	—	.30	—	.21	.02	.11	.02	—		10
11	—	—	.19	—	—	.08	—	—	—	.73	.01	—		11
12	—	—	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	—	—	.01	—	—	—	1.30	—	—		13
14	.44	—	—	.01	.03	—	.02	—	—	.20	.30	—		14
15	.26	—	.06	—	.56	.31	.03	—	.22	.74	.05	—		15
16	.43	—	.06	.02	.10	.13	—	—	.10	—	.43	.03		16
17	.16	.01	—	.02	.09	—	.07	—	—	—	.05	—		17
18	.20	—	.03	.01	.02	.13	.09	—	—	.03	.24	—		18
19	.21	—	.01	—	—	—	.21	—	—	.10	—	.02		19
20	.16	—	—	—	—	.18	.42	.03	—	—	—	—		20
21	.07	.03	.16	—	—	.04	.73	—	.06	—	—	—		21
22	.11	.26	.05	—	—	.06	.06	—	—	—	.06	—		22
23	.01	—	—	.07	—	.02	.03	—	—	.02	.52	—		23
24	.02	—	—	.05	—	.01	.01	—	—	.18	—	—		24
25	1.25	.16	.06	—	—	—	.10	.06	—	.02	.43	.03		25
26	.12	—	—	—	—	—	—	.01	—	.20	.24	.02		26
27	.01	.02	.07	—	—	—	—	—	.03	.60	.17	—		27
28	.03	.16	.06	.02	—	.02	.16	—	—	.05	.11	.06		28
29	—	—	—	.21	—	—	.12	—	—	.07	.06	—		29
30	—	X	—	.56	—	.03	—	—	—	—	.20	.02		30
31	—	X	—	X	—	X	—	—	X	.02	X	—		31
TOTAL	4.55	1.81	1.05	2.41	1.43	1.32	2.39	2.70	1.10	5.17	4.44	1.05	28.41	
* Days with .01 in. or more.	22	9	12	15	9	12	17	13	7	20	23	12	172	
* Days with .04 in. or more.	15	6	10	8	6	8	10	8	5	15	19	7	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Cannity Registrar M.C.C.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

538/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.03	-	.01	-	-	-	-	-	-	.11	-		1
2	-	.08	-	.08	-	-	.06	-	-	.11	.50	-		2
3	-	.26	-	.07	-	-	-	-	-	.13	1.20	.06		3
4	-	.12	-	.01	-	-	-	-	-	.14	.12	-		4
5	-	.03	-	-	-	-	.11	-	-	.05	.25	.10		5
6	.26	.13	-	-	.01	-	.40	-	-	.14	.12	-		6
7	.32	.08	-	-	.03	-	.10	-	-	-	-	-		7
8	-	.02	-	.02	-	-	-	-	.02	.16	-	.21		8
9	-	-	-	-	-	.02	-	-	.03	.14	.10	.03		9
10	-	-	-	-	-	-	.14	.04	-	.11	.05	.01		10
11	-	-	-	.02	-	-	.03	-	-	-	.88	-		11
12	-	.03	.09	-	-	.03	.07	-	.12	-	.02	-		12
13	-	.01	.76	.02	-	.16	-	-	.15	.01	.92	-		13
14	-	-	.10	.11	.02	-	-	-	.01	.07	-	.20		14
15	-	.04	.09	.01	.06	-	.42	-	-	.01	.22	.02		15
16	.02	.03	.35	.03	-	.01	.31	-	.20	.62	.80	.03		16
17	-	-	.40	-	-	-	.05	-	-	.01	.54	-		17
18	-	.32	.15	.37	-	-	.07	-	-	.16	.24	.12		18
19	-	.24	.04	.09	-	-	.02	-	.73	-	.10	.02		19
20	-	.02	-	.02	-	-	.08	.01	-	.03	.08	-		20
21	.02	-	.01	-	.31	-	.10	-	.01	.04	.30	-		21
22	-	-	.03	-	.46	.44	-	-	.06	-	-	-		22
23	-	.08	.02	.25	.15	.02	-	-	-	.02	.01	.02		23
24	-	-	-	.16	-	-	.17	-	-	-	-	Trace		24
25	-	-	.52	-	.01	-	.09	-	-	-	-	-		25
26	1.0	.08	.38	.08	.23	.05	-	-	-	-	-	-		26
27	.16	.16	-	.27	.01	-	.06	-	-	-	-	-		27
28	.56	-	-	-	.02	-	-	-	-	-	-	-		28
29	.03	.08	.07	-	.44	-	-	-	-	-	-	.25		29
30	.06	~~X~~	-	.27	-	-	-	-	-	.06	-	-		30
31	.16	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.66	~~X~~	.02		31
TOTAL	2.59	1.84	3.01	1.89	1.75	.73	2.28	.05	1.33	2.57	6.56	1.09	25.69	Year's Total
* Days with .01 in. or more.	10	19	14	18	12	7	17	2	9	19	19	13	159	
* Days with .04 in. or more.	7	11	11	10	6	3	15	1	5	14	17	6	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. H. Morgan

REGIS

Kept at HOLLYCROFT
in the County of MIDDLE

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the following first of the following
year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

839
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
193/ .

78 02 03 BUS DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.15		.14		.05	.02				1
2	.11	.05		.35			.02	.03	.52	.02		.18	2
3	.04		.05	.38	.33			.21	.59		.06	.06	3
4		.02			.02			.10	.12		.10		4
5		.10		.26	.05	.44	.04	.30				.15	5
6				.10						.28	.35		6
7	.02				.12	.05		.60			.15	.05	7
8		.08	.06		.03	.21		.29		.04	.09	.03	8
9		.03		.03					.04		.63		9
10		.09				.03	.09	.14			.18		10
11	.05	.22						.02	.03		.08		11
12									.34				12
13							.12	.11					13
14		.10				.03	1.06	1.0					14
15				.13	.09		.12	.15				.06	15
16		.04		.08	.22	.05		.16	.09				16
17	.16	.03		.45	.03		.14		.08				17
18	.06	.06	.05	.15		.08		.92		.03	.50		18
19	.03			.40		.39	.15	.14	.08				19
20		.03		.04			.05	.20			.02		20
21	.03		.02		.40			.03	.02				21
22	.24		.03						.02				22
23	.16			.02	.44	.03			.05		.11	.05	23
24			.02	.25	.04	.10	.16		.02				24
25	.04			.41	.08		.45				.02	.02	25
26		.05		.12			.29				.14		26
27	.13	.41			.38		.08				.08		27
28	.04	.12		.11						.05			28
29	.04						.04			.28		.05	29
30		X					.12	.26				.10	30
31	.13	X		X	.10	X			X		X		31
TOTAL	1.31	1.48	.23	3.46	2.36	1.55	2.99	4.41	2.02	.73	2.54	.45	YEAR'S TOTAL 24.13
*Days with or in. or more.	15	16	6	14	14	11	15	18	14	6	14	10	156
*Days with or 4 in. or more.	12	11	3	15	11	8	14	15	10	4	12	8	123

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at HOLLYCROFT SIPPSON

in the County of MIDDLESEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 94 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>.02</u>		<u>.15</u>		<u>.14</u>		<u>.05</u>	<u>.02</u>				1
2	<u>.11</u>	<u>.05</u>		<u>.35</u>			<u>.02</u>	<u>.03</u>	<u>.52</u>	<u>.02</u>		<u>.18</u>	2
3	<u>.04</u>		<u>.05</u>	<u>.38</u>	<u>.33</u>			<u>.21</u>	<u>.59</u>		<u>.06</u>	<u>.06</u>	3
4		<u>.02</u>			<u>.02</u>			<u>.10</u>	<u>.12</u>		<u>.10</u>		4
5		<u>.10</u>		<u>.26</u>	<u>.05</u>	<u>.44</u>	<u>.07</u>	<u>.30</u>				<u>.15</u>	5
6				<u>.10</u>						<u>.28</u>	<u>.35</u>		6
7	<u>.02</u>				<u>.12</u>	<u>.05</u>		<u>.60</u>			<u>.15</u>	<u>.05</u>	7
8		<u>.08</u>	<u>.06</u>		<u>.03</u>	<u>.21</u>		<u>.29</u>		<u>.07</u>	<u>.09</u>	<u>.03</u>	8
9		<u>.03</u>		<u>.03</u>					<u>.04</u>		<u>.63</u>		9
10		<u>.09</u>				<u>.03</u>	<u>.09</u>	<u>.14</u>			<u>.18</u>		10
11	<u>.05</u>	<u>.22</u>						<u>.02</u>	<u>.03</u>		<u>.08</u>		11
12									<u>.34</u>				12
13							<u>.12</u>	<u>.11</u>					13
14		<u>.10</u>				<u>.03</u>	<u>1.06</u>	<u>1.0</u>					14
15				<u>.13</u>	<u>.09</u>		<u>.12</u>	<u>.15</u>				<u>.06</u>	15
16		<u>.07</u>		<u>.08</u>	<u>.22</u>	<u>.05</u>		<u>.16</u>	<u>.09</u>				16
17	<u>.16</u>	<u>.03</u>		<u>.45</u>	<u>.03</u>		<u>.17</u>		<u>.08</u>				17
18	<u>.06</u>	<u>.06</u>	<u>.05</u>	<u>.15</u>		<u>.08</u>		<u>.92</u>		<u>.03</u>	<u>.50</u>		18
19	<u>.03</u>			<u>.40</u>		<u>.39</u>	<u>.15</u>	<u>.14</u>	<u>.08</u>				19
20		<u>.03</u>		<u>.07</u>			<u>.05</u>	<u>.20</u>			<u>.02</u>		20
21	<u>.03</u>		<u>.02</u>		<u>.40</u>			<u>.03</u>	<u>.02</u>				21
22	<u>.24</u>		<u>.03</u>						<u>.02</u>				22
23	<u>.16</u>			<u>.02</u>	<u>.44</u>	<u>.03</u>			<u>.05</u>		<u>.11</u>	<u>.05</u>	23
24			<u>.02</u>	<u>.25</u>	<u>.07</u>	<u>.10</u>	<u>.16</u>		<u>.02</u>				24
25	<u>.04</u>			<u>.41</u>	<u>.08</u>		<u>.45</u>				<u>.02</u>	<u>.02</u>	25
26		<u>.05</u>		<u>.12</u>			<u>.29</u>				<u>.17</u>		26
27	<u>.13</u>	<u>.41</u>			<u>.38</u>		<u>.08</u>				<u>.08</u>		27
28	<u>.04</u>	<u>.12</u>		<u>.11</u>						<u>.05</u>			28
29	<u>.07</u>						<u>.04</u>			<u>.28</u>		<u>.05</u>	29
30		<u>X</u>					<u>.12</u>	<u>.26</u>				<u>.10</u>	30
31	<u>.13</u>	<u>X</u>		<u>X</u>	<u>.10</u>	<u>X</u>			<u>X</u>		<u>X</u>		31
TOTAL	<u>1.31</u>	<u>1.48</u>	<u>.23</u>	<u>3.46</u>	<u>2.36</u>	<u>1.55</u>	<u>2.99</u>	<u>4.71</u>	<u>2.02</u>	<u>.73</u>	<u>2.54</u>	<u>.75</u>	YEAR'S TOTAL
*Days with or in. or more.	<u>15</u>	<u>16</u>	<u>6</u>	<u>17</u>	<u>14</u>	<u>11</u>	<u>15</u>	<u>18</u>	<u>14</u>	<u>6</u>	<u>14</u>	<u>10</u>	<u>156</u>
*Days with or in. or more.	<u>12</u>	<u>17</u>	<u>3</u>	<u>15</u>	<u>17</u>	<u>8</u>	<u>14</u>	<u>15</u>	<u>10</u>	<u>4</u>	<u>12</u>	<u>8</u>	<u>123</u>

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. G. Mitchell

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *Hollycroft, Liphson*
in the County of *Middlesex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *9.4* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.09	.66			.54		.24	.03		1
2				.16	.06			.02	.20		.03	.09	2
3	.02			.20	.10				.22	.20			3
4	.02					.21					.12		4
5	.10				.02		.20		.08				5
6	.54			.15			.07		.10				6
7			.09	.04	.05		.02		.12	.02			7
8			.10	.08	.18				.05	.21			8
9	.20			.06	.70								9
10	.52		.04	.20	.08	.03			.05	.18	.05		10
11	.04	.04		.04	.02		.43	.06		.25	.03	.05	11
12	.07				.02			.04		.11	.03		12
13	.04			.11	.03		.03		.03	.27	.05	.03	13
14	.16			.05							.11		14
15	.02	.02		.03	.42					.11			15
16	.19			.16	.15								16
17	.02			.02			.05			.03			17
18									.28		.09		18
19									.03	.20			19
20				.11	.02			.68	.12	.65	.18		20
21	.04			.22	1.06		.04	.15		.21		.04	21
22	.02		.29		.08		.12		.25	.20	.27		22
23		.04	.13		.06				.05	.77	.08	.11	23
24		.02		.02			.30		.09	.05	.07		24
25							.71		.03	.12			25
26			.13	.05	.04		.02			.11	.02		26
27			.19	.16	.41	.02	.12			.54	.10		27
28			.02		.09		.10			.10			28
29			.30	.08	.34	.04		.09	.10	.30	.02		29
30		×	.04	.06		.55		.03	.16	.02	.22	.12	30
31		×	.04	×		×	.10	.02	×		×	.05	31
TOTAL	2.08	.12	1.37	2.09	4.69	.85	2.31	1.63	2.16	4.89	1.50	.49	YEAR'S TOTAL 24.18
*Days with or in. or more.	16	4	11	21	21	5	14	9	17	22	17	7	164
*Days with .04 in. or more.	11	2	10	18	16	3	11	6	14	19	11	6	127

Section

A

for the entry of Daily Observations.

Station No.

839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Hollycroft* *Sipson*
in the County of *Middlesex*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *94* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.10	.20		.12						.07			1
2	.13		.25		.46									2
3		.15	.22		.12									3
4	.45	.03			.25						.03			4
5		.02	.24		.14									5
6		.06	.04		.27					.05	.05			6
7	.16	.07	.32		.03					.10		.02		7
8	.02		.03		.06		.09					.03		8
9					.03		.11			.09	.07			9
10		.60			.01	.03	.10			.14				10
11	.21				.04	.02	.04	.12	.09	.03				11
12				.04		.10			.72		.02			12
13	.09				.08		.21		.08	.02	.15			13
14					.02			.02		.13	.53	.02		14
15	.40		.08			.09	.48	.10			.02			15
16			.62			.20	.04			.02				16
17			.50			.05			.07		.09			17
18	.10	.06	.15			.15								18
19		.08	.06			.05	.02		.66		.04	.04		19
20			.08	.03		.58								20
21						.02		.20	.22					21
22								.14		.22	.03			22
23				.12	.04	.02			.26					23
24		.50		.10	.02	.92			.40					24
25		.72		.29					.05		.03	.05		25
26		.30		.03		.06			.04	.08		.15		26
27					.04		.02			.20		.02		27
28					.02				.02	.29		.06		28
29	.08			.06			.08			.04				29
30	.07	X	.06				.02		.03	.05		.13		30
31	.12	X		X		X		.12	X	.03	X			31
TOTAL	1.88	2.69	2.85	.67	1.75	2.29	1.21	.70	2.64	1.49	1.13	.52	19.82	
*Days with "or in. or more.	112	12	14	27	61	13	81	6	12	15	51	49	35	140
*Days with .04 in. or more.	11	12	14	5	11	9	8	5	10	11	7	5	10	85

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. G. Mitchell

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hollycroft gardens.

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 9.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03							.16				.40		1
2	.06		.10		.14				.55	.20		.18		2
3	.02			.10						.28		.02		3
4	.06	.03	.10	.07	.03					.10	.09	.34		4
5					.03						.03	.43		5
6	.01		.30		.25	.01		.08		.17		.35		6
7	.04					.01				.12		.15		7
8					.09	.02		.02	.15		.25			8
9			.04								.75	.32		9
10	.02		.18	.12				.05			.25	.02		10
11	.26		.35	.07			.01	.05				.12		11
12	.06		.22				.12	.36				.08		12
13	.26		.18				.63	.04		.02	.02	.12		13
14	.06		.26		.02						.22	.39		14
15	.05		.06		.04					.08	.08	.33		15
16	.13		.16		.01					.11		.01		16
17	.02			.02						.03		.09		17
18	.10			.14			.18					.08		18
19			.21			.02			.11	.02	.04	.11		19
20			.14	.01		.01	.20					.02		20
21				.13		.18	.02	.02		.03				21
22							1.09	.53	.18			.05		22
23				.21		.26		.07			.02	.04		23
24			.07	.11		.07	.18		.23					24
25	.15	.13		.10		.10				.03		.33		25
26	.09		.02	.20		.07						.06		26
27	.08			.25		.20						.26		27
28		.06		.02		.06	.01	.95			.07	.19		28
29							.02		.21					29
30	.04	X						.09				.16		30
31	.05	X		X		X		.02	X	.24	X	.04		31
TOTAL	1.59	.22	2.39	1.55	.61	1.01	2.46	2.44	1.43	1.43	1.82	4.69	21.64	
* Days with .01 in. or more.	205	13	15	34	28	512	10	13	60	135	113	274	152	
* Days with .04 in. or more.	15	2	14	11	4	7	6	10	6	8	8	23	114	

Section **A** for the entry of Daily Observations.

Station No.

839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Hollycroft, Liphron*
in the County of *Middlesex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *94* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.03		.04	.09	.04	.42		.01	.03	.14	.01		1
2	.01								.09	.13	.04			2
3		.03	.19	.04		.18			.19	.42	.15			3
4		.02		.14		.20			.31	.09		.04		4
5		.13	.02	.03		.14	.01		.31					5
6	.03			.26		.34					.04			6
7				.51		.09				.05	1.04	.16		7
8				.33						.26	.24	.05		8
9				.18		.54				.52	.15	.01		9
10				.02		.04					.04	.03		10
11	.25			.06		.06	.14				.25			11
12						.08		.04	.02		.40			12
13	.09	.14		.18	.11						.02			13
14				.03	.13	.06					.05	.09		14
15		.14		.32		.34			.16		.20	.08		15
16		.09	.03	.05	.03	.03			.18		.43	.04		16
17				.02		.14		.03	.04		.20			17
18				.16	.03	.10	.04		.22	.02	.04			18
19				.02	.15	.04	.04		.02		.11	.05		19
20		.19		.06	.25	.06	.24		.02		.14			20
21	.02	.24		.05					.03	.04	.02			21
22		.02	.04	.01				.29	.08					22
23			.20	.01				.52	.03	.11		.14		23
24	.05	.48			.04			.25	.48			.33		24
25	.24	.30		.22		.54						.11		25
26	.03	.18						.36	.05			.25		26
27	.02	.33					.01		.25		.10	.24		27
28		.04			.06				.02	.05		.14		28
29									.82	.34		.16		29
30	.05	X		.06	.02			.54	.14		.26	.31		30
31		X		X		X			X	.29	X	.34		31
TOTAL	.91	2.42	.48	2.80	.91	3.20	.90	2.06	3.50	2.65	4.48	2.64	26.98	
* Days with .01 in. or more.	5	11	25	423	310	118	27	17	421	213	221	319	39	170
* Days with .04 in. or more.	6	11	3	16	4	17	5	6	14	11	19	16	131	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. J. MITCHELL

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Hollycroft" Sypson

in the County of Middlesex

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1...ft....0.....in.

,, Ground ,, Sea Level 9.4.....ft.

Dapp

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.05	.02	.16		.10	.09	.04			.08	.07		1
2		.10	.02			.36	.09	.10			.09			2
3	.01			.21		.28	.03		.17		.26			3
4			.12			.10		.44			.05	.03		4
5	.26		.03					.02	.57			.04		5
6	.32					.09		.06			.15			6
7	.19		.02			.08	.02		.05	.02	.13	.08		7
8	.18		.03				.02		.04		.32	.15		8
9	.76		.02				.42		.23					9
10						.02	.13	.15	.04					10
11				.03	.01		.08				.72			11
12				.11		.50	.14		.12	.01	.36	.12		12
13				.02		.17	.01				.06	.13		13
14		.11				.05	.44		.04	.03	.08	.32		14
15		.10					.01		.22		.02	.06		15
16	.18	.12		.02			.02		.04		.41	.06		16
17	.30	.40			.05	.02			.02		.10	.15		17
18	.08	.09				.27	.12			.03	.02	.15		18
19	.23	.02	.03			.12	.08	.06		.04				19
20		.05	.04	.36		.02	.01		.90					20
21				.19	.03	.22	.01		.02					21
22	.14	.44	.05		.45	.10	.15					.08		22
23	.03		.08	.06	.02		.04			.08				23
24	.08	.09								.33				24
25	.04		.10	.18		.08	.23		.12	.09	.03			25
26	.01	.09	.21	.15		.11	.01		.03	.15				26
27	.16	.04	.02				.02		.15	.11				27
28	.70		.04				.22					.07		28
29	.07	.06	.09			.11	.16			.02	.18	.02		29
30	.05				.06	.17	.04			.25		.01		30
31	.35		.25				.15			.60		.30		31
TOTAL	4.43	1.76	1.17	1.49	.62	2.98	2.74	.43	3.20	1.76	3.06	1.84	25.48	✓
* Days with .01 in. or more.	821	414	817	811	86	820	1026	46	817	513	817	817	416	✓185
* Days with .04 in. or more.	18	13	9	8	3	17	116	5	14	8	14	14	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. J. Mitchell [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *HOLLYCROFT SIPSBY*in the County of *Middlesex*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft...*2*.....in.,, Ground ,, Sea Level*9.4*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.43</i>		<i>.02</i>	<i>.05</i>					<i>.02</i>		<i>.58</i>	<i>.72</i>		1
2	<i>.01</i>	<i>.14</i>	<i>.02</i>	<i>.52</i>					<i>.06</i>			<i>.50</i>		2
3		<i>.21</i>										<i>.05</i>		3
4	<i>.05</i>	<i>.35</i>										<i>.27</i>		4
5	<i>.17</i>	<i>.10</i>	<i>.16</i>				<i>.08</i>				<i>.01</i>			5
6	<i>.03</i>	<i>.03</i>	<i>.42</i>		<i>.21</i>		<i>.02</i>			<i>.06</i>	<i>.02</i>			6
7		<i>.69</i>	<i>.27</i>	<i>.09</i>						<i>.02</i>				7
8		<i>.03</i>		<i>.01</i>	<i>.08</i>	<i>.04</i>			<i>.05</i>		<i>.02</i>	<i>.15</i>		8
9		<i>.06</i>		<i>.25</i>	<i>.16</i>	<i>.04</i>	<i>.08</i>					<i>.09</i>		9
10			<i>.48</i>	<i>.07</i>	<i>.04</i>	<i>.40</i>	<i>.04</i>	<i>.19</i>	<i>.24</i>			<i>.28</i>		10
11			<i>.14</i>		<i>.26</i>		<i>.04</i>					<i>.03</i>		11
12	<i>.14</i>	<i>.28</i>	<i>.10</i>	<i>.02</i>	<i>.27</i>	<i>.32</i>	<i>.02</i>	<i>.01</i>	<i>.05</i>			<i>.09</i>		12
13	<i>.14</i>	<i>.07</i>	<i>.40</i>			<i>.14</i>		<i>.70</i>	<i>.98</i>			<i>.84</i>		13
14		<i>.04</i>	<i>.21</i>	<i>.02</i>		<i>.01</i>		<i>.40</i>	<i>.05</i>					14
15	<i>.77</i>	<i>.09</i>		<i>.13</i>		<i>.04</i>	<i>.14</i>		<i>.03</i>					15
16	<i>.03</i>	<i>.12</i>	<i>.23</i>	<i>.28</i>		<i>.02</i>		<i>.22</i>	<i>.71</i>			<i>.03</i>		16
17	<i>.28</i>	<i>.01</i>	<i>.19</i>	<i>.09</i>					<i>.18</i>					17
18	<i>.23</i>	<i>.06</i>	<i>.01</i>	<i>.02</i>	<i>.13</i>	<i>.65</i>					<i>.20</i>			18
19	<i>.04</i>	<i>.10</i>	<i>.06</i>	<i>.09</i>	<i>.01</i>	<i>.15</i>	<i>.82</i>		<i>.05</i>			<i>.15</i>		19
20	<i>.31</i>	<i>.01</i>	<i>.06</i>	<i>.16</i>	<i>.60</i>				<i>.01</i>					20
21	<i>.31</i>	<i>.66</i>	<i>.02</i>	<i>.11</i>	<i>.03</i>		<i>.06</i>					<i>.03</i>		21
22	<i>.38</i>	<i>.05</i>	<i>.01</i>		<i>.02</i>	<i>.11</i>	<i>.05</i>			<i>.69</i>	<i>.28</i>	<i>.02</i>		22
23	<i>.23</i>	<i>.02</i>	<i>.02</i>		<i>.21</i>		<i>.02</i>			<i>.42</i>				23
24	<i>.31</i>	<i>.57</i>	<i>.03</i>		<i>.02</i>				<i>.10</i>	<i>.20</i>				24
25	<i>.08</i>	<i>.40</i>	<i>.12</i>		<i>.54</i>				<i>.06</i>	<i>.36</i>				25
26	<i>.01</i>	<i>.20</i>	<i>.02</i>		<i>.26</i>					<i>.06</i>		<i>.02</i>		26
27	<i>.02</i>	<i>.08</i>		<i>.17</i>						<i>.59</i>				27
28		<i>.13</i>		<i>.02</i>						<i>.08</i>				28
29	<i>.03</i>					<i>.04</i>				<i>.02</i>	<i>.07</i>	<i>.03</i>		29
30	<i>.26</i>	~~X~~								<i>.02</i>	<i>.18</i>			30
31	<i>.30</i>	~~X~~		~~X~~		~~X~~			~~X~~	<i>.27</i>	~~X~~	<i>.02</i>		31
TOTAL	<i>3.99</i>	<i>4.50</i>	<i>2.99</i>	<i>2.10</i>	<i>2.84</i>	<i>1.93</i>	<i>1.37</i>	<i>1.52</i>	<i>2.59</i>	<i>2.79</i>	<i>1.36</i>	<i>3.32</i>	Year's Total	
* Days with .01 in. or more.	<i>23</i>	<i>25</i>	<i>21</i>	<i>17</i>	<i>15</i>	<i>12</i>	<i>11</i>	<i>5</i>	<i>14</i>	<i>12</i>	<i>8</i>	<i>17</i>	<i>180</i>	
* Days with .04 in. or more.	<i>17</i>	<i>20</i>	<i>13</i>	<i>12</i>	<i>11</i>	<i>9</i>	<i>8</i>	<i>4</i>	<i>11</i>	<i>9</i>	<i>5</i>	<i>10</i>	<i>129</i>	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *W. J. MITCHELL*

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *Hollycroft Gardens, Liphm...*in the County of *Widdow*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground....*1*...ft....*2*...in.,, Ground ,, Sea Level*9.4*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	/	/	/	.01	.08	.01	/	.02	.02	/	.02		1
2	.04	/	/	.05	.02	/	/	/	/	.15	.01	.03		2
3	/	/	/	/	.24	/	.03	/	/	.53	.01	/		3
4	.04	/	/	/	/	.03	/	.05	/	.05	/	.09		4
5	/	/	/	/	/	/	.06	/	/	.10	/	/		5
6	.03	/	/	/	/	/	/	/	.24	.02	/	/		6
7	/	/	/	/	/	/	.23	.85	.03	.10	/	/		7
8	.10	/	/	/	/	/	.10	/	/	.29	/	/		8
9	.11	.02	/	/	/	/	.01	.32	/	/	/	.54		9
10	.13	/	/	/	/	.01	/	.15	/	/	/	.05		10
11	.25	/	/	/	/	/	/	.04	/	/	.14	.04		11
12	.22	.04	/	/	.01	/	/	.19	/	.14	.08	/		12
13	.15	.01	/	/	/	/	/	.01	/	.03	.09	.08		13
14	.20	/	/	/	.04	/	.03	/	.03	/	/	/		14
15	.10	.01	/	/	/	/	.14	/	/	.26	/	.14		15
16	.23	/	/	/	/	/	/	/	/	.02	/	.42		16
17	/	.06	/	/	.04	/	/	/	/	.06	.04	/		17
18	.02	/	/	/	.03	/	/	/	.13	.05	.25	/		18
19	/	/	/	/	/	/	/	.05	.04	/	.13	/		19
20	/	/	/	/	/	/	/	/	.01	/	.50	.02		20
21	.01	/	/	/	/	/	/	.05	.05	/	.04	.28		21
22	.01	/	/	/	/	/	/	.01	/	/	.13	.38		22
23	/	/	/	.02	/	/	/	/	/	/	/	/		23
24	/	/	.09	/	.03	/	/	/	.24	/	.04	/		24
25	.08	.01	.10	.02	.06	/	.01	.01	.04	.03	.12	/		25
26	.14	.11	.05	/	/	/	/	/	.24	.14	/	.28		26
27	.06	.03	/	/	.03	.25	.19	.05	.50	.10	.30	/		27
28	.12	.03	/	/	.81	.02	/	.33	.01	/	/	.10		28
29	.18	/	/	/	.14	/	/	/	.04	/	.10	.23		29
30	.01	~~X~~	/	.02	.09	.08	/	/	.03	.04	.14	/		30
31	.10	~~X~~	/	~~X~~	.09	~~X~~	/	/	~~X~~	.11	~~X~~	.22		31
TOTAL	2.35	.35	.24	.11	1.64	.44	.81	2.11	1.44	2.30	3.18	2.98	Year's Total	✓✓
* Days with .01 in. or more.	23	9	3	4	14	6	10	13	15	19	16	16	148	✓✓
* Days with .04 in. or more.	14	3	3	1	8	3	5	10	9	14	14	13	100	✓✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. J. Mitchell.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at HOLLYCROFT SIPSONin the County of MIDDLESEXDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 94 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.52	.26	-	-	.28	.22	-	-	-		1
2	.02	-	-	.02	.02	-	-	.81	.48	-	.04	-		2
3	.34	-	-	.22	-	-	-	.25	-	-	.26	.19		3
4	.10	-	.19	.21	-	-	.03	.63	-	.28	.02	-		4
5	-	-	-	.40	.07	-	.01	.05	-	.41	.23	.08		5
6	.38	-	-	.02	.18	-	.25	.03	-	-	.55	.07		6
7	.02	.09	-	-	-	-	.01	.02	-	.04	.13	.09		7
8	-	.05	.15	-	-	-	.02	.28	-	.52	.14	.30		8
9	.03	.05	-	-	-	-	-	.02	-	.22	.08	.18		9
10	.25	-	-	-	-	.29	-	.16	.02	.21	.01	-		10
11	-	-	.18	-	-	.07	-	-	-	.37	.02	-		11
12	-	.01	-	-	-	.01	-	-	-	.01	-	-		12
13	-	-	-	.01	-	.01	-	-	-	1.20	-	-		13
14	.41	-	.02	.01	.05	-	.02	-	-	.20	.27	-		14
15	.26	-	.05	-	.56	.29	.02	-	.21	.75	.03	.03		15
16	.40	-	.04	.02	.08	.12	.02	.01	.10	-	.46	-		16
17	.15	-	.02	.03	.10	-	.05	.03	-	-	.04	-		17
18	.20	.01	.04	-	-	.16	.11	-	-	.04	.24	-		18
19	.20	-	-	-	-	-	.14	-	-	.10	.01	-		19
20	.17	-	.01	-	-	.18	.54	-	-	-	-	.03		20
21	.06	.03	.16	-	-	.04	.71	.02	.08	-	-	-		21
22	.10	.29	.05	-	-	.06	.08	-	-	-	.06	-		22
23	-	-	-	.09	-	.01	.01	-	-	.04	.54	-		23
24	.25	-	.01	.04	-	.01	.01	-	-	.18	-	-		24
25	1.22	.17	.05	-	-	-	.16	.10	-	-	.42	-		25
26	.12	.01	.01	-	-	-	-	-	-	.23	.25	.05		26
27	.02	.02	.06	.01	-	-	-	-	.01	.08	.22	-		27
28	-	.16	.06	.04	-	.02	.22	-	-	.05	.12	.12		28
29	.02	-	-	.21	-	-	.03	-	-	.08	.07	-		29
30	-	~~X~~	-	.64	-	.04	-	-	-	-	.22	.03		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.01	~~X~~	.02	~~X~~	-		31
TOTAL	4.72	.89	1.10	2.49	1.32	1.36	2.44	2.70	1.12	5.03	4.43	1.17	28.77	✓
* Days with .01 in. or more.	21	11	16	16	8	14	19	15	7	20	24	11	182	✓
* Days with .04 in. or more.	16	6	11	9	7	9	9	8	5	17	19	8	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W. J. MITCHELL

[P.O.]

Section

A

for the entry of Daily Observations

Station No. 839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934Kept at Hollycroft SIPSON West Draytonin the County of MiddlesexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft. in.,, Ground ,, Sea Level 94.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03		.01							.10			1
2		.05		.06						.11	.46			2
3		.21		.04			.06			.12	1.14	.06		3
4		.09		.02						.14	.12	.04		4
5		.03					.10			.05	.28	.06		5
6	.20	.12			.01		.33			.13	.09			6
7	.28	.10					.13							7
8				.03	.04					.14		.23		8
9						.03				.15	.09	.04		9
10							.12	.10		.13	.05	.02		10
11			.01	.03			.02		.05		.83			11
12		.02	.08			.05	.10		.11					12
13		.01	.42			.20			.11		.91			13
14			.15	.13						.04		.20		14
15			.04	.01			.45				.25	.01		15
16	.06	.13	.45	.02	.04	.01	.31		.24	.64	.81	.02		16
17			.34	.01			.03				.58			17
18		.33	.18	.32			.18			.14	.26	.12		18
19		.26	.05	.08			.01		.55		.04	.01		19
20		.02		.02			.02				.08			20
21	.03	~~.42~~	.02				.06			.06	.29			21
22		~~.42~~	.03	.02	.24	.45			.06					22
23		.06	.02	.23	.55							.01		23
24				.16	.19		.15							24
25			.52				.09							25
26	1.10	.08	.40	.09	.22	.05								26
27	.49	.14		.24	.01		.04							27
28	.40				.03									28
29	.04	.09	.06		.24							.24		29
30	.15	~~X~~		.22						.08				30
31	.06	~~X~~		~~X~~		~~X~~			~~X~~	.62	~~X~~	.02		31
TOTAL	2.84	1.80	3.10	1.80	1.65	.79	2.20	.10	1.12	2.64	6.44	1.11	Year's Total 25.59	^
* Days with .01 in. or more.	10	14	15	19	10	6	14	1	6	14	14	14	146	^
* Days with .04 in. or more.	9	12	11	10	8	4	13	1	6	14	14	8	113	^

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

REGISTER

Kept at *Metro. Water Board*
in the County of *Middlesex*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

3 DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>Nil</i>	<i>.13</i>	<i>Nil</i>	<i>.25</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>.01</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	1
2	<i>.11</i>	<i>.09</i>	<i>Nil</i>	<i>.37</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.46</i>	<i>.02</i>	<i>Nil</i>	<i>.09</i>	2
3	<i>.03</i>	<i>.01</i>	<i>.03</i>	<i>.47</i>	<i>.44</i>	<i>Nil</i>	<i>Nil</i>	<i>.14</i>	<i>.85</i>	<i>Nil</i>	<i>.03</i>	<i>.12</i>	3
4	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>.09</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	4
5	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.20</i>	<i>Nil</i>	<i>.54</i>	<i>.08</i>	<i>1.14</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.11</i>	5
6	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>.07</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.30</i>	<i>.42</i>	<i>Nil</i>	6
7	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.08</i>	<i>Nil</i>	<i>.58</i>	<i>Nil</i>	<i>.05</i>	<i>.10</i>	<i>.04</i>	7
8	<i>Nil</i>	<i>.07</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>.24</i>	<i>Nil</i>	<i>.25</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.02</i>	8
9	<i>Nil</i>	<i>.09</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>.31</i>	<i>.03</i>	9
10	<i>.02</i>	<i>.06</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.36</i>	<i>Nil</i>	<i>Nil</i>	<i>.11</i>	<i>Nil</i>	10
11	<i>.07</i>	<i>.16</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>.10</i>	<i>Nil</i>	11
12	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>.20</i>	<i>.35</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	12
13	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	13
14	<i>Nil</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.97</i>	<i>.94</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	14
15	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.09</i>	<i>Nil</i>	<i>.14</i>	<i>.07</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>.05</i>	15
16	<i>Nil</i>	<i>.13</i>	<i>Nil</i>	<i>.10</i>	<i>.19</i>	<i>.05</i>	<i>Nil</i>	<i>.17</i>	<i>.11</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	16
17	<i>.05</i>	<i>.01</i>	<i>Nil</i>	<i>.24</i>	<i>.04</i>	<i>Nil</i>	<i>.13</i>	<i>.01</i>	<i>.05</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	17
18	<i>.03</i>	<i>.07</i>	<i>Nil</i>	<i>.15</i>	<i>Nil</i>	<i>.08</i>	<i>.01</i>	<i>.87</i>	<i>Nil</i>	<i>Nil</i>	<i>.45</i>	<i>Nil</i>	18
19	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>.43</i>	<i>Nil</i>	<i>.21</i>	<i>.23</i>	<i>.01</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	19
20	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.03</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>.22</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	20
21	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.40</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	21
22	<i>.17</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	22
23	<i>.12</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>.49</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>.09</i>	<i>.03</i>	23
24	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.32</i>	<i>.06</i>	<i>.09</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	24
25	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>.43</i>	<i>.05</i>	<i>Nil</i>	<i>.75</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	25
26	<i>Nil</i>	<i>.07</i>	<i>Nil</i>	<i>.18</i>	<i>Nil</i>	<i>Nil</i>	<i>.32</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.20</i>	<i>Nil</i>	26
27	<i>.13</i>	<i>.39</i>	<i>Nil</i>	<i>.02</i>	<i>.25</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	27
28	<i>.02</i>	<i>.15</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	28
29	<i>.05</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>.24</i>	<i>.02</i>	<i>.01</i>	29
30	<i>.03</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.02</i>	<i>.12</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	30
31	<i>.08</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>.01</i>	31
TOTAL	<i>1.01</i>	<i>1.66</i>	<i>.17</i>	<i>3.47</i>	<i>2.28</i>	<i>1.41</i>	<i>2.87</i>	<i>5.22</i>	<i>2.27</i>	<i>.62</i>	<i>2.11</i>	<i>.62</i>	YEAR'S TOTAL <i>23.71</i>
*Days with or in. or more.	<i>17</i>	<i>18</i>	<i>5</i>	<i>17</i>	<i>14</i>	<i>11</i>	<i>15</i>	<i>18</i>	<i>12</i>	<i>5</i>	<i>14</i>	<i>12</i>	<i>1.58</i>
*Days with .04 in. or more.	<i>9</i>	<i>13</i>	<i>3</i>	<i>15</i>	<i>13</i>	<i>8</i>	<i>10</i>	<i>14</i>	<i>10</i>	<i>3</i>	<i>11</i>	<i>6</i>	<i>1.15</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J.W. Wales

18.1.9.

Section

A

for the entry of Daily Observations.

840
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Metro. Water Board Kew Bridge

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	.13	Nil	.25	Nil	.02	Nil	.01	.10	Nil	Nil	Nil	1
2	.11	.09	Nil	.37	Nil	Nil	.01	Nil	.46	.02	Nil	.09	2
3	.03	.01	.03	.47	.44	Nil	Nil	.14	.85	Nil	.03	.12	3
4	Nil	Nil	Nil	Nil	.04	Nil	Nil	.08	.09	Nil	.09	Nil	4
5	Nil	Nil	Nil	.20	Nil	.54	.08	1.14	Nil	Nil	Nil	.11	5
6	Nil	.09	Nil	.06	Nil	.07	Nil	Nil	Nil	.30	.42	Nil	6
7	Nil	.01	Nil	Nil	.10	.08	Nil	.58	Nil	.05	.10	.04	7
8	Nil	.07	.04	Nil	Nil	.24	Nil	.25	Nil	Nil	.10	.02	8
9	Nil	.09	.04	Nil	Nil	Nil	Nil	Nil	.02	Nil	.31	.03	9
10	.02	.06	.02	Nil	Nil	.01	Nil	.36	Nil	Nil	.11	Nil	10
11	.07	.16	Nil	Nil	Nil	Nil	Nil	Nil	.04	Nil	.10	Nil	11
12	Nil	.02	Nil	Nil	Nil	Nil	.01	.20	.35	Nil	Nil	Nil	12
13	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.04	Nil	Nil	Nil	Nil	13
14	Nil	.10	Nil	Nil	Nil	Nil	.97	.94	Nil	Nil	Nil	Nil	14
15	.02	Nil	Nil	.10	.09	Nil	.14	.07	Nil	Nil	.01	.05	15
16	Nil	.13	Nil	.10	.19	.05	Nil	.17	.11	Nil	Nil	Nil	16
17	.05	.01	Nil	.24	.04	Nil	.13	.01	.05	.01	Nil	Nil	17
18	.03	.07	Nil	.15	Nil	.08	.01	.87	Nil	Nil	.45	Nil	18
19	.02	Nil	Nil	.43	Nil	.21	.23	.01	.10	Nil	Nil	Nil	19
20	Nil	.01	Nil	.03	Nil	Nil	.04	.22	Nil	Nil	Nil	Nil	20
21	.01	Nil	Nil	Nil	.40	Nil	Nil	.01	Nil	Nil	Nil	Nil	21
22	.17	Nil	.04	Nil	Nil	Nil	Nil	Nil	.01	Nil	Nil	Nil	22
23	.12	Nil	Nil	.08	.49	.02	Nil	Nil	.09	Nil	.09	.03	23
24	Nil	Nil	Nil	.32	.06	.09	.02	Nil	Nil	Nil	Nil	Nil	24
25	.05	Nil	Nil	.43	.05	Nil	.75	Nil	Nil	Nil	Nil	.01	25
26	Nil	.07	Nil	.18	Nil	Nil	.32	Nil	Nil	Nil	.20	Nil	26
27	.13	.39	Nil	.02	.25	Nil	.04	Nil	Nil	Nil	.08	Nil	27
28	.02	.15	Nil	.04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.10	28
29	.05	X	Nil	Nil	.06	Nil	.10	Nil	Nil	.24	.02	.01	29
30	.03	X	Nil	Nil	.01	Nil	.02	.12	Nil	Nil	Nil	Nil	30
31	.08	X	Nil	X	.06	X	Nil	Nil	X	Nil	X	.01	31
TOTAL	1.01	1.16	.17	3.47	2.28	1.41	2.87	5.22	2.27	.62	2.11	.62	23.71
* Days with or in. or more.	17	18	5	14	14	11	15	18	12	5	14	12	1.58
* Days with .04 in. or more.	9	13	3	15	13	8	10	14	10	3	11	6	1.15

40-9999

* See Instruction 2 (f) on other side.

(Signed)

J.W. Wales

E.T.P.

Section

A

for the entry of Daily Observations.

840
COPY FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Metro Water Board New Bridge Works
in the County of Middlesex

Diameter of Funnel of Gauge 5-0 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	~~Nil~~	Nil	.10	.40	Nil	~~Nil~~	.36	.01	.15	.03	.01	1
2	.02	Nil	Nil	.13	.03	.42	Nil	Nil	.25	.07	.03	.10	2
3	Nil	Nil	Nil	.15	.09	Nil	Nil	Nil	.37	Nil	Nil	Nil	3
4	.01	Nil	Nil	Nil	Nil	.13	Nil	Nil	Nil	Nil	.08	Nil	4
5	.09	Nil	.01	Nil	.01	Nil	.10	Nil	.06	Nil	Nil	Nil	5
6	.54	Nil	Nil	.17	Nil	~~Nil~~	Nil	Nil	.03	Nil	Nil	Nil	6
7	Nil	Nil	.11	.04	.05	~~Nil~~	.14	Nil	.06	Nil	Nil	Nil	7
8	Nil	Nil	.09	.06	.27	Nil	Nil	~~Nil~~	.04	.23	Nil	Nil	8
9	.15	Nil	Nil	.07	.75	~~Nil~~	Nil	Nil	Nil	.03	Nil	Nil	9
10	.40	Nil	.01	.18	.09	.01	Nil	Nil	.01	.17	Nil	~~Nil~~	10
11	.06	Nil	Nil	.01	Nil	~~Nil~~	.09	.15	Nil	.16	.03	.03	11
12	.06	Nil	Nil	Nil	.02	Nil	Nil	.02	Nil	.16	.01	~~Nil~~	12
13	.08	Nil	Nil	.10	.02	Nil	Nil	Nil	.02	.28	.03	~~Nil~~	13
14	.06	.03	~~Nil~~	.14	~~.02~~	Nil	Nil	Nil	Nil	.04	.07	Nil	14
15	~~Nil~~	.01	~~Nil~~	.04	.34	Nil	Nil	Nil	Nil	.09	Nil	~~Nil~~	15
16	.10	Nil	Nil	.11	.11	Nil	Nil	Nil	Nil	~~Nil~~	Nil	~~Nil~~	16
17	Nil	Nil	Nil	Nil	~~Nil~~	Nil	.09	Nil	.01	.02	Nil	~~Nil~~	17
18	Nil	Nil	Nil	Nil	Nil	Nil	~~Nil~~	Nil	.75	Nil	.07	Nil	18
19	Nil	Nil	Nil	Nil	~~Nil~~	Nil	Nil	Nil	.01	.20	Nil	Nil	19
20	Nil	Nil	Nil	.16	.08	Nil	~~Nil~~	.21	.12	.69	.14	Nil	20
21	.04	Nil	Nil	.11	.81	Nil	~~Nil~~	.08	Nil	.19	~~Nil~~	.06	21
22	Nil	~~Nil~~	.26	Nil	.06	Nil	.17	Nil	.13	.30	.30	Nil	22
23	Nil	.10	.01	.01	.04	Nil	~~Nil~~	Nil	.09	.86	.10	.12	23
24	Nil	.04	Nil	Nil	Nil	Nil	.35	Nil	.12	.06	.09	.01	24
25	Nil	~~Nil~~	Nil	~~Nil~~	.01	Nil	.63	Nil	.08	.13	.01	Nil	25
26	Nil	~~Nil~~	.10	.06	.05	Nil	.01	Nil	Nil	.03	.07	Nil	26
27	Nil	~~Nil~~	.22	.17	.41	~~Nil~~	.07	Nil	Nil	.44	Nil	Nil	27
28	Nil	Nil	Nil	~~Nil~~	.09	Nil	.05	Nil	Nil	.11	Nil	.02	28
29	Nil	Nil	.28	.03	.12	.02	.01	.30	.08	.31	Nil	Nil	29
30	Nil	X	.05	.12	Nil	.63	Nil	.02	.07	Nil	.20	.10	30
31	Nil	X	.21	X	Nil	X	.09	~~Nil~~	X	Nil	X	.03	31
TOTAL	1.66	.18	1.35	1.96	3.87	1.21	1.80	1.14	2.31	4.72	1.26	.48	YEAR'S TOTAL
*Days with .01 in. or more.	13	4	11	20	22	5	12	7	19	22	15	9	21.94
*Days with .04 in. or more.	11	2	8	17	16	3	10	5	13	19	9	4	114

10-5999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **840**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Met Water Board, New Bridge*
in the County of *Middlesex*Diameter of Funnel of Gauge *5-0* in.Height of top of Gauge above Ground *1* ft. *0* in.

Ground Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.11	.14	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.03	Nil	1
2	.13	Nil	.31	Nil	.43	Nil	Nil	Nil	Nil	Nil	Nil	Nil	2
3	Nil	.15	.14	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	3
4	.26	.02	.01	Nil	.16	Nil	Nil	Nil	Nil	Nil	Nil	Nil	4
5	.01	Nil	.20	Nil	.06	Nil	Nil	Nil	Nil	Nil	Nil	Nil	5
6	Nil	.07	.01	Nil	.46	Nil	Nil	Nil	Nil	.07	.09	Nil	6
7	.18	.04	.07	Nil	.01	Nil	Nil	Nil	Nil	.12	Nil	.02	7
8	.03	Nil	.01	Nil	.05	Nil	.06	Nil	Nil	Nil	Nil	Nil	8
9	Nil	Nil	Nil	Nil	.05	Nil	.14	Nil	Nil	.03	.08	Nil	9
10	Nil	.28	Nil	Nil	.01	.01	.10	Nil	Nil	.11	.01	Nil	10
11	.16	Nil	Nil	Nil	.02	.02	.09	.07	Nil	Nil	Nil	Nil	11
12	Nil	Nil	Nil	.09	.01	.13	.02	Nil	.65	Nil	Nil	Nil	12
13	.09	Nil	Nil	Nil	.08	Nil	.19	Nil	.05	Nil	.19	Nil	13
14	Nil	Nil	Nil	Nil	.01	Nil	Nil	Nil	Nil	.14	.55	Nil	14
15	.26	.07	Nil	Nil	Nil	.45	.65	.20	Nil	Nil	.02	Nil	15
16	.01	.01	.59	Nil	Nil	.30	.62	Nil	.02	Nil	.05	Nil	16
17	.01	Nil	.28	Nil	Nil	.04	.01	Nil	.12	Nil	.07	Nil	17
18	.08	.10	.12	Nil	Nil	.15	Nil	Nil	Nil	Nil	Nil	Nil	18
19	Nil	.04	.08	.01	Nil	.16	.04	Nil	.59	Nil	.03	.01	19
20	Nil	.02	.12	.07	Nil	.26	Nil	Nil	Nil	Nil	.01	Nil	20
21	Nil	Nil	Nil	Nil	Nil	.39	Nil	.09	.26	Nil	Nil	Nil	21
22	Nil	Nil	Nil	Nil	.01	Nil	Nil	.15	Nil	.22	.04	Nil	22
23	Nil	Nil	Nil	.12	.27	Nil	Nil	.35	Nil	.03	Nil	Nil	23
24	Nil	.41	Nil	.11	Nil	.10	Nil	.38	Nil	Nil	Nil	Nil	24
25	Nil	.39	Nil	.21	Nil	Nil	Nil	.08	Nil	Nil	.04	Nil	25
26	Nil	.22	Nil	.02	Nil	.03	Nil	Nil	.04	.07	Nil	.09	26
27	Nil	Nil	Nil	Nil	.04	Nil	Nil	Nil	Nil	.29	Nil	.05	27
28	Nil	Nil	Nil	Nil	Nil	Nil	.05	Nil	Nil	.29	Nil	Nil	28
29	.07	X	Nil	.08	Nil	Nil	.06	Nil	Nil	.10	Nil	Nil	29
30	.08	X	.03	Nil	Nil	Nil	.01	Nil	.03	Nil	Nil	.15	30
31	.10	X	Nil	X	Nil	X	Nil	.15	X	.02	X	Nil	31
TOTAL	1.49	2.86	2.18	.71	1.67	2.04	2.05	.66	2.57	1.46	1.20	.36	19.25
*Days with ".01 in. or more.	15	13	15	8	15	12	13	5	11	11	13	6	137
*Days with ".04 in. or more.	10	10	11	6	9	9	10	5	9	9	4	4	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. W. W. W.

[R.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at New Bridge Works
in the County of DaysDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
Ground _____ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	Nil	Nil	Nil	Nil	Nil	Nil	.07	Nil	.01	Nil	.39		1
2	.10	Nil	.09	Nil	Nil	Nil	Nil	.58	.16	Nil	.23			2
3	Nil	.02	Nil	.16	Nil	Nil	Nil	.02	Nil	.09	Nil	Nil		3
4	.07	Nil	.09	.05	.03	Nil	Nil	Nil	Nil	.08	.06	.39		4
5	Nil	Nil	.03	Nil	.03	Nil	Nil	Nil	Nil	Nil	.03	.88		5
6	.01	Nil	.28	Nil	.25	.07	Nil	.11	Nil	.15	Nil	.40		6
7	.03	Nil	Nil	Nil	Nil	Nil	Nil	.05	Nil	.16	Nil	.13		7
8	Nil	Nil	Nil	Nil	.07	Nil	Nil	.06	.07	Nil	.31	Nil		8
9	.02	Nil	.04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.86	.27		9
10	Nil	Nil	.13	.11	Nil	Nil	Nil	.03	Nil	Nil	.21	.01		10
11	.25	Nil	.43	.05	Nil	Nil	Nil	.01	Nil	Nil	Nil	.09		11
12	.06	Nil	.06	Nil	Nil	Nil	.05	.27	Nil	Nil	.01	.04		12
13	.24	Nil	.30	.01	Nil	Nil	.34	.02	Nil	Nil	.01	.11		13
14	.04	Nil	.23	Nil	.01	Nil	Nil	Nil	Nil	Nil	.23	.45		14
15	.08	Nil	.09	Nil	.11	Nil	Nil	Nil	.02	Nil	.05	.35		15
16	.11	Nil	.13	Nil	.01	Nil	Nil	Nil	Nil	.11	Nil	.01		16
17	.02	Nil	.01	.02	Nil	Nil	Nil	Nil	Nil	.04	.01	.12		17
18	.07	Nil	Nil	.08	Nil	Nil	.40	Nil	Nil	Nil	Nil	.08		18
19	Nil	Nil	.17	Nil	Nil	.12	Nil	Nil	.06	.01	Nil	.11		19
20	Nil	Nil	.10	.01	Nil	Nil	.15	Nil	Nil	Nil	.02	.02		20
21	Nil	Nil	Nil	.14	Nil	.12	Nil	.05	Nil	Nil	Nil	Nil		21
22	Nil	Nil	Nil	Nil	Nil	Nil	.31	.11	.16	Nil	Nil	.05		22
23	Nil	Nil	Nil	.23	Nil	.20	Nil	.06	Nil	Nil	.01	.09		23
24	Nil	.02	.05	.29	Nil	.02	.49	Nil	.38	Nil	Nil	Nil		24
25	.11	.04	Nil	.12	Nil	.11	Nil	Nil	Nil	.02	Nil	.32		25
26	.03	Nil	Nil	.16	Nil	.08	Nil	Nil	.02	Nil	Nil	.07		26
27	.00	.06	Nil	.09	Nil	.16	Nil	Nil	Nil	Nil	Nil	.20		27
28	Nil	.11	Nil	.01	Nil	.39	Nil	.85	Nil	Nil	.11	.21		28
29	Nil	x	Nil	Nil	Nil	Nil	.03	.04	.77	Nil	Nil	.01		29
30	.05	x	Nil	Nil	Nil	Nil	Nil	.02	.02	Nil	Nil	.15		30
31	Nil	x	Nil	x	Nil	x	Nil	Nil	x	.09	x	.05		31
TOTAL	1.32	.25	2.23	1.53	.51	1.27	1.77	1.77	1.48	.92	1.92	4.73	9.78	
*Days with .01 in. or more.	18	5	16	15	7	9	7	15	9	11	13	27	152	
*Days with .04 in. or more.	11	3	14	11	3	8	6	10	6	8	7	23	110	

40-9599

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. 1.0

Section

A

for the entry of Daily Observations.

Station No.

840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Kew Bridge P.S., (M.W.B.)*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.05	Nil	.03	nil	.16	.67	NIL	.05	.02	.36	Nil		1
2	Nil	Nil	.01	.06	Nil	Nil	Nil	NIL	.04	.10	.01	Nil		2
3	Nil	.04	.10	.04	Nil	.29	Nil	NIL	.17	.40	.15	Nil		3
4	Nil	Nil	Nil	.11	Nil	.43	Nil	Nil	.17	.16	Nil	.09		4
5	Nil	.18	.03	.04	Nil	Nil	Nil	Nil	.31	Nil	Nil	Nil		5
6	.02	Nil	Nil	.24	Nil	.32	Nil	Nil	NIL	Nil	Nil	.01		6
7	Nil	Nil	Nil	.51	Nil	Nil	Nil	Nil	Nil	.03	.90	.11		7
8	Nil	Nil	Nil	.30	Nil	Nil	Nil	Nil	Nil	.23	.24	.12		8
9	Nil	Nil	Nil	.22	Nil	.52	Nil	NIL	Nil	.51	.08	NIL		9
10	.01	Nil	Nil	.03	Nil	.01	Nil	NIL	NIL	.02	.10	.02		10
11	.02	Nil	Nil	.07	Nil	.05	.15	NIL	NIL	Nil	.21	Nil		11
12	Nil	Nil	Nil	Nil	Nil	.08	Nil	.08	Nil	Nil	.42	Nil		12
13	.10	.16	Nil	.15	.11	.04	Nil	NIL	Nil	Nil	Nil	Nil		13
14	Nil	Nil	Nil	.03	.14	.07	Nil	Nil	Nil	NIL	.02	.09		14
15	Nil	.20	Nil	.31	Nil	.23	Nil	Nil	.02	NIL	.27	.04		15
16	Nil	.10	.02	.06	Nil	.08	Nil	Nil	.24	NIL	.50	.03		16
17	.01	NIL	Nil	.01	Nil	.17	Nil	.03	.02	Nil	.34	Nil		17
18	Nil	NIL	Nil	.17	Nil	.18	.10	Nil	.24	.02	.03	Nil		18
19	Nil	Nil	Nil	.02	.20	.06	.04	NIL	.03	Nil	.10	.03		19
20	Nil	.18	Nil	.03	.39	.06	.01	NIL	.01	Nil	.14	Nil		20
21	Nil	.23	Nil	Nil	Nil	Nil	Nil	NIL	Nil	.05	Nil	Nil		21
22	Nil	.01	.02	.02	Nil	Nil	Nil	.31	.06	NIL	Nil	Nil		22
23	Nil	Nil	.17	Nil	Nil	Nil	Nil	.40	.06	.04	Nil	.12		23
24	.07	.48	Nil	Nil	.11	Nil	Nil	.21	.39	NIL	Nil	.20		24
25	.18	.13	Nil	.26	.01	.52	Nil	NIL	NIL	Nil	Nil	.07		25
26	.12	.12	Nil	Nil	Nil	NIL	Nil	.30	.02	Nil	Nil	.27		26
27	Nil	.35	Nil	Nil	Nil	NIL	Nil	Nil	.07	Nil	.09	.22		27
28	Nil	.03	Nil	Nil	.03	Nil	Nil	Nil	.10	.05	Nil	.16		28
29	.01	X	Nil	Nil	Nil	Nil	Nil	Nil	.45	Nil	Nil	.12		29
30	.04	X	Nil	.10	.01	Nil	Nil	.64	.07	.40	.25	.26		30
31	NIL	X	Nil	X	.01	X	Nil	Nil	X	.33	X	.31		31
TOTAL	.86	2.26	.35	2.81	1.01	3.21	.97	1.97	2.52	2.36	4.21	2.27	24.80	
* Days with .01 in. or more.	17	15	6	7	9	17	5	7	19	13	18	18	145	
* Days with .04 in. or more.	7	13	2	15	5	15	3	6	14	9	15	14	118	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.F.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

8410

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Kew Bridge Works M. W. B*

in the County of

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	.05	.04	.09	nil	.19	.09	.02	nil	fil	.06	.08		1
2	.02	.20	nil	.01	nil	.42	.02	.07	nil	fil	.06	nil		2
3	nil	fil	nil	.23	NIL	.11	.02	NIL	.19	fil	.26	nil		3
4	nil	fil	.10	nil	NIL	.24	nil	NIL	.31	nil	.05	.02		4
5	.05	fil	.03	nil	fil	nil	nil	NIL	.34	nil	.02	.03		5
6	.19	fil	nil	nil	fil	.14	nil	.05	.02	nil	.16	.10		6
7	.20	fil	NIL	nil	fil	.03	nil	fil	.04	nil	.09	.02		7
8	.15	fil	.02	nil	fil	NIL	nil	fil	NIL	nil	.26	.17		8
9	.45	nil	.02	nil	fil	NIL	.73	fil	.48	nil	fil	nil		9
10	nil	nil	NIL	.05	fil	fil	.06	.18	.03	nil	nil	fil		10
11	nil	nil	fil	.08	nil	fil	.14	fil	nil	nil	.80	fil		11
12	nil	nil	fil	nil	nil	.50	.17	fil	.20	nil	.26	.10		12
13	NIL	nil	fil	NIL	nil	.21	.01	fil	nil	nil	.02	.08		13 155
14	NIL	.04	fil	NIL	nil	.07	.53	nil	.01	.93	.12	.42		14
15	NIL	.05	fil	NIL	nil	fil	NIL	nil	.17	nil	.01	.03		15
16	.49	.10	nil	fil	nil	fil	.01	fil	.04	nil	.40	.07		16 78
17	.17	.28	nil	fil	.06	.27	fil	nil	nil	nil	.13	.10		17
18	.05	.09	nil	fil	nil	.19	.08	nil	nil	.01	.01	.07		18
19	.18	.01	.03	.02	nil	.26	.18	.02	nil	.01	NIL	nil		19 16
20	.03	.05	.07	.36	nil	nil	.03	nil	.84	nil	NIL	nil		20
21	nil	fil	nil	.18	.05	.30	fil	fil	.13	fil	fil	nil		21
22	.12	.37	.02	nil	.29	.02	.16	fil	NIL	fil	fil	.05		22
23	.02	fil	.01	.06	fil	nil	.02	fil	NIL	.11	fil	nil		23
24	.08	.14	nil	nil	nil	nil	nil	fil	NIL	.32	fil	nil		24
25	.05	fil	.12	.15	nil	.14	.07	fil	.08	.07	.02	.02		25
26	nil	.07	.15	.09	nil	.08	.02	fil	.01	.16	nil	.02		26
27	.13	.02	.01	nil	nil	NIL	nil	nil	.04	.07	nil	NIL		27
28	.67	nil	.08	nil	nil	NIL	.27	nil	fil	nil	nil	.03		28
29	.07	.05	.03	nil	nil	.21	.02	nil	fil	nil	.15	.01		29
30	.05	x	nil	nil	.09	.11	.04	nil	fil	.20	nil	fil		30
31	.41	x	.19	x	nil	x	.09	nil	x	.49	x	.95		31
TOTAL	3.90	1.52	.92	1.32	.49	3.49	2.76	.34	2.93	1.47	2.88	1.65	23.69	
* Days with .01 in. or more.	21	14	15	11	4	18	21	5	16	10	18	19	122	
* Days with .04 in. or more.	18	12	4	9	4	16	13	3	12	7	13	11	123	

Year's Total

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at KEW BRIDGE,

in the County of MIDDLESEX.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...3....in.

,, Ground ,, Sea Level ...36.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.35		.03	.10							.62	.71		1
2		.13		.55					.14			.59		2
3		.18										.06		3
4	.03	.40										.28		4
5	.18	.06	.24				.06							5
6	.03	.02	.64	.01	.23		.01			.04	.02			6
7		.62	.03	.09					.04					7
8		.02			.05	.06					.11	.22		8
9		.04		.31	.14	.01	.07		.24			.02		9
10			.37	.02	.18	.46	.02	.22				.42		10
11			.15		.22		.02					.05		11
12	.12	.29	.19		.25	.46	.02		.03			.10		12
13	.14	.05	.33			.05		3.02	.39			.85		13
14		.17	.14	.03				.32	.03					14
15	.11	.09		.13		.01	.13		.12			.02		15
16	.11	.15	.20	.27		.03		.21	.25					16
17	.22		.15	.06					.23					17
18	.25	.05	.01		.08	.46					.16	.10		18
19	.01	.10	.04	.09	.04	.11			.06					19
20	.21		.02	.24	.59	.09	.40							20
21	.33	.65	.01	.10	.02						.01	.08		21
22	.31					.12	.05			.70	.30	.03		22
23	.27		.01		.04					.36				23
24	.31	.54	.07			.01			.10	.19		.01		24
25	.05	.20	.15		.25				.05	.27		.03		25
26		.30	.03		.07					.07				26
27	.02	.09		.10					.01	.47				27
28		.10		.03						.09		.02		28
29										.02	.06	.03		29
30	.22	X									.17			30
31	.25	X		X		X			X	.24	X	.03		31
TOTAL	3.52	4.15	2.81	2.15	2.16	1.87	0.78	3.77	1.69	2.45	1.45	3.65	30.46	
* Days with .01 in. or more.	20	21	19	15	13	12	9	4	13	10	8	19	163	
* Days with .04 in. or more.	16	19	11	11	12	8	5	4	10	9	6	11	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

SUPPLY OFFICER

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kens. Bridgein the County of MiddlesexDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground....1 ft....3 in.,, Ground ,, Sea Level 36 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.01	.10			.03	.02		.03		1
2	.10			.08	.09		.01			.18		.04		2
3					.19					.58				3
4	.01						.02			.04		.08		4
5							.09			.12				5
6	.03						.01		.41	.01				6
7	.01						.05		.15	.12		.03		7
8	.10						.18	1.00		.29		.02		8
9	.08	.01				.01		.39				.50		9
10	.12	.04						.06				.02		10
11	.24							.85			.15	.06		11
12	.23				.01			.33		.20	.02			12
13	.20	.01						.01		.03	.05	.11		13
14	.19				.06				.02					14
15	.05	.01					.16			.28	.02	.21		15
16	.29										.03	.84		16
17		.09			.18					.09				17
18	.02				.04				.12	.02	.23			18
19								.03	.12		.18			19
20									.02		.49			20
21								.02	.04		.04	.33		21
22								.09			.13	.26		22
23											.01			23
24			.11		.02				.44		.05			24
25	.10	.01	.10		.04			.21	.02	.03	1.00	.10		25
26	.15	.12	.05						.23	.18		.22		26
27	.08	.03			.01	.16	.27	.04	.60	.05	.26			27
28	.09	.04			.51	.02		.26	.03			.06		28
29	.28				.08				.02		.08	.19		29
30	.01	X			.05	.03			.08	.08	.14			30
31	.12	X		X	.08	X			X	.11	X	.18		31
TOTAL	2.50	0.36	0.26	0.08	1.37	0.32	0.79	3.29	2.33	2.43	2.88	3.28	Year's Total	19.89
* Days with .01 in. or more.	21	9	3	1	14	5	8	12	13	18	16	18		140
* Days with .04 in. or more.	16	4	3	1	10	2	5	9	9	13	12	14		98

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

SUPPLY ENGINEER.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1939.

Kept at
in the County of
Diameter of Runnel of Gauge.....5.....in.
Height of top of Gauge above Ground...1...ft...3...in.
,, Ground ,, Sea Level 36.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01			.43	.35			.49	.12					1
2				.03	.03			.62	.54		.03			2
3	.29			.19				.30			.22	.14		3
4	.12		.15	.10			.05	.83		.50	.04			4
5				.40	.01		.01	.02		.11	.18	.03		5
6	.37						.18	.04			.76	.02		6
7	.03	.09						.04			.03	.09		7
8		.04	.13				.01	.25		.48	.14	.30		8
9	.02							.01		.21	.04	.13		9
10	.17					.34		.11	.03	.04				10
11			.19		.01	.16				.33	.01			11
12														12
13				.03			.06			1.31				13
14	.44				.08					.22	.43			14
15	.28				.49	.13	.15		.09	.67	.13			15
16	.48		.07	.01	.18	.12	.02				.40			16
17	.25	.02	.03		.07		.01				.03			17
18	.21		.04			.16	.23			.17	.26			18
19	.22		.01				.07			.10				19
20	.26					.64	.79	.08				.04		20
21	.06		.19			.06	.18	.50	.07					21
22	.09	.19	.11			.07	.05				.08			22
23				.10		.01	.02			.02	.61			23
24	.32			.01			.04			.09				24
25	.85	.16	.03				.04	.03			.44			25
26	.06					.01				.25	.27			26
27			.06	.10						.10	.15			27
28		.20	.04	.17			.03			.04	.10	.05		28
29				.21			.03			.07	.09			29
30		X		.46		.02					.24			30
31		X		X		X	.03		X	.03	X			31
TOTAL	4.53	0.70	1.05	2.24	1.22	1.72	2.00	3.32	0.85	4.74	4.68	0.80	27.85	
* Days with .01 in. or more.	19	6	12	13	8	11	19	13	5	18	22	8	154	
* Days with .04 in. or more.	16	5	9	9	5	8	11	10	4	16	18	6	117	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. H. Davis

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at KEW BRIDGE.

in the County of MIDDLESEX.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft....3.....in.

„ Ground „ Sea Level 36.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.04									.14			1
2		.04		.15			.05			.14	.42			2
3		.20		.10						.08	1.09	.08		3
4		.08		.03						.12	.14	.04		4
5							.03			.09	.18	.06		5
6	.21	.07			.01		.15			.13	.39			6
7	.25	.05		.01	.04		.11				.14			7
8				.03						.12	.02	.24		8
9						.47	✓		✓	.13	.09	.03		9
10			.02				.21	.03		.60	.06	.02		10
11				.03			.20				.98			11
12			.10				.08		✓	.22				12
13		✓	.77			.12			.08		.75			13
14			.11	.09								.21		14
15			.04	.03	.12		.29		.04	.04	.20	.10		15
16	✓	✓	.40	.09		.05	.35		.13	.76	.78	.02		16
17		✓	.38				.05		.01		.43			17
18		✓	.37	.03	.25		.05			.11				18
19		.24	.06	.05			✓		.70		.47	.04		19
20		.01		.01			.08	.02		.01	.07			20
21					.50		.16			.03	.36			21
22	✓		.03		.30	.23			.13	.02				22
23		.09	.01	.17	.03	.01				.01				23
24				.14			.21							24
25			.59				.08							25
26	✓	1.11	.05	.45	.02	.09	.10	.07						26
27		.31	.25		.07		.11							27
28		.20			.07									28
29	✓	✓	.02	.06		.05						.30		29
30	✓	.08	✗		.26					.05				30
31		✗		✗		✗			✗	.61	✗	.02		31
TOTAL	2.16	1.51	3.05	1.53	1.21	.98	2.28	.05	1.31	3.05	6.71	1.16	Year's Total	25.00
* Days with .01 in. or more.	89	1315	14	17	9	6	119	2	18	17	18	12	138	146
* Days with .04 in. or more.	6	112	10	10	7	5	16	-	6	13	17	8	109	110

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

REGIST

Kept at Hollies, Chiswick
in the County of Middlesex

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the requirements of the Regulations made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1931
has air house & tank
- Nov. 5 - 50 lb. tank

841
CHISWICK MALL
"HOLLIES"
1931-1932

780203

US DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.32	-	.03	-	-	.08	-	-	-	1
2	.13	.16	-	.37	-	-	-	-	.41	-	.01	.17	2
3	.04	.01	.08	.52	.61	-	-	.16	1.35	-	-	-	3
4	-	TR.	-	-	.03	-	-	.08	.06	-	-	-	4
5	-	-	-	.20	-	.51	.06	1.33	TR.	-	-	.11	5
6	-	.10	-	.05	-	.07	-	Thunder	-	.34	.10	-	6
7	-	-	-	-	.10	.05	.10	.65	-	.05	.06	-	7
8	-	.06	snow	-	-	.27	-	.19	-	-	-	.06	8
9	-	.02	.06	-	-	-	-	.01	.03	-	.30	.02	9
10	-	.10	snow	.09	-	-	-	.43	-	-	.10	-	10
11	.08	.18	-	-	-	.07	-	-	.05	-	.19	-	11
12	-	.02	-	-	-	-	-	.25	-	-	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	-	.09	-	-	-	-	1.22	1.12	-	-	-	-	14
15	.05	-	-	.12	.10	-	.12	Thunder	-	-	-	.04	15
16	-	.08	-	.10	.23	.06	TR	Thunder	-	-	-	-	16
17	-	.02	-	.18	.05	.02	.17	-	.15	.01	-	-	17
18	-	.08	.01	.13	TR	.07	.06	.82	-	-	.46	-	18
19	.09	-	-	.45	-	.28	.14	.07	-	-	-	-	19
20	-	.61	-	.03	-	-	.06	.17	-	-	-	-	20
21	.01	-	-	-	.38	-	-	.02	TR	-	-	-	21
22	.17	-	.03	-	.39	-	-	-	.11	-	-	-	22
23	.11	-	-	.05	.51	.02	-	-	-	-	-	-	23
24	-	-	-	.37	.06	.12	-	-	.05	-	.09	.08	24
25	.06	-	-	.50	.05	-	1.29	-	-	-	-	-	25
26	-	.09	-	.30	-	-	-	-	-	-	-	-	26
27	.13	.40	-	.03	.21	-	.04	-	-	-	.23	-	27
28	.02	.11	-	.06	-	-	-	-	-	-	-	-	28
29	.07	-	-	-	-	-	.11	-	-	.24	-	-	29
30	.03	X	-	-	-	-	-	.21	.01	-	-	-	30
31	.09	X	-	X	.10	X	-	-	X	-	X	-	31
TOTAL	1.08	2.14	.27	3.78	2.82	1.57	3.37	5.59	2.30	.64	1.54	.48	YEAR'S TOTAL
*Days with or in. or more.	14	17	5	17	13	12	11	15	10	4	9	6	133
*Days with or in. or more.	11	13	3	15	12	9	11	13	8	3	8	5	111

(Signed) Miss Laura E. Felkin

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Hollies, Chiswick Mall, W4
in the County of Middlesex London

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
Ground Sea Level 6 ft.

Observer says was at home & took
reading in Feb - Nov. 5 - So that chance
is correct.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.32	-	.03	-	-	.08	-	-	-	1
2	.13	.16	-	.37	-	-	-	-	.41	-	.01	.17	2
3	.04	.01	.08	.52	.61	-	-	.16	1.35	-	-	-	3
4	-	TR.	-	-	.03	-	-	.08	.06	-	-	-	4
5	-	-	-	.20	-	.51	.06	1.33	TR.	-	-	.11	5
6	-	.10	-	.05	-	.07	-	Thunder	-	.34	.10	-	6
7	-	-	-	-	.10	.05	.10	.65	-	.05	.06	-	7
8	-	.06	snow	-	-	.27	-	.19	-	-	-	.06	8
9	-	.02	.06 snow	-	-	-	-	.01	.03	-	.30	.02	9
10	-	.10	.09	-	-	-	-	.43	-	-	.10	-	10
11	.08	.18	-	-	-	.07	-	-	.05	-	.19	-	11
12	-	.02	-	-	-	-	-	.25	-	-	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	-	.09	-	-	-	-	1.22	1.12	-	-	-	-	14
15	.05	-	-	.12	.10	-	.12	Thunder .088 Thunder	-	-	-	.04	15
16	-	.08	-	.10	.23	.06	TR	-	-	-	-	-	16
17	-	.02	-	.18	.05	.02	.17	-	.15	.01	-	-	17
18	-	.08	.01	.13	TR	.07	.06	.82	-	-	.46	-	18
19	.09	-	-	.45	-	.28	.14	.07	-	-	-	-	19
20	-	.61	-	.03	-	-	.06	.17	-	-	-	-	20
21	.01	-	-	-	.38	-	-	.02	TR	-	-	-	21
22	.17	-	.03	-	.39	-	-	-	.11	-	-	-	22
23	.11	-	-	.05	.51	.02	-	-	-	-	-	-	23
24	-	-	-	.34	.06	.12	-	-	.05	-	.09	.08	24
25	.06	-	-	.50	.05	-	1.29	-	-	-	-	-	25
26	-	.09	-	.30	-	-	-	-	-	-	-	-	26
27	.13	.40	-	.03	.21	-	.04	-	-	-	.23	-	27
28	.02	.11	-	.06	-	-	-	-	-	-	-	-	28
29	.07	-	-	-	-	-	.11	-	-	.24	-	-	29
30	.03	X	-	-	-	-	-	.21	.01	-	-	-	30
31	.09	X	-	X	.10	X	-	-	X	-	X	-	31
TOTAL	1.08	2.14	.27	3.78	2.82	1.57	3.37	5.59	2.30	.64	1.54	.48	YEAR'S TOTAL
*Days with or in. or more.	14	17	5	17	13	12	11	15	10	4	9	6	133
*Days with .04 in. or more.	11	13	3	15	12	9	11	13	8	3	8	5	111

Section

A

for the entry of Daily Observations.

Station No.

841
841

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hollies, Chiswick Mall W4
in the County of Middlesex.

File No 8484/30

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>41</u>	<u> </u>	<u>TR</u>	<u>26</u>	<u> </u>	<u>15</u>	<u>04</u>	<u> </u>	1
2	<u> </u>	<u> </u>	<u> </u>	<u>24</u>	<u>04</u>	<u> </u>	<u> </u>	<u>01</u>	<u> </u>	<u>04</u>	<u>03</u>	<u>11</u>	2
3	<u>18</u>	<u> </u>	<u> </u>	<u>12</u>	<u>10</u>	<u> </u>	<u> </u>	<u> </u>	<u>65</u>	<u>03</u>	<u>TR</u>	<u> </u>	3
4	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>TR</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>08</u>	<u> </u>	4
5	<u>30</u>	<u> </u>	<u>02</u>	<u> </u>	<u>TR</u>	<u>11</u>	<u>11</u>	<u> </u>	<u>05</u>	<u> </u>	<u> </u>	<u> </u>	5
6	<u>35</u>	<u> </u>	<u> </u>	<u>20</u>	<u> </u>	<u> </u>	<u>09</u>	<u> </u>	<u>02</u>	<u> </u>	<u> </u>	<u> </u>	6
7	<u> </u>	<u> </u>	<u>14</u>	<u>05</u>	<u>07</u>	<u> </u>	<u> </u>	<u> </u>	<u>05</u>	<u>05</u>	<u> </u>	<u> </u>	7
8	<u> </u>	<u> </u>	<u>08</u>	<u>05</u>	<u>50</u>	<u> </u>	<u> </u>	<u> </u>	<u>02</u>	<u>24</u>	<u> </u>	<u> </u>	8
9	<u>29</u>	<u> </u>	<u> </u>	<u>05</u>	<u>50</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>08</u>	<u> </u>	<u> </u>	9
10	<u>26</u>	<u>STON</u>	<u>01</u>	<u>20</u>	<u>09</u>	<u> </u>	<u> </u>	<u> </u>	<u>01</u>	<u>17</u>	<u> </u>	<u> </u>	10
11	<u> </u>	<u> </u>	<u> </u>	<u>TR</u>	<u> </u>	<u> </u>	<u>32</u>	<u>19</u>	<u> </u>	<u>17</u>	<u>05</u>	<u> </u>	11
12	<u>13</u>	<u> </u>	<u> </u>	<u>TR</u>	<u>01</u>	<u> </u>	<u> </u>	<u>01</u>	<u>02</u>	<u>20</u>	<u> </u>	<u> </u>	12
13	<u> </u>	<u> </u>	<u> </u>	<u>09</u>	<u>04</u>	<u> </u>	<u> </u>	<u> </u>	<u>TR</u>	<u>29</u>	<u>04</u>	<u>04</u>	13
14	<u> </u>	<u>11</u>	<u> </u>	<u>27</u>	<u>05</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>03</u>	<u>07</u>	<u> </u>	14
15	<u> </u>	<u> </u>	<u> </u>	<u>06</u>	<u>38</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>10</u>	<u>01</u>	<u> </u>	15
16	<u>12</u>	<u> </u>	<u> </u>	<u>15</u>	<u>13</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>TR</u>	<u> </u>	<u> </u>	16
17	<u> </u>	<u> </u>	<u> </u>	<u>01</u>	<u> </u>	<u> </u>	<u>14</u>	<u> </u>	<u>02</u>	<u>01</u>	<u> </u>	<u> </u>	17
18	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>90</u>	<u> </u>	<u>09</u>	<u> </u>	18
19	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>04</u>	<u> </u>	<u> </u>	<u> </u>	<u>02</u>	<u>20</u>	<u>TR</u>	<u> </u>	19
20	<u> </u>	<u> </u>	<u> </u>	<u>24</u>	<u> </u>	<u> </u>	<u> </u>	<u>12</u>	<u>11</u>	<u>67</u>	<u>15</u>	<u> </u>	20
21	<u> </u>	<u> </u>	<u> </u>	<u>13</u>	<u>77</u>	<u> </u>	<u> </u>	<u>19</u>	<u> </u>	<u>20</u>	<u> </u>	<u> </u>	21
22	<u> </u>	<u>01</u>	<u>27</u>	<u> </u>	<u>12</u>	<u> </u>	<u>14</u>	<u> </u>	<u>11</u>	<u>33</u>	<u>29</u>	<u> </u>	22
23	<u> </u>	<u>11</u>	<u> </u>	<u>01</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>12</u>	<u>95</u>	<u>13</u>	<u>18</u>	23
24	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>07</u>	<u> </u>	<u>37</u>	<u> </u>	<u>11</u>	<u>07</u>	<u>09</u>	<u> </u>	24
25	<u> </u>	<u>01</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>60</u>	<u> </u>	<u>05</u>	<u>16</u>	<u> </u>	<u>12</u>	25
26	<u> </u>	<u> </u>	<u>10</u>	<u>05</u>	<u>12</u>	<u> </u>	<u>10</u>	<u> </u>	<u> </u>	<u>06</u>	<u> </u>	<u> </u>	26
27	<u> </u>	<u> </u>	<u>22</u>	<u>15</u>	<u> </u>	<u> </u>	<u>04</u>	<u> </u>	<u> </u>	<u>37</u>	<u>09</u>	<u>12</u>	27
28	<u> </u>	<u> </u>	<u>TR</u>	<u>01</u>	<u>43</u>	<u> </u>	<u>TR</u>	<u> </u>	<u> </u>	<u>11</u>	<u>TR</u>	<u> </u>	28
29	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>03</u>	<u>08</u>	<u>05</u>	<u>30</u>	<u>08</u>	<u>30</u>	<u> </u>	<u> </u>	29
30	<u> </u>	<u>X</u>	<u>28</u>	<u>03</u>	<u> </u>	<u>50</u>	<u>04</u>	<u>01</u>	<u>08</u>	<u> </u>	<u>16</u>	<u> </u>	30
31	<u> </u>	<u>X</u>	<u>17</u>	<u>X</u>	<u>TR</u>	<u>X</u>	<u>05</u>	<u> </u>	<u>X</u>	<u>01</u>	<u>X</u>	<u> </u>	31
TOTAL	1.63	.24	1.29	2.11	3.90	.69	2.05	1.09	2.42	4.94	1.32	.57	YEAR'S TOTAL
*Days with ".01 in. or more.	9	4	9	19	19 ²⁰	3	12	8	17 ¹⁸	25	14	5	142
*Days with ".04 in. or more.	8	2	7	15	17 ¹⁸	3	12	5	14 ¹²	20	12	5	119

REGIST

Kept at *Turnham Green*
in the County of *Middlesex*

Diameter of Funnel of Gauge *6*
Height of top of Gauge above Ground
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to *the following*
year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

842
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.12	.14	.31	-	-	-	-	-	-	-	-	1
2	-	.08	-	-	.55	-	.01	.24	.20	.03	-	-	2
3	.04	-	.04	-	-	-	-	-	1.42	-	.08	-	3
4	-	-	-	-	.02	-	.09	-	-	-	-	-	4
5	-	-	-	1.12	.01	-	-	1.19	.06	-	-	-	5
6	-	.12	-	-	-	.65	-	-	-	.33	.35	-	6
7	-	.07	.3	-	.10	-	-	.60	-	-	-	-	7
8	-	-	0	-	-	.26	-	-	-	-	.19	.19	8
9	-	-	.2	-	-	-	-	.70	.04	-	.31	-	9
10	.10	.17	.5	-	-	-	-	-	-	-	.10	-	10
11	-	.19	-	-	-	-	-	.25	-	-	.09	-	11
12	-	.02	-	-	-	-	-	-	.43	-	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	-	.11	-	-	-	-	1.06	1.11	-	-	-	-	14
15	.04	-	-	.13	.09	-	.15	.18	-	-	-	.06	15
16	-	.11	-	.11	.29	-	.15	-	-	-	-	-	16
17	.09	.04	-	.20	-	-	-	-	.15	.05	.49	-	17
18	-	.07	-	.62	-	.02	.17	.86	-	-	-	-	18
19	.02	-	-	-	-	-	-	.25	.10	-	-	-	19
20	-	-	-	.03	-	-	.06	-	-	-	-	-	20
21	-	-	.03	-	.41	.33	-	-	-	-	-	-	21
22	.32	-	-	-	-	-	-	-	-	-	-	.03	22
23	-	-	-	-	-	-	-	.08	-	-	-	-	23
24	.07	-	-	1.18	.58	.12	.02	-	-	-	-	-	24
25	-	-	-	-	-	-	1.17	-	.01	-	-	-	25
26	-	-	-	-	-	-	-	-	-	-	.30	-	26
27	.18	.51	-	.03	-	-	-	-	-	-	.07	SNOW	27
28	-	-	-	.06	-	-	.17	-	-	-	-	-	28
29	.08	-	-	-	-	-	-	.24	-	.25	-	-	29
30	-	X	-	-	.30	-	.02	-	-	-	-	-	30
31	.12	X	-	X	-	X	-	-	X	-	X	.04	31
TOTAL	1.19	1.61	.21	3.79	2.35	1.38	3.07	5.62	2.49	.66	1.98	.32	YEAR'S TOTAL 24.67
*Days with or in. or more.	11	12	3	10	9	5	11	10	9	4	9	4	97
*Days with .04 in. or more.	10	16	2	8	7	4	8	10	8	3	9	3	83

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Lurnham Green Common
in the County of Wiltshire
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground One ft. — in.
Ground Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.12	.14	.31	-	-	-	-	-	-	-	-	1
2	-	.08	-	-	.55	-	.01	-	.20	.03	-	-	2
3	.04	-	.04	-	-	-	-	.24	1.42	-	.08	-	3
4	-	-	-	-	.02	-	.09	-	-	-	-	-	4
5	-	-	-	1.12	.01	-	-	1.19	.06	-	-	-	5
6	-	.12	-	-	-	.65	-	-	-	.33	.35	-	6
7	-	.07	.3	-	.10	-	-	.60	-	-	-	-	7
8	-	-	0	-	-	.26	-	-	-	-	.19	.19	8
9	-	-	2	-	-	-	-	.70	.64	-	.31	-	9
10	.10	.17	5	-	-	-	-	-	-	-	.16	-	10
11	-	.19	-	-	-	-	-	.25	-	-	.09	-	11
12	-	.02	-	-	-	-	-	-	.43	-	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	-	.11	-	-	-	-	1.06	1.11	-	-	-	-	14
15	.04	-	-	.13	.09	-	.15	.18	-	-	-	.06	15
16	-	.11	-	.11	.29	-	.15	-	-	-	-	-	16
17	.09	.04	-	.20	-	-	-	-	.15	.05	.49	-	17
18	-	.07	-	.62	-	.02	.17	.86	-	-	-	-	18
19	.02	-	-	-	-	-	-	.25	.10	-	-	-	19
20	-	-	-	.03	-	-	.06	-	-	-	-	-	20
21	-	-	.03	-	.41	.33	-	-	-	-	-	-	21
22	.32	-	-	-	-	-	-	-	-	-	-	.03	22
23	-	-	-	-	-	-	-	-	.08	-	-	-	23
24	.07	-	-	1.18	.58	.12	.02	-	-	-	-	-	24
25	-	-	-	-	-	-	1.17	-	.01	-	-	-	25
26	-	-	-	-	-	-	-	-	-	-	.30	-	26
27	.18	.51	-	.03	-	-	-	-	-	-	.07	SNOW	27
28	-	-	-	.06	-	-	.17	-	-	-	-	-	28
29	.08	-	-	-	-	-	-	.24	-	.25	-	-	29
30	-	X	-	-	.30	-	.02	-	-	-	-	-	30
31	.12	X	-	X	-	X	-	-	X	-	X	.04	31
TOTAL	1.19	1.61	.21	3.79	2.35	1.38	3.07	5.62	2.49	.66	1.98	.32	YEAR'S TOTAL 24.67
*Days with "or in. or more.	11	12	3	10	9	5	11	10	9	4	9	4	97
*Days with "04 in. or more.	10	16	2	8	7	4	8	10	8	3	9	3	83

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Richard Webb P.T.O.
M2008/11

Section

A

for the entry of Daily Observations.

Station No.

842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932 .Kept at *Lurham Clean Common, Blisworth*
in the County of *Northampton*Diameter of Funnel of Gauge *Eight* ins.Height of top of Gauge above Ground *1* ft *0* in.Ground Sea Level *27* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	-	-	-	-	-	-	-	.05	-	1
2	.02	-	-	.26	.47	-	-	.35	.24	.20	.04	.12	2
3	-	-	-	-	.06	.05	-	-	.44	-	-	-	3
4	.01	-	-	-	.14	-	-	-	-	-	-	-	4
5	.11	-	-	-	-	-	.12	-	.08	-	-	-	5
6	.57	-	-	.21	-	-	-	-	-	-	-	-	6
7	.01	-	.19	.07	-	-	.17	-	-	.04	-	-	7
8	-	-	.10	.04	1.17	-	-	-	-	.28	-	-	8
9	.52	-	-	.27	-	-	-	-	-	-	-	-	9
10	know	.02	-	-	-	-	.28	-	.09	.19	-	-	10
11	.08	know	.01	-	-	-	-	.18	-	.16	.14	-	11
12	.05	know	-	-	-	-	-	-	-	.18	-	-	12
13	.02	.04	-	.03	-	-	-	-	-	.30	-	-	13
14	.10	-	-	-	-	-	-	-	-	.11	.01	-	14
15	.02	-	-	.21	.67	-	-	-	.02	-	-	-	15
16	.10	-	-	.14	-	-	.12	-	-	.03	-	-	16
17	-	-	-	-	-	-	-	-	1.1	-	-	-	17
18	-	-	-	-	.11	-	-	-	-	-	.28	-	18
19	-	-	-	-	-	-	-	-	-	.22	-	-	19
20	-	.01	-	.20	.80	-	-	.29	.12	.72	.33	-	20
21	.05	-	-	.12	-	-	-	-	-	.12	-	-	21
22	-	-	.30	-	-	-	.14	-	.06	1.23	-	-	22
23	-	.09	-	.02	-	-	.26	-	.03	-	-	.22	23
24	-	-	-	-	-	-	-	-	.29	.07	-	-	24
25	-	-	-	-	.55	-	.71	-	-	.12	.22	.02	25
26	-	-	.64	.07	-	-	-	-	-	.05	-	-	26
27	-	-	-	.17	-	-	.15	-	-	.41	-	-	27
28	-	-	-	-	.12	-	-	.25	-	.14	-	.04	28
29	-	-	-	-	-	.03	-	-	.07	.33	-	-	29
30	-	X	-	-	-	.61	-	.02	.08	-	.21	-	30
31	-	X	.32	X	-	X	-	-	X	-	X	-	31
TOTAL	1.70	.14	1.58	1.81	4.09	.69	1.95	1.09	2.62	4.90	1.28	.40	YEAR'S TOTAL 22.15
*Days with .01 in. or more.	14	3	7	15	9	3	8	5	17	19	8	4	105
*Days with .04 in. or more.	8	2	4	11	9	7	8	4	10	18	7	3	86

40-9999

*See Instruction 2 (f) on other side.

(Signed)

L. E. P. J.
BOROUGH ENGINEER

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Lurham Green Common*
in the County of *Huddersfield*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. = *1* in.,, Ground ,, Sea Level *27* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.14	.17	-	-	-	-	-	-	.04	-	-		1
2	.10	-	.31	-	.20	-	-	-	-	-	-	-		2
3	-	-	.12	-	.31	-	-	-	-	-	-	-		3
4	.28	.20	.21	-	.18	-	-	-	-	-	-	-		4
5	-	-	-	-	.10	-	-	-	-	-	-	-		5
6	-	.09	.02	-	.52	-	-	-	-	.09	.19	-		6
7	.24	.05	-	-	-	-	-	-	-	.14	-	-		7
8	-	.01	-	-	.06	-	.10	-	-	-	-	-		8
9	-	-	-	-	.03	-	-	-	-	.04	.04	-		9
10	-	1.36	-	-	.02	.13	.15	-	-	.17	-	-		10
11	.16	.01	-	-	.02	-	.13	.05	-	-	-	-		11
12	-	-	-	.31	.06	.10	-	-	.65	-	-	-		12
13	.10	-	-	-	.06	-	.21	-	.07	.22	.23	-		13
14	.28	-	-	-	-	-	.05	-	-	-	.45	-		14
15	-	-	.17	-	-	.40	.10	.15	-	-	-	-		15
16	-	.04	.44	-	-	.14	-	-	.10	-	-	-		16
17	-	-	.35	-	-	.18	-	-	-	-	-	-		17
18	.13	know	.22	-	-	-	-	-	-	-	-	-		18
19	-	-	-	.02	-	-	.04	-	.56	-	-	-		19
20	-	know	.12	.09	-	.30	.02	-	-	-	-	-		20
21	-	know	-	-	-	.20	-	-	.28	.21	-	-		21
22	-	-	-	.17	.42	-	-	.24	-	-	-	-		22
23	-	know	-	-	.12	-	-	-	.68	.02	-	-		23
24	-	know	-	.12	-	.11	-	-	-	.01	-	-		24
25	-	.68	-	.05	-	-	-	-	.05	.21	-	.08		25
26	-	-	-	.25	-	.04	-	-	.07	.50	-	-		26
27	-	-	-	-	-	-	-	-	-	-	-	-		27
28	.09	-	-	-	-	-	.13	-	-	.02	-	-		28
29	-	X	-	.02	-	-	-	-	-	-	-	.03		29
30	-	X	-	-	-	-	-	-	-	-	-	.07		30
31	.20	X	.08	X	-	X	-	.13	X	-	X	-		31
TOTAL	1.61	2.58	2.21	1.03	1.68	1.60	1.93	.57	2.46	1.67	.91	.18	Year's Total	18.43
*Days with "or in. or more.	10	9	11	8	12	9	9	4	8	12	4	3		99
*Days with .04 in. or more.	9	7	10	6	9	9	8	4	8	9	4	2		85

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. C. Cooper

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Turnham Green, London, W.2.

in the County of Middlesex.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. = in.

Ground Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.05	-	-	-	-	.08	-	.15	-	.59		1
2	-	-	.12	-	-	-	-	-	.66	.18	-			2
3	.11	-	.09	.28	-	-	-	-	-	.11	.06	.03		3
4	.09	-		.02	-	-	-	-	-	-		.32		4
5	-	-	-	-	.37	.07	-	.2	-	-	.04	.36		5
6	.04	-	.33	-	-	-	-	-	-	.31	-	.37		6
7	-	-	-	-	-	-	-	-	-	-	-	-		7
8	-	-	-	.08	.09	-	-	-	.08	-	-	.46		8
9	-	-	.05		-	-	-	-	-	-	.32			9
10	-	-	.08	.05	-	-	-	.01	-	-	1.13	.01		10
11	.28	-		.05	-	-	-	.33	-	-		.10		11
12	.05	-	-	-	-	-	.06		-	-	.02	.11		12
13	.34	-	.24	-	-	-	.28	.01	-	.03	.02	.04		13
14		-	.76	-	-	-	-	-	-		.18	.52		14
15	.08	-	.1	-	.12	-	-	-	.08	-	.07	.34		15
16	.13	-	-	-	-	-	-	-		.11	-			16
17	.04	-	.13	.03	.02	-	-	-	-	.06	-	.11		17
18	.06	-		.09	-	-	.45	-	-	-	-	.07		18
19	-	-	.18	.02	-	.10	-	-	.06	-	-	.13		19
20	-	-	.13	-	-	.02	.11	-	-	.02	-	-		20
21	-	-	-	.13	-	.12	.08	-	-		-	-		21
22	-	-	-	-	-	.04		.17	.17	-	-			22
23	-	-	-	.35	-	.18	-	-		-	-			23
24	-	.03	-	.12	-		.85	-	-	-	-	.73		24
25	.14		-	.12	-	.19	-	-	-	-	-			25
26	.03	-	-	.18	-	.09	-	-	.03	-	-			26
27	-	SNOW.	-	-	-	.29	-	-	-	-	-			27
28	-	.25	-	-	-	.51	.03	.85	-	-	.13	.19		28
29	-	X	-	-	-	-	-	-	.04	-		.18		29
30	.08	X	-	-	-	-	-	.08		-	-			30
31	.03	X	-	X	-	X	-	-	X	.07	X	.05		31
TOTAL	1.50	.28	2.26	1.52	.60	1.61	1.86	1.73	1.12	1.04	1.97	4.71	20.20	
*Days with .04 in. or more.	14	2	12	13	4	10	7	8	7	9	9	19	117	
*Days with .04 in. or more.	12	1	12	10	3	9	6	6	6	7	7	17	96	

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Turnham Green Common Windsor*
in the County of *Middlesex*.Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *27* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.06	.	.06	.10	.17	.38	.	.06	.	.26	.		1
2	.	.	.10	.06	.	.12	.	.	.03	.12	.16	.		2
3	.	.	.	.07	.	.12	.	.	.28	.53	.	.01		3
4	.	.	.	.12	.	.35	.	.	.	.16	.	.12		4
5	.11	.19	.	.04	.	.10	.	.	.34	.	.	.01		5
6	.	.	.	.72	.	.27	.	.	.	.	.02	.		6
7	.	Shon	.	.	.	.	.	.	.	.25	.89	.28		7
8	.	.	.	.32	.	.	.	.	.	.	.30	.		8
9	.	.	.	.29	.	.64	.	.	.	.57	.19	.		9
10	.03	.	.	.07	.	.	.	.	.	.	.	.02		10
11	.21	.	.	.07	.	.	.	.	.	.	.22	.		11
12	.	.	.	.	.	.	.	.09	.	.	.47	.		12
13	.	.18	.	.17	.11	.60	.	.	.	.	.	.		13
14	.	.	.	.	.17	.	.	.	.	.	.04	.15		14
15	.	.	.	.32	.	.	.	.	.25	.	.30	.		15
16	.	.29	.	.06	.	.	.	.	.	.	.88	.04		16
17	.	.	.03	.04	.	.14	.	.	.03	.	.	.		17
18	.	.	.	.	.23	.14	.11	.	.24	.03	.04	.		18
19	.02	.	.	.	.	.07	.07	.	.04	.	.11	.03		19
20	.	.17	.	.20	.50	.07	.03	.	.	.	.13	.		20
21	.10	.	.	.	.	.	.	.	.16	.06	.02	.		21
22	.	.	.03	.	.	.	.	.32	.	.	.	.		22
23	.	.66	.17	.	.	.	.	.43	.07	.04	.	.16		23
24	.09	.	.	.	.14	.	.	.26	.39	.	.	.		24
25	Know	.08	.	.26	.01	.36	.	.	.	.	.01	.		25
26	Know	.48	.	.	.	.	.	.25	.03	.	.	.96		26
27	.32	.	.	.	.	.	.	.01	.10	.	.10	.		27
28	.	.	.	.	.	.	.	.	.55	.09	.	.		28
29	.34	X	.	.	.	.	.	.	.	.	.	.		29
30	.	X	.	.	.04	.	.	.61	.08	.	.30	.32		30
31	.	X	.	X	.02	X	.	.	X	.53	X	.27	1	31
TOTAL	1.22	2.11	.33	2.87	1.32	3.03	.59	1.97	2.65	2.38	4.44	2.37	Year's Total.	25.28
* Days with .01 in. or more.	8	8	4	16	9	12	4	7	15	10	18	12		123
* Days with .04 in. or more.	6	8	2	16	7	12	3	6	12	9	15	8		104


40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]



for the entry of Daily Observations

Station No.

842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at

Lurham Green Common Wisbech

in the County of

Middlesex.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level 27.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.31	.21	.07	-	-	.26	.10	-	-	-	.75	.08		1
2	.02	-	-	-	-	.19	.04	.20	-	-	.33	-		2
3	-	-	.04	.11	-	.05	.03	-	.21	-	-	-		3
4	.09	-	.07	.21	-	.12	-	-	.31	-	.06	.03		4
5	-	-	-	-	-	-	-	.02	.20	-	-	.11		5
6	.20	-	.06	-	-	.17	-	.06	-	-	.56	-		6
7	.23	-	-	.09	-	-	-	-	.05	-	-	.04		7
8	.16	-	.04	.12	-	-	.99	-	-	-	-	.16		8
9	.43	-	-	-	-	-	-	-	-	-	-	-		9
10	-	-	-	-	-	-	.06	.25	-	-	.30	-		10
11	-	-	-	.17	-	-	.35	-	-	-	.53	-		11
12	-	-	-	-	-	.49	-	-	.15	-	.15	.46		12
13	-	-	-	-	-	.33	-	-	-	.02	.13	-		13
14	-	.03	-	-	-	-	.52	-	-	.03	.02	.46		14
15	-	-	-	-	-	-	-	-	.14	-	-	.03		15
16	.44	-	-	-	.07	-	.07	-	.04	-	.40	.07		16
17	.18	.19	-	-	-	.42	-	-	-	-	.16	.09		17
18	.34	.39	-	.01	-	.01	.21	-	-	-	-	.05		18
19	-	.02	.02	-	-	.16	-	.02	.42	.01	-	-		19
20	.04	.05	.06	.37	-	.51	.05	-	-	-	-	-		20
21	-	.03	.05	.18	.01	-	-	-	.09	-	-	-		21
22	.08	.32	-	.02	.32	.26	.67	-	-	-	-	-		22
23	.07	-	.04	.07	-	-	.02	-	-	.10	-	-		23
24	.09	.14	-	-	-	-	-	-	-	-	-	-		24
25	.08	-	-	.22	-	.15	.06	-	-	-	.02	-		25
26	-	.07	-	-	-	.16	-	-	.08	.12	-	-		26
27	.83	.04	-	-	-	-	-	-	.30	.05	-	-		27
28	-	-	.14	-	-	-	.18	-	-	-	.14	.13		28
29	.10	.05	-	-	-	.29	-	-	.03	-	-	-		29
30	.06	~~X~~	-	-	-	.14	.05	-	-	see next day	-	-		30
31	.43	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	day	~~X~~	.50		31 d
TOTAL	4.16	1.54	.88	1.57	.40	3.65	2.74	.55	2.52	.83	3.55	1.91	24.32	
* Days with .01 in. or more.	19	12	11	11	3	16	15	5	12	8	13	13	138	
* Days with .04 in. or more.	18	9	10	9	2	15	12	3	11	4	11	11	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Borough Engineer & Surveyor.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Wurham Green Common, Cheshire*
in the County of *Cheshire*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.,, Ground ,, Sea Level*27*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	-	.09	.02	-	-	-	-	-	.37	.22		1
2	.01	.14	-	-	-	-	-	-	.18	-	-	.83		2
3		.66	-	.14	.14	-	-	-	-	-	-	.01		3
4	.03		-	-	-	.05	-	-	-	-	-	.28		4
5	.19	-	.26	.02	.18	-	.07	-	-	-	-	-		5
6	.02	.62	.78	-	-	-	.07	-	-	-	-	.01		6
7	-			.05	.03	-	-	-	.05	.03	-	-		7
8	-	.04	-	.12	.23	.17	-	-	-	-	-	.28		8
9	-	-	.23	-	-	-	-	-	.26	-	-	.28		9
10	-	-	.09	.09	.02	.38	.02	.19	-	-	-	-		10
11	-	-	.35	-	.05	.15	-	-	.04	-	-	.72		11
12	.12	.27	.07	.15	-	.12	.10	-	-	-	-	-		12
13	.12		.43	-	.07	-	-	1.26	.82	-	-	.71		13
14	.12	.22	-	-	-	-	-	-	.05	-	-	-		14
15	.13		.05	.07	-	.08	.03	.24	.07	-	-	.03		15
16	.23	.14	.02	-	-	.06	-	.26	.31	.01	.13	.02		16
17		-	.07	.14	-	-	-	-	.21	-	-	-		17
18	.26	.14	-	-	.18	.45	-	-	.05	-	-	See		18
19	.24		.01	.04	.11	-	.29	-	-	-	-	See		19
20		.64	.27	-	-	-	.02	-	.05	-	-	.17		20
21	.30			.07	.09	-	.04	-	-	-	-	-		21
22	.44		.06	.05	.05	.08	.05	-	-	1.13	-	-		22
23	.49		-	-	-	-	.01	-	-	-	-	.03		23
24		.50	.15	-	.34	.03	-	-	.10	.62	-	-		24
25	.05		.06	-	.16	-	-	-	-	.24		.03		25
26		.67	Know	-	.09	-	-	-	.05	.53	.43	-		26
27				.07	-	-	-	-	-	-	-	-		27
28	Know	Know	-	-	-	.02	-	-	-	-	-	.05		28
29	Know	X	-	.04	-	.01	-	-	-	.62	-	-		29
30	.52	X	-	.34	-	-	-	-	-	-	-	-		30
31		X	-	X	-	X	-	-	X	-	X	.02		31
TOTAL	3.22	3.99	2.90	1.48	1.76	1.82	.63	1.89	2.24	3.18	.93	3.41	Year's Total 27.45	✓
* Days with .01 in. or more.	16	11	15	15	15	13	9	4	13	7	3	15	136	
* Days with .04 in. or more.	13	11	13	14	12	10	5	4	13	5	3	8	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

S. B. P. M.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Turnham Green, Chiswick, W.4...

in the County of Middlesex

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level.....27.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	.05	—	✓	.09	—	—	.03	—	—	.02		1
2	.10	—	—	.08	✓	—	—	—	—	—	.19	✓		2
3	—	—	—	—	✓	—	—	—	—	—	.01	—		3
4	.02	—	—	—	—	—	—	—	—	—	—	.21		4
5	—	—	—	—	—	—	.14	—	—	—	—	—		5
6	.04	—	—	—	—	—	.01	—	.43	—	—	—		6
7	—	—	—	—	—	—	.13	✓	.215	✓	—	—		7
8	.25	—	—	—	—	.01	.13	✓	1.42	—	.39	—	.16	8
9	✓	.01	—	—	—	✓	.01	✓	✓	—	—	.13		9
10	✓	.04	—	—	—	.02	.01	.07	—	—	—	.18		10
11	.25	—	—	—	—	—	—	.45	—	—	.215	.21		11
12	.26	.03	—	—	.02	—	—	.47	—	.24	✓	.01		12
13	.21	✓	—	—	—	—	—	.01	—	✓	✓	.20		13
14	.19	—	—	—	✓	—	—	.015	—	—	—	.40		14
15	✓	.02	—	—	.08	—	✓	—	—	✓	—	.50		15
16	.35	—	—	—	—	—	.21	.025	—	.36	✓	.10		16
17	—	.08	—	—	.21	—	—	—	—	✓	—	—		17
18	.03	—	—	—	.04	—	—	.15	—	✓	✓	—		18
19	—	—	—	—	—	—	—	.025	.11	—	1.03	—		19
20	—	—	—	—	—	—	.02	.02	—	—	✓	—		20
21	.01	—	—	—	—	—	—	.045	—	—	✓	.30		21
22	—	—	—	—	—	.01	—	.0525	—	—	✓	✓		22
23	—	—	—	—	—	—	✓	—	—	—	—	.40		23
24	—	—	.21	—	.03	—	.18	—	✓	—	.05	—		24
25	.10	.02	✓	—	.06	—	—	.105	.503	—	✓	.26		25
26	.17	✓	✓	—	—	—	—	—	✓	—	1.2	—		26
27	✓	.14	.06	—	—	.15	.23	.31	✓	✓	✓	—		27
28	✓	—	—	—	✓	—	—	✓	1.7	—	.01	—		28
29	✓	—	—	—	.60	—	—	—	✓	—	✓	.22		29
30	✓	—	—	—	—	—	—	—	✓	—	.20	—		30
31	.12	—	—	—	.09	—	—	—	—	—	—	.23		31
TOTAL	2.75	.36	.32	.08	1.43	.31	.93	2.98	3.17	1.28	2.90	3.53	20.04	Year's Total
* Days with .01 in. or more.	15	9	4	1	12	6	9	12	13	7	15	16	98	130
* Days with .04 in. or more.	17	3	4	1	10	2	6	8	8	6	8	11	71	93

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations

Station No. 842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tunham Green, Chiswick, W.4

in the County of Middlesex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	.725	-	-	.02	-	-	-	-	-		1
2	.01	-	-	-	.02	-	.05	-	-	-	.06	-		2
3	.1	-	-	-	-	-	-	-	-	.38	.17	-		3
4	.12	-	-	.17	-	-	.05	2.17	-	-	.21	-		4
5	.14	-	-	.2	-	-	.04	-	-	-	-	-		5
6	.27	.01	-	.1	-	-	.05	-	-	-	.76	-		6
7	-	.09	-	-	-	-	.01	-	-	.77	-	-		7
8	-	-	.26	-	-	-	.08	-	-	-	-	-		8
9	-	-	-	-	-	-	-	-	-	-	-	-		9
10	1.7	-	.21	-	-	.59	-	.11	.82	.38	.26	-		10
11	-	.09	-	-	-	-	-	-	-	-	-	-		11
12	-	-	-	-	-	-	-	-	-	-	-	-		12
13	.04	-	-	.01	-	-	-	-	-	2.15	-	-		13
14	.5	-	-	.01	.5	.01	-	-	.01	-	-	-		14
15	-	-	-	.005	-	.2	.02	-	.07	-	-	-		15
16	.5	-	-	-	.5	-	-	-	-	-	-	-		16
17	.2	-	-	-	-	.25	.1	-	-	.32	1.16	-		17
18	.17	-	-	-	-	-	-	-	-	-	-	-		18
19	.2	-	.5	-	-	-	1.09	-	-	-	-	-		19
20	.2	-	-	-	-	.1	-	.14	-	-	-	-		20
21	.2	-	-	-	-	.2	.05	.41	-	-	-	-		21
22	-	-	-	.07	-	-	-	-	-	-	-	-		22
23	.02	-	-	-	-	.01	-	-	-	-	-	-		23
24	-	.2	-	.02	-	.01	.05	-	-	-	-	-		24
25	1.14	.22	-	.03	-	-	-	-	-	.68	-	-		25
26	.03	-	-	-	-	.01	-	-	-	-	1.91	-		26
27	.01	-	-	-	-	-	-	-	-	-	-	-		27
28	-	.19	-	-	-	-	-	-	-	-	-	-		28
29	-	X	-	1.31	-	-	-	-	-	-	-	-		29
30	-	X	-	-	-	-	-	.09	-	-	-	-		30
31	-	X	-	X	-	X	-	-	X	-	X	-		31
TOTAL	5.55	.80	.97	2.70	1.02	1.38	1.61	2.92	.90	4.68	4.51	(0.90)	Year's Total (27.94)	"2"
* Days with .01 in. or more.												(13)		
* Days with .04 in. or more.												(6)		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 842

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ...Turnham Green, Chiswick, W.4.

in the County of Middlesex.....

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1.....ft....0.....in.

,, Ground ,, Sea Level 27.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	- ✓	-	-	-	-	-	-	-	-	-	.01		1
2	-	- ✓	-	(.08)	-	-	.06	-	-	-	(.65)	-		2
3	-	- ✓	-	.115	-	-	-	-	-	.31	1.45	.07		3
4	-	- ✓	-	.025	-	-	-	-	-	-	-	-		4
5	-	-	-	.02	-	-	.01	-	-	.17	.54	-		5
6	✓ 40	- ✓	-	-	.005	-	-	-	-	-	(.14)	.08		6
7	✓	- ✓	-	-	.05	-	-	-	.02	-	-	.24		7
8	-	-	-	.01	-	-	-	-	-	-	-	-		8
9	-	-	-	Trace	-	13	-	-	.02	-	-	-		9
10	-	(4.50)	-	-	-	-	.60	.03	-	-	.10	.02		10
11	-	-	- ✓	.015	-	-	.18	-	-	-	.88	-		11
12	-	- ✓	- ✓	.015	-	-	.06	-	.17	.19	-	-		12
13	-	-	- ✓	-	-	-	.01	-	.13	✓	.75	-		13
14	-	-	- ✓	.1	-	.045	-	-	-	.01	Frost	✓		14
15	-	-	- ✓	.05	.075	-	.40	-	-	.02	.15	✓		15
16	✓	- ✓	- ✓	.09	-	-	.39	-	-	.13	✓	-		16
17	-	-	- ✓	-	-	-	.055	-	-	-	1.32	✓		17
18	-	- ✓	- ✓	.29	-	-	.07	-	-	-	.34	.13		18
19	-	- ✓	- ✓	.03	-	-	.03	-	.75	-	.12	-		19
20	-	- ✓	-	.035	-	-	.25	✓	.01	-	.01	.04		20
21	(2.00)	-	-	-	-	-	-	-	-	.03	.36	-		21
22	-	-	- ✓	-	.85	-	-	-	-	.01	-	-		22
23	-	- ✓	- ✓	.1	.005	.2	-	-	.07	-	Frost	-		23
24	-	-	-	.28	-	-	.21	-	-	-	.01	-		24
25	-	-	- ✓	Trace	-	-	.08	-	-	-	-	.04		25
26	✓	2.8	- ✓	.075	.16	.14	.03	-	-	-	-	-		26
27	- ✓	- ✓	-	.025	-	-	.11	-	-	-	-	-		27
28	- ✓	.275	-	.02	.055	-	-	-	-	-	-	-		28
29	- ✓	✓	- ✓	-	.035	-	-	-	-	-	-	.285		29
30	-	✗	-	.27	-	-	-	-	-	.05	-	.015		30
31	- ✓	✗	-	✗	-	✗	-	-	✗	(.65)	✗	.015		31
TOTAL	(2.40) 40	(2.77) 3.075	(2.70)	1.64 4.345	1.24 1.235	.69 6.05	2.54 2.545	.04	1.16	1.58 93	6.20 6.85	1.19 1.185	Year's Total 22.450	(24.15) 23.15
* Days with .01 in. or more.	9	14	13	9	7	4	4	2	8	5	3	14	30	(129)
* Days with .04 in. or more.	7	10	10	10	5	4	13	2	4	5	14	8	63	190

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

843
HANWELL

843
FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931.

Kept at Hanwell
in the County of Middle

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea L

THE MORNING MEASU

780203

US DAY.

Jan. 1, following

An observer who does not conform to the following instructions shall insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.20		.08		.82	.04	.22			1
2	.06	.09		.48		.02	.01	.03	.55	.02	.01	.07	2
3	.04	.04	.08	.36	.40			.28	.92		.06	.11	3
4					.01			.15	.19		.12		4
5				.20	.02	.60	.04	.72			.03	.11	5
6		.08		.08			.02			.28	.31	.04	6
7					.07	.21		.61		.06	.22	.05	7
8		.08			.01	.21		.25	.01	.02	.08	.01	8
9		.04		.02				.01	.04	.06	.41	.01	9
10	.02	.12				.02	.07	.46	.01		.11	.01	10
11	.08	.18							.04		.09		11
12		.01		.02			.03	.13	.41				12
13		.04					.19	.08	.02		.02		13
14		.09				.02	.95	1.51					14
15	.04	.02		.11	.12		.13	.13				.07	15
16	.02			.11	.25	.05		.64	.06				16
17	.16	.15		.28	.04	.02	.18	.02	.17	.03			17
18	.05	.08		.13		.08	.09	.84			.52		18
19	.03			.40		.17	.35	.10	.10				19
20	.01	.08		.09		.01	.09	.27	.02		.01		20
21	.02				.39			.04					21
22	.12		.08	.02	.05								22
23	.18	.02		.02	.50	.02	.01		.05		.16	.03	23
24				.18	.05	.14	.05	.01	.02				24
25	.04			.41	.05		.50						25
26	.02	.08		.13			.35		.01		.17		26
27	.18	.50		.02	.23		.15				.09		27
28	.04	.14		.07						.03		.06	28
29	.06	X			.13		.13		.01	.25	.03	.08	29
30	.05	X			.02		.05	.10			.03		30
31	.16	X		X	.08	X		.02	X		X		31
TOTAL	1.38	1.87	.16	3.33	2.42	1.65	3.39	6.42	2.67	.75	2.44	.65	YEAR'S TOTAL
* Days with or in. or more.	20	19	2	20	17	14	19	22	18	8	17	12	188
* Days with or in. or more.	14	15	2	15	13	8	15	16	11	4	12	8	133

REGISTER OF RAINFALL IN 1931.

Kept at Harwell
in the County of Middlesex
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 9 ft. 9 in.
,, Ground ,, Sea Level 35.77 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.20		.08		.82	.04	.02			1
2	.06	.09		.48		.02	.01	.03	.55	.02	.01	.07	2
3	.04	.04	.08	.36	.40			.28	.92		.06	.11	3
4					.01			.16	.19		.12		4
5				.20	.02	.60	.04	.72			.03	.11	5
6		.08		.08			.02			.28	.31	.04	6
7					.07	.21		.61		.06	.22	.05	7
8		.08			.01	.21		.25	.01	.02	.08	.01	8
9		.04		.02				.01	.04	.06	.41	.01	9
10	.02	.12				.02	.07	.46	.01		.11	.01	10
11	.08	.18							.04		.09		11
12		.01		.02			.03	.13	.41				12
13		.04					.19	.08	.02		.02		13
14		.09				.02	.95	1.51					14
15	.04	.02		.11	.12		.13	.13				.07	15
16	.02			.11	.25	.05		.64	.06				16
17	.16	.15		.18	.04	.02	.18	.02	.17	.03			17
18	.05	.08		.13		.08	.09	.84			.52		18
19	.03			.40		.17	.35	.10	.10				19
20	.01	.08		.09		.01	.09	.27	.02		.01		20
21	.02				.39			.04					21
22	.12		.08	.02	.05								22
23	.18	.02		.02	.50	.02	.01		.05		.16	.03	23
24				.18	.05	.14	.05	.01	.02				24
25	.04			.41	.05		.50						25
26	.02	.08		.13			.35		.01		.17		26
27	.18	.50		.02	.23		.15				.09		27
28	.04	.14		.07						.03		.06	28
29	.06	X			.13		.13		.01	.25	.03	.08	29
30	.05	X			.02		.05	.10			.03		30
31	.16	X		X	.08	X		.02	X		X		31
TOTAL	1.38	1.87	.16	3.33	2.42	1.65	3.39	6.42	2.67	.75	2.44	.65	YEAR'S TOTAL
*Days with or in. or more.	20	19	2	20	17	14	19	22	18	8	17	12	188
*Days with .04 in. or more.	14	15	2	15	13	8	15	16	11	4	12	8	133

REGISTER OF RAINFALL IN 1932 .

Kept at Hamwell
in the County of Middlesex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
Ground Sea Level 35 ft. 77 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.11	.33			.48	.01	.26	.02		1
2	.04			.14		.02			.11	.06	.04	.11	2
3				.30	.08				.41				3
4					.01	.16					.07	.01	4
5	.08				.01		.18		.05				5
6	.53	.02		.19	.01				.03				6
7			.06	.04	.02		.03		.13				7
8			.10	.06	.12				.03	.28			8
9	.13			.05	.89					.03			9
10	.40			.20	.06					.20			10
11	.03				.01		.24	.06		.23	.01	.03	11
12	.04									.10	.03		12
13	.04			.10	.01				.02	.30	.05		13
14	.10	.02		.11	.01					.03	.05	.01	14
15				.04	.28					.07			15
16	.16			.11	.06								16
17					.01		.06			.01			17
18					.01				.46		.06		18
19										.21			19
20				.09	.03		.02	.29	.15	.61	.17		20
21	.04			.04	.88			.12		.20	.01	.06	21
22			.26	.01	.17		.07	.01	.09	.26	.16		22
23		.05	.04	.03					.08	.80	.16	.12	23
24		.02					.35		.07	.06	.08		24
25							.81		.05	.17		.01	25
26		.03	.09	.05	.02		.10				.01		26
27			.19	.18	.40		.12			.19	.05		27
28			.07		.13		.10			.07			28
29			.27	.02	.15		.02	.13	.08	.28		.04	29
30		X	.07	.10	.01	.80	.08		.13		.28		30
31		X	.03	X		X			X		X	.03	31
TOTAL	1.67	.14	1.18	1.97	3.71	.98	2.18	1.09	1.90	4.42	1.25	.42	YEAR'S TOTAL 20.91
*Days with or in. or more.	12	6	10	20	24	3	13	6	16	21	16	9	155
*Days with .04 in. or more.	11	1	9	17	12	2	10	5	12	18	11	4	112

Section

A

for the entry of Daily Observations.

Station No.

843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Hamwellin the County of MiddlesexDiameter of Funnel of Gauge 5" in.Height of top of Gauge above Ground 1 ft. 9 in.Ground Sea Level 36.77 ft.

qob sent re gauge 4th 5th 9/3/34
 Observer agrees 14/3/34 J.W.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.13	.19		.29						.13		1
2	.12		.27		.27								2
3	.01	.13	.18		.24						.02		3
4	~~.39~~		.02		.10						.05		4
5	.26		.20		.17								5
6		.08	.04		.40					.07	.07		6
7	.17	.02	.07		.01					.09			7
8	.03				.06		.05						8
9	.01				.07		.19			.05	.09		9
10		.90				.03	.20			.13			10
11	.16					.02	.05	.09					11
12	.03				.06	.07			.49				12
13	.10				.09		.23		.11		.18		13
14										.21	.52		14
15	.27		.04			1.06	.05	.19			.11		15
16			.51			.29	.20		.03				16
17			.31			.01			.13		.11		17
18	.00		.10			.13					.03		18
19			.08			.08			.08			.03	19
20			.09			.38	.01		.15		.02		20
21						.17		.09	.28				21
22					.02			.17		.28	.03		22
23				.10	.10				.26	.03			23
24				.12		.16			.52				24
25		.49	.22						.29		.02	.06	25
26		.28	.05	.05		.03			.03	.03		.07	26
27			.02		.07					.29		.06	27
28										.30			28
29				.04			.10			.03			29
30	.13	X							.02	.07		.13	30
31	.07	X		X		X		.22	X	.04	X		31
TOTAL	1.62	2.03	2.17	.53	1.95	2.42	1.08	.76	2.39	1.62	1.38	.34	YEAR'S TOTAL 10.29
*Days with ".01 in. or more.	14	7	15	5	14	12	9	5	12	13	13	5	125
*Days with ".04 in. or more.	10	6	13	5	12	9	8	5	9	10	8	4	100

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J.H. Hopper

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Hanwellin the County of MiddlesexDiameter of Funnel of Gauge 6" in.Height of top of Gauge above Ground 1 ft. 9 in.,, Ground ,, Sea Level 35.77 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03							.13	~~.13~~			.35		1
2	.04		.07		.04				<u>.50</u>	.20		.28		2
3	.01			.11						.18		.01		3
4	.08		.10	.07						.02	.07	.37		4
5	.01		.01		.05					.01		.39		5
6	.02		.30		<u>.28</u>	.03		.02		.15	.01	.37		6
7	.02				.01			.15		.13	.01	.14		7
8	.02				.09			.03	.13		.33			8
9	.03		.02								<u>.74</u>	.35		9
10	.02		.23	.12				.05			.19			10
11	<u>.25</u>		<u>.44</u>	.06				.03				.09		11
12	.05		.04				.02	.31				.03		12
13	.23		.30				.23	.04		.01	.01	.08		13
14	.04		.23		.02						.18	.35		14
15	.08		.08		.04				.04		.06	.44		15
16	.12		.14		.01					.08				16
17	.01									.04	.02	.15		17
18	.09			.14			.21					.08		18
19			.19			.03			.22	.01		.06		19
20			.16			.03	.04	.06	.20			.01		20
21				.16		.20	.01	.03				.01		21
22							.06	.24	.16	.01		.03		22
23				<u>.23</u>		.19		.02				.12		23
24		.01	.05	<u>.23</u>		.05	<u>.54</u>		.21					24
25	.14	.06		.10		.11				.04		.38		25
26	.06			.21		.06			.01			.05		26
27				.17		.22				.02		.32		27
28		<u>.16</u>		.02		.20		<u>.53</u>			.08	.20		28
29				.01					.14			.01		29
30		X						.03				.14		30
31	.02	X		X		X			X	.13	X	.04		31
TOTAL	1.37	.23	2.36	1.63	.54	1.12	1.11	1.69	1.61	1.03	1.70	4.85	19.24	
*Days with .01 in. or more.	21	3	15	13	8	10	7	14	9	14	11	27	152	
*Days with .04 in. or more.	11	2	13	11	5	7	5	8	8	8	7	21	106	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Harwellin the County of Middlesex.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 9 in.,, Ground ,, Sea Level 30 77 ft.DartfordTotals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.04		.01	.06	.16	.92			.11	.19			1
2									.05	.19	.06			2
3		.01	.04	.05		.28			.12	.43	.20			3
4		.04		.10		.20			.35	.09		.09		4
5		.14	.04	.08		.24			.28					5
6				.28		.35								6
7				.60		.04					1.09	.28		7
8		.02		.19						.26	.11	.16		8
9				.16		.52				.44	.10			9
10	.01			.03						.05	.08			10
11	.21			.09		.07	.21				.25			11
12						.09		.02	.03		.48			12
13	.11	.16		.14	.07	.06					.02			13
14				.04	.18	.05					.04	.09		14
15		.18		.40		.33			.05		.24	.06		15
16		.07	.04	.04		.01			.27		.45			16
17		.01				.17		.02	.06		.29	.03		17
18				.20	.05	.14	.03		.27	.02	.02			18
19				.01	.20	.06	.03		.02		.10			19
20		.17		.06	.28	.05	.14		.02		.02			20
21		.23							.02					21
22		.02	.03					.36	.09					22
23			.20					.42		.09				23
24	.04	.46			.03			.30	.47		.24			24
25	.09	.11		.24	.05	.44					.05			25
26	.03							.24	.04		.25			26
27	.07	.48							.18		.36			27
28				.04				.05	.02	.04	.22			28
29								.01	.45		.21			29
30	.03	X		.08				.61	.29	.35	.33	.25		30
31		X		X	.01	X			X	.30	X	.18		31
TOTAL	.78	2.13	.36	2.80	.97	3.25	1.33	2.03	3.08	2.37	4.07	2.41	Year's Total	25.57
*Days with "or in. or more.	9	15	5	19	10	18	5	9	19	12	18	14		153
*Days with .04 in. or more.	6	11	4	16	8	17	3	6	14	11	15	13		124

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

B. K. [Signature]

P.T.O.

Section



for the entry of Daily Observations.

Station No. 843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Hamwell* in the County of *Middlesex* Diameter of Funnel of Gauge *5'* in.Height of top of Gauge above Ground *1* ft. *9* in.,, Ground ,, Sea Level *357.77* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.09	.04	.19		.21	.13	.04				.06		1
2		.21				.30	.10	.11						2
3				.15		.05	.03	.04	.20		.35			3
4			.10			.12			.47		.04	.03		4
5	.05							.02	.07			.12		5
6	.27		.03			.14		.08	.09		.19			6
7	.16					.03	.56		.05		.10	.02		7
8	.14		.01								.30	.15		8
9	.55		.01				.35		.50					9
10							.08	.16	.10		.02			10
11				.09			.11				.74			11
12				.11		.37	.18		.08		.29	.10		12
13						.23					.03	.26		13
14		.08				.06	.55			.06	.15	.25		14
15		.11							.49			.02		15
16		.09					.03		.05		.45	.05		16
17	.10	.37				.03					.19	.11		17
18	.08	.06				.34	.12					.08		18
19	.19	.04	.04			.34	.10	.04		.05				19
20	.02	.07	.07	.37			.07		.88					20
21				.20	.01	.32						.01		21
22	.12	.43	.03		.30	.07	.17					.07		22
23	.03		.03	.09	.06		.04			.10				23
24	.10	.12								.34				24
25	.08		.10	.20		.11	.15		.11	.14	.04	.02		25
26	.01	.08	.21	.09		.16	.04		.01	.18		.04		26
27	.14	.03	.03				.04		.14	.04		.05		27
28	.72		.06				.17		.03	.05		.05		28
29	.09	.05				.33	.05				.15	.03		29
30	.07	~~X~~			.15	.10	.03			.22		.26		30
31	.38	~~X~~	.07	~~X~~		~~X~~	.16		~~X~~	.62	~~X~~	.76		31
TOTAL	3.68	1.83	.83	1.49	.52	3.31	3.25	.49	3.27	1.80	3.04	1.73	25.28	4
* Days with .01 in. or more.	20	14	14	9	4	18	22	7	15	10	14	19	166	
* Days with .04 in. or more.	17	13	8	9	3	16	19	6	13	10	12	13	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Harwell
in the County of Middlesex
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground...2 ft. 6 in.
,, Ground ,, Sea Level 35.77 ft.

5" 1' 9"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.50	—	0.02	0.10	—	—	—	—	0.03	—	0.58	0.71		1
2	—	0.10	0.04	0.53	—	—	—	—	0.16	—	—	0.69		2
3	—	0.15	—	—	—	—	—	—	—	—	—	0.05		3
4	0.04	0.40	—	—	—	—	0.08	—	—	—	—	0.30		4
5	0.19	0.06	0.19	—	—	—	—	—	—	—	—	—		5
6	0.02	—	0.39	—	0.26	—	—	—	—	0.08	—	—		6
7	—	0.74	0.24	0.11	—	—	0.04	—	0.05	—	—	—		7
8	—	0.04	—	—	0.06	0.07	—	—	—	—	—	0.20		8
9	—	0.05	—	0.29	0.17	0.04	0.08	—	0.29	—	0.05	0.03		9
10	—	—	0.44	0.05	0.05	0.36	0.03	—	—	—	—	0.35		10
11	—	—	0.17	—	0.42	—	0.02	—	—	—	—	0.04		11
12	0.11	0.29	0.11	—	0.26	0.04	0.04	0.04	0.04	—	—	0.07		12
13	0.15	0.05	0.40	—	—	0.18	0.02	1.25	0.18	—	—	0.91		13
14	0.01	0.08	0.15	—	—	0.01	—	0.31	0.05	—	—	—		14
15	0.13	0.10	—	0.15	—	0.07	0.15	—	0.06	—	—	—		15
16	0.05	0.12	0.19	0.32	—	0.04	—	0.19	0.48	—	—	0.01		16
17	0.26	—	0.15	—	—	—	—	—	0.28	—	—	0.01		17
18	0.19	0.05	—	0.01	0.14	0.39	—	—	—	—	0.19	—		18
19	0.04	0.10	0.04	0.09	0.04	0.13	0.43	—	0.04	—	—	0.02		19
20	0.30	—	0.05	0.25	0.55	0.08	—	—	0.04	—	—	0.18		20
21	0.29	0.61	—	0.11	—	—	0.05	—	—	—	—	—		21
22	0.30	0.03	0.01	—	0.04	0.10	0.07	—	—	0.60	0.35	—		22
23	0.25	0.02	0.03	—	0.10	—	0.02	—	—	0.31	—	—		23
24	0.27	0.58	0.05	—	—	—	—	—	0.13	0.18	—	—		24
25	0.05	0.24	0.14	—	0.19	—	—	—	0.06	0.10	—	0.02		25
26	—	0.19	0.06	—	0.16	—	—	0.01	—	0.04	—	—		26
27	0.01	0.11	—	0.11	—	—	—	—	0.02	0.59	—	—		27
28	—	0.09	—	0.03	—	—	—	—	—	0.09	—	0.03		28
29	—	X	—	—	—	0.03	—	—	—	0.03	0.09	—		29
30	0.28	X	—	—	—	—	—	—	0.01	—	0.19	—		30
31	0.32	X	—	X	—	X	—	—	X	0.22	X	0.02		31
TOTAL	3.76	4.20	2.87	2.15	2.44	1.54	1.03	1.80	1.92	2.25	1.45	3.64	Year's Total	29.05
* Days with .01 in. or more.	21	22	19	13	13	13	12	5	16	10	6	17		167
* Days with .04 in. or more.	18	20	16	11	13	11	8	4	13	9	6	10		139

Section

A

for the entry of Daily Observations.

Station No. 843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at *Hanwell*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	0.11	.01	—	.03	.01	—	.05		1
2	0.08	—	—	0.06	—	—	.01	—	—	~~.14~~	—	.05		2
3	—	—	—	—	0.24	—	.01	—	.02	.52	.03	—		3
4	0.01	—	—	—	—	—	—	—	—	.02	—	.09		4
5	—	—	—	—	—	—	.04	—	—	.15	—	—		5
6	0.03	—	—	—	—	—	.02	—	.57	.01	—	—		6
7	—	—	—	—	—	—	.04	1.10	—	.09	—	.03		7
8	0.12	—	—	—	—	—	.08	—	.03	.26	—	.01		8
9	0.08	—	—	—	—	—	—	.26	—	—	—	.55		9
10	0.14	0.04	—	—	—	—	—	.15	—	—	—	.04		10
11	0.25	—	—	—	—	—	—	.67	—	—	.16	.06		11
12	0.25	—	—	—	0.02	—	—	.22	—	.22	.02	—		12
13	0.17	—	—	—	—	—	—	—	—	.03	.07	.13		13
14	0.17	—	—	—	0.04	—	—	—	.03	—	—	.04		14
15	0.07	0.02	—	—	—	—	.20	—	—	.31	.01	.29		15
16	0.30	—	—	—	—	—	—	.03	—	—	.04	.66		16
17	0.01	0.06	—	—	0.07	—	—	—	—	.05	.01	—		17
18	0.04	—	—	—	0.05	—	—	—	.14	.04	.22	—		18
19	—	—	—	—	0.01	—	—	.05	.08	.01	.18	—		19
20	—	—	—	—	—	—	—	—	.01	.01	.49	.01		20
21	—	—	—	—	—	—	—	.09	.04	—	.03	.54		21
22	—	—	—	—	—	—	—	.03	—	—	.15	.21		22
23	0.01	—	—	—	—	—	—	—	.02	—	.01	—		23
24	—	—	0.12	—	0.02	—	—	—	.37	—	.08	—		24
25	0.08	—	0.13	—	0.05	—	.03	.12	.02	—	.93	.06		25
26	0.14	0.14	0.05	—	—	—	—	—	.27	.17	—	.22		26
27	0.09	0.02	0.02	—	0.01	0.21	.26	.06	.60	.13	.32	—		27
28	0.09	0.05	0.01	—	0.85	0.04	—	.25	.03	—	—	.17		28
29	0.33	X	—	—	0.16	—	.01	—	.05	—	.10	.20		29
30	0.02	X	—	—	0.17	0.04	—	—	.06	.05	.13	—		30
31	0.10	X	—	X	0.09	X	—	—	X	.12	X	.20		31
TOTAL	2.58	0.33	0.33	0.06	1.78	0.40	0.71	3.03	2.37	2.34	2.98	3.61	20.52	✓
* Days with .01 in. or more.	22	6	5	1	13	4	11	12	17	19	18	20	148	✓
* Days with .04 in. or more.	17	4	2	1	9	4	5	10	9	13	12	17	103	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Stanley* [P.T.O.]*Garnett, Engineer*ENCLOSURE
No 924
JAN 1939

843



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1939

Kept at *Here well*

in the County of McAdams

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Baruti Kanyinda H.C.C

Section

A

for the entry of Daily Observations

Station No.

843

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at *Narwell*in the County of *Middlesex*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.09	-		1
2	-	.02	-	.06	-	-	.07	-	-	.14	.39	-		2
3	-	.35	-	.10	.01	-	.02	-	-	.11	1.04	.06		3
4	-	.07	-	.04	-	-	-	-	-	.15	.09	.05		4
5	-	-	-	-	-	-	.04	.01	-	.03	.31	.08		5
6	.17	.09	-	-	.03	-	.29	-	-	.15	.13	<i>trace</i>		6
7	.30	.05	-	-	.06	-	.13	-	-	-	-	-		7
8	-	-	-	.02	-	-	.02	.01	.01	.17	.01	.27		8
9	-	-	-	-	-	.68	.01	-	.02	.16	.11	.03		9
10	-	-	-	-	-	-	.21	.02	-	.10	.07	.04		10
11	-	-	.02	.02	-	-	.04	-	-	-	.82	-		11
12	-	-	.02	.01	-	.02	.10	-	.09	-	.02	-		12
13	-	-	.08	.01	-	.09	.02	-	.19	-	.88	.02		13
14	-	-	.11	.10	-	.02	-	-	.01	.05	-	.25		14
15	-	-	.04	.03	.09	-	.32	-	-	-	.21	-		15
16	-	-	.35	-	-	.03	.34	-	.24	.74	.83	.03		16
17	-	-	.42	-	-	-	.03	-	-	-	.63	-		17
18	-	.41	.13	.28	-	-	.18	-	-	.11	.31	.12		18
19	-	.31	.01	.09	-	-	.02	-	.53	-	.10	.01		19
20	-	.05	-	-	-	-	.01	.02	.03	-	.05	-		20
21	-	.01	.01	-	.19	-	.04	-	-	.08	.52	-		21
22	-	.02	.02	-	.57	.36	.01	-	.01	-	.02	-		22
23	-	-	.02	.14	.03	.02	-	.01	-	.01	.02	(.03)		23
24	-	-	-	.09	-	-	.21	-	-	-	-	-		24
25	-	-	.47	-	-	.02	.12	-	-	-	-	-		25
26	<i>X</i>	.05	.54	.03	.20	.20	.06	-	-	-	-	-		26
27	<i>X</i>	.10	-	.04	.05	-	.17	-	-	-	-	-		27
28	<i>(1.90)</i>	-	-	.09	.06	-	-	-	-	-	-	-		28
29	-	.03	.06	-	.07	-	-	-	-	-	-	.29		29
30	-	<i>X</i>	-	.28	-	-	-	-	-	.06	-	-		30
31	<i>X</i>	<i>X</i>	-	<i>X</i>	.01	<i>X</i>	-	-	<i>X</i>	.60	<i>X</i>	.01		31
TOTAL	2.37	1.56	2.30	1.43	1.39	1.44	2.46	.07	1.13	2.66	6.45	1.30	Year's Total	
* Days with .01 in. or more.	64	13	15	17	12	9	23	5	9	15	21	13	158	
* Days with .01 in. or more.	64	9	9	11	8	4	15	-	4	13	17	8	104	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Kept at *St Paul's*
in the County of...
Diameter of Funnel...
Height of top of Gauge...
Ground

844
EALING
ST. PAUL'S VICARAGE
1931-1940

THE MORNING

THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.26	-	.06	-	-	.04	-	-	-	1
2	.12	.07	-	.37	-	-	.01	.02	.52	.04	-	.10	2
3	.04	.01	.05	.37	.43	-	-	.16	.81	-	.06	.12	3
4	-	-	-	-	.22	-	.01	.12	.14	-	.09	.01	4
5	-	-	-	.20	.08	.57	.10	1.14	.02	-	-	.13	5
6	-	.11	-	.08	-	-	.01	-	-	.28	.42	-	6
7	-	-	-	-	.12	.11	-	.61	-	.07	.12	.06	7
8	.03	.08	.02	-	.11	.23	-	.31	-	-	.08	-	8
9	-	.04	.20	.01	~~1~~	-	-	-	.06	-	.35	.05	9
10	.01	.12	.08	-	-	.03	.03	.57	-	-	.17	-	10
11	.08	.18	-	-	-	-	-	-	.05	-	.10	-	11
12	-	.03	-	.01	-	-	-	.20	.35	-	-	-	12
13	-	-	-	-	-	-	.10	.09	-	-	-	-	13
14	.01	.11	-	-	-	-	1.06	1.25	-	-	-	-	14
15	.04	-	-	.12	.11	-	.15	.09	-	-	.03	.09	15
16	-	.13	-	.11	.22	-	-	.61	-	-	-	-	16
17	.07	.04	-	.29	.09	.07	.16	-	.20	.04	-	-	17
18	.06	.08	-	.22	-	.07	.03	.92	-	-	.46	-	18
19	.02	-	-	.40	-	.20	.15	-	.12	-	-	-	19
20	.01	.04	-	.05	-	-	.08	.27	-	-	.03	-	20
21	.02	-	-	-	.39	-	-	.01	-	-	-	-	21
22	.18	-	.04	-	.09	-	-	-	.03	-	-	-	22
23	.19	-	-	.06	.55	-	-	-	.10	-	.10	.06	23
24	-	-	.02	.22	.06	.13	.04	.01	.02	-	-	-	24
25	-	-	-	.42	.05	-	.55	-	-	-	-	.02	25
26	-	.10	-	.17	~~1~~	-	.38	-	.02	-	.19	-	26
27	.21	.42	-	.04	.22	-	.13	-	-	-	.12	-	27
28	.03	.14	-	.07	.01	-	-	-	-	.04	.01	.10	28
29	.07	X	-	-	.14	-	.13	-	-	.24	.03	.15	29
30	.04	X	-	-	.01	-	-	.10	.01	-	-	-	30
31	.11	X	-	X	.09	X	-	-	X	-	X	-	31
TOTAL	1.34	1.81	0.51	3.60	2.67	1.41	3.13	6.42	2.59	0.71	2.37	0.79	YEAR'S TOTAL
*Days with .01 in. or more.	19	17	6	19	18	9	17	17	15	6	16	11	170
*Days with .04 in. or more.	12	15	4	17	14	8	12	14	10	6	12	9	113

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *S. Paul's Vicarage, Ealing*
in the County of *Middlesex*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Ground Sea Level *100* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.26	-	.06	-	-	.04	-	-	-	1
2	.12	.07	-	.37	-	-	.01	.02	.52	.04	-	.10	2
3	.04	.01	.05	.37	.43	-	-	.16	.81	-	.06	.12	3
4	-	-	-	-	.22	-	.01	.12	.14	-	.09	.01	4
5	-	-	-	.20	.08	.51	.10	1.14	.02	-	-	.13	5
6	-	.11	-	.08	-	-	.01	-	-	.28	.42	-	6
7	-	-	-	-	.12	.11	-	.61	-	.07	.12	.06	7
8	.03	.08	.02	-	.11	.23	-	.31	-	-	.08	-	8
9	-	.04	.20	.01	~~1~~	-	-	-	.06	-	.35	.05	9
10	.01	.12	.08	-	-	.03	.03	.51	-	-	.17	-	10
11	.08	.18	-	-	-	-	-	-	.05	-	.10	-	11
12	-	.03	-	.01	-	-	-	.20	.35	-	-	-	12
13	-	-	-	-	-	-	.10	.09	-	-	-	-	13
14	.01	.11	-	-	-	-	1.06	1.25	-	-	-	-	14
15	.04	-	-	.12	.11	-	.15	.09	-	-	.03	.09	15
16	-	.13	-	.11	.22	-	-	.61	-	-	-	-	16
17	.07	.04	-	.29	.09	.07	.16	-	.20	.04	-	-	17
18	.06	.08	-	.22	-	.07	.03	.92	-	-	.46	-	18
19	.02	-	-	.40	-	.20	.15	-	.12	-	-	-	19
20	.01	.04	-	.05	-	-	.08	.27	-	-	.03	-	20
21	.02	-	-	-	.39	-	-	.01	-	-	-	-	21
22	.18	-	.04	-	.09	-	-	-	.03	-	-	-	22
23	.19	-	-	.06	.55	-	-	-	.10	-	.10	.06	23
24	-	-	.02	.22	.06	.13	.04	.01	.02	-	-	-	24
25	-	-	-	.42	.05	-	.55	-	-	-	-	.02	25
26	-	.10	-	.17	~~1~~	-	.38	-	.02	-	.19	-	26
27	.21	.42	-	.04	.32	-	.13	-	-	-	.12	-	27
28	.03	.14	-	.07	.01	-	-	-	-	.04	.01	.10	28
29	.07	X	-	-	.14	-	.13	-	-	.24	.03	.15	29
30	.04	X	-	-	.01	-	-	.10	.01	-	-	-	30
31	.11	X	-	X	.09	X	-	-	X	-	X	-	31
TOTAL	1.34	1.81	0.51	3.60	2.67	1.41	3.13	6.42	2.59	0.71	2.37	0.79	YEAR'S TOTAL
* Days with or in. or more.	19	17	6	19	18	9	17	17	15	6	16	11	170
* Days with .04 in. or more.	12	15	4	17	14	8	12	14	10	6	12	9	113

Section

A

for the entry of Daily Observations.

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St Paul's Vicarage, Ealing, W.in the County of MiddlesexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.Ground Sea Level About 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	—	.12	.35	—	.04	.42	.03	.21	.06	—	1
2	.03	—	—	.14	.04	.31	—	.01	.26	.08	.05	.12	2
3	—	—	—	.25	.11	—	—	—	.32	.01	—	—	3
4	.02	—	—	—	—	.16	—	—	—	—	.12	—	4
5	.11	—	.02	—	.04	—	.15	—	.08	—	—	—	5
6	.63	—	.02	.24	—	—	—	—	.09	—	—	—	6
7	.01	—	.11	.07	.06	—	.05	—	.08	.02	—	—	7
8	—	—	.10	.07	.18	—	—	—	.05	.25	—	—	8
9	.16	—	—	.09	.85	—	—	—	—	.05	—	—	9
10	.41	.10	—	.23	.10	—	—	—	.03	.21	—	—	10
11	.05	.01	—	.03	.03	.05	—	.10	—	.20	.06	.05	11
12	.07	.01	—	—	.02	—	—	.02	—	.17	.02	—	12
13	.08	—	—	.12	.03	—	—	—	.03	.26	.06	.02	13
14	.09	.05	—	.15	.05	—	—	—	—	.05	.06	—	14
15	—	.03	—	.06	.38	—	—	—	—	.10	.08	.02	15
16	.13	—	—	.15	.13	—	—	—	—	—	—	—	16
17	—	—	—	.02	—	—	.10	—	.03	—	—	—	17
18	—	—	—	—	.01	—	—	—	.55	.04	.10	—	18
19	—	—	—	—	—	—	—	—	.03	.23	.02	—	19
20	—	—	—	.19	.08	—	—	.30	.13	.58	.16	—	20
21	.06	—	—	.11	.80	—	—	.10	—	.20	—	.06	21
22	—	.01	.27	—	.11	—	.13	.01	.11	.27	.31	—	22
23	—	.11	.03	.04	.06	—	—	—	.10	.82	.12	.13	23
24	—	.05	—	—	—	—	.28	—	.09	.07	.10	—	24
25	—	.01	—	.01	.02	—	.65	—	.13	.16	—	—	25
26	—	—	.12	.08	.04	—	.09	—	—	.05	.04	—	26
27	—	—	.23	.19	.46	—	.16	—	—	.45	.09	—	27
28	—	—	.03	.03	.13	—	.10	—	—	.09	—	.04	28
29	—	—	.28	.05	.15	.04	.02	.22	.10	.31	.61	.02	29
30	—	×	.11	.13	.02	.68	—	.02	.10	.02	.21	.13	30
31	—	×	.18	×	—	×	.06	—	×	—	×	.04	31
TOTAL	1.94	0.38	1.50	2.57	4.25	1.24	1.83	1.20	2.34	4.90	1.62	0.63	YEAR'S TOTAL 24.49
*Days with .01 in. or more.	13	9	12	23	23	5	12	9	19	25	18	10	168
*Days with .04 in. or more.	10	4	8	19	18	5	11	5	15	22	14	7	138

Section

A

for the entry of Daily Observations.

Station No. 844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. File No 751325/27

Kept at St Paul's Vicarage, Ealing

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level approx 0.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.12	.17	—	.12	—	—	—	—	—	.09	—		1
2	.13	—	.32	—	.28	—	—	—	—	—	.02	—		2
3	—	.18	.19	—	.20	—	—	—	—	—	.01	—		3
4	.38	.03	.02	—	.10	—	—	—	—	—	.03	—		4
5	—	—	.20	—	.16	—	—	—	—	—	—	—		5
6	—	.13	—	—	.47	—	—	—	—	.08	.09	—		6
7	.18	.03	.16	—	.02	—	—	—	—	.10	—	—		7
8	.04	—	—	—	.07	—	.08	—	—	—	—	.01		8
9	—	—	—	—	.07	—	.15	—	—	.07	.09	—		9
10	—	.75	—	—	.03	.04	.15	—	—	.12	.03	—		10
11	.17	—	—	.05	.05	.01	.11	.09	—	.01	.02	—		11
12	—	—	—	—	—	.10	—	—	.65	.01	—	—		12
13	.09	—	—	—	.13	.03	.24	—	.08	—	.19	—		13
14	.01	—	—	—	.01	.04	—	—	—	.19	.46	—		14
15	.27	—	.12	—	—	.80	.10	.24	—	—	.03	.01		15
16	.02	.03	.54	—	—	.28	.46	—	.03	.03	.10	—		16
17	.03	—	.30	—	—	.04	.02	—	.13	—	.03	—		17
18	.08	.07	.13	—	—	.17	—	—	—	—	—	—		18
19	—	.10	.10	—	—	.07	.07	—	.56	—	.04	.05		19
20	—	.03	.09	.07	—	.40	.03	—	.01	—	.01	—		20
21	—	.03	—	—	—	.41	—	.09	.28	—	.01	—		21
22	—	—	—	—	.05	—	—	.17	—	.23	.06	—		22
23	—	—	—	.12	.16	.01	—	—	.33	—	—	—		23
24	—	.40	—	.13	—	.08	—	—	.43	.04	.02	—		24
25	—	.42	—	.24	—	—	—	—	.13	.01	.02	.06		25
26	—	.26	—	.05	.02	.05	—	—	.06	.12	.02	.08		26
27	—	—	—	—	.05	—	.02	—	—	.18	—	.05		27
28	—	—	—	—	—	—	.03	—	—	.27	—	.02		28
29	—	X	.02	.10	—	—	.09	—	—	.12	—	—		29
30	.21	X	.07	—	—	—	.02	—	.05	—	—	.15		30
31	.11	X	.03	X	—	X	—	.15	X	.05	X	—		31
TOTAL	1.69	2.58	2.46	0.76	1.99	2.53	1.51	0.74	2.74	1.63	1.37	0.43	Year's Total	20.43
*Days with .01 in. or more.	14	14	15	7	17	15	14	5	12	17	20	8	158	
*Days with .04 in. or more.	11	9	11	7	13	13	9	5	10	12	8	5	113	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. H. Cooper

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *St Pauli Vicarage, Ealing*in the County of *Middlesex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *6* in.,, Ground ,, Sea Level *About 10-0* ft.

1933 Big up.

1934 Big up.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	—	—	—	—	—	.13	—	.05	—	.43		1
2	.08	—	.10	—	—	—	—	.01	.52	.17	.01	.20		2
3	.02	—	—	.20	.03	—	—	—	—	.13	—	.03		3
4	.09	.05	.10	.03	—	—	—	—	—	.08	.08	.35		4
5	—	—	.04	—	.05	—	—	.02	—	—	.05	.41		5
6	.01	—	.31	.01	.27	.08	—	.07	—	.16	.02	.39		6
7	.04	—	—	—	—	—	—	.12	—	.16	—	.15		7
8	—	—	—	—	.09	—	—	.05	.10	.01	.30	.01		8
9	.02	—	.04	—	—	—	—	—	—	—	.90	.30		9
10	.02	—	.16	.14	—	—	—	.04	—	.01	.18	.03		10
11	.25	—	.39	.05	—	—	—	.03	—	—	.01	.11		11
12	.07	.01	.11	.02	—	—	.11	.33	—	—	.02	.04		12
13	.23	—	.23	—	—	—	.23	.04	—	.01	.02	.09		13
14	.07	—	.22	—	.03	.01	—	—	—	.03	.23	.35		14
15	.10	—	.13	—	.05	—	—	—	.05	—	.08	.35		15
16	.12	—	.15	—	.04	—	—	—	—	.13	—	.02		16
17	.02	—	—	—	—	—	—	—	—	.07	.04	.17		17
18	.11	—	—	.14	—	—	.20	—	.01	—	—	.09		18
19	—	—	.19	—	—	.09	—	—	.09	.03	—	.10		19
20	—	—	.15	.01	—	.04	.13	.01	.04	—	—	.03		20
21	—	—	—	.16	—	.17	—	.08	—	.03	—	—		21
22	—	—	—	—	—	—	—	.13	.21	—	.04	.07		22
23	—	—	—	.25	—	.20	—	.06	—	—	.03	.10		23
24	—	.04	.07	.30	—	.04	.60	—	.30	—	.01	.01		24
25	.13	.07	—	.14	—	.10	—	—	—	.05	—	.34		25
26	.04	—	—	.22	—	.10	—	—	.03	—	—	.10		26
27	.02	—	—	.15	—	.24	—	—	—	.02	—	.40		27
28	—	.18 ^s	—	.03	—	.38	.01	.80	—	—	.10	.19		28
29	—	~~X~~	.02	—	—	—	.03	.04	.16	—	.01	.03		29
30	.05	X	—	—	—	—	—	.04	—	.01	—	.14		30
31	—	X	—	X	—	X	.03	.02	X	.12	X	.05		31
TOTAL	1.52	0.35	2.41	1.85	0.53	1.45	1.34	2.02	2.31	1.27	2.13	5.08	Year's total	22.26
*Days with .01 in. or more.	20	5	16	16	7	11	8	18	10	18	18	30		177
*Days with .04 in. or more.	13	4	15	10	4	10	5	13	8	10	10	23		116

Section **A** for the entry of Daily Observations.

Station No. 844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at (S' Paul's Vicarage) Ealing

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

751325/27

Ave.
24.7

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.06	—	.04	.02	.13	.73	—	.01	.06	.28	.02		1
2	.02	—	.03	.06	—	.02	—	—	.10	.14	.03	—		2
3	—	.06	.06	.05	—	.46	—	—	.11	.66	.07	—		3
4	—	.02	—	.13	—	.27	—	—	.22	.10	—	.10		4
5	—	.17	.05	.06	—	.15	—	—	.31	.02	.02	—		5
6	.02	—	.01	.25	—	.31	—	—	—	—	.02	.03		6
7	.01	—	—	.61	—	.03	—	—	—	.04	.75	.12		7
8	—	—	—	.30	—	—	—	—	—	.23	.22	.12		8
9	—	—	—	.21	.01	.65	—	—	—	.52	.13	—		9
10	.03	—	—	.03	—	.03	—	—	—	.02	.08	.03		10
11	.24	—	—	.10	—	.09	.12	—	—	—	.21	—		11
12	—	—	—	—	—	.10	—	.10	—	—	.43	—		12
13	.11	.17	—	.16	.12	.05	—	—	—	—	—	—		13
14	—	—	—	.03	.20	.07	—	—	—	—	.04	.10		14
15	—	.20	—	.31	.01	.50	—	—	.05	—	.21	.06		15
16	—	.09	.04	.04	—	.04	—	—	.25	.01	.48	.03		16
17	.03	—	—	.06	—	.17	—	.04	.04	—	.35	—		17
18	—	—	—	.19	.03	.20	.06	—	.24	.03	.05	—		18
19	—	.01	—	.03	.18	.07	.05	—	.03	—	.09	.04		19
20	.01	.19	—	.06	.33	.07	.19	—	.03	—	.15	—		20
21	.02	.24	—	—	—	—	—	—	.04	.05	.02	—		21
22	—	.03	.04	—	—	—	—	.28	.11	—	—	—		22
23	—	—	.21	—	—	—	—	.35	.05	.06	—	.15		23
24	.08	.44	—	—	.08	—	—	.30	.38	.01	—	.21		24
25	.23	.13	—	.25	.06	.52	—	—	—	—	.02	.08		25
26	.16	.15	—	—	—	—	—	.22	.04	.01	—	.24		26
27	.03	.35	—	—	—	—	—	.02	.13	—	.10	.24		27
28	—	.05	—	—	.03	—	—	—	.06	.05	—	.15		28
29	—	X	—	—	—	—	—	—	.50	—	—	.16		29
30	.06	X	—	.12	.02	—	—	.61	.14	.25	.34	.26		30
31	—	X	—	X	.02	X	—	.01	X	.31	X	.25		31
TOTAL	1.16	2.36	0.44	3.09	1.12	3.93	1.15	1.93	2.84	2.57	4.09	2.39	Year's Total.	27.07
* Days with .01 in. or more.	15	16	7	21	13	20	5	9	20	18	22	19	173	
* Days with .04 in. or more.	7	13	5	18	6	17	5	7	17	12	47	15	139	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

X REV. A.H. COOPER X

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *St Pauli Vicerage, Ealing*in the County of *Middlesex*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*6*.....in.,, Ground ,, Sea Level *about* *100*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.07	.05	.15	—	.25	.11	.03	—	—	.08	.07		1
2	—	.20	.01	.02	—	.31	.07	.11	—	—	.05	—		2
3	—	—	—	.20	—	.08	.04	—	.19	—	.27	—		3
4	.02	—	.10	.01	—	.16	—	—	.51	—	.04	.03		4
5	.08	—	.04	—	—	—	—	.02	.15	—	.02	.13		5
6	.23	—	—	—	—	.14	—	.10	.04	.02	.17	.02		6
7	.18	—	.03	—	—	.04	.15	—	.05	—	.11	.03		7
8	.16	—	.03	—	—	—	.01	—	—	—	.31	.16		8
9	.50	—	.04	—	—	—	.51	—	.41	—	—	—		9
10	—	—	—	—	—	—	.08	.16	.12	.01	.01	—		10
11	—	—	—	.07	—	—	.07	.01	—	—	.78	—		11
12	—	—	—	.10	—	.55	.18	—	.06	—	.28	.11		12
13	—	—	—	.01	—	.25	—	—	—	.01	.02	.07		13
14	—	—	—	—	—	.07	.57	—	—	.04	.16	.31		14
15	—	.10	—	—	—	—	.12	—	.30	—	.02	.04		15
16	.38	.09	—	—	—	—	.04	—	.05	—	.38	.06		16
17	.17	.26	—	—	.07	.05	—	—	—	.02	.18	.11		17
18	.05	.10	—	—	—	.33	.11	.01	—	.02	.02	.07		18
19	.18	.05	.04	—	—	.25	.15	.04	—	.04	—	—		19
20	.04	.05	.08	.37	—	—	.05	—	.75	—	—	—		20
21	—	—	—	.16	.06	.30	—	—	.08	—	—	—		21
22	.16	.37	.04	—	.20	.03	.18	—	—	—	—	.07		22
23	.03	—	.04	.07	—	—	.02	—	—	.12	—	—		23
24	.08	.13	—	—	—	—	—	—	—	.33	—	—		24
25	.08	—	.13	.17	—	.12	.24	—	.09	.14	.04	.02		25
26	—	.08	.17	.08	—	.10	.04	—	.03	.14	—	.03		26
27	.14	.02	.03	—	—	—	—	—	.15	.06	—	—		27
28	.63	—	.10	—	—	—	.24	—	.03	—	—	.04		28
29	.07	.08	.04	—	—	.27	.05	—	—	.02	.15	.03		29
30	.07	~~X~~	—	—	.11	.10	.05	—	—	.20	—	—		30
31	.38	~~X~~	.20	~~X~~	—	~~X~~	.12	—	~~X~~	.53	~~X~~	.28		31
TOTAL	3.81	1.60	1.07	1.41	0.44	3.50	3.20	0.48	3.01	1.70	3.09	1.68	Year's Total	24.99
* Days with .01 in. or more.	21	13	17	12	4	18	23	8	16	15	19	19		185
* Days with .04 in. or more.	19	12	13	9	4	17	21	4	14	9	14	13		149

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *A. H. Cooper* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *St Pauls Vicarage, Evers R^d Ealing*in the County of *Middlesex*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*6*.....in.,, Ground ,, Sea Level *about 100*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40	.01	.01	.09	—	—	—	—	.03	—	.60	.60		1
2	.02	.13	.03	.52	—	—	.02	—	.15	—	.01	.62		2
3	—	.15	.01	—	—	—	—	—	—	.01	—	.05		3
4	.05	.37	—	.01	—	—	—	—	—	—	—	.28		4
5	.20	.07	.24	—	—	—	.07	—	—	—	—	—		5
6	.04	.05	.35	—	.22	—	.02	—	—	.07	.03	—		6
7	—	.60	.30	.10	—	—	—	—	.05	.01	—	—		7
8	—	.04	.01	.01	.06	.07	—	—	—	—	.09	.21		8
9	—	.04	—	.25	.14	.04	.08	—	.27	—	—	.04		9
10	—	—	.38	.04	.05	.38	.03	.21	—	—	—	.37		10
11	—	—	.14	—	.38	.01	.02	—	—	—	—	.05		11
12	.13	.26	.12	—	.23	.49	.04	.02	.05	—	—	.08		12
13	.03	.05	.34	—	.01	.11	—	.83	.17	—	—	.67		13
14	.03	.07	.14	.03	—	.01	—	.30	.04	—	—	.02		14
15	.10	.09	—	.14	—	.03	.15	—	.14	—	—	.04		15
16	.07	.15	.18	.34	—	.03	—	.18	.34	—	—	.01		16
17	.25	.01	.11	.08	—	.01	—	—	.39	—	.01	.01		17
18	.18	.05	.01	.01	.09	.46	—	—	—	—	.18	.05		18
19	.03	.10	.04	.09	.04	.13	.57	—	.05	—	—	.15		19
20	.25	.01	.04	.24	.55	.14	—	—	.04	—	—	.01		20
21	.30	.57	.02	.09	.03	.01	—	—	—	—	.01	.02		21
22	.30	.02	.02	—	.02	.12	.05	—	—	.50	.27	.03		22
23	.24	.01	.02	—	.09	—	.02	—	—	.42	—	—		23
24	.30	.54	.07	—	.01	—	—	—	.11	.16	—	.02		24
25	.06	.20	.13	—	.20	—	—	—	.06	.23	—	—		25
26	.01	.18	.07	—	.03	—	—	—	—	.05	—	—		26
27	.03	.10	—	.10	—	—	—	—	.03	.52	—	.03		27
28	.03	.11	—	.05	—	.01	—	—	—	.10	—	.03		28
29	.06	—	—	—	—	.04	—	—	—	.04	.07	.04		29
30	.18	—	—	—	—	—	—	—	—	—	.17	.01		30
31	.25	—	—	—	—	—	—	—	—	.21	—	.03		31
TOTAL	3.64	3.98	2.88	2.21	2.15	2.09	1.07	1.54	1.92	2.32	1.44	3.47	Year's Total	
	~~4.04~~	~~4.28~~				~~7.94~~							24.31	28.61
* Days with .01 in. or more.	25	26	23	17	16	17	11	5	15	12	10	25	202	✓
* Days with .04 in. or more.	19	21	15	13	11	10	6	4	13	10	6	14	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. H. Cooper

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at St Paul's Vicarage, Ealing.

in the County of Middx.

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 1 ft. 6 in.

,, Ground ,, Sea Level 246.82 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	.01	—	.02	.10	.02	—	.04	.04	.02	.08		1
2	.10	.01	—	.07	.05	—	—	—	—	.17	—	.05		2
3	.01	—	—	—	.23	—	.01	—	.03	.48	.03	—		3
4	.02	—	—	—	—	—	—	—	—	.04	.01	.12		4
5	.02	—	—	—	—	—	.10	—	—	.15	—	.01		5
6	.04	—	—	—	—	—	.03	—	.75	.02	—	.01		6
7	.02	—	—	—	—	—	.05	1.00	.10	.11	—	.03		7
8	.12	—	—	—	—	—	.08	.02	—	.47	—	.01		8
9	.08	.02	—	—	—	.01	.01	.30	—	.01	—	.47		9
10	.13	.05	—	—	—	.01	.03	.09	—	—	—	.03		10
11	.25	—	—	—	—	—	—	.80	—	—	.15	.06		11
12	.22	—	—	—	.02	—	—	.75	—	.21	.04	—		12
13	.18	.01 ^s	—	—	—	—	—	.01	—	.04	.07	.12		13
14	.16	—	—	—	.05	—	.01	—	.03	—	.01	.02		14
15	.07	.03 ^s	—	—	—	—	.23	—	—	.29	.02	.20		15
16	.27	—	—	—	—	—	.02	.04	—	.01	.04	.91		16
17	.01	.07 ^s	—	—	.19	—	—	—	.01	.12	—	—		17
18	.03	—	—	—	.05	—	—	—	.10	.04	.19	—		18
19	—	—	—	—	—	—	—	.05	.07	—	.17	.10 ^s		19
20	—	.01	—	—	—	—	—	—	.02	—	.43	.01 ^s		20
21	.01	—	—	—	—	—	—	.08	.06	—	.04	.55 ^s		21
22	.02	—	—	—	—	.02	—	.06	—	.02	.12	.30 ^s		22
23	—	—	—	.02	—	—	—	—	.01	—	.03	.02 ^s		23
24	—	—	.12	.02	.03	—	—	—	.42	—	.06	.01 ^s		24
25	.08	.02	.12	.01	.09	—	.03	.13	.03	.04	.80	.15 ^s		25
26	.14	.13	.06	—	—	—	—	—	.25	.17	—	.16 ^s		26
27	.09	.04	—	—	.02	.16	.25	.06	.56	.07	.32	—		27
28	.11	.04	—	—	.71	.03	—	.29	.04	—	.02	.06		28
29	.35	~~X~~	—	—	.11	—	—	.01	.03	—	.08	.20		29
30	.03	~~X~~	—	.01	.11	.03	—	—	.07	.07	.13	.01		30
31	.12	~~X~~	—	~~X~~	.08	~~X~~	—	—	~~X~~	.11	~~X~~	.19		31
TOTAL	2.69	0.44	0.31	0.13	1.76	0.36	0.87	3.69	2.62	2.68	2.78	3.88	Year's Total	22.21
* Days with .01 in. or more.	27	12	4	5	14	7	13	15	18	21	21	26	183	
* Days with .04 in. or more.	17	5	3	1	10	2	5	12	11	17	14	16	113	

* See Instruction 3 (f) on other side.

S. Signifies Snow

† Spare column, no entries required.

(Signed) [Signature] [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *St Pauls Vicarage, Ealing* in the County of *Middlesex* Diameter of Funnel of Gauge..... *5* in.Height of top of Gauge above Ground... *1* ft. *6* in.,, Ground ,, Sea Level *about 100* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	.41	.36	—	.02	.54	.23	—	—	—		1
2	.02	—	—	.04	.03	—	—	.60	.61	—	.04	.01		2
3	.27	—	—	.21	—	—	—	.34	.01	—	.21	.12		3
4	.10	—	.17	.14	—	—	.05	.86	—	.41	.05	.01		4
5	—	—	—	.27	.03	—	.01	.03	—	.21	.20	.04		5
6	.34	—	—	—	—	—	.24	.06	—	—	.60	.04		6
7	.03	.09	—	—	—	—	—	.03	—	.02	.11	.09		7
8	—	.06	.14	—	—	—	.03	.33	—	.44	.12	.28		8
9	.03	.07	—	—	—	—	—	.01	—	.22	.07	.13		9
10	.18	—	—	—	—	.24	—	.12	.03	.04	.02	—		10
11	—	.01	.19	—	.02	.18	—	—	—	.29	.01	—		11
12	—	—	—	—	.01	.02	—	—	.02	—	—	—		12
13	—	—	—	.03	—	—	.06	—	.02	1.15	—	—		13
14	.47	—	.01	.05	.10	—	.02	—	.01	.20	.36	.04		14
15	.26	—	.02	.01	.43	.18	.06	—	.13	.65	.04	.02		15
16	.44	—	.08	.03	.13	.15	—	—	.03	—	.44	—		16
17	.16	.03	.03	—	.11	—	.03	—	—	—	.05	—		17
18	.20	—	.04	—	—	.21	.15	—	—	.09	.26	—		18
19	.15	—	.01	—	—	—	.06	—	—	.15	—	.02		19
20	.08	—	—	—	—	.27	.56	.09	—	—	—	.03		20
21	.07	—	.21	—	—	.05	.25	1.93 ⁵	.07	—	—	—		21
22	.10	.19	.10	.01	—	.04	.05	—	—	—	.08	—		22
23	.03	—	.01	.09	—	.02	.04	.02	—	.03	.55	—		23
24	.16	—	—	.04	—	.02	.03	.01	—	.10	—	—		24
25	1.26	.16	.04	—	—	—	.29	.03	—	—	.45	.03		25
26	.09	—	.01	.02	—	.03	—	—	—	.21	.27	.02		26
27	.02	.02	.08	.06	—	.01	—	—	—	.10	.17	—		27
28	.02	.17	.05	.13	—	.01	—	—	—	.06	.11	.20		28
29	—	X	—	.24	—	—	.16	—	—	.08	.12	—		29
30	—	X	—	.52	—	.02	—	—	—	.01	.22	.02		30
31	—	X	—	X	—	X	.05	—	X	.03	X	—		31
TOTAL	4.58 ⁶⁰	0.80	1.19	2.30	1.22	1.84 ⁴⁵	2.16	5.00 ³	1.16	4.49	4.55	1.10	Year's Total	30.01 ⁴
* Days with .01 in. or more.	23	9	16	17	9	15	19	15	10	20	23	16	192	✓
* Days with .04 in. or more.	16	6	11	12	5	9	13	9	4	16	21	8	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

844

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at *St Paul's Vicarage, Ealing*in the County of *Middlesex*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. *6* in.,, Ground ,, Sea Level*100* ft.Mar. Apr. May, July & Nov. cond. for *Ashts.*

BA

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	·01	—	—	—	—	—	—	·08	—		1
2	—	·06	—	·10	—	—	·07	—	—	·16	·38	—		2
3	—	·21	—	·11	—	—	—	—	—	·08	1·01	·08		3
4	—	·08	—	·03	—	—	—	—	—	·12	·10	·05		4
5	—	·02	—	—	—	—	·05	—	—	·04	·26	·08		5
6	·14	·09	—	—	·03	—	·20	—	—	·15	·15	—		6
7	·26	·07	—	—	·05	—	·11	—	—	—	·01	—		7
8	—	—	—	·03	—	—	—	—	—	·13	·02	·24		8
9	—	—	—	—	—	·85	—	—	·04	·18	·10	·04		9
10	—	—	·01	—	—	·01	·18	·03	·01	·06	·06	·05		10
11	—	—	·01	·03	—	—	·18	—	—	—	·84	—		11
12	—	·02	·08	·01	—	·03	·08	—	·18	—	·01	—		12
13	—	·01	·70	—	—	·09	·01	—	·14	—	·80	—		13
14	—	—	·14	·12	—	—	—	·01	·01	·03	—	·22		14
15	—	—	·05	·03	·12	—	·29	—	·03	·04	·22	·01		15
16	·03	·12	·34	·06	—	·05	·31	—	·15	·65	·70	·03		16
17	—	—	·36	—	—	—	·04	—	—	·01	·61	—		17
18	—	·27	·14	·26	—	—	·15	—	—	·10	·30	·12		18
19	—	·24	·06	·09	—	—	·04	—	·53	—	·09	·02		19
20	—	·01	·01	·02	—	·01	·07	·03	·02	·06	·07	—		20
21	·03	—	—	—	·26	—	·11	—	—	·05	·35	—		21
22	·01	—	·04	·01	·47	·25	·07	—	·04	·01	—	—		22
23	—	·12	·03	·68	·04	·01	—	·03	—	·01	—	·01		23
24	—	—	—	·15	—	—	·20	—	—	—	—	·02		24
25	—	—	·50	—	·01	—	·10	—	—	—	—	—		25
26	1·00	·05	·48	·03	·09	·15	·05	—	—	—	·01	—		26
27	·40	·20	—	·05	·03	—	·11	—	—	—	—	—		27
28	·45	—	—	·04	·08	—	—	—	—	—	—	—		28
29	·10	·05	·08	—	·06	—	—	—	·01	—	—	·28		29
30	·01	X	—	·27	—	—	—	—	—	·05	—	·02		30
31	·04	X	—	X	—	X	—	—	X	·50	X	·03		31
TOTAL	2·47	1·67	3·02 2·95	1·62 ³	1·12 ²⁴	1·45	2·32 ⁴	0·10	1·18	2·43	6·16	1·30	Year's Total 25·08	25·08 ✓
* Days with ·01 in. or more.	11	17	16	20	11	9	20	4	10	19	21	16	174	✓
* Days with ·04 in. or more.	7	13	12	12	8	5	19	—	5	15	17	9	182	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *A. H. Cooper*

[P.T.O.]

Kept at *Calina*
in the County of *W*

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING M

845
EALING
CENTRAL DEPOT

1931-1939

1935, 1938, A/B

56
COPY FOR OFFICIAL USE.
TISH RAINFALL ORGANIZATION.
IN 1931 .

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.


Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.09	.	.23	.	.03	.	.	.02	.	.	.	1
2	.10	.09	.	.34	.	.	.	.01	.55	.02	.	.08	2
3	.02	.	.03	.38	.40	.	.	.26	.83	.	.02	.11	3
4	.	.	.	.	.01	.	.01	.20	.12	.	.	.	4
5	.	.	.	.17	.02	.53	.09	.96	.	.	.	.12	5
6	.	.10	.	.07	.	.	.	.	.	.23	.35	.	6
7	.	.	.	.	.12	.12	.	.66	.	.06	.10	.04	7
8	.	.04	SHOW .04	.	.	.23	.	.26	.	.	.09	.	8
9	.	.03	SHOW .07	.	.	.	.	.	.03	.	.33	.02	9
10	.02	.05	.01	.	.	.01	.04	.42	.	.	.11	.	10
11	.07	.11	.	.	.	.	.	.	.04	.	.06	.	11
12	.	.	.	.	.	.	.03	.22	.39	.	.	.	12
13	.	.	.	.	.	.	.07	.07	.	.	.	.	13
14	.	.09	.	.	.	.	1.21	1.24	.	.	.	.	14
15	.	.	.	.10	.11	.	.15	.10	.	.	.01	.04	15
16	.	.10	.	.07	.22	.05	.	.60	.	.	.	.	16
17	.02	.02	.	.20	.05	.01	.12	.	.18	.01	.	.	17
18	.04	.05	.	.11	.	.03	.03	.90	.	.	.46	.	18
19	.01	.	.	.45	.	.17	.27	.03	.07	.	.	.	19
20	.	.02	.	.04	.	.	.05	.19	.	.	.	.	20
21	.	.	.	.	.37	.	.	.	.	.	.	.	21
22	.16	.	.04	.	.01	.	.	.	.02	.	.	.	22
23	.16	.	.	.04	.58	.	.	.	.08	.	.09	.03	23
24	.	.	.	.22	.05	.10	.04	.	.	.	.	.	24
25	.08	.	.01	.38	.03	.	.41	.	.	.	.	.	25
26	.	.05	.	.13	.	.	.35	.	.	.	.12	.	26
27	.14	.43	.	.02	.21	.	.09	.	.	.	.12	.	27
28	.02	SHOW .15	.	.09	.	.	.	.	.	.	.	.06	28
29	.05	.	.	.	.09	.	.12	.	.	.20	.	.02	29
30	.01	X	.	.	.01	.	.	.07	.	.	.	.	30
31	.14	X	.	X	.05	X	.	.	X	.	X	.	31
TOTAL	1.04	1.42	.20	3.04	2.33	1.28	3.08	6.19	2.33	.52	1.86	.52	YEAR'S TOTAL
*Days with or in. or more.	15	15	6	17	16	16	16	16	11	5	12	9	148
*Days with or in. or more.	9	12	3	16	16	16	14	8	3	10	6	111	

40-9999

*See Instruction 2 (f) on other side.



(Signed)

W.R. Hicks #
Borough Engineer

Section **A**

for the entry of Daily Observations.

845
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Baling Central Depot
in the County of Middlesex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.09	-	.23	-	.03	-	-	.02	-	-	-	1
2	.10	.09	-	.34	-	-	-	.01	.55	.02	-	.08	2
3	.02	-	.03	.38	.40	-	-	.26	.83	-	.02	.11	3
4	-	-	-	-	.01	-	.01	.20	.12	-	-	-	4
5	-	-	-	.17	.02	.53	.09	.96	-	-	-	.12	5
6	-	.10	-	.07	-	-	-	-	-	.23	.35	-	6
7	-	-	-	-	.12	.12	-	.66	-	.06	.10	.04	7
8	-	.04	.04 SHOW	-	-	.23	-	.26	-	-	.09	-	8
9	-	.03	.07 SHOW	-	-	-	-	-	.03	-	.33	.02	9
10	.02	.05	.01	-	-	.01	.04	.42	-	-	.11	-	10
11	.07	.11	-	-	-	-	-	-	.04	-	.06	-	11
12	-	-	-	-	-	-	.03	.22	.39	-	-	-	12
13	-	-	-	-	-	-	.07	.07	-	-	-	-	13
14	-	.09	-	-	-	-	1.21	1.24	-	-	-	-	14
15	-	-	-	.10	.11	-	.15	.10	-	-	.01	.04	15
16	-	.10	-	.07	.22	.05	-	.60	-	-	-	-	16
17	.02	.02	-	.20	.05	.01	.12	-	.18	.01	-	-	17
18	.04	.05	-	.11	-	.03	.03	.90	-	-	.46	-	18
19	.01	-	-	.45	-	.17	.27	.03	.07	-	-	-	19
20	-	.02	-	.04	-	-	.05	.19	-	-	-	-	20
21	-	-	-	-	.37	-	-	-	-	-	-	-	21
22	.16	-	.04	-	.01	-	-	-	.02	-	-	-	22
23	.16	-	-	.04	.58	-	-	-	.08	-	.09	.03	23
24	-	-	-	.22	.05	.10	.04	-	-	-	-	-	24
25	.08	-	.01	.38	.03	-	.41	-	-	-	-	-	25
26	-	.05	-	.13	-	-	.35	-	-	-	.12	-	26
27	.14	.43 SHOW	-	.02	.21	-	.09	-	-	-	.12	-	27
28	.02	.15	-	.09	-	-	-	-	-	-	-	.06	28
29	.05	-	-	-	.09	-	.12	-	-	.20	-	.02	29
30	.01	X	-	-	.01	-	-	.07	-	-	-	-	30
31	.14	X	-	X	.05	X	-	-	X	-	X	-	31
TOTAL	1.04	1.42	.20	3.04	2.33	1.28	3.08	6.19	2.33	.52	1.86	.52	YEAR'S TOTAL 23.81
*Days with "or in. or more.	15	15	6	17	16	10	16	16	11	5	12	9	148
*Days with ".04 in. or more.	9	12	3	16	13	11	14	8	3	10	6	111	

40-9999

*See Instruction 2 (f) on other side.

BOROUGH OF E...
-8 JAN. 1932

(Signed)

W.R. Lick #
Borough Engineer

Section



for the entry of Daily Observations.

Station No. 845

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Longfield Ave Depot Ealing
in the County of Middlesex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.....

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	-	-	.10	.34	-	.02	.30	.01	.25	.03	-	1
2	.01	-	-	.11	.02	.08	-	-	.20	.04	.03	.10	2
3	-	-	-	.20	.08	-	-	-	.31	-	-	-	3
4	-	-	-	-	-	.14	-	-	-	-	.09	-	4
5	.06	-	.01	-	-	-	.13	-	.07	-	-	-	5
6	.18	-	-	.11	-	-	-	-	.08	-	-	-	6
7	-	-	.12	.04	.04	-	.03	-	.08	-	-	-	7
8	-	-	-	.06	.18	-	-	-	.04	.22	-	-	8
9	.12	-	-	.01	.88	-	-	-	-	.02	-	-	9
10	.40	-	-	.10	.09	.02	-	-	.01	.20	-	-	10
11	.03	-	-	.01	-	-	.07	.11	-	.24	.03	.02	11
12	.05	-	-	-	.01	-	-	-	-	.07	-	-	12
13	.05	-	-	.10	.01	-	-	-	.02	.23	.04	-	13
14	.09	.03	-	.12	.02	-	-	-	-	.03	.04	-	14
15	-	-	-	.03	.46	-	-	-	-	.08	-	-	15
16	.07	-	-	.12	.09	-	-	-	-	-	-	-	16
17	-	-	-	.01	-	-	.11	-	-	.01	-	-	17
18	-	-	-	-	-	-	-	-	.59	-	.07	-	18
19	-	-	-	-	-	-	-	-	-	.22	-	-	19
20	-	-	-	.11	.06	-	-	.28	.10	.61	.15	-	20
21	.03	-	-	.05	.80	-	-	.08	-	.20	-	.04	21
22	-	-	.28	-	.08	-	.10	-	.10	.24	.26	-	22
23	-	.10	-	.02	.06	-	-	-	.06	.84	.07	.12	23
24	-	-	-	-	-	-	.30	-	.07	.05	.08	-	24
25	-	-	-	-	-	-	.69	-	.07	.23	-	-	25
26	-	-	.10	.08	.04	-	.03	-	-	-	-	-	26
27	-	-	.21	.18	.43	-	.10	-	-	.44	.06	-	27
28	-	-	-	-	.09	-	.10	-	-	.13	-	.02	28
29	-	-	.23	.01	.10	.02	-	.25	.08	.25	-	-	29
30	-	X	.06	.09	-	.76	-	-	.10	-	.20	.11	30
31	-	X	.05	X	-	X	.08	-	X	-	X	.03	31
TOTAL	1.15	.13	1.06	1.66	3.88	1.02	1.76	1.02	1.99	4.60	1.15	.44	YEAR'S TOTAL 19.86
*Days with .01 in. or more.	12	2	8	21	20	5	12	5	17	21	13	7	143
*Days with .04 in. or more.	9	1	7	15	16	3	9	5	14	18	10	4	111

40-9999

*See Instruction 2 (f) on other side.

(Signed) M. J. H. B. N. INST. CE. F.S.I.

Borough Surveyor.

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at houghfield Ave Depot Northern Savages Works
in the County of Middlesex.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ft.

NOTE

Copy Northern S W N 0850
on form 1090.

BLACK. houghfield Ave Depot. 845
RED Northern Savages Works. 850

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	02.05	10.11	14.15		20.17						04.04		I
2	12.15		31.30		29.28								2
3		16.17	15.18		33.26								3
4	38.38		01.01	03	10.14						01.04		4
5	01		18.19		13.13								5
6		08.08	01.02		45.42					06.07	08.00		6
7	15.15	04.07	05.08		02.02					09.12		02	7
8	03.04		01		04.06		08.07			02		02	8
9					04.06		13.15			06.05	07.07		9
10		99.95			03	02.03	12.14			10.13	02.02		10
11	14.15				04		04.07	08.13					11
12				05.02		07.07			63.64	02			12
13	07.09				12.11	14.05	23.27		08.07		17.15		13
14					01.03		01			21.14	49.56	03.01	14
15	26.28		10.11			60.70	07.03	17.14		02			15
16		02.01	02.54	62		23.26	28.15		02	01	10.07		16
17	01.02		23.27			02.02	03		12.11		01.06		17
18	06.07	08.05	10.13			12.11							18
19		06.08	05.06			12.18	03		54.45		02.03	02	19
20		01.02	12.10	03.04		40.28							20
21		01				37.40		07.09	30.20		04		21
22					04			15.16		21.18	04.03		22
23				12.14	09.03	02			36.25	01.01			23
24		32.41		12.13	02.08	15			46.40		01		24
25		35.45		23.24					06.10		03.07	00	25
26		22.25		04.05	02.02	02.03			03.07	07.05		07.07	26
27				01	05.03		01			20.24		03.06	27
28					01					26.30		0	28
29	07.07		01.01	06.03			03.04			10.10			29
30	09.09	X	03.09				02		03.03			09.16	30
31	05.10	X	02	X		X		4.15	X		X		31
TOTAL	114.103	212.271	204.237	66.65	187.195	217.230	103.09	61.60	261.253	138.115	109.117	29.42	YEAR'S TOTAL
* Days with or in. or more.	1	12	10	8	13	11	10	5	10	12	12	5	28
* Days with or more.	10	10	11	6	11	9	7	5	8	9	8	3	08

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. R. Hicks
M. Ince

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. **845**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Baling Yarn Hall
in the County of Middlesex

906 sent 7/2/35

suggesting figures be transposed
Obs: agrees that decimal point was
misplaced during Sept-Dec.Diameter of Funnel of Gauge 4 ¹⁵/₁₆ in.
Height of top of Gauge above Ground 9 ft 2 in.
" Ground " Sea Level 111 ¹¹/₂ ft.

f. 661587/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.11		.02		.39		1
2			.08							.16		.23		2
3	.06	.02		.18					.51	.17		.02		3
4	.08		.10	.01						.02	.10	.35		4
5			.12		.03	.08					.02	.40		5
6			.28		.25			.06		.15		.37		6
7								.10		.13		.14		7
8					.08			.03	.07		.29			8
9			.02								.94	.29		9
10			.13								.17			10
11	.06		.34	.05				.04				.01		11
12	.12		.04				.10	.25				.04		12
13	.21		.23				.18	.01			.01	.08		13
14	.04		.21	.01	.14						.24	.36		14
15	.06		.03		.03				.10		.05	.37		15
16	.12		.14							.12				16
17				.05						.06	.02	.16		17
18	.03			.11			.21					.09		18
19			.14			.01			.07	.01		.07		19
20			.15				.14					.01		20
21				.13		.15		.04						21
22									.15			.05		22
23						.20					.02	.09		23
24		.01	.05	.23		.02	.20		.18					24
25	.11	.05		.21		.08				.03		.36		25
26	.03			.15		.08			.01			.10		26
27	.01			.12		.19				.10		.38		27
28		.15				.33		.88			.09	.20		28
29							.02		.14			.01		29
30	.03	X						.03				.12		30
31		X		X		X		.04	X	.08	X	.04		31
TOTAL	.96	.23	2.15	1.25	.53	1.14	1.92	1.62	1.23	1.05	1.95	4.72	18.75	Year's Total.
*Days with .01 in. or more.	13	4	15	11	5	9	4	11	8	12	11	26	132	
*Days with .04 in. or more.	9	2	15	9	3	4	6	9	7	8	7	22	104	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at (1) Ealing Town Hall
in the County of (1) Middlesex

(2) Northern Sewage Works (850)
(2) Middlesex.
(2) 8" Copy on to separate
(2) 1 ft. 1090's.

Diameter of Funnel of Gauge (1) 4 1/16 in.
Height of top of Gauge above Ground (1) 9 ft. 2 in.
,, Ground ,, Sea Level (1) 111 1/2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01							.11		.20		.39		1
2	.05		.08		.05			.11		.16		.23		2
3	.06	.02	.07	.18					.47	.15		.20		3
4	.01			.20					.51	.17		.20		4
5	.08		.10	.01						.23		.03		5
6	.09	.02	.14	.02	.01					.20	.10	.35		6
7			.12		.03	.08				.04	.06	.36		7
8			.01	.01	.03						.20	.40		8
9			.28		.25						.01	.40		9
10			.29	.01	.27	.09		.06		.15		.37		10
11	.02							.06		.15		.35		11
12	.01				.08			.10		.13		.14		12
13	.02				.08			.11		.12		.13		13
14	.01		.02					.03	.40		.29			14
15	.02		.03					.01	.10		.27	.01		15
16	.02		.13								.94	.29		16
17	.02	.02	.20	.12							.93	.34		17
18	.06		.37	.05				.04			.17			18
19	.23		.36	.06				.04			.10			19
20	.12		.07				.10	.25				.10		20
21	.02		.10				.11	.19			.01	.04		21
22	.21		.23	.01			.18	.01			.10	.80		22
23	.04		.24	.01	.14		.17	.31			.02	.09		23
24	.26		.21	.01							.24	.36		24
25	.06		.20		.01					.01	.30	.34		25
26	.06		.03		.03				.10		.50	.37		26
27	.12		.06		.03				.05		.05	.35		27
28	.06		.14							.12				28
29	.13		.14		.01					.11				29
30	.03			.05						.60	.20	.16		30
31	.03			.01						.05	.03	.13		31
1			.17	.23		.01	.21					.90		1
2			.17	.23		.01	.21					.09		2
3			.18					.40	.10			.70		3
4	.14		.15			.17		.05	.02			.06		4
5				.02		.16		.01				.10		5
6				.13		.15		.04				.01		6
7				.14		.16		.04		.02				7
8									.15			.50		8
9							.03	.51	.24		.02	.04		9
10						.20		.02			.20	.90		10
11		.01	.05	.25		.17					.01	.01		11
12		.01	.06	.23		.02	1.20		.18					12
13	.11	.05		.22		.04	1.43		.19					13
14	.13	.04		.27		.09				.30		.36		14
15	.03			.12		.09				.04		.21		15
16	.09			.15		.08			.10			.10		16
17	.01			.18		.08			.01			.05		17
18		.04		.12		.19				.10		.38		18
19		.15		.12		.14				.04		.18		19
20		.11				.33		.88			.09	.20		20
21						.14	.01	.86			.11	.30		21
22							.02		.14			.10		22
23			.04	.02					.13			.02		23
24	.03	X						.03				.12		24
25	.04							.05				.16		25
26		X				X		.07	X	.80	X	.40		26
27	.03						.04	.06		.17		.04		27
28														28
29														29
30														30
31														31
TOTAL	.96	.23	2.15	1.25	.53	1.14	1.92	1.62	2.58	3.03	3.03	9.32	Year's Total	
* Days with .01 in. or more.	13	4	15	17	5	9	7	11	8	12	11	26	27.76	
* Days with .04 in. or more.	20	5	16	17	8	10	7	13	9	14	13	27	20.39	
	9	2	15	8	3	7	6	9	8	12	11	26	13.3	
	11	3	14	10	3	9	5	12	7	10	7	22	11.9	

40-9999

* See Instruction 2 (f) on other side.

Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No 845

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM M90

REGISTER OF RAINFALL IN 193

Kept at Ealing Town Hall

in the County of Middlesex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft. 2 in.

Ground Sea Level 111 ft. 12 in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date													
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†														
1	38	40	09	07	05	05	17	12	24	26	13	04	03	08	07	07	07	1									
2		19	24	01		01	32	33	08	10	10	06	05					2									
3				14	16		11	06	06	10	06	32	32					3									
4			11	09			19	12		49	58	04	05	03	02			4									
5	10	08		05	03		13		03	02	13	11		01	05	01		5									
6	24	24					11		08	08	04	03		15	18	08	05	6									
7	19	19		01			04	08		04	04			11	07	02	01	7									
8	15	16		04	02			12						34	19	18	18	8									
9	12	40		02	01			46		55	49					01		9									
10						08		52	06	10	15	12		03				10									
11					07		01	05	11					73	72			11									
12				10	10		54	56	22	15		09	05	32	32	11	09	12									
13				01			26	26	03			02	01	01	02	09	07	13									
14		09	05			06	09	05	53	61		03	04	16	17	27	25	14									
15		10	06					01			37	26		01	05	03		15									
16	34	36	10	09						06	04			42	35	01	02	16									
17	20	16	36	29		03	11					01		21	16	04	08	17									
18	06	04	07	10			41	30	10			04	02	03	11	15	08	18									
19	25	21	03	02	04		55	29	14	09	04		04	01				19									
20	02	02	10	04	05	06	38	34		33	04	05		85	95			20									
21				20	15	33	06	35		02	03							21									
22	17	13	44	36	05	05		23		15				07	07			22									
23	04	03		04	03	08	08		09	03	02		12	11		01		23									
24	09	08	16	10	01	19						36	28		01			24									
25	07	08		16	13		18		13	16	15		13	10	14	16	02	25									
26		11	09	17	14	03	07		13	14	20	02		02	03	10	13	26									
27	14	13	07	02	01			40		15	16	05	04					27									
28	10	09		15	09	10		18	13		01	04				03	03	28									
29	09	07	07	08	05		16	34	25	05			16	14	02	02		29									
30	09	07					11	14	14	06			21	18		01		30									
31	34	33		24	22			06				58	53		28	25		31									
TOTAL	438	387	128	159	117	103	138	122	49	43	367	366	340	260	29	33	13	309	170	151	319	296	143	136	23	71	
* Days with .01 in. or more.	20	20	14	13	15	16	10	10	3	4	18	17	15	19	5	16	16	12	11	17	18	23	18		16	7	
* Days with .04 in. or more.	19	18	13	12	11	10	8	9	3	3	17	17	12	17	4	3	13	13	9	8	13	14	12	10		13	4

Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

B. Sec., A.M. inst. O.E.

[P.T.O.]

BOROUGH ENGINEER & SURVEYOR

Section

A

for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ~~Panicle (N. 300. P.M.)~~ Ealing (Longford Avenue).in the County of ~~Middx~~

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	-	.01	.09	-	-	-	-	-	-	~~(.70)~~ 1.07	.63		1
2	.01	.11	.02	.51	-	-	-	-	.12	-	-	.59		2
3	-	.17	-	-	-	-	-	-	-	-	-	.04		3
4	.03	.33	-	-	-	-	-	-	-	-	-	.25		4
5	.15	.07	.23	-	-	-	.08	-	-	-	-	-		5
6	.01	.02	~~(.40)~~ 1.04	-	.02	-	.01	-	-	.08	.01	-		6
7	-	.68	.15	.01	-	-	-	-	.06	-	-	-		7
8	-	.03	-	-	.04	.06	-	-	-	-	.08	.22		8
9	-	.04	-	.29	.15	.02	.08	-	.26	-	-	.02		9
10	-	-	.39	.04	.05	.42	.01	.16	-	-	-	.32		10
11	-	-	-	-	.38	-	.01	-	-	-	-	.04		11
12	.13	.25	.01	-	.02	.47	.03	.05	.05	-	-	.09		12
13	~~.73~~	.05	.35	-	-	.13	-	~~(.70)~~ 1.70	.23	-	-	.92		13
14	.01	.05	.14	.01	-	-	-	.24	.05	-	-	-		14
15	.12	.09	-	.14	-	-	-	-	.06	-	-	.03		15
16	.03	.07	.19	.34	-	.08	-	.18	.29	-	-	-		16
17	.26	.07	.09	.06	-	-	-	-	.33	-	-	~~.08~~		17
18	.17	.07	-	-	.11	.34	-	-	-	-	-	.07		18
19	.01	.10	-	.01	.04	.12	~~(.30)~~ 1.03	-	.03	-	-	.07		19
20	.25	.01	.03	.27	.59	.15	-	-	.02	-	-	-		20
21	.29	.61	.01	.09	.02	-	.05	-	-	-	-	.02		21
22	.28	.01	-	-	.01	.11	.05	-	-	.63	.29	.01		22
23	.24	-	.02	-	.09	-	-	-	-	.36	-	-		23
24	.28	.53	.04	-	-	-	-	-	.13	.15	-	-		24
25	.04	.22	.04	-	.22	-	-	-	.05	.16	-	.01		25
26	-	.15	.06	-	.02	-	-	-	-	.04	-	-		26
27	.01	.07	-	.09	-	-	-	-	.01	.51	-	-		27
28	-	.01	-	.04	-	-	-	-	-	.01	-	.01		28
29	.05	X	-	-	-	.04	-	-	-	.02	.07	.02		29
30	.19	X	-	-	-	-	-	-	-	-	.17	-		30
31	.27	X	-	X	-	X	-	-	X	.25	X	-		31
TOTAL	3.38	3.81	~~2.18~~ 1.82	1.99	1.76	1.94	~~(.62)~~ 1.35	2.33	1.69	2.21	~~(1.32)~~ 1.88	3.31	Year's Total ~~23.94~~ 26.54	
* Days with .01 in. or more.	23	24	17	14	14	11	9	5	14	10	7	18	166	✓ up/wm
* Days with .04 in. or more.	16	19	11	11	9	10	4	5	11	8	6	10	120	✓ 98

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. Humphrey [P.T.O.]

M. Borough of Ealing.

Section

A

for the entry of Daily Observations

Station No.

P45

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1939

Kept at ... Baling Tarn Hall ...in the County of ... Cheshire ...Diameter of Funnel of Gauge ... 5 in.Height of top of Gauge above Ground ... 9 ft. 0 in.,, Ground ,, Sea Level 102.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	.39	.36	—	—	.39	.29	—	—	—		1
2	—	—	—	.04	.02	—	—	.63	.66	—	.03	—		2
3	.25	—	—	.23	—	—	—	.37	—	—	.21	.10		3
4	.06	—	.18	.11	—	—	.03	.89	—	.35	.03	—		4
5	—	—	—	.32	.02	—	—	.01	—	.18	.20	.03		5
6	.38	—	—	—	—	—	.15	.05	—	—	.46	.02		6
7	.02	.06	—	—	—	—	—	.02	—	—	.09	.09		7
8	—	.04	.14	—	—	—	.01	.48	—	.38	.14	.31		8
9	.03	.05	—	—	—	—	—	—	—	.22	.05	.12		9
10	.18	—	—	—	—	.36	—	.12	.03	.05	—	—		10
11	—	—	.19	—	—	.21	—	—	—	(.30)	—	—		11
12	—	—	—	—	.02	—	—	—	—	—	—	—		12
13	—	—	—	.01	—	—	.06	—	—	.86	—	—		13
14	.44	—	—	.02	.08	—	—	—	—	.20	.30	.03		14
15	.23	—	—	—	.45	.19	.05	—	.13	.65	.03	.03		15
16	.45	—	.07	.02	.11	.14	.01	—	.02	—	(.30)	—		16
17	.14	.02	—	—	.09	—	.01	—	—	—	—	—		17
18	.23	—	.02	—	—	.17	.15	—	—	.06	.22	—		18
19	.21	—	—	—	—	—	.08	—	—	.19	—	—		19
20	.16	—	—	—	—	.28	.48	.09	—	—	—	—		20
21	.06	—	.16	—	—	.06	.25	1.63	.06	—	.01	—		21
22	.11	.18	.08	—	—	.05	.01	—	—	—	.30	—		22
23	.01	—	—	.06	—	.01	.04	—	—	.02	.53	—		23
24	.19	—	.01	.06	—	—	.02	—	—	.11	—	—		24
25	1.07	.19	.02	—	—	—	.25	.03	—	—	.25	—		25
26	.08	—	—	.01	—	.07	—	—	—	.19	.42	—		26
27	—	.01	.08	.05	—	.01	—	—	—	.11	.12	—		27
28	—	.16	.05	.12	—	—	.05	—	—	.05	.11	.08		28
29	—	X	—	.18	—	—	.12	—	—	.06	.11	—		29
30	—	X	—	(.55)	—	—	—	—	—	.02	.18	—		30
31	—	X	—	X	—	X	—	—	X	—	X	—		31
TOTAL	4.31	.71	1.00	2.17 1.62	1.15	1.55	1.75	4.71	1.19	4.00 3.70	4.09 3.82	.81	2.74 2.56 1.56 1.17 4.4	4.4
* Days with .01 in. or more.	20	8	11	14.5	8	11	17	12	6	27.8	21	9	15.6	15.6
* Days with .04 in. or more.	16	6	8	10.1	5	9	11	9	4	15.16	16.17	5	11.7	11.7

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

X (Signed)

C. W. Seddon

Borough Engineer & Surveyor [P.T.O.]